

PRICELIST

Consumer UMRP





Table of **CONTENTS**

Consumer UMRP Price List Effective Q2 2021

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

REFRIGERATION

Freedom [®] Collection	1-1
Fresh Food Columns	1-2
Freezer Columns	1-4
Bottom Freezers	1-6
Wine Preservation Columns	1-8
Handles	1-9
Quick Reference Guide	1-11
Preassembled Collection	1-12
Bottom Freezer Refrigerators	
Freestanding Collection	1-13
Bottom Freezer Refrigerators	
Under-Counter Collection	1-14
Glass Door Refrigeration Units	1-14
Drawer Refrigeration/Freezer Units	1-14
Glass Door Wine Preservation Units	1-14
Accessories	1-15
Freedom [®] Accessories—Refrigerators	1-15
Freedom [®] Accessories—Freezers	1-16
Freedom [®] Accessories— Wine Preservation	1-16
Under-Counter Accessories	1-17

BUILT-IN COFFEE MACHINE

Built-In Coffee Machine	2-1
Accessories	2-1

BUILT-IN OVENS

Overview	3-1
Masterpiece [®] Series	
30" Masterpiece [®] Ovens	
Accessories	
Professional Series	
30" Professional Series Ovens	3-7
Microwave Ovens	
Microwave Ovens	3-12
Microwave Ovens Speed Ovens	
	3-12
Speed Ovens MicroDrawer® Microwave Oven	3-12 3-13
Speed Ovens	

COOKTOPS

Gas Cooktops4-	·1
Glass Ceramic Induction Cooktops4-	.5
Electric and Induction Accessories4-	.8

PROFESSIONAL SERIES RANGES AND RANGETOPS
Overview
Pro Harmony [®] Series
Dual-Fuel Ranges
All-Gas Ranges
Accessories
Pro Grand [®] Series
Dual-Fuel Ranges
Steam Ranges
All-Gas Ranges
Accessories 5-22
VENTILATION
Overview
Wall Hoods6-2
Masterpiece [®] Series6-2
Accessories—Masterpiece® Series
Professional Series
Accessories—Professional 6-6
Chimney Wall Hoods6-9
Masterpiece® Series6-9
Professional Series
Accessories 6-11
Island Hoods
Masterpiece® Series
Professional Series
Accessories
Custom Inserts
Accessories
Masterpiece [®] Series
Components
DISHWASHERS
Built-In Dishwashers7-1
Accessories7-3
INDEX Index

CONDITIONS OF SALE

Returned GoodsNo merchandise may be returned without prior approval. Please contact your sales representative
for return authorization.
All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight
and billing terms, refer to current program in effect.F.O.B. Origin

UMRP MSRP

Refrigeration FREEDOM® COLLECTION

Thermador's ingenious Freedom Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".

To order, please follow this 4-step process:

Step 1 Select a Panel-Ready Column Step 2 Select a Stainless Steel Panel or Use a Custom Panel

Step 3 Select a Stainless Steel Handle or Use a Custom Handle Step 4 Select Optional Accessories



HEATRKIT20

Freedom[®] Heater Kit

For columns that are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. See page 1-15.



FRAMEKIT10

Freedom[®] Frame Kit

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. See page 1-15.

To enhance the Freedom Collection, please see our accessories section on page 1-15.





This price list supersedes all previous price list Model		
Number Descript	tion	UMRP MSRP
		Fresh Food Columns
All 23.5"/24"/30"/36" Fresh Fo	od Columns include the foll	ving features:
 Fully Flush 	 SuperCool fu 	tion • Door open alarm
 Freedom[®] hinge 	 Stainless ste 	interior • Extremely quiet
All-LED sidewall filtered theater	er lighting • Full-extension	SoftClose [®] drawers • Reversible door swing
Cold Air System	TFT Control	Open door assist
 ThermaFresh system 	 Full-length ca 	ilever racks • 🜔 Home Connect
 Carbon air filter 	 Sabbath/Ecor 	my/Vacation modes
Step 1: Fresh Food Columns		

T23IR905SP

T24IR905SP

T30IR905SP

T36IR905SP


NEW <u>T23IR905SP</u>	23.5" Fresh Food Column	5,799	6,399
NEW <u>T24IR905SP</u>	24" Fresh Food Column	5,999	6,599
NEW <u>T30IR905SP</u>	30" Fresh Food Column	6,599	7,299
NEW <u>T36IR905SP</u>	36" Fresh Food Column	7,299	8,049

	all previous price lists. Prices listed herein do not include applicable state or local ta	axes.		
Model Number	Description	UMRP	MSRP	
				Fresh Food Columns
Step 2: Panels All Thermador [®] Fre stainless steel par	esh Food Columns are panel ready. Apply custom panels iel options:	or choose one of the	following	
Flat Stainless Ste	el Door Panels for Flush Installations			
TFL23IR900	23.5" Stainless Steel Panel	580	649	
TFL24IR800	24" Stainless Steel Panel	525	599	
TFL30IR800	30" Stainless Steel Panel	580	649	
TFL36IR900	36" Stainless Steel Panel	1,050	1,199	
Flat Stainless Ste	el Door Panels with No Holes			
TFL23IR905	23" Single Door No Hole Flat Panel	525	599	
TFL24IR905	24" Single Door No Hole Flat Panel	525	599	
TFL30IR905	30" Single Door No Hole Flat Panel*1	580	649	
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199	


Step 3: Handles

For stainless steel handle options, please see page 1-9

Step 4: Optional Accessories



¹ Units compatible with 30" columns, but should be installed to units with SoftClose[®] Doors.



	previous price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	UMRP	MSRP	
				Freezer Columns
Step 2: Panels All Thermador [®] Free stainless steel panel	zer Columns are panel ready. Apply custom panels or choose options:	one of the foll	owing	
Flat Stainless Steel	I Door Panels for Flush Installations			
TFL18IR800	18" Stainless Steel Panel	475	529	
TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529	
TFL24IR800	24" Stainless Steel Panel	525	599	
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599	
TFL30IR800	30" Stainless Steel Panel	580	649	
TFL36IR900	36" Stainless Steel Panel	1,050	1,199	
Flat Stainless Steel	I Door Panels with No Holes			
TFL18IR905	18" Single Door No Hole Flat Panel ¹	475	529	
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	475	529	
TFL24IR905	24" Single Door No Hole Flat Panel	525	599	
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599	
TFL30IR905	30" Single Door No Hole Flat Panel	580	649	
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199	

Step 3: Handles

For stainless steel handle options, please see page 1-9.

Step 4: Optional Accessories

FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mm) With two metal side trims whose placement between the interior cutor appliance helps overcome the challenge of unfinished cabinet returns with all pre-assembled bottom freezers)	ut wall and	the	FRAME
HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, or side-by-side combinations, without freezer column. This kit is also rec			

side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.) RAMEKIT10



HEATRKIT20

¹ Units compatible with 18" columns, but should be installed to units with SoftClose[®] Doors.

Bottom Freezers

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	UMRP	MSRP

All 30"/36" Bottom Freezer and 36" French Door Bottom Freezer Columns Include the Following Features:

· Fully Flush

Internal filtered diamond ice maker

- Freedom[®] hinge
- TFT control
- All-LED sidewall filtered theater lighting
- Full-extension SoftClose[®] drawers
- Full-length cantilever racks
- · Full-width multi use drawer

- SuperCool function
- SuperFreeze[®] function
- Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm
- Extremely quiet

- Refrigerator door swing reversible (T30IB905SP and T36IB905SP)
- · Two evaporators
- Two compressors
- · Filtered internal diamond ice maker
- 🜔 Home Connect
- T30IB905SP
 T36IB905SP



T36IT905NP

Step 1: Bottom Freezers with Stainless Steel Interior

NEW <u>T30IB905SP</u>	30" Bottom Freezer with open door assist and SoftClose [®]	7,199	7,949
NEW <u>T36IB905SP</u>	36" Bottom Freezer with open door assist and SoftClose $^{\circ}$	7,699	8,499
NEW <u>T36IT905NP</u>	36" French Door Bottom Freezer with open door assist and SoftClose®	7,999	8,799
Step 1: Bottom Freeze	r with White Interior		
NEW T36IT903NP	36" French Door Bottom Freezer	6,999	7,699
Available June			



T36IT903NP

FREEDOM® COLLECTION

	ous price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	UMRP	MSRP	
				Bottom Freezers
Step 2: Panels All Thermador [®] Bottom stainless steel panel op	Freezers are panel ready. Apply custom panels or choose one tions:	of the follo	wing	
Flat Stainless Steel Do	oor Panels for Flush Installations			
TFL30IB800	30" Stainless Steel Panel Set (Bottom Freezer)	580	649	
TFL36IB800	36" Stainless Steel Panel Set (Bottom Freezer)	840	949	
TFL36IT800	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949	
Flat Stainless Steel Do	oor Panels with No Holes			
TFL30IB905	30" Stainless Steel Panel Set (Bottom Freezer)	580	649	
TFL36IB905	36" Stainless Steel Panel Set (Bottom Freezer)	840	949	
TFL36IT905	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949	

Step 3: Handles

For stainless steel handle options, please see page 1-9.

Step 4: Optional Accessories

FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-ind two metal side trims whose placement between the inter helps overcome the challenge of unfinished cabinet return assembled bottom freezers)	ior cutout wall and the appliance	FRAM
HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side side-by-side combinations, without freezer column. This	kit is also recommended to be	

ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)



MEKIT10



HEATRKIT20

Model Number	Description		UMRP MSRP
			Wine Preservation Columns
All 18"/24" Wine	Preservation Columns	Include the Following Features:	
 Fully Flush 		 Independent humidity control 	 Sabbath/Economy/Vacation modes
Portable alumin	um and wenge wood	TFT control	Door open alarm
wine presenter		 Freedom[®] hinge 	 Bottle capacity: 18" column–52 bottles;
 Full-extension c 	completely enclosed exotic	 Adjustable LED lighting 	24" column-92 bottles (750 ml)
wood shelves		 Diamond shaped dowels for vibration 	Open door assist
	temperature zones:	control	Home Connect
18" column–two; 24"–three		 Glass door with UV protection 	





T24IW905SP

NEW T18IW905SP	18" Wine Preservation Column 2 - Zone Temperature Control	5,599	6,199
NEW <u>T24IW905SP</u>	24" Wine Preservation Column 3 - Zone Temperature Control	5,999	6,599

Step 2: Panels

All Thermador[®] Wine Preservation Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations						
TFL18IW800	18" Stainless Steel Panel	475	529			
TFL24IW800	24" Stainless Steel Panel	525	599			
Flat Stainless Steel	Door Panels with No Holes					
TFL18IW905	18" Wine No Hole Flat Panel	475	529			
TFL24IW905	24" Wine No Hole Flat Panel ¹	525	599			

Step 3: Handles

For stainless steel handle options, please see page 1-9.

Thermador[®] Consumer UMRP Price List Q2 2021 20-BSH-0914.1 03/02/2021

¹ Units compatible with 18" columns, but should be installed to units with SoftClose[®] Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Handles

This price list supersedes all prev Model Number	vious price lists. Prices listed herein do not include applicable state or local taxes. Description	UMRP	MSRP	
			Wine I	Preservation Columns
Step 4: Optional Acce	essories			
FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mn two metal side trims whose placement between the interior cutout v helps overcome the challenge of unfinished cabinet returns. Note : I assembled bottom freezers)	vall and the	appliance	FRAMEKIT10
<u>HEATRKIT20</u>	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, side-by-side combinations, without freezer column. This kit is also r ordered for use with any installation in areas that are subject to high located next to an outside wall.)	ecommend	ed to be	HEATRKIT20


 When selecting One 36" han One 30" han Two 36" han Three 36" han 	ess Steel Handles Thermador [®] stainless steel handles for the Freedom [®] Collection, please order the following: dle for each column dle and one 36" handle for 30" Bottom Freezers dles for each 36" Bottom Freezer undles for each 36" French Door Bottom Freezer isistency, always select the same style.		. Freezer Columns	ALL Freezer with IWD' Columns	Bottom Freezer T30IB905SP ²	Bottom Freezer T36IB905SP ³	Bottom Freezer T36IT905NP ⁴	ALL Wine Preservation Columns
	MS30HNDL20 30" Masterpiece [®] Handle 160 179				1			
	MS36HNDL20 36" Masterpiece [®] Handle 160 179	1	1	1	1	2	3	1

ľ	PR30HNDL20	30" Professional Handle	160	179				1			
ſ	PR36HNDL20	36" Professional Handle	160	179	1	1	1	1	2	3	1

¹ IWD = Ice and Water Dispenser

<sup>Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20
Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20
Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20</sup>

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.







T24ID905LP/T23IR905SP

For Predetermined Spaces / Replacement Installation

These suggestions are just an example of the extensive range of combinations possible with the Freedom Collection.

Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

A HEATRKIT20 is recommended for use with any installation in areas that are subject to extreme humidity.







T18ID905LP/T30IR905SP



T24IF905SP/T24IR905SP



30" Fresh Food Column 30" 30" Fresh Food Column Freezer



54"

24"





T36IB905SP/T18IW905SP



Suggested Combinations

60"


T30IF905SP/T30IR905SP 30" 30" Bottom Bottom Freezer Freezer T30IB905SP/T30IB905SP 24" Wine 36 Bottom Preservation Freeze Column



T36IB905SP/T24IW905SP

* IWD = Ice and Water Dispenser

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



Step 1: Colum	nns and I	Bottom Freezers	Step 2: Panels			Step 3: Handles	
Freedom [®] Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece®	Professional
FRESH FOOD C	OLUMNS						
T23IR905SP	23.5"	Reversible	Panel Ready	TFL23IR900	TFL23IR905		
T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle per column
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece MS36HNDL20	Professional PR36HNDL20
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER COLU	JMNS		J	1	1		
T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905	Order one 36" handle	Order one 36" handle
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	per column Masterpiece	per column Professional
T30IF905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	MS36HNDL20	PR36HNDL20
FREEZER WITH	IWD ¹ CO	LUMNS					
T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905		
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece MS36HNDL20	Professional PR36HNDL20
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905		
BOTTOM FREE	ZERS/FRE	NCH DOOR BOTTOM	/ FREEZERS	•	•		
T30IB905SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	Order one 30" handle and one 36" handle per column ²	Order one 30" handle and one 36" handle per column ²
T36IB905SP ³	36"	Reversible	Panel Ready	TFL36IB800	TFL36IB905	Order two 36" handles per column ³	Order two 36" handles per column ³
T36IT905NP ⁵	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	Order three 36" han- dles per column ⁵	Order three 36" han- dles per column ⁵
WINE PRESERV		OLUMNS		·	·	·	·
T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle per column	Order one 36" handle per column
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	Masterpiece MS36HNDL20	Professional PR36HNDL20

NOTE: Handleless panels should not be installed on units without the SoftClose[®] capability. If you are uncertain if you have a refrigeration unit with SoftClose[®] capability, please contact our customer team by calling 1-800-735-4328.

¹ IWD = Ice and Water Dispenser

² Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

³ Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

⁴ Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

⁵ Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Number

Description

UMRP MSRP

Refrigeration PREASŠEMBELED COLLECTION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece[®] Handles.

All 30"/36" Bottom Freezer and French Do	or Bottom Freezers Include the Following	Features:		
Fully Flush	 ThermaFresh system 	• ENE	RGY STAR [®] cert	ified
TFT Control	 Internal filtered diamond ice maker 	• Extre	emely quiet	
 Installs framed or flush Freedom[®] hinge All-LED filtered sidewall theater lighting Soft closing full-extension drawers Full-length cantilever racks 	 SuperCool function SuperFreeze[®] function Gallon door bins Carbon air filter Sabbath/Economy/Vacation modes 	(T30 • Two • Two	 (T30BB and T36BB) Two evaporators 	
Open door assist	Door open alarm			
NEW T36BB915SS 36" Bottom Freez NEW T30BB925SS 30" Bottom Freez	zer, two-door, Masterpiece [®] Handles zer, two-door, Masterpiece [®] Handles zer, two-door, Professional Handles zer, two-door, Professional Handles	8,799 9 8,499 9	9,349 9,699 9,349 9,699	

French Door Bottom Freezers NEW T36BT915NS 36" French Door Bottom Freezer, three-door, 9,299 10,249 Masterpiece[®] Handles NEW T36BT925NS 36" French Door Bottom Freezer, three-door, 9,299 10,249 Professional Handles



mà.

T36BT925NS

Number

Description

UMRP MSRP

Refrigeration FREESTANDING COLLECTION

For faster installation, all units have been preassembled with stainless steel doors and Professional or Masterpiece[®] Handles.

All Freestanding 36" French Door Bottom Freezers Include the Following Features:

- Counter-depth 72" Tall Appliance
- Built-in Look Exterior Design
- Dual Evaporator
- **Dual Compressor** ٠
- Illuminated Back Wall
- **Temperature and Humidity Freshness** Drawers
- Stainless Steel ThermaFresh Mats
- Internal Water Dispenser
- · Diamond Ice Maker
- Filtered ice and water
- SuperCool function
- SuperFreeze[®] function

- · Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm
- Home Connect

Bottom Freezers with Stainless Steel Interior

36" with Masterpiece® Handles NEW T36FT810NS NEW T36FT820NS 36" with Professional Handles

Available April

4,999 5,499 4,999 5,499



T36FT810NS

UNDER-COUNTER COLLECTION

	Il previous price lists. Prices listed herein do not include applicable state or	ocal taxes.
Model Number	Description	UMRP MSRP
All Under-Count	er Units Include the Following Features:	
Built-in flush des	ign • Venting grille for full in	egration • Star K Certified
 LED lighting 	 Fully flush at 24" depth 	 ENERGY STAR[®] certified
 Electronic touch temperature mar 	controls for precise • Professional Handle, N or custom panel option	•
		Glass Door Refrigeration Units
• 5 cu. ft.	Customizable shelving	Customizable cooling modes: Fridge, Pantry and Bar
T24UB900LP	24" Refrigerator, Custom Panel, Left Swing	2,299 2,549

T24UR900LP	24" Refrigerator, Custom Panel, Left Swing	2,299	2,549	
T24UR900RP	24" Refrigerator, Custom Panel, Right Swing	2,299	2,549	in the second se
T24UR910LS	24" Refrigerator, Masterpiece Handle, Left Swing	2,649	2,949	T24UR920LS
T24UR910RS	24" Refrigerator, Masterpiece Handle, Right Swing	2,649	2,949	1240R920LS
T24UR920LS	24" Refrigerator, Professional Handle, Left Swing	2,649	2,949	
T24UR920RS	24" Refrigerator, Professional Handle, Right Swing	2,649	2,949	

Drawer Refrigeration/Freezer Units

 5 cu. ft. SoftClose[®] drawers Drawer open alarm 	drawer dividers • F	Quick Chill Removable drawer m easy cleaning	at for	
T24UR900DP	24" Refrigerator, Custom Panel	2,949	3,249	T24UR920DS/
T24UR910DS	24" Refrigerator, Masterpiece Handle	3,299	3,649	T24UC920DS
T24UR920DS	24" Refrigerator, Professional Handle	3,299	3,649	
T24UC900DP	24" Refrigerator/Freezer, Custom Panel, ice make	er 3,449	3,799	
T24UC910DS	24" Refrigerator/Freezer, Masterpiece Handle, ice	maker 3,599	3,999	
T24UC920DS	24" Refrigerator/Freezer, Professional Handle, ice	e maker 3,599	3,999	

Glass Door Wine Preservation Units

Under-Counter Wine	Preservation Units			
42-bottle capacityFull-extension wenge diamond wine racks	Tinted UV-resistant tempered glass door			
T24UW900LP	24" Wine Pres., Custom Panel, Left Swing	3,049	3,399	
T24UW900RP	24" Wine Pres., Custom Panel, Right Swing	3,049	3,399	T24UW920LS
T24UW910LS	24" Wine Pres., Masterpiece Handle, Left Swing	3,399	3,749	
T24UW910RS	24" Wine Pres., Masterpiece Handle, Right Swing	3,399	3,749	
T24UW920LS	24" Wine Pres., Professional Handle, Left Swing	3,399	3,749	
T24UW920RS	24" Wine Pres., Professional Handle, Right Swing	3,399	3,749	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Freedom [®] A	om [®] Accessories—Refrigerators					1	F	ree	dom	®	1		Pre- assemble		
	Model				T23IR905SP	T24IR905SP	T30IR905SP	T36IR905SP	T30IB905SP	T36IB905SP	T36IT905NP	T36IT903NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS
	Number	Description	UMRP	MSRP	-	-	-	F	-	 -		-	-	Т	-
	Installation Acce	Sories Freedom Frame Kit (For use with any custom column for (610 mm) deep cutouts. With two m placement between the interior cut ance helps overcome the challenge returns. Note : Included with all pre- freezers)	netal side trima out wall and th e of unfinished	s whose ne appli- l cabinet	•	•	•	•	•	•	•	•			
	HEATRKIT20	Freedom Heater Kit (For use when columns are less th by side, or for nontraditional side-b without freezer column. This kit is a be ordered for use with any installa subject to high humidity (>65%), or outside wall.)	y-side combina also recommer ation in areas t	ations, nded to hat are	•	•	•	•	•	•	•	•			
4	Interior Accessor	ries for Refrigerators				•									
	24HFGALBIN	24" Half-Gallon Bin	170	189											
	30HFGALBIN	30" Half-Gallon Bin	180	199			•		•				•		
	36HFGALBIN	36" Half-Gallon Bin	190	209				•		•				•	
	24PRODRAIL	24" Produce Railing	105	119	•	•									
	30PRODRAIL	30" Produce Railing	115	129			•		•				•		
	<u>36PRODRAIL</u>	36" Produce Railing	135	149				•		•				•	
F	<u>3DHFGALBIN</u>	Three Door Half-Gallon Bin	160	179							•	•			•
	3DPRODRAIL	3-Door Produce Railing	85	99							•	•			•
	LPRODBIN10	Large Produce Bin	295	329	•	•	•	•	•	•	•	•	•	•	•
	SPRODBIN10	Small Produce Bin	265	299	•	•	•	•	•	•	•	•	•	•	•

ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Freedom [®] A	Accessories—F	reezers					Fr	eec	lom	®		ass	Pre- semt	oled	Fre stan	ee- ding
	Model Number	Description	UMRP	MSRP	T18IF905SP	T241F9055P	F905SP	D905L		3905S	T36IT905NP T36IT903NP	3B9x55	T36BB9x5SS	T36BT9x5NS	T36FT810NS	T36FT820NS
	Interior Accessor	ies for Freezers Ice Bucket	85	99	•	•	•	•	• •	•	• •	•	•	•		
	Filter Accessories	Freedom [®] Replacement Water Filter	46	59	•	•	•	•	• •	•	• •	•	•	•	•	•

Freedom [®] /	Accessories— '	Wine Preservation			T18IW905SP	T24IW905SP
	Model Number	Description	UMRP	MSRP	T18IM	T24IM
	Interior Accessor	ies for Wine Columns				
1100 Maria	T18WINERK1	18" Wine Shelf ¹ providing a 62 bottle capacity	229	259	•	
	T24WINERK1	24" Wine Shelf ² providing a 99 bottle capacity	299	329		•

¹ Presenter shelf cannot be used with the accessory.

² Presenter shelf cannot be used with the accessory.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Under-Cou	nter Accessorio	es			T24UC920DS	T24UC910DS	T24UC900DP	T24UW920LS/RS	T24UW910LS/RS	T24UW900LP/RS	T24UR920DS	T24UR910DS	T24UR900DP	24UW920LS/RS	24UW910LS/RS	24UW900LP/RP
	Model Number	Description	UMRP	MSRP	T24UC	T24UC	T24UC	T24UW	T24UW	T24UW	T24UR	T24UR	T24UR	T24UM	T24UW	T24UM
	MS20HNDL20	20" Under-Counter	150	169	•	•	•				•	•	•			
	MS22HNDL20	22" Under-Counter	150	169				•	•	•				•	•	•
	PR20HNDL20	20" Under-Counter	150	169	•	•	•				•	•	•			
	PR22HNDL20	22" Under-Counter Professional Handle	150	169				•	•	•				•	•	•
	UCTRFLTR10	Under-Counter Filter	75	89	•	•	•									

BUILT-IN COFFEE MACHINE

This price list supersedes all p Model Number	revious price lists. Prices listed he Description	rein do not include applicable state or local taxes.	UMRP	MSRP		
 Equipped with the Experience by Hom Perfect for frequent customization settir 8 personalized bev so family members can program their f from single shot es to extra-large capped to extra-large to extra-large	Thermador Connected he Connect [®] t selections, coffee hgs store up to erages with names and house guests avorite drinks— presso, to tea, uccinos TFT display illustrates , including size and	 Following Features: Store up to 8 different beverages 1 lb. Bean container Height-adjustable dispenser with dual spouts for brewing 2 cups at a time Beverages can be adjusted in small increments One Touch Function for coffee and milk/froth Fully automatic rinse program 2-disk grinding units made of high performance ceramic disks 	to • Pi • Bi • Si w • 10 • R • 12	coarse owder draw uilt-In water ensor alerts ater level is D-cup water	filter when coffee b low container tainless steel n	eans and
 Includes direct plur and drain connection AquaStop[®] plus procession TCM24TS 	on with	Coffee Machine	3,699	B u 4,099	uilt-In Coffe	e Machine
TCM24PS	Thermador Built-In Plumbed	Coffee Machine	3,999	4,399	TCM24PS	
Accessories					TCM24TS	TCM24PS
TCM	<u>1TK30RS</u> 30" Sta	inless Steel Trim Kit	399	439	•	•

For coffee accessories, please see the Cleaners & Accessories Price List in the Sales SharePoint.


Thermador WALL OVENS


	SINGLE 30"	DOUBLE 30"	COMBO 30"	TRIPLE 30"
DELUXE Rotisserie Max Broil 3 Telescopic Racks (Single Ovens) 4 Telescopic	Professional: POD301W POD301LW* POD301RW*	Professional: POD302W POD302LW* POD302RW*	With Steam and Convection Oven: Professional: PODS302W* Masterpiece: MEDS302WS	
4 Telescopic Racks (Double Ovens) 6 Telescopic Racks (Combo Steam Ovens)	Masterpiece: MED301WS MED301LWS* MED301RWS*	Masterpiece: MED302WS MED302LWS* MED302RWS*	With Speed Oven:: Professional: PODMC301W* Masterpiece: MEDMC301WS	With Speed Oven: Professional: PODMCW31W* Masterpiece: MEDMCW31WS
SELECT 1 Telescopic Rack (Single Ovens) 2 Telescopic Racks	Professional: PO301W Masterpiece: ME301WS	Professional: PO302W	With Microwave: Professional: POM301W	SPECIALTY 3 Telescopic Racks (Steam Ovens)
(Double Ovens)	MESUTWS	Masterpiece: ME302WS	Masterpiece: MEM301WS	Steam and Convection Oven:
STANDARD 1 Telescopic Rack	Masterpiece: ME301YP	Masterpiece: ME302YP		Professional: PODS301W Masterpiece: MEDS301WS
(Single Ovens) 1 Telescopic Rack (Double Ovens)				
				Speed Oven:: Professional:
* Not pictured.				MC30WP Masterpiece:

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

MC30WS

MASTERPIECE[®] SERIES






MASTERPIECE[®] SERIES

Vodel	previous price lists. Prices listed herein do not include applicable state		MODD	
lumber	Description	UMRP	MSRP	
0" Masterpiece Do	ouble Oven—Deluxe			
Three Full Access racks (U); One Ful telescopic rack and standard racks (L) TFT Touch control Silver glass on sta 4.5 cu. ft. overall o (U/L)	Ill Access [®] Id two I display ainless steel Ill Access [®] modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate, Rotisserie (U) • Eive Additional Cooking	 Fast preheat (around 7 minutes) Commercial-style rotist with 12-pound capacity Multi-point meat probe Meat probe (L) 	ν (U)	
IED302WS	30" Double Oven, 4 Telescopic Racks	6,999	7,699	
IED302LWS	30" Double Oven, 4 Telescopic Racks, Left Side Opening Door	7,499	8,249	MED302WS
MED302RWS	30" Double Oven, 4 Telescopic Racks, Right Side Opening Door	7,499	8,249	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

MED302LWS

MASTERPIECE[®] SERIES




This price list supersedes all prev	ious price lists. Prices listed herein do not include applicable state or local taxes.		
Model Number	Description	UMRP	MSRP

All Masterpiece[®] Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[®]
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook[®] programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Easy Clean program
- Fast preheat for five different cooking modes

- g i catules.
- Three Full Access[®] telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- Star-K certified
- 208-240 volts

Masterpiece® Steam and Convection Ovens



For the telescopic rack, please see the Cleaners & Accessories Price List in the Sales SharePoint.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

•

•

Model Number Desc	ription		UMRP MSRP
All Professional Series Bu	ilt-In Ovens	Include the Following Features:	
Thermador Connected Expe	erience with	Speed Convection, Bake, Broil, Roast,	Sabbath Mode
Home Connect [®]		Convection Bake, Convection Broil,	Star-K certified
Restaurant-style stainless st	eel knobs	Convection Roast, Proof, Warm, Pizza, Dehydrate. Slow Roast	• 208-240 V
FT Touch control display		, ,	Microwave/Speed Ovens
Silver glass on stainless ste	el	• Two-hour self clean	• 1.6 cu. ft. overall capacity
 SoftClose[®] doors 		 Fast preheat for seven different cooking modes 	10 power levels
4.5 cu. ft. overall oven capa	city	 Two halogen lights 	Sensor cooking
13 Cooking modes: True Co	nvection.		 Sensor reheat

30" Professional Series Ovens

 30" Professional Sin One Full Access[®] te rack and two standards 	escopic • Meat probe			
<u>PO301W</u>	30" Single Oven, 1 Telescopic Rack	4,299	4,749	

PO301W



 30" Professional Sing Additional Cooking me Rotisserie, Max Broil, Convection Broil 	odes: • Commercial-style rotisserie	Multi-point meat probe		10
POD301W	30" Single Oven, 3 Telescopic Racks	4,999	5,499	
POD301LW	30" Single Oven, Left Side Opening Door, 3 Telescopic Racks	5,099	5,649	PC
POD301RW	30" Single Oven, Right Side Opening Door, 3 Telescopic Racks	5,099	5,649	



POD301W





	all previous price lists. Prices listed herein do not include applicable state or	r local taxes.		
Model Number	Description	UMRP	MSRP	
		3	30" Prof	essional Series Ovens
 30" Professional One Full Access rack and two state (U/L) 				
<u>PO302W</u>	30" Double Oven, 1 Telescopic Rack (U/L)	6,499	7,149	PO302W
 30" Professional Three Full Access racks (U) One Full Access rack and two states 	Rotisserie, Max Broil, Max [®] telescopic Convection Broil (U)	 Multi-point meat probe Meat probe (L) 	(U)	
POD302W	30" Double Oven, 4 Telescopic Racks	7,499	8,249	
POD302LW	30" Double Oven, 4 Telescopic Racks, Left Side Opening Door	8,099	8,949	
POD302RW	30" Double Oven, 4 Telescopic Racks, Right Side Opening Door	8,099	8,949	

POD302W



POD302LW



Model	revious price lists. Prices listed herein do not include applicable state o	
Number	Description	UMRP MSRP
		30" Professional Series Ovens
 30" Professional Co One Full Access[®] to rack and two stand 	•	950 W microwave power
 Meat probe (L) 	13" turntable	
<u>POM301W</u>	30" Combination Oven with Microwave, 1 Telescopic Rack	5,799 6,399
 30" Professional Color Additional Cooking Rotisserie, Max Braconvection Broil 	•	 Speed Oven features: 36 Cook Smart™ Programs 12 ½" turntable 1,000 W microwave power
PODMC301W	30" Combination Oven with Speed Oven, 3 Telescopic Racks	7,099 7,849

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PODMC301W

This price list supersedes all previous p Model	price lists. Prices listed herein do not include applicable state o	r local taxes.	
Number De	Description	UMRP MSRP	
		30" Prot	essional Series Ovens
30" Professional Triple CAdditional Cooking mode	Combination Oven with Speed Oven and es: Speed Oven features:	Warming Drawer features:	· · · · · · · · · · · · · · · · · · ·
Rotisserie, Max Broil, Ma Convection Broil	• 12 ½" turntable	SoftClose[®] drawerTouch control	
 Three Full Access[®] teleso racks Multi point most probo 	• 1,000 W microwave power	 2.5 cu. ft. overall capacity 450 W heater	
 Multi-point meat probe 		 Four heating modes: Low, Medium, High, Proof 	
		Timer	1- an-in
	0" Triple Combo Oven with Speed Oven, 8 Telescopic Racks	9,099 10,049	
			PODMCW31W

	es all previous price lists. Prices listed h	erein do not include applicable state or local taxes.	
Model Number	Description		UMRP MSRP
All Profession	al Series Built-in Steam	and Convection Ovens Include the Follo	owing Features:
	nnected Experience with	 Features 17 cooking modes: True 	 Three Full Access[®] telescopic rails
Home Connec	t®	Convection, Convection Bake, Bake,	Multi-point meat probe
Large steam c	avity 2.8 cu. ft.	Convection Roast, Roast, Convection	 1.4 gt. water tank
• TFT Touch cor	ntrol display	Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm,	LED lights
Restaurant-sty	le stainless steel knobs	Steam, Steam Convection, Reheat,	Sabbath Mode

- Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook[®] programs

Steam, Steam Convection, Reheat, Defrost

- Steam Clean program
- · Fast preheat for five different cooking modes
- · Sabbath Mode
- Star-K certified
- 208-240 V

30" Professional Series Built-In Steam and Convection Oven

Professional Series Steam and Convection Oven PODS301W 30" Steam and Convection Oven with 4,899 5,399 **3 Telescopic Racks** PODS301W Professional Combination Oven with Steam and Convection Oven—Deluxe • Lower oven: Thermador Bake, Convection Broil, Max • Three Full Access[®] telescopic Connected Experience with Convection Broil, Convection racks Home Connect[®] Roast, Proof, Warm, Pizza, · Multi-point meat probe Dehydrate, Slow Roast • 4.5 cu. ft. overall oven capacity · Three halogen lights • Two-hour self clean • 16 Cooking modes: True · Sabbath Mode Convection, Speed Convection, · Fast preheat for seven different Star-K certified Rotisserie, Max Broil, Bake, cooking modes 208–240 V Broil, Roast, Convection PODS302W 30" Deluxe, Steam and Convection 8,499 9,349 Double Oven with 6 Telescopic Racks PODS302W

¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

	all previous price lists. Prices	listed herein do not include applicable state of	or local taxes.		
Model Number	Description		UMRP	MSRP	
All Masterpiece®	[®] Series Built-in M	icrowave and Speed Ovens	Include the Following F	eatures:	
 Silver glass on s 	stainless steel	 10 power levels 	• {	Sensor reh	neat
• 1.6 cu. ft. overa	II capacity	Sensor cooking			
					Microwave Oven
Built-In Microway	ves				1
 Touch Control D 14¹/₈" ceramic tu 		950 W Microwave power	 Plugs into 120 V, 60 3-prong grounded out 		
<u>MB30WS</u>	30" Masterpi Stainless Ste	ece Microwave, eel, 120 V	1,499	1,649	MB30WS
<u>MB30WP</u>	30" Professio Stainless Ste	onal Microwave, eel, 120 V	1,699	1,899	
					MB30WP COULD US COULD 1 Speed Ovens
Built-In Speed O	vens				
 Full color TFT d 12³/₄" ceramic tu 	urntable •	1,000 W Microwave power 36 Cook Smart™ Programs Convection Bake	 Broil 208 or 240 V, 4 wire connection 	fixed	
<u>MC30WS</u>		ece Speed Oven, eel, 208-240 V	2,299	2,549	MC30WS
<u>MC30WP</u>		onal Speed Oven, eel, 208-240 V	2,499	2,749	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

MC30WP

¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

MICROWAVE OVENS

This price list supersedes Model	all previous price lis	ts. Prices listed herein do not include applicable state o	or local taxes.		
Number	Descrip	tion	UMRP	MSRP	
			Γ	licroDr	rawer [®] Microwave Oven
 Built-In MicroDra Blue digital disp scrolling text 1.2 cu. ft. cavity 	play with	 950 W microwave power Auto-Cooking modes (includ- ing Melt, Soften, Keep Warm) 	 Hidden vent Touch open and close Perfect flush installation 	ı	
 Fits a 7" mug or 	r 20 oz. cup	Sensor cooking			MD24WS
MD24WS	24" Mi	crowave Drawer	1,699	1,899	
<u>MD30WS</u>	30" Mi	crowave Drawer	1,799	1,999	MD30WS
			014	or-tho-F	Range Microwave Hood

Over-the Range Microwave Hood

Harmony[®] 5-burner gas range

• Design match for use in

· Exclusive stainless steel

handle

MU30WSU

· LCD display

combination with 30" Pro

- 2.1 cu. ft. cavity
- 14 ³/16" glass turntable
 - 1,100 W microwave power
 - Triple microwave distribution system

Over-the-Range Microwave Hood, Stainless Steel

- 10 cooking modes
- Sensor cooking
- Plugs into standard 120 V, 3-prong outlet
- Four-speed vent with up to 385 CFM

899 999



MU30WSU


WARMING DRAWERS


This price list supersedes al	Il previous price lists.	Prices listed herein do not include applicable state or	local taxes.			
Model Number	Description	1		UMRP	MSRP	
						Warming Drawers
Standard Warming	g Drawers					
 Our warming dra perfect combinati uncompromising unique convenier and elegant designed 	ion of performance, nce features	 SoftClose[®] door (WD30W only) 2.2 cu. ft. overall capacity Touch Control Display Four heating modes: Low, Medium, High, Proof 	 450 W heati Timer Plugs into a 3-prong outlet 	standard 1		wD30WC
WD30W	30" War	ming Drawer, Custom Panel Ready		1,799	1,999	
WD30WC	30" War	ming Drawer, Push to Open		1,599	1,799	
 Storage Drawers Our storage draw the perfect comb uncompromising 	ination of	• 2.4 or 0.8 cu. ft. overall capacity				
uncompromising unique convenier and elegant desig	nce features					SD30WC SDS30WC
SD30WC	30" Stor	age Drawer (2.4 cu. ft.)		949	1,049	
SDS30WC		age Drawer, Short Height (0.8 cu. fi Inder Steam Oven)	t.)	649	749	

ACCESSORIES

This price list superse Model	This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model																
Number	Descriptio	n	UMRP	MSRP													
Accessorie	Accessories						Pı	ofe	essi	ona	al Se	erie	s				
					PO301W	POD301W	POD301LW	POD301RW	PO302W	POD302W	POD302LW	POD302RW	POM301W	PODMC301W	PODMCW31W	PODS301W	PODS302W
	SDCLNRCK30	Self-Clean Standard Rack, 30"	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•
	For the telescop List in the Sales	ic rack, please see the Cleaners & A SharePoint.	Accessori	es Price	•	•	•	•	•	•	•	•	•	•	•		
	WKNOBKT3W	Blue Metal Knob Kit for Professional Oven (2 pc.)	49	59	•	•	•	•	•	•	•	•	•			•	•
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•	•	•	•								•	

GAS COOKTOPS





GAS COOKTOPS

his price list supers	edes all previous price lists. Model Number	Prices listed herein do not include applicable state or local taxes. Description	UMRP	MSRP		
Accessorie	95				Star [®] Burner	Pedestal Star [®]
	the center grate •	Griddle -burner Star [®] and Pedestal Star [®] Burner Series Cast aluminum design allows for even heat dist stick coating for easy cleanup and cooking			•	•
	SKNOBLUW Fits 30" and 36" P finish • Easy to ins	Blue Knob Kit, Pedestal Star [®] Burner Cooktops edestal Star [®] Burners Series models • Set of five tall	109 knobs • Blue m	119 etallic		•
	<u>SLPKITW</u>	LP Gas Conversion Kit for Star [®] Burner Series Cooktops	99	109	•	
	<u>SNPKITPEDW</u>	LP Gas Conversion Kit for Pedestal Star [®] Burner Series Cooktops	99	109		•
0	cooktops • Fits ov	Wok Ring ration on Star [®] Burner and Pedestal Star [®] Burne er the large burner on all cooktop sizes, allowing ok • Cast iron construction is durable and dishw	g the user to co	109 ok	•	•

	s. Prices listed herein do not include applicable state	e or local taxes.	
Model Number Descript	ion	UMRP MSRP	
All Masterpiece [®] Series Glas	s Ceramic Electric Cooktops In	clude the Following Features:	
Triple element	 Maximum wattage: 	4,000 W	
			Masterpiece® Series
Touch Control • With the help of CookSmart®, the temperature is reached and maintained automatically without boilover • Touch controls with blue illumination are easy to use and LR: 5"/7" @ 700 W (1,700 W) LF: 6" @ 1,700 W (4,000 W Bridge) CET305TB	offer a sleek, modern design Keep Warm Child Lock Shut-Off Timer for every element RR: 6"/8"/11" @ 1,050 W/2,200 W/3,080 W RF: 6" @ 1,200 W ameless Design	 Kitchen timer Number of cooking zones: Eight Power/Amps: 208–240 V, 60 Hz//30 A 1,699 1,899 	CET305TB
 With the help of CookSmart[®], the temperature is reached and maintained automatically without boilover Bridge element with dual element 	 Touch controls with blue illumination are easy to use and offer a sleek, modern design PowerBoost[®] Child Lock C: 6"/8"/11" @ 	 Shut-Off Timer for every element Kitchen timer Number of cooking zones: 10 Power/Amps: 208–240 V, 60 Hz//40/50 A RR: 6" @ 1,200 W 	СЕТЗ66ТВ
LF: 7" @ 1,700 W (4,000 W Bridge) <u>CET366TB</u> 36" Sta	1,050 W/2,200 W/3,080 W	RF: 6"/8" @ 1,200 W/2,100 W 1,899 2,099	
Manual Controls/Stainless Ste • Dual zone bridge element accommodates oblong cookware LR: 5"/7" @ 700 W,1,700 W LF: 7" @ 1,700 W (4,000 W Bridge)	eel Knobs High quality, robust, die-cast metal knobs Variable 9-stage power settings RR: 6"/8"/11" @ 1,050 W,2,200 W/3,080 W RF: 6" 1,200 W 	 Number of cooking zones: 10 Power/Amps: 208–240 V, 60 Hz//30 A 	CEM305TB
<u>CEM305TB</u> 30" Fra	ameless Design	1,399 1,549	
Manual Controls/Stainless Ste • Dual zone bridge element accommodates oblong cookware LR: 5"/7" @ 700 W,1,700 W LF: 7" @ 1,700 W (4,000 W Bridge)	 High quality, robust, die-cast metal knobs Variable 9-stage power settings C: 6"/8"/11" @	 Number of cooking zones: 10 Power/Amps: 208–240 V, 60 Hz//40/50 A RR: 6" @ 1,200 W RF: 6"/8" @ 1,000 W/2,200 W 	СЕМЗ66ТВ
	ainless Steel Frame	1,599 1,799	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

GLASS CERAMIC ELECTRIC COOKTOPS

GLASS	CERAMIC	INDUCTION	COOKTOPS
-------	---------	-----------	----------

This price list supersed Model Number	les all previous price lists Descriptio	Prices listed herein do not include applicable state or i	local taxes.	UMRP	MSRP	
All Masterpiece [®] Series Freec • PowerBoost [®]		om [®] and Liberty [®] Induction Cook • 17 power levels	tops Inc	• +	ving Feat Iome Con Wi-Fi Ena	nect [®]
 Entire surface can be used a cooking area Up to 6 pots of automatically any position a using a full co Wi-Fi connect cooktop and r communicate 	e of the cooktop as one large or pans are recognized in and controlled olor touch screen tivity allows the matching hood to with one another e turning on task	 MyZone[®] mode allows changing a preset power level simply by moving a pot or pan on the cooktop Cooking Sensor Mode ready (wireless cooking sensor sold separately) Sapphire Glow[®] LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only) Minimum cookware size: 3"×3" Maximum cookware size: 13"×21" Performance: 3,500 W/5,500 W (PowerBoost[®]) 	a tepp heater area • PanBo • 17 po • Resid • Panel • Cooki and S	wer levels ual heat indicato Lock ng Timer, Kitcher topwatch Timer r/Amps: 208/240	ito on ated rs n Timer	. CIT30XWBB CIT30XWBB CIT30XWBB CIT30XWBB CIT30XWBB CIT36XWB
<u>CIT30XWBB</u> <u>CIT36XWB</u> <u>CIT36XWBB</u>	36" Dar	k Gray Glass, Frameless Design k Gray Glass, Stainless Steel Frame k Gray Glass, Frameless Design)	4,799 5,299 5,299	5,299 5,849 5,849	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

CIT36XWBB

GLASS CERAMIC INDUCTION COOKTOPS

Model	all previous price lists. Prices listed herein do not include appl			
Number	Description	UMRP	MSRP	
				Masterpiece [®] Series
Liberty [®] Induction • Three extra-larg cooking surface tailored cooking • Number of cook Five • Cooktop-Hood S • Automatic pan r	e Liberty [®] • HeatShift [®] has three provide allows for the strain the strai	 Automatic switch off Timer for all zones Maximum wattage: 10 		CIT367XG
Left Full Zone 2 15"×9" @ 3,300 W/3,700 W (PowerBoost)	LR: 7½"×9" @ ,200 W/3,600 W (PowerBoost) LF: 7½"×9" @ ,200 W/3,600 W (PowerBoost) Center Full Zone 11¼"×9½" @ 3,300 W/3,600 W (PowerBoost)	RR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost) RF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)		
<u>CIT367XG</u>	36" Titanium Gray Glass, Framele	ss 3,799	4,199	CIT367XGS
CIT367XGS	36" Titanium Gray Glass, Stainless Steel Frame	3,799	4,199	Q
<u>CIT367XM</u>	36" Silver Mirrored Glass, Frameless	4,299	4,749	
<u>CIT367XMS</u>	36" Silver Mirrored Glass, Stainless Steel Frame	4,299	4,749	CIT367XM
				0
				CIT367XMS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes a Model Number	Il previous price list Descript	s. Prices listed herein do not include applicabl ion	e state or local taxes.	UMRP	MSRP	
All Masterpiece® Heritage Series Glass Ceramic Induction • Pan Recognition 50% faster th • Touch control panel with blue light illumination offers 17 power settings • Anti-Overflow • Speed Heating—induction cooktops heat • Two-Level Heritage			 Child safety lock Child safety lock Element Shut Off Timer and kit Power/Amps: 240 V, 60 Hz//50 			y lock nut Off Timer and kitchen time
11" Element with Large and powel element with 3,7 LR: 9" @ 2,200 W/3,700 W (F LF: 6" @ 1,400 W/2,200 W (F CIT304TB	rful 11" '00 W [@] PowerBoost [®]) [@] PowerBoost [®])	 Power/Amps: 240 V, 60 Hz/30 A RR: 11" @ 2,400 W/3,700 W (PowerBoost[®]) RF: 6" @ 1,400 W/2,200 W (PowerBoost[®]) ameless Design 	_	2,699	Maste 2,999	rpiece [®] Heritage Series
<u>CIT304TM</u>	30" Sil	ver Mirrored Finish		3,199	3,549	CIT304TM
I3" Element with Large 13" round element LR: 7" (1,800 W/3,100 W (F	heating	 Industry-exclusive triple zone—accommodates multiple-size pans with th diameter sizes C: 9"/11"/13" @ 2,200 W/3,700 W (PowerBoost,) 	The most power in its class ree Power/Amps: 2 60 Hz//50 A RR: 6" @ 1,400 W/2,200 W (PowerBo	240 V,	500 W)	СІТЗ65ТВ
LF: 7" & 1,800 W/3,100 W (F <u>CIT365TB</u>	PowerBoost)	2,600 W/4,400 W (PowerBoost) 3,300 W/5,500 W (PowerBoost)	RF: 9" @ 2,200 W/3,700 W (PowerBc	ost [®]) 3,199	3,549	

ELECTRIC AND INDUCTION ACCESSORIES

This price list superse	Model	isted herein do not include applicable state or local taxes. scription UMRP MSRP					
Accessio	•				_ _		
Accessorie	S		Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty [®] Induction	Induction
	Griddle-Style Teppar	yaki					
	 Recommended acce for Freedom[®] Induct Cooktop Can be used in over Works with induction 	 Silvinox surface treatment prevents discoloration 7-Ply material Additional copper and aluminum materials used for fast and even heating 			•		
	Re	"×21" 499 549 commended accessory for eedom [®] Induction Cooktop					
	Re	" \times 14" 399 439 commended accessory for eedom [®] Induction Cooktop			•		
	Re	"×13" 299 329 commended accessory for verty [®] and Freedom [®] Induction Cooktops			•	•	
	Re	"×16" 399 439 commended accessory for verty [®] and Freedom [®] Induction Cooktops			•	•	
	Cast Aluminum Non-	Stick Induction Grill					
	Heavy-duty cast alu with a thick ferromage						
	 base Easy to grip with two in side handles 	 Ridged surface adds grilled sear marks, while draining away excess fat Ridged surface adds grilled surface PFOA-free 			•	•	
	TGRILLPANX 17	" x 9" 269 299					
	Stainless Steel Chef's						
	 Optimized for cookin CookSmart[®] element 	g with • Stainless steel with alumi- num core • Encapsulated aluminum base					
	 Works with induction tric and gas 	elec- • Non-stick Teflon [®] Platinum • Three layers material (CHEFSPAN08)	•	•	•	•	•
	CHEFSPAN08 10	" Chef's Pan for 8" and 9" Elements 199 219					
	CHEFSPAN13 16	" Chef's Pan for 13" Element 399 439	•	•	•	•	•
	Stainless Steel Roas	-					
	 Perfect for searing, I ing, roasting meat, p and vegetables Ideally suited for Lib 	oultry • Made of 18/10 stainless steel • Oven-safe up to 500° F (350° with lid)				•	
	•	×16" Roasting Pan with Glass Lid 199 219					

ELECTRIC AND INDUCTION ACCESSORIES

This price list superse Model Number	des all previous price lists. Prices listed herein do not include applicable state or local taxes. Description	UMRP	MSRP					
	Description	GMIT	MOTT					
Accessorie	s			Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty [®] Induction	Induction
	Wireless Cooking Temperature SensorAllows you to select the best way to prepare every food as you sures the temperature of the pot continuously. This allows the pot er precision to provide exceptional cooking results. The sensor is induction Cooking Sensor modeTCOOKSENSWWireless Cooking Sensor	ower to be maintair	ed with great-			•		

Thermador[®] **PROFESSIONAL**

		30"	36"	48"	60"
	Pro Grand [®]		nna Clinno	23323 C C C C C C C C C C C C C C C C C	
ES					
FUEL RANGES			PRD366WGU 6-burner PRD364WIGU Induction PRD364WLGU Grill	PRD486WIGU Induction PRD486WLGU Grill PRD486WDGU Griddle	PRD606WEG Griddle PRD606WCG Grill and Griddle
ΈĽ			PRD364WDGU Griddle	PRD484WCGU Grill and Griddle	
DUAL FL	Pro Harmony [®]				
		PRD305WHU 5-burne PRD304WHU 4-burne		PRD486WDHU Griddle PRD486WLHU Grill PRD484WCHU Grill and Griddle	
STEAM RANGES	Pro Grand [®]				
STEAN				PRD48WISGU induction PRD48WDSGU Griddle PRD48WLSGU Grill PRD48WCSGU Grill and Griddle	PRD606WESG Griddle PRD606WCSG Grill and Griddle
GES	Pro Grand [®]				
RANGES			PRG366WG 6-burner PRG364WDG Griddle PRG364WLG Grill	PRG486WDG Griddle PRG486WLG Grill	
ALL- GAS	Pro Harmony [®]				
		PRG305WH 5-burne PRG304WH 4-burne		PRG486WDH Griddle PRG486WLH Grill	
RANGETOPS	Professional	PCG305W 5-burne	PCG366W PCG364WD PCG364WL BCG364WL	PCG486WD Griddle PCG486WL Grill	

RANGETOPS

This price list supersedes all previous price lists. Prices Model Number Description	пятеа петент ао пот піснаае арріїсаріе		UMRP MSRP
 All Professional Series Rangetops Continuous porcelain, easy-to-clean cooking surface Patented Pedestal Star[®] Burner with QuickClean Base™ Each burner has electronic ignition/ re-ignition; Metal knobs (also available in Metallic Blue, PKNOBLUWR, sold separately. See page 5-12) 	 LED downlightin panel. Precision simme 	g illuminates the control ring capabilities as low two ExtraLow [®] simmer	 Note It is strongly recommended that this appliance be installed in conjunction wi a Thermador[®] vent hood. (see Thermad Professional Hoods, page 6-4) For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately (PALPKITHW for al units; PALPKITHW5 for five Pedestal Star[®] Burner units). No High Altitude conversion kit needed for Rangetops.
 Five Pedestal Star[®] Burners (Two with ExtraLow[®]). overall output of 59,000 BTU. Suitable for use with Thermador OTR (see page 3-13) 	For Liquid Propane mod- els: Natural to LP Gas Fie Conversion Kit must be or separately (PALPKITHW5 five Pedestal Star [®] Burner units). No High Altitude co sion kit needed for Ranger	dered for nver-	30" Professional Gas Rangeto
LR: BTU 8,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO	Center: BTU 10,000 high*	RR: BTU 8,000 high* RF: BTU 15,000 high*	
PCG305W 30" Stainless Porcelain Su		:	3,199 3,549
 Six Pedestal Star[®] Burners (Two with ExtraLow[®]). LR: BTU 15,000 high*/375 XLO 	15 Amps CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/3,000 low	36" Professional Gas Rangeto
LF: BTU 18,000 high*/375 XLO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/3,000 low	

PCG366W


36" Stainless Steel with Porcelain Surface

3,799 4,199

* 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador[®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

RANGETOPS



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador[®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO HARMONY[®] SERIES—DUAL-FUEL RANGES

	s all previous price lists. Prices listed	herein do not include applicable state or local taxes.	
Model Number	Description	U	MRP MSRP
All Pro Harmon	y [®] Series Dual Fuel Ra	nges Include the Following Features:	
Cabinet-Depth	(24")	Indoor Pro Electric Grill model:	integrated easy-grip handle (36" and
 Four pedestal b 	ourner range: each front	 1,630 W electric element, 2-zone thermo- 	48" ovens: 3; 30" oven: 1)
•	put of 18,000 BTU (NG)	statically controlled, ceramic briquettes, fusion non-stick surface coating	Hidden Thermal Bake (2,000 W), Broil
Continuous por	rcelain, easy-to-clean	0	(4,000 W),
cooking surface	e	 For LP: Natural to LP Gas Field 	Third element rear 2,750 W convection
Patented Pede	stal Star [®] Burner with	Conversion Kit must be ordered	 Convection Broil and two rapid, self-clea

- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-11
- All burners with electronic ignition/ re-ignition

QuickClean Base™

· Precision simmering capabilities as low as 375 BTU with two ExtraLow[®] simmer burners

Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

- separately.
- Island trim included
- Two-year warranty
- · Star-K certified

Main oven features:

- Thermador Connected Experience with Home Connect[®] enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Full Access[®] telescopic racks with

cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1 1/2 hr light-soil clean

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements.
- 2.4 cu. ft. overall volume*

Note

Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador[®] Professional hoods)

30" Dual-Fuel Range

• Four Pedestal Star[®] Burners • 30" range features 4.4 cu. ft. (Two with ExtraLow) overall volume* LR: BTU RR: BTU 15,000 high**/3,000 low 15,000 high**/375 XLO RF: BTU LF: BTU 18,000 high**/375 XLO 18,000 high**/3,000 low 30" Stainless Steel with PRD304WHU 6,199 6,849 Porcelain Surface and One Telescopic Oven Rack PRD304WHU Five Pedestal Star[®] Burners able for use with the Thermador • 30" range features 4.4 cu. ft. (Two with ExtraLow); overall OTR (see page 3-13) overall volume* output of 59,000 BTU and suit-LR: BTU RR: BTU 8,000 high**/375 XLO 8,000 high** Center: BTU 10,000 high* LF: BTU RF: BTU 18,000 high**/375 XLO 15,000 high* PRD305WHU PRD305WHU 30" Stainless Steel with 6,749 7,449 Porcelain Surface and One Telescopic Oven Rack *According to AHAM Standards ** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backquard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backquard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden

PRO HARMONY[®] SERIES—DUAL-FUEL RANGES

/lodel Number	Description	UMRP MSRP	
			36" Dual-Fuel Rang
Six Pedestal Star [®] Bu (Two with ExtraLow [®])	rners • Oven features 4.9 cu overall volume*	. ft. • Thermador Connected Experience with Home Connect [®]	
LR: BTU 15,000 high**/375 XL	CR: BTU .O 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XL	.O CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low	
PRD366WHU	36" Stainless Steel with Porcelain Surface and All Telesco	8,399 9,249 opic Oven Racks	
Four Pedestal Star [®] E (Two with ExtraLow [®]) Oven features 4.9 cu. overall volume*	Experience with Hom		
LR: BTU 15,000 high**/375 XL LF: BTU	1,630 W (6-pass)	RR: BTU 15,000 high**/3,000 low RF: BTU	
18,000 high**/375 XL PRD364WDHU	36" Stainless Steel with Porcelain Surface and All Telesco	18,000 high**/3,000 low 8,949 9,849 opic Oven Racks	
Thermador Connecte Experience with Hom Connect [®]	Ø	Indoor Pro Electric Grill,	
LR: BTU 15,000 high**/375 XL LF: BTU	1,630 W	RR: BTU 15,000 high**/3,000 low RF: BTU	- Deci
18,000 high**/375 XL	O (6-pass 2x)	18,000 high**/3,000 low	PRD364WLHU
RD364WLHU	36" Stainless Steel with Porcelain Surface and All Telesco	8,949 9,849 opic Oven Racks	o 🔆 🚯

^{*} According to AHAM Standards ** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador[®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO HARMONY[®] SERIES—DUAL-FUEL RANGES

lumber	Description		UMRP MSRP	
				48" Dual-Fuel Rang
Thermador Connected Experience with Home Connect [®]	(Two with	tal Star [®] Burners ExtraLow [®]) features 4.4 cu. ft. ume*	 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW 	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle 1,630 W	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	(6-pass)	RF: BTU 18,000 high**/3,000 low	PRD486WDHU
RD486WDHU	48" Stainless Steel wit Porcelain Surface and		12,199 13,449 Racks	
Thermador Connected Experience with Home Connect [®]	(Two with	tal Star [®] Burners ExtraLow [®]) features 4.4 cu. ft. ume*	• Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	1,630 W (6-pass 2x)	RF: BTU 18,000 high**/3,000 low	
RD486WLHU	48" Stainless Steel wit Porcelain Surface and		12,199 13,449 Racks	
Thermador Connected Experience with Home Connect [®] Four Pedestal Star [®] Bu (Two with ExtraLow [®])	overall vol • Fusion noi Indoor Pro convertible	n-stick surface Electric Grill, to Griddle nal accessory	 Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW 	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill	Griddle	PRD484WCHU
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	1,630 W (6-pass 2x)	1,630 W (6-pass)	
RD484WCHU	48" Stainless Steel wit	h	12,599 13,899	

^{*} According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador[®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0¹¹ when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

All Pro Harmo	ny [®] Series All Gas Ranges Inc	ude the Following Features:		
Model Number	Description	UMRP	MSRP	
	les all previous price lists. Prices listed herein do r	ot include applicable state or local taxes.		

- Cabinet-Depth (24")
- Four pedestal burner ; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-11)
- Precision simmering capabilities as low as 375 BTU with two ExtraLow[®] simmer burners

Griddle model:

• 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

Griddle is interchangeable with grill
 accessory for convenient indoor grilling

Indoor Pro Electric Grill model:

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating
- NEW Gas ranges are now field convertible from natural gas to liquid propane—Conversion Kit must be ordered separately
- Island trim included
- Two-year warranty
- Star-K certified

Ovens feature:

 Thermador Connected Experience with Home Connect[®] enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'

- 17,500 BTU high-intensity infrared broiler
- Full Access[®] telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- · Gas convection oven
- 20,500 BTU bake burner
- Convection Bake, Thermal Bake (20,500 BTU)

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

Note

 Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador[®] Professional hoods)

30" All-Gas Range

Four Pedestal Star [®] Burners (Two with ExtraLow [®]) each LR: BTU 15,000 high**/375 XLO LF: BTU	front burner has output of 18,000 BTU (NG) RR: BTU 15,000 high**/3,000 low BF: BTU	 30" range features 4.6 cu. ft. overall volume* 	
18,000 high**/375 XLO	18,000 high**/3,000 low		
<u>PRG304WH</u> 30" Stai	nless Steel with Porcelain Sur	ace 4,849 5,349	PRG304WH
 Five Pedestal Star[®] Burners (Two with ExtraLow[®]); overall output of 59,000 BTU 	and suitable for use with th Thermador OTR (see page 3-13.	J	
LR: BTU 8,000 high**/375 XLO	Center: BTU	RR: BTU 8,000 high**	
LF: BTU 18,000 high**/375 XLO	10,000 high**	RF: BTU 15,000 high**	Less .
	nless Steel with Porcelain Sur	ace 5,499 6,049	
12,000 BTU LP; 18,000 BTU NG conv	ert to 15,000 BTU LP; 22,000 BTU NG	nvert to 9,100 BTU LP; 15,000 BTU NG burners co convert to 18,000 BTU LP	

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador[®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO HARMONY[®] SERIES—ALL-GAS RANGES

			36" All-Gas Ran
Thermador Connected Experience with Home Connect [®]	 Six Pedestal Star[®] Burners (Two with ExtraLow[®]) 	 36" range features 5.1 cu. ft. overall volume* 	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low	Trans
	tainless Steel with Porcelain Surfac Il Telescopic Oven Racks	ce 6,299 6,949	PRG366WH
Thermador Connected Experience with Home Connect [®]	 Four Pedestal Star[®] Burners (Two with ExtraLow[®]) each front burner has output of 18,000 BTU (NG) 	 36" range features 5.1 cu. ft. overall volume* Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW 	
LR: BTU 15,000 high**/375 XLO LF: BTU	Electric Griddle	RR: BTU 15,000 high**/3,000 low RF: BTU	Const Const
18,000 high**/375 XLO	(6-pass)	18,000 high**/3,000 low	PRG364WDH
	tainless Steel with Porcelain Surface Il Telescopic Oven Racks	ce 7,149 7,899	
Thermador Connected Experience with Home Connect [®]	 Four Pedestal Star[®] Burners (Two with ExtraLow[®]) each front burner has output of 18,000 BTU (NG) 	 36" range features 5.1 cu. ft. overall volume* Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW 	
LR: BTU 15,000 high**/375 XLO	Electric Grill 1,630 W	RR: BTU 15,000 high**/3,000 low	PRG364WLH
LF: BTU 18,000 high**/375 XLO	(6-pass 2x)	RF: BTU 18,000 high**/3,000 low	

* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador[®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0¹¹ when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO HARMONY[®] SERIES—ALL-GAS RANGES

Model Number	ious price lists. Prices listed herein o Description	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	UMRP	MSRP	
					48" All-Gas Range
 Thermador Connecte Experience with Hom Connect[®] 	e (Two with	stal Star [®] Burners ExtraLow [®]) and n features 4.6 cu. ft. Jume*	 Non-stick surface Elec Griddle, convertible to with optional accessor PA12GRILLW or PA12 	Grill y	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle 1.630 W	RR: BTU 15,000 high**/3,000 low		
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	(6-pass)	RF: BTU 18,000 high**/3,000 low		
PRG486WDH	48" Stainless Steel wi and All Telescopic Ove		10,399	11,449	
Thermador Connecte Experience with Hom Connect [®]	e (Two with	stal Star [®] Burners ExtraLow [®]) and n features 4.6 cu. ft. Jume*	 Fusion non-stick surface Indoor Pro Electric Gril vertible to Griddle with accessory PAGRIDDLI 	ll, con- optional	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill	RR: BTU 15,000 high**/3,000 low		
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	1,630 W (6-pass 2x)	RF: BTU 18,000 high**/3,000 low		Treat
PRG486WLH	48" Stainless Steel wi and All Telescopic Ove		10,399	11,449	

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

^{*} According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador [®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	S							Ha ⁻ ue		-			Å		o H Gas			-			Ra	inge	etop	os	
					3	0"		36"			48"		30)"	3	6"		48	3"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
		12" Griddle Plate Accessory w/ Tray (for Grill Modules) Fusion coated accesso to the "high-release" ac							•		•	•					•		•			•			•
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) usion) surface coating (" to clean and durable ov	-	359 9.				•		•		•				•		•			•			•	
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) Fusion coated accessor to the "high-release" ac						•		•		•				•		•			•			•	
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Mod	319 dules)	359					•		•	•					•		•			•			•
	PABRICKW	Flat Ceramic Briquettes (no Basket)	99	109					•		•	•					•		•			•			•
	PABRICKBKW	Flat Ceramic Briquettes with Basket	199	219					•		•	•					•		•			•			•
	PAGRIDDLE	Griddle sits on top of Grates over two Bu high-release surface co		219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
10 11	PA24CVRW	24" Cover for Grill/ Griddle Combination N	259 ⁄lodels	289								•													
T	PA12LCVRN	12" Professional Indoor Grill Cover	299	329					•		•	•					•		•			•			•
T	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•				•		•			•			•	

PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessori	es									ony ang					o H Gas			-	;		Ra	ing	eto	ps	
				3	0"		36"			48"		30)"	;	36"		4	8"	30"		36"	1	48	8"	
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	
0	PWOKRINGHO	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1 =	PAALTKITHW	High Altitude Kit, NG Pro Harmony Rai 5.4K ft. to 10.2K ft.	89 nges,	99	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
		ude kit, please see the 0 e List in the Sales Share		s &	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
	PALPKITHW	LP Conversion Kit Pro Harmony Dual Fu & Rangetops (4 & 6 B		159 Iges		•	•	•	•	•	•	•									•	•	•	•	•
	PALPKITGW	LP Conversion Kit Pro Harmony Gas Ra (4 & 6 Burner)	199 Inges	219										•	•	•	•	•	•						
	PALPKITGW5	LP Conversion Kit Pro Gas Ranges (5 Burner)	199	219									•												
/	PALPKITHW5	LP Conversion Kit Pro Harmony Dual Fu & Rangetops (5 Burn		159 Iges	•															•					
	PARKB3XHY	Blue Knob Kit 30"/36" Gas Harmony	249 /	279									•	•	•										
	PARKB30HY	Blue Knob Kit 30" DF Harmony	249	279	•	•																			
	PARKB36DHY	Blue Knob Kit 36" G/DF Harmony	249	279				•								•									
	PARKB36HY	Blue Knob Kit 36" DF GR Harmony	249	279			•																		

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es									ony ang				Pr All	ro ⊢ Ga				6		Ra	ing	etop	os	
					3	0"		36"			48"		3()"		36"		4	8"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
	PARKB36LHY	Blue Knob Kit 36" Grill Harmony	249	279					•								•								
	PARKB48CHY	Blue Knob Kit 48" DF Harmony	299	329						•	•	•													
	PARKB48DHY	Blue Knob Kit 48" Gas Harmony	299	329														•	•						
	PAKNOBLUWR	Metallic Blue Knob Kit Pro Rangetop	239	269																•	•	•	•	•	•
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmony Range	419	469	•	•							•	•											
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmony Range	479	529			•	•	•						•	•	•								
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harmony Range	509	599						•	•	•						•	•						
	PA30WLBC	10" Low Backguard for 30"Rangetop	209	229																•					
	PA36WLBC	10" Low Backguard for 36" Rangetop	269	299																	•	•	•		
	PA48WLBC	10" Low Backguard for 48" Rangetop	319	359																				•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

All Pro Grand[®] Series Dual Fuel Ranges Include the Following Features:

- Commercial-Depth (27")
- Patented Pedestal Star[®] Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24.
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow[®] Simmer burners (two far-left pair and two far-right pair)
- LP kit ordered separately for converting burners for LP gas
- Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

- All Ovens
- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Three Full Access[®] telescopic racks with integrated easy-grip handles
- Fast Preheat
- Main Oven
- Thermador Connected Experience with Home Connect[®] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- · Hidden bake element
- Note
- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-4)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

Induction Models

- Thermador 3,600 W Liberty[®] Induction with two zones
- Features 9 power levels, XHI PowerBoost, Bridge, HeatShift[®], Timer and a safety shutoff
- Indoor Pro Electric Grill
- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating
- · Fusion non-stick surface

Griddle:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- 48" Range Full-featured Secondary Oven
- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.


^{*} According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador [®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

umber Descript	ion	UMRP	MSRP	
				36" Dual-Fuel Range
Six Pedestal Star [®] Burners (Four with ExtraLow [®])				
LR: BTU 15,000 high*/375 XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/375 XLO		
Porcela	ainless Steel with ain Surface and escopic Oven Racks	9,699	10,699	
Four Pedestal Star [®] Burners (Four with ExtraLow [®]) and fusion non-stick surface Indoor Pro Electric Grill,	 Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW 			
LR: BTU 15,000 high*/375 XLO	Electric Grill 1,630 W	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XLO	(6-pass 2x)	RF: BTU 18,000 high*/375 XLO		
Porcela	ainless Steel with ain Surface and escopic Oven Racks	10,199	11,249	PRD364WLGU
Four Pedestal Star [®] Burners (Four with ExtraLow [®]) and	 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILF\ 	N		
LR: BTU 15,000 high*/375 XLO	Electric Griddle	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XLO	1,630 W (6-pass)	RF: BTU 18,000 high*/375 XLO		
Porcela	ainless Steel with ain Surface and escopic Oven Racks	10,199	11,249	
Four Pedestal Star [®] Burners (Four with ExtraLow [®]) with Liberty [®] Induction	 Teppan-yaki accessory TEPPAN1016 sold separately 	,		1010 0世の00
LR: BTU 15,000 high*/375 XLO	RR: BTU 15,000 high*/375 XLO	Induction		
LF: BTU 22,000 XHI*/375 XLO	RF: BTU 18,000 high*/375 XLO	3,600 W 230 V 3,300 W 208 V		Trans.
Porcela	ainless Steel with ain Surface and escopic Oven Racks	10,599	11,699	

other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador[®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—DUAL-FUEL RANGES



^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador [®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—DUAL-FUEL RANGES

<i>This price list supersedes all prev</i> Model Number	ious price lists. Prices listed herein Description	do not include applicable	e state or local taxes.	UMRP MSRP	
					48" Dual-Fuel Ranges
 Six Pedestal Star[®] Bu Cooktop (Four with E with Liberty[®] Induction 	xtraLow [®]) TEPPAN	yaki accessory 1016 sold separa	ately		
LR: BTU 15,000 high*/375 XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/375		nduction 00 W 230 V	
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*3,000 low	RF: BTU 18,000 high*/375	3,30	00 W 208 V	
PRD486WIGU	48" Stainless Steel wi Porcelain Surface and All Telescopic Oven F	b		13,899 15,299	
					60" Dual-Fuel Ranges
The Ultimate Entertai	ner's Center™				KARA FA
Six Pedestal Star [®] Bu (Four with ExtraLow [®] Indoor Pro Electric G 12" Griddle) with convertib	ro Electric Grill, ile to Griddle onal accessory DLEW	Grido with o	stick surface Electric lle, convertible to Grill optional accessory GRILLW or PA12GRILFV	
LR: BTU 12,500 high*/375 XLO LF: BTU	CR: BTU 12,500 high*/3,000 low CF: BTU	Electric Grill 1,630 W	Electric Griddle 1,630 W	RR: BTU 15,000 high*/375 XLO RF: BTU	PRD606WCG
22,000 XHI*/375 XLO	18,000 high*/3,000 low	(6-pass 2x)	(6-pass)	18,000 high*/375 XLO	
PRD606WCG	60" Stainless Steel w Porcelain Surface an All Telescopic Oven F	d		17,449 19,199	
The Ultimate Entertai					
Six Pedestal Star [®] Bu (Four with ExtraLow [®] Dual Zone Griddle) with 24" Griddle, with optic	 surface Electric convertible to Gri onal accessory ILLW or PA12GR 	II		
LR: BTU 12,500 high*/375 XLO	CR: BTU 12,500 high*/3,000 low	1,630 W (L	ric Griddle .eft & Right)	RR: BTU 15,000 high*/375 XLO	PRD606WEG
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/3,000 low	(3,260	W total)	RF: BTU 18,000 high*/375 XLO	\bigcirc
PRD606WEG	60" Stainless Steel w Porcelain Surface an All Telescopic Oven F	d		17,449 19,199	

^{* 12,500} BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador[®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

All Pro Grand[®] Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star[®] Burners with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Steam and convection oven
- Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with Four ExtraLow[®] Simmer burners (two far-left pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty[®] surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift[®], Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Indoor Pro Electric Grill (convertible to griddle with griddle accessory),

- LP conversion kit ordered separately for converting burners for LP gas
- Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified
- CSA certified
- Indoor Pro Electric Grill Model: 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating

Oven features:

- Thermador Connected Experience with Home Connect[®] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose[®] hinges for ultra-smooth closing
- Large oven includes three Full Access[®] telescopic racks with integrated easy-grip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1 1/2 hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion and preheat status with audible alert

Steam Oven features:

- 27 Easy Cook[®] programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed
- Steam Clean function
- Warming drawer features:
- Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

Note


- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-4)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

* According to AHAM Standards

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador [®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.



^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador [®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—STEAM RANGES

			•			
	ious price lists. Prices listed herein de	o not include applicable state o	or local taxes.			
<i>l</i> odel Number	Description			UMRP	MSRP	
					48" C	Dual-Fuel Steam Rang
he Ultimate Culinary	Center™					
Four Pedestal Star [®] E (Four with ExtraLow [®])	Burners • Indoor Pro	Electric Grill and	PA240	ainless steel cov CVRW for Grill/G eparately		
LR: BTU 15,000 high*/375 XLO	CR: BTU 15,000 high*/375 XLO	Electric Grill 1,630 W		tric Griddle .630 W		
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/375 XLO	(6-pass 2x)		6-pass)		
PRD48WCSGU	48" Stainless Steel wit Porcelain Surface and	h		16,099	17,749	PRD48WCSGU
	All Telescopic Oven Ra	acks (main oven)				
					60" E	Dual-Fuel Steam Rang
						-
he Ultimate Entertair Six Pedestal Star [®] Bi (Four with ExtraLow [®]) 24" Dual Zone Griddle	urners • 5.7 cu. ft. accommod	main oven cavity lates commercial eet pan •	acces	ainless steel cov sory PA24CVRR riddle sold separ	for	
LR: BTU 12,500 high*/375 XLO	CR: BTU 12,500 high*/3,000 low	24" Electric Gride 1,630 W (Left & R		RR: BTU 15,000 high*/37	5 XLO	
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/3,000 low	(3,260 W total)		RF: BTU 18,000 high*/37	5 XLO	PRD606WESG
PRD606WESG	60" Stainless Steel wit Porcelain Surface and All Telescopic Oven Ra			19,949	21,949	o 🛠 🏵
The Ultimate Entertain Six Pedestal Star [®] Bu (Four with ExtraLow [®]) Indoor Pro Electric Ge 12" Griddle) • 5.7 cu. ft. accommod	main oven cavity dates commercial leet pan	PA240	ainless steel cov CVRW for Grill/G eparately		
LR: BTU 12,500 high*/375 XLO LF: BTU 22,000 XHI*/375 XLO	CR: BTU 12,500 high*/3,000 low CF: BTU 18,000 high*/3,000 low	1,630 W 1	stric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high*/37 RF: BTU 18,000 high*/37		
PRD606WCSG	60" Stainless Steel wit Porcelain Surface and All Telescopic Oven Ra			19,949	21,949	

^{* 12,500} BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador[®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—ALL-GAS RANGES

This price list supersedes all previo	us price lists. Prices listed herein do not include applicable state or local taxes.		
Model Number	Description	UMRP	MSRP

All Pro Grand[®] Series All Gas Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Patented Pedestal Star[®] Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24.
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow[®] Simmer burners (two far-left pair and two far-right pair)

Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Electric Griddle (convertible to grill with grill accessory),

Indoor Pro Electric Grill model:

 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating

- Indoor Pro Electric Grill (convertible to griddle with griddle accessory)
- NEW Gas ranges are now field convertible from natural gas to liquid propane—kits sold separately
- · Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

Oven features:

- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access® telescopic racks with integrated easy-grip handles
- Large oven:
- Thermador Connected Experience with Home Connect[®] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/LP)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- 6 conventional cooking modes
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1 ½ hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert


Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume*
- Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/LP)
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-4)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

36" All-Gas Range




^{*}According to AHAM Standards

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

^{**15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador[®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.



^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador[®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—ALL-GAS RANGES AND ACCESSORIES

Model Number	edes all previous price Descr	lists. Prices listed herein do no intion	vt include applicab	ole state or	r loca	l taxe	es.					IRP		M	SRP										
																		4	Q ''	All	6		Da		-
	@																	4		AII		15	па	ιηζ	Je
 Six Pedesta (Four with E 	al Star [®] Burners xtraLow [®])	 Fusion non-s Indoor Pro E convertible to optional PAG 	lectric Grill, o Griddle witl	h													<u>.</u> <u>.</u>							<u></u>	1
LR: BT 15,000 high*/3	-	CR: BTU 00 high*/3,000 low	Electric Gri 1,630 W	ill		15,		RR: higl		U 875 2	KLO						Γ								
LF: BT 22,000 XHI*/3		CF: BTU 00 high*/3,000 low	(6-pass 2x	:)		18,		RF: hig		U 875)	KLO											1		,	
PRG486WLG		Stainless Steel with I ace and All Telescop		oke						1	1,5	49	1	2,7	749		PR	G48	36W	LG M					
	Suna		ic oven nac	585													(7	K	(Ð			
Accessori	es							D	ual	Fu	el						Ste	ean	1			AI	l Ga	as	
						36	6"			48	3"		60)"		48		_	6			36"		4	8"
	Model				PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	
		Description	UMRP	MSRP	⊡	Ē	₫	₫		₫	٦	₫	⊡	₫	₫	Ē				▤	₫	₫	٩	₫	
	PA12GRILFW	12" Grill Plate Accessory w/ Tra (for Griddle Mode	-	359				•		•		•	•	•		•		•	•	•		•		•	
		ng) Fusion coated ac ve to the "high-releas																							
	PA12GRILLW	12" Grill Plate Accessory w/ Tra (for Griddle Mod	-	359				•		•		•	•	•		•		•	•	•		•		•	
		-fusion) surface coati n and durable over t		ease")																					
	PAGRIDLFW	12" Griddle Plate Accessory w/ Tra (for Grill Modules	ay	359			•				•	•		•			•	•		•			•		
		ng) Fusion coated ac ve to the "high-releas																							
	PAGRIDDLEV	12" Griddle Plate Accessory (for Briquette Gri		359			•				•	•		•			•	•		•			•		
														_			_				-				F

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.
Model
Number Description

Accessorie	es							D	ual	Fu							Ste	am					I G		
						3	6"			48	3"		60)"		48	3"		6)"		36'	·	48	3"
	Model				PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	Number	Description	UMRP	MSRP	₽	₽	₽	₽	٩.	₽	₽	₽		₽		<u> </u>			₽.	₽.	Ч	₽	≏	₽.	
	PABRICKW	Flat Ceramic Briquettes (no Basket)	99	109			•				•	•		•			•	•		•			•		•
	PABRICKBKW	Flat Ceramic Briquettes with Basket	199	219			•				•	•		•			•						•		•
	PAGRIDDLE	Griddle sits on top of Grates o two Burners, high-relea coating		219 face	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
6 1	PA24CVRR	24" Cover for Griddle	299	329									•						•						
0 0/	PA24CVRW	24" Cover for Grill/Griddle Combi Models	259 nation	289								•		•				•		•					
ľ	PA12LCVRN	12" Cover Professional Indoor Gr	299 ill	329			•				•	•		•			•	•		•			•		•
T	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•		•		•		•		•		•		•	
\bigcirc	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description


Accessorie	es							D	ual	Fu	el						Ste	ar	1			Al	l Ga	as	
						3	6"			48	3"		60)"		48	3"		6)"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WI G
1 =	PAALTKITGW	High Altitude Kit, NG Pro Grand Rang 5.4K ft. to 10.2K ft.	89 es,	99	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	-	ude kit, please see the e List in the Sales Shar		s &	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel	199 Ranges	219 S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
	PALPKITGGW	LP Conversion Kit Pro Grand Gas Ranç	199 ges	219																	•	•	•	•	
	PARKB36IGY	Blue Knob Kit 36" Grill/Ind Grand	249	279	•		•																		
	PARKB36GY	Blue Knob Kit 36 " Gas Grand	249	279																	•				
	PARKB36CGY	Blue Knob Kit 36 " Combi Grand	279	309		•		•														•	•		
	PARKB48CGY	Blue Knob Kit 48 " Combi Grand	384	429					•	•	•	•			•			•							
	PARKB48SGY	Blue Knob Kit 48 " Combi Steam G	379 rand	419												•	•							•	•
	PARKB60CGY	Blue Knob Kit 60 " Combi Grand	349	389									•	•		_									
	PARKB60SGY	Blue Knob Kit 60 " Combi Steam G	349 rand	389															•	•					

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador [®] Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.
Model
Number Description

Accessorie	es							D	ual	Fu	el					Ste	eam	۱			AI	I Ga	as	
						3	6"			48	3"		60"		4	8"		60)"		36"		48	}"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	<u>CSRACKH</u>	Wire Rack	199	219										•	•	•	•	•	•					
	PA36WTKG	Toe Kick for 36" Pro Grand [®] R	109 ange	119	•	•	•	•												•	•	•		
	PA48WTKG	Toe Kick for 48" Pro Grand [®] R	109 ange	119					•	•	•	•		•	•	•	•						•	•
	PA60WTKG	Toe Kick for 60" Pro Grand [®] R	139 ange	159									• •					•	•					
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fue Ranges		529 irand®	•	•	•	•												•	•	•		
	PA48WLBG	7" Low Back, for 48" Pro Grand [®] G	509 as Ran	599 ges					•	•	•	•		•	•	•	•						•	•
	PA60WLBG	7" Low Backguard for 60" for Pro Grand	559 ® Rang	649 e									•					•	•					

Thermador® **VENTILATION**



WALL HOODS

This price list supersedes all previo Model	ous price lists. Prices listed he	rein do not include applicable state o	or local taxes.									
Number	Description		ι	JMRP	MSRP							
 All Wall Hoods Includ Beautiful illumination v LED lights Dishwasher-safe comm stainless steel baffle fi 	with multi-level,	 Automatic mode dete adjust fan speed auto 10-min. delay shut off lingering odors 	omatically	• Bi	uilt-in rem	<i>ptions available</i> mote control panel, sold (see page 6-7)						
Recessed sleek, smoo panel that provides pro- selection with 4-speed	ecise performance	Check filter reminder after 40 hours of open										
All Masterpiece [®] Wall [Hoods Include thes	e Additional Features:										
 Equipped with the The Experience by Home 		Brushed stainless steNoise Control Technol				cting direction						
 A perfect complement Thermador Masterpie 		Cooktop Hood-Sync	Enabled			e to recirculation, accessory ate (see page 6-3)						
						Masterpiece [®] Serie						
Drawer Under Cabinet	Wall Hood											
A masterful blend of luperformance with a sli	uxury and agains ide-out try, an	st surrounding cabine- d when pulled forward	600 CFM integration included	al blow	er	Tenner (
canopy designWhen the slide-out ca is pushed back, it sits	nopy • Fan c	ses capture area an be activated in the I or open position	Transition to 6" backdraft dampe			HMDW36WS						
HMDW30WS	30" Masterpiece [®] , Drawer Wall Hood		1	,899	2,099							
HMDW36WS	36" Masterpiece [®] , Drawer Wall Hood		1	,999	2,199	_						
Low-Profile Wall Hood	l											
Chiseled design that is		and 28"–65" tall	Transition to 10			-						
 depth, 11" tall Approved for use with Professional Series Rand Rangetops 	acces	opic duct cover sory options available, eparate (see page 6-6)	backdraft damp	er inclu	aea	HMWB30WS						
HMWB30WS	30" Low-Profile Wa	all Hood, 600 CFM	1	,799	1,999							
HMWB36WS	36" Low-Profile Wa	all Hood, 600 CFM	1	,899	2,099							
HMWB361WS		all Hood, 1000 CFM		,999	2,199							
HMWB481WS	48" Low-Profile Wa	all Hood, 1000 CFM	2	,099	2,349							

umber	Descriptio	n	UM	RP M	SRP					
Accessori	ies—Masterpiec	e [®] Series					Mas	terp	iece	Э
						Dra	wer	Lo	w P	rofi
						HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS
	Recirculation A						-	-	_	+
	When ducting i tered air back i		stallation Note: RECHN ECHMWB36 are brush							
		bal filter every 3-6 months	nd adds 4" height to the proved for use with H	applian	ce.					
		replacement accessory avail-	MWB36WS Low-Profile ith 600 CFM blowers or	Series						
	RECHMWB30	Recirculation Kit for HMWB30W Low-Profile Wall Hood, 30" Wide		99	799			•		
	RECHMWB36	Recirculation Kit for HMWB36W Low-Profile Wall Hood, 36" Wide		49	849				•	
	RECHMDW30	Recirculation Kit for Masterpiece Under Cabinet Drawer Hood, 30		29	149	•				
	RECHMDW36	Recirculation Kit for Masterpiece Under Cabinet Drawer Hood, 36		29	149		•			
	CHFHMDW30	Replacement Charcoal Filters For Masterpiece [®] HMDW Under Cabinet Drawer Hood, 30		99	109	•				
	CHFHMDW36	Replacement Charcoal Filters For Masterpiece [®] HMDW Under Cabinet Drawer Hood, 36		99	109		•			
	CHFILT3036	Replacement charcoal filters for recirculating wall hoods	1	09	119	•		•	•	
	Optional Stainles	ss Steel Duct Cover								
	Available in 16" heights	10	an be used with Low-P eries Wall Hoods	rofile HN	1WBxxWS			•		
	DCT3016W	16" Tall Duct Cover for Low-Prof 30" Wide	ile Wall Hood, 6	49	749					
	DCT3616W	16" Tall Duct Cover for Low-Prof 36" Wide	ile Wall Hood, 6	59	749				•	•
	DCT4816W	16" Tall Duct Cover for Low-Prof 48" Wide	ile Wall Hood, 6	79	749					
	DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide		49	849			•		
	DC36MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide		59	849				•	•
	DC48MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide		79	899				Ī	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

<i>This price list supersedes all p.</i> Model Number	revious price lists. Prices list Description	ed herein do not include applicable st	ate or local taxes.	UMRP	MSRP	
 Add distinct flair to stainless steel wall 	your kitchen with bo hoods with design ughtful details of yo ptional blower egral, inline, and	 cover accessory of separate (see page) Blower options solid required to complet the following blows (see page 6-5) 	' tall telescopic duc ptions available, so e 6-6)	ld m • T d th <i>Acc</i> • D 6 • R p 2	nax) ransition amper inc essory op ouct cover -6) temote blo age 6-8) 5-ft remot	ir damper relay switch (120 V to 10" round and backdraft cluded otions available r accessory options (see page ower roof plates (see te & inline blower extension page 6-8)
 Pro Harmony[®] Wall Adds distinct flair to with bold, stainless 	your kitchen • A	perfect companion to o Harmony [®] Professional	Commercia steel baffle	-	nless	Professional Series
hoods with design t the thoughtful detai Thermador kitchen	ls of your • Pr	anges o-style 24" depth, 18" tall ny [®] Wall Hood, Optional	Plower	1,999	2 1 0 0	РНЗ6НWS
<u>PH30HWS</u> PH36HWS		ny [®] Wall Hood, Optional		2,099	2,199 2,349	
PH48HWS	48" Pro Harmo	ny® Wall Hood, Optional	Blower	2,299	2,549	
 Pro Grand[®] Wall Hc Equipped with the Connected Experie Home Connect[®] Adds distinct flair to with bold, stainless 	Thermador ho nce by th Th your kitchen • Cr	oods with design that echo e thoughtful details of your nermador kitchen afted to complete the ultima oking system with Pro Grai	 Pro-style 2 Two infrare lamps (incl 	7" depth, 18 d,175 W, K		PH36GWS
PH36GWS	36" Pro Grand	Wall Hood, Optional Blo	wer	2,299	2,549	Q
PH42GWS	42" Pro Grand [®]	[°] Wall Hood, Optional Blo	wer	2,399	2,649	
PH48GWS	48" Pro Grand	⁹ Wall Hood, Optional Blo	wer	2,699	2,999	
PH54GWS	54" Pro Grand [®]	⁹ Wall Hood, Optional Blo	wer	2,899	3,199	
PH60GWS	60" Pro Grand	Wall Hood, Optional Blo	wer ¹	3,649	4,049	

¹ The 600 CFM blower options are not available with the 60" hood

This price list supers Model Number	edes all previous price lists. Descriptie		lo not include applicable state or local taxe	UMRP	MSRP							
Blowers						Mas	sterp	iece	Pi	rofes	sion	al
						Custom Insert		Downgratt	Wall	Chimney Wall	Island	Custom Insert
						VCI2xxDS	UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	HPINxxWS	VCINXXGWS
	Integral Blowers	3										
	Integrated into of installation	ventilation hoo	d at the time									
	<u>VTN630W</u>	600 CFM II	ntegral Blower	609	699				•	•	•	•
	<u>VTN1090R</u>	1,000 CFM	Blower	799	899				•	•	•	•
	 May be used a solution for VC Series custom inserts. See we additional deta Blower can be along the duct 	I2xxDS hood ebsite for ils mounted line	between the kitchen and the exterior wall 25 ft. cable (EXTNCB25W) available for inline blower applica- tions—sold separately (see page 6-4)	For use with Thermador PHxx: HPCNxxWS, HPI VCINxxGWS, VC UCVMxxRS, and UCVP36XS Serie	NxxWS, l2xxDS, s hoods							
0 - 10	<u>VTI610W</u>	600 CFM II 6" duct size	nline Blower, e	609	699	•	•	•	•1	•	•	•
	<u>VTI1010W</u>	1,000 CFM 10" duct siz	Inline Blower, ze	799	899	•	•	•	•	•	•	•
-	 Remote Blowers For external root Roof mounting (RFPLTxxP) red mount applicat separately (see 	or wall mount• plate quired for roof ions—sold	25 ft. cable (EXTNCB25W) • available for inline blower applications—sold sepa- rately (see page 6-4)	For use with Therm PHxxxWS, HPCNxx HPINxxWS, VCINxx VCI2xxDS, UCVMxx UCVP36XS Series	wS, GWS, RS, and							
C	<u>VTR630W</u>	600 CFM F	Remote Blower, 6" duct size	729	849	•	•	•	•	•	•	•
0	<u>VTR1030W</u>	1,000 CFM	Remote Blower, 10" duct si	ize 769	849	•	•	•	•	•	•	
BC	<u>VTR1330W</u>	1,300 CFM	Blower, 10" duct size	979	1,099	•	•	•	•	•	•	•

1 The 600 CFM blower options are not available with the 60" hood

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list superso Model Number	edes all previous price lists Descripti	s. Prices listed herein do not include applicable state or local taxes. on	UMRP	MSRP								
Accessorie	es—Professior	nal			Ha	Pro rmc	ny			Gra		
					PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS		PH60GWS
	-		with PHxxxWS Pro		• H	НЦ	H	Hd	H	Ŧ	E	<u>T</u>
	DC306W	6" Tall Duct Cover for Pro Wall Hoods, 30" Wide	469	519								
	<u>DC366W</u>	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	489	539		•		•				
	DC426W	6" Tall Duct Cover for Pro Wall Hoods, 42" Wide	499	549					•			
	DC486W	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499	549			•			•		
	<u>DC3089W</u>	8' - 9' Ceilings Telescoping Duct Cover, 30" wide	499	549	•							
	<u>DC3689W</u>	8' - 9' Ceilings Telescoping Duct Cover, 36" wide	509	599		•		•				
	<u>DC4289W</u>	8' - 9' Ceilings Telescoping Duct Cover, 42" wide	519	599					•			
	<u>DC4889W</u>	8' - 9' Ceilings Telescoping Duct Cover, 48" wide	529	599			•			•		
	DC361012W	10' - 12' Ceilings Telescoping Duct Cover, 36" wide	659	749		•			•			
	DC481012W	10' - 12' Ceilings Telescoping Duct Cover, 48" wide	719	799			•			•		

	edes all previous price lists. Prices listed herein do not include app	licable state or local taxes.									
Model Number	Description	UMRP	MSRP								
Accessorie	es—Professional				Pro armo Wal	ony			o Gra Wall		
				PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
k1	 Built-In Remote Control Ability to vertically install on cabinetry or wall to control hood in a convenient location Built-in sleek, smooth remote touch control panel 	 Compatible with HDDBxxWS, HMCBxxWS, HMDWxxWS, HM HMWBxxWS, HMWBxx1WS, HPCNxxWS, HPINxxWS, PHxxx VCINxxGWS Series hoods Wired to hood Cable length: 30 ft. 		•	•	•	•	•	•	•	•
	REMCPW Built-In Remote Control	l Accessory 319	359								
•••	Recirculation Accessories • For non-ducted operation of Thermador [®] Wall Hoods <u>CHFILT3036</u> Replacement charcoal for recirculating wall hoods		,								

This price list supers Model	edes all previous price lists.	Prices listed herein do not include applicable st	ate or local taxes.										
Number	Descriptio	n	UMR	IP I	MSRP								
Blower and	d Duct Accesso	ories				На	Pro irmc Wal	ny	F		Gra Nall		
							vvai			,	vai		
						PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
	Remote & Inline	Blower Extension Cable											
			annot join two cables together length.	er for	lon-								
	HPINxxWS, UC	CVMxxXS, UCVP36XS VT	or use with blowers VTI610V TI1010W, VTR630W, VTR10 TR1330W			•	•	•	•	•	•	•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	11	9	139								
	EXTNSET4	3-pc extension set for Inline a remote blowers; For older ge hoods when paired with new	neration	59	179	•	•	•	•	•	•	•	•
	Roof Plates												
	NOTE: Roof plate	required for roof-mount applicat	ion of remote blowers.			•	•	•		•			•
	RFPLT600P	Roof mounting plate for VTR630W and VTR630W	12	29	149								
	RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W, VTF	15 R1030W, VTR1330W	59	179	•	•	•	•	•	•	•	•

Model	price lists. Prices listed her Description	ein do not include applicable state or local taxes.	UMRP	MSRP	
 All Chimney Wall Hoods Beautiful illumination wit LED lights 		 ving features: Automatic mode detects temperatures to adjust fan 			r reminder light illuminates urs of operation
 Dishwasher-safe filters Recessed sleek, smooth panel that provides prec selection with 4-speed left 	sise performance	 speed automatically 10-min. delay shut off whisk away lingering odors 	• V • B	ertical due suilt-in rem	cting direction note control panel accessory sold separate (see page 6-7)
 All Masterpiece[®] Chimne Equipped with the Therr Experience by Home Co A perfect complement to Thermador Masterpiece[®] Brushed stainless steel Serves as the focal poin can add a modern feel Cooktop Hood-Sync Ena 	nador Connected onnect [®] o the sleek [®] Series cooktops at of the room and	 ude these Additional features: 600 CFM integral blower Adjustable telescopic chimney heights t fit up to 9-ft tall ceilings Transition to 8" round and backdraft damper included Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings available, sold separate (see page 6-12) 	o s ∙⊢ fr	old separa lybrid mes ame	e to recirculation, accessory ate (see page 6-12 sh filters with stainless steel cting direction
	ary, • Noise	Control Technology™ 'yramid Chimney Wall Hood,	2,099	2,349	Masterpiece® Series
	36" Masterpiece [®] F 600 CFM	yramid Chimney Wall Hood,	2,199	2,449	Q
 Drawer Chimney Wall Ho A masterful blend of luxin performance with unique out canopy design that of be pushed back for increased room or pulled for for increased capture ar 	ury and • Can be e slide- the op can • Noise eased ward	e activated whether in en or closed position Control Deluxe™			HDDB30WS
	30" Masterpiece [®] D 600 CFM	brawer Chimney Wall Hood,	2,499	2,749	Q
	36" Masterpiece [®] D 600 CFM	brawer Chimney Wall Hood,	2,699	2,999	

^{*} Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Vodel		ein do not include applicable state or local taxes.		MODD	
Number	Description		UMRP	MSRP	
All Professiona	al Chimney Wall Hoods incl	ude these Additional features:			
steel aesthetic Series ranges	natch the bold, stainless c of Thermador Professional and range tops	 Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops 	re ti	equired to comp he following blo	sold separate and blete install. Works with wers, sold separately
Sculpted brus	hed stainless steel	 Powerfully Quiet[®] optional blower 	`	see page 6-5).	Remote
	al point in the room with a porary-style feel	system accepts integral, inline, and remote blowers	٧	ntegral /TN630W /TN1090R	VTR630W VTR1030W
Make-up air d max)	amper relay switch (120 V	 6" tall, 18"- 35" tall telescopic, and 42"- 59" tall telescopic duct cover accessory 	li	nline /Tl610W	VTR1330W
Transition to 1 damper includ	0" round and backdraft led	options available, sold separate (see page 6-11)		/TI1010W cessory options	available
	cessory options available, (see page 6-11)			Remote blower i bage 6-8)	roof plates (see
Pro-style 24" o	depth, 18" tall			25-ft remote & ir able (see page	nline blower extension 6-8)

Professional Series

Pro Grand® Chimney Wall Hood 2,699 2,999 HPCN36WS 36" Professional® Chimney Wall Hood,
Optional Blower 2,699 2,999 HPCN48WS 48" Professional® Chimney Wall Hood,
Optional Blower 3,199 3,549 HPCN36WS

CHIMNEY WALL HOODS

<i>This price list superse</i> Model Number	edes all previous price lists. F Descriptior	Prices listed herein do not include applicable state or local taxes.	UMRP	MSRP						
Accessorie	es				N	laste	rpiec	e	Р	ro
					Dra	wer	W	all	W	'all
					HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS	HPCN36WS	HPCN48WS
	Remote & Inline	Blower Extension Cable								
		cable for use between Cannot join two or remote blower ger length.	cables together	for lon-						
		kWS, HPCNxxWS, VMxxXS, UCVP36XS• For use with blo VTI1010W, VTR VTR1330W'S series hoodsVTR1330W)W,					•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139						
	EXTNSET4	3-pc extension set for Inline and remote blowers; For older generation hoods when paired with new generation blo	159 owers	179					•	•
		all, 18"–35" tall telescopic, • Can be used wit telescopic heights Professional Ser		all Hoods					•	
	CHMHP366W	6" Tall Duct Cover for Professional [®] Chimney Wall Hood, 36" Wid	499 le	549						
	CHMHP486W	6" Tall Duct Cover for Professional [®] Chimney Wall Hood, 48" Wid	509 e	599						•
	CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 36" Wid	649 e	749					•	
	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 48" Wid	659 e	749						•
	CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 36" Wid	719 e	799					•	
	CHMHP48XTW	42"×59" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 48" Wid	739 e	849						•

CHIMNEY WALL HOODS

nis price list supers Nodel	sedes all previous price lists.	Prices listed herein do not include applicable state or local taxes.								
Number	Descriptio	on	UMRP	MSRP						
Accessori	es				Ν	laste	rpied	e	Р	ro
						wer	-	all	W	
					NS	NS	MS	MS	NS	NS
					HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS	HPCN36WS	HPCN48WS
					НDD		HMC	HMO	НРС	HPC
	-	ood Extension Kits								
10	Stainless steel tel	escopic chimney extension for 9-ft to 12-ft tall ceilings			•	•				
	<u>CHXTHDDW</u>	9'-12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece [®] Chimney Drawer Hood	579	649						
	CUYTUMOR	0, 10, Collings Chimney Extension Kit for	570	640						
	<u>CHXTHMCB</u>	9'-12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece [®] Pyramid Chimney Hoo	579 d	649			•	•		
	Chimney Wall H	ood Recirculation Accessories								
	When ducting is sible, kit brings air back into kit	filtered ter every 3–6 months ment acc	essory av		•	•				
	RECHDDB	Recirculation Kit for Masterpiece [®] HDDBxxWS Drawer Chimney Wall Hood	159	179						
	RECHMCB	Recirculation Kit for Masterpiece [®] HMCBxxWS Chimney Wall Hood	159	179			•	•		
	<u>CHFHMCD</u>	Replacement Charcoal Filters	109	119						
		For Masterpiece [®] HMCB, HDDB, HMIB Recirculation Kit			•	•	•	•		
	Roof Plates NOTE: Roof plat	e required for roof-mount application of remote blowers	6.							
	RFPLT600P	Roof mounting plate for VTR630W and VTR630W	129	149					•	•
	RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W, VTR1030W, VTR1330W	159	179					•	•

ISLAND HOODS

This price list supersedes Model Number	all previous price lists. Prices Description	listed herein do not include applicable state or		JMRP	MSRP	
	Description		· · · · · ·		WIGHT	
 Equipped with the Experience by H 	a include the following the Thermador Conne Home Connect [®] thation with multi-level	 Recessed sleek, smo panel that provides pr selection with 4-speed Automatic mode deter adjust fan speed auto 	 Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels Automatic mode detects temperatures to adjust fan speed automatically 10-min. delay shut off whisk away Check filter after 40 ho Vertical due Built-in rem available, selection 			r reminder light illuminates urs of operation cting direction note control panel accessory sold separate (see page 6-7)
 Low-Profile Islan Sleek and slim, meticulously sci floating stainles hoods catch the obstructing view A perfect compl Thermador Mas Series cooktops Brushed stainle 	these • ulpted, • s steel island e eye without vs • lement to sterpiece® s •	Cooktop Hood-Sync Enabled Noise Control Deluxe™ 600 CFM integral blower Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings Transition to 8" round and backdraft damper included	 Convertible to reaccessory sold s (see page 6-15) Accessory options Duct cover extenaccessory for 9-ceilings (see page 	separa <i>availa</i> nsion k ft to 12	te <i>ble</i> kit 2-ft tall	Masterpiece® Series
HMIB36WS	36" Masterp 600 CFM	iece [®] Box Island Hood,	2	,999	3,299	
HMIB42WS	42" Masterp 600 CFM	iece [®] Box Island Hood,	3	,099	3,449	

ISLAND HOODS

This price list supersede Model	es all previous price lists.	Prices listed herein do not include applicable state or	local taxes.			
Number	Description	n		UMRP	MSRP	
						Professional Series
 Box Island Hood A stunning, me crafted piece th a conversation entertaining in Designed and to match in des performance w Professional S and range tops Sculpted brush steel Unique angled island hood de Dishwasher-sa style stainless filters Make-up air da switch (120 V n 	eticulously hat could be a starter while the kitchen engineered sign and with Thermador teries ranges s ned stainless l box canopy esign afe commercial- steel baffle	 Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers Transition to 10" round and backdraft damper included For ceiling applications of 8' to 9' height May require fabrication for custom height 	 Blower option and required to install. Works blowers, sold page 6-5). Integral VTN630W VTN1090R Inline VTI610W VTI1010W Accessory optio Remote blowet (see page 6-8) 25-ft remote & extension cab 6-8) 	to complex with the f separatel Remo VTR63 VTR10 VTR13 <i>N</i> <i>N</i> <i>N</i> <i>N</i> <i>N</i> <i>N</i> <i>N</i> <i>N</i> <i>N</i> <i>N</i>	te following y (see te 30W 030W 330W ble ttes ower	HPIN42WS
<u>HPIN42WS</u>	42" Profe Optional	essional [®] Island Hood, Blower		3,399	3,749	
<u>HPIN54WS</u>	54" Profe Optional	essional [®] Island Hood, Blower		3,999	4,399	

ISLAND HOODS

This price list supers Model Number	sedes all previous price lists. Descriptio		lo not include applicable state or local tax	es.	UMRP	MSRP				
Accessori	es						Maste	rpiece	P	-
							LOW	rofile	В	х
							HMIB36WS	HMIB42WS	HPIN42WS	HPIN54WS
	Remote & Inline	Blower Exter	ision Cable							
	 25-ft. extension use between he inline or remote 	ood and	Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods	 Cannot jo together For use v VTI610W VTR630V VTR1330 	for longe with blow /, VTI10 ⁻ N, VTR1	er length. vers IOW,			•	•
	EXTNCB25W	25-ft Remote Extension C	te & Inline Blower Cable		119	139				
$\left(\right) \right)$	EXTNSET4	remote blow	ion set for Inline and vers; For older generation n paired with new generatio	n blowers	159	179			•	•
	Low-Profile Islan									
	 Stainless steel t chimney extensi 12-ft tall ceilings 	ion for 9-ft to	 Compatible with HMIB Masterpiece[®] Island Ho 	bod			•	•		
-	CHXTHMIB		ngs Chimney Extension Kit Masterpiece [®] Island Hood	for	699	799				
			culation Accessories							
	When ducting is kit brings filters kitchen	air back into	 Compatible with HMIB Masterpiece[®] Island Ho Charcoal filter replacer 	ood nent						
	Replace charcos 3–6 months dep usage	-	accessory available (se below)	96						
illik	RECHMIB		n Kit for Masterpiece [®] Island Hood		159	179	•	•		
	CHFHMCD		nt Charcoal Filters biece [®] HMCB, HDDB, culation Kit		109	119	•	•		
	CHFILISL	Charcoal fil	ter for Island Hoods		99	109				
	Roof Plates NOTE: Roof plate	e required for r	oof-mount application of rem	note blowers.						•
	RFPLT600P		ing plate for and VTR630W		129	149				-
	RFPLT1000P		ing plate for , VTR1330W, VTR1030W, V	VTR1330W	159	179			•	•

CUSTOM INSERTS

This price list supersedes Model	all previous price lists. Pric	es listed herein do not include applicable	state or local taxes.			
Number	Description		U	MRP	MSRP	
All Custom Inser	ts include the fol	lowing features:				
Vertical ducting		•	sold separate and plete install. Works with wers, sold separately	V1 V1 In V1	tegral FN630W FN1090R line FI610W ¹ , FI1010W	Remote VTR630W VTR1030W VTR1330W
						Masterpiece [®] Series
 30" Custom Inse Approved for us Professional Se and Rangetops Optional baffle f fessional perform 	ilters for pro-	 Halogen lights Electronic controls Delayed shut off Filter change light 	 Protect cabinetry accessory², sold (see page 6-17) 			VCI230DS
VCI230DS	30" Custor	n Insert	1,0	099	1,249	
VCI236DS	36" Custor	n Insert	1,	199	1,349	
VCI248DS	48" Custor	n Insert	1,;	299	1,449	

Custom Insert Hoods

- Equipped with the Thermador Connected Experience by Home Connect[®]
- Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials
- Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops
- Brushed stainless steel
- Dishwasher-safe commercialstyle stainless steel baffle filters

- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Make-up air damper relay switch (120 V max)

- Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers
- Includes custom hood trim to complete custom insert installation
- Transition to 10" round and backdraft damper included
- Built-in remote control panel accessory available, sold separate (see page 6-7)

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

ŝ	8		8	8
	Ш	IIII	Ш	Ш
Ш	Ш			Ш

Professional Series

VCIN48GWS



VCIN36GWS	36" Professional [®] Custom Insert, Optional Blower	1,799	1,999
VCIN42GWS	42" Professional [®] Custom Insert, Optional Blower	1,899	2,099
VCIN48GWS	48" Professional [®] Custom Insert, Optional Blower	1,999	2,199
VCIN54GWS	54" Professional [®] Custom Insert, Optional Blower	2,099	2,349
VCIN60GWS	60" Professional [®] Custom Insert, Optional Blower ³	2,199	2,449

¹ The 600 CFM blower options are not available with the 60" hood

² Cabinet cutouts and dimensions must be prepared based on the Liner Accessory and Insert Hood (as opposed to only the Insert Hood) when using a Liner in combination with an Insert Hood.

³ The 600 CFM blower options are not available with the 60" hood

CUSTOM INSERTS

odel umber	edes all previous price lists. Descriptic					UMRP	MSRP								
Accessorie	es							Mas	sterp	iece			Pro		
								VCI230DS	VCI236DS	VCI248DS	VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCINGOGWS
	 Built-In Remote Ability to vertica on cabinetry or control hood in nient location Built-in sleek, s remote touch control 	ally install wall to a conve- mooth	HMDWxxW HMWBxxWS	6, HMCBxxWS, S, HMIBxxWS, , HMWBxx1WS, 6, HPINxxWS,	VCINxxG ¹ hoods • Wired to f • Cable len	nood									
11	<u>REMCPW</u>	Built-In Re	emote Control	Accessory		319	359				•	•	•	•	•
	 Remote & Inline 25-ft. extension hood and inline Supports PHxxx HPINxxWS, UC and VCINxxGW 	cable for use or remote blo kWS, HPCNxx VMxxXS, UC	between ower kWS, VP36xS	length.For use with	wo cables tog blowers VTI6 /TR630W, VT	610W,	-								
	EXTNCB25W	25-ft Remo	ote & Inline Bl	ower Extension	n Cable	119	139				•	•	•	•	•
())	EXTNSET4	remote blo	ision set for In owers; For old en paired with		n blowers	159	179	•	•	•	•	•	•	•	
	Baffle Filters Stainless steel f Low profile desi BAFFLT30	gn	 Dishwasher Filter for VCl2 		 Use only Masterpie Custom In 	ce [®] Serie	es 219			•					
	BAFFLT48	48" Baffle	Filter for VCI2	248DS		299	329								
	 Liners Protect custom with stainless si Use only with Masterpiece[®] Si Custom Inserts[®] 	teel liners eries	 Installation N cutouts and must be prep on the Liner and Insert H 	dimensions pared based Accessory	opposed t Insert Hoc a Liner in with an In	od) when combina	using tion								
	LINER30		0" VCI230DS			299	329								
	LINER36		6" VCI236DS			299	329	•	•	•					
	LINER48 Roof Plates		8" VCI248DS			299	329								
	NOTE: Roof plate	Roof mour	roof-mount ap nting plate for and VTR630	-	note blowers.	129	149				•	•	•	•	
	RFPLT1000P		nting plate for	/, VTR1030W, 1		159	179				•	•	•	•	

Model Number	revious price lists. Prices listed her Description			JMRP	MSRP	
Designed for install Thermador [®] cooktop Professional Series All models feature s connections includin and rear as well as Stainless steel Sleek, removable fr that act as a splatte Dishwasher safe mo	ade the following feature ation with all ps except six possible discharge ng front, side, down, recirculation ont filter panel design or shield	 Filter maintenance Automatic mode Recirculation poss induction cooktops Separately (UCVR 6-19) Required To Completions, Separately (UCVR) 	ble with electric and , Accessory Sold ECIRC see page	cc ex pa C C C C C C C C C C C C C C C C C C C	omplete the chaust direction age 6-21] VTSIDE6 VTSIDE1 VDUCT2 essory op as cookto quired fo JCV30ST, electrical sed to re ownward eparately 5-ft remot	CVTRECT2 CVTFRONT6
Downdraft Ventilatio	on System 30" Masterpiece [®] [Downdraft	1	,599	1,799	Masterpiece [®] Series
JCVM36XS	15" Snorkel, Option 36" Masterpiece [®] [1	,799	1,999	UCVM30XS
	15" Snorkel, Option					UCVM36XS
UCVP36XS	36" Masterpiece [®] E 18" Snorkel, Option LED Task Bar Ligh	nal Blower	2	2,099	2,349	

NOTE: Transition required and sold separately for all remote and inline blower installations.

UCVP36XS

This price list supers Model Number	edes all previous price lists. F Descriptior	rices listed herein do not include applicable state or local taxes.			
Componen	ıts		UCVM30XS	UCVM36XS	UCVP36XS
	 Downdraft Recirc For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS of draft models only Works in wall or applications When ducting is sible, kit brings fi air back into kitcl passing through coal filter UCVRECIRC 	 To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with sland Module ships with one heavy duty charcoal filter and two metal grill vent plates Fits in toe-kick/socket heights of 4" or taller Module and grill vent plate can be placed so air does not hit feet Blower and downdraft sold separately Replacement charcoal filters available, sold separately 	•	•	•
		UCVM30XS, UCVM36XS, UCVP36XS downdrafts only. VTD600P Blower required, sold separately. Replace filters every 3-6 months depending on usage with UCVFILTER			
- Sala	<u>UCVFILTER</u>	Charcoal filter replacement109119For use with UCVRECIRC recirculation kit (above)	•	•	•
	Gas Cooktop Sea • For use with 30" UCVM30XS 36" UCVM36XS, 36" UCVP36XS downdraft mode <u>UCV30ST</u>	 Required for installation with gas cooktops Includes trim bracket, seal, and 2 metal grills 	•		
		For UCVM30XS downdraft			
-	UCV36ST	36" gas cooktop seal kit129149For UCVM36XS and UCVP36XS downdrafts		•	•

This price list supers Model	des all previous price lists. Prices listed herein do not include applicable state or local taxes.			
Number	Description UMRP MSRP			
Componer	ts	UCVM30XS	UCVM36XS	UCVP36XS
	Integrated Blower			
O.C	VTD600P 600 CFM, 8" duct size 699 799 flexible integrated blower Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only	•	•	•
	Inline Blowers			
	 May be used as integral solution for VCI2xxDS Series custom hood inserts. See website for additional details Blower can be mounted along the duct line May be used as integral between the kitchen and the exterior wall 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-22) For use with Thermador PHxxxWS, HPCNxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series ventilation hoods 			
	<u>VTI610W</u> 600 CFM Inline Blower, 6" duct size 609 699	•	•	•
	<u>VTI1010W</u> 1,000 CFM Inline Blower, 10" duct size 799 899	•	•	•
	Remote Blowers			
	 For external roof or wall mount 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-5) For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods 			
	VTR630W600 CFM Remote Blower, 6" duct size729849	•	•	•
8	VTR1030W 1,000 CFM Remote Blower, 10" duct size 769 849	•	•	•
R	VTR1330W 1,300 CFM Blower, 10" duct size 979 1,099	•	•	•

This price list superse Model	edes all previous price lists.	Prices listed herein do not include applicable state or local taxes.					
Number	Descriptio	n I	JMRP	MSRP			
Componen	nts				UCVM30XS	UCVM36XS	UCVP36XS
	36" UCVM36XS, chosen in combir	sitions be required to complete the installation of 30" UCVM30 36" UCVP36XS downdrafts depending on the discharge hation with the downdraft blower selected (see installation e and remote blowers	connecti				
0	CVTSIDE6	6" side/rear transition Rectangular 1 %"×19" transition to 6" round for side, down and rear exhaust applications	199	219	•	•	•
-0	CVTSIDE8	8" side/rear transition Rectangular 1 % "x19" transition to 8" round for side, down and rear exhaust applications	199	219	•	•	•
6	CVTSIDE10	10" side/rear transition Rectangular 1 %"×19" transition to 10" round for side, down and rear exhaust applications	199	219	•	•	•
0	CVTFRONT6	6" round front plate Front rough-in plate for front downward exhaust app	99 Ilications	109	•	•	•
0	CVTFRONT8	8" round front plate Front rough-in plate for front downward exhaust app	99 Ilications	109	•	•	•
	CVTFRONT10	10" round front plate Front rough-in plate for front downward exhaust app	99 lications	109	•	•	•
	CVDUCT2	2' rectangular duct Rectangular duct that is 2' long×1 ⁷ / ₈ " deep×19" wide (CVDUCT2) required CVTRECT2 to downdraft housing. Ability to use as a exhaust through a cabinet or wall. To modify length, cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be nect CVTRECT2 to round ductwork	an extens duct ma	sion to y be	•	•	•
	CVTRECT2	Transition for rectangular duct Required to attach CVDUCT2 2' rectangular duct to downdraft housing	99	109	•	•	•

	edes all previous price lists. P	rices listed herein d	o not include applicable state or local tax	(es.										
Model Number	Description				UMRP	MSRP								
Accessorie	es						Integrated		aunue	Bemote	Blowers		Downdraft	5
							VTD600P	VTI610W	VTI1010W	VTR630W	VTR1030W	VTR1330W	UCVM30XS	UCVP36XS
	Remote & Inline I • 25-ft. extension use between hou inline or remote	cable for • od and	sion Cable Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36XS and VCINxxGWS series hoods	toge • For u VTI6 VTR	not join two c ther for longe use with blov 510W, VTI10 630W, VTR1 1330W	er length. vers 10W,								
70	EXTNCB25W	25-ft Remot Extension C	te & Inline Blower Cable		119	139		•	•	•	•	•	• •	•
	EXTNSET4	remote blov	ion set for Inline and vers; For older generation n paired with new generatio	on blower	159 [.] s	179		•	•	•	•	•		
Sng	 Electrical Panel E For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft mode Cable connects remotely located cal panel to the during remote an blower motor ins applications EXTNCE5 	Is only a I electri- downdraft nd inline stallation 5' Electrical for Downdra	ble Cable provides ability to connect electrical panel to the downdraft from a remote location with 5-feet during installation applications with down- ward duct discharge so the electrical panel is out of the way Panel Extension Cable aft. For UCVM30XS, 5, UCVP36XS downdrafts	cable • Abiliticable a 10 • Not nect	nds electrica e an addition ty to connect es together to cable to be used to inline and n vers	al 5' two o make to con- raft							• •	•
	Roof Plates NOTE: Roof plate RFPLT600P	required for r	oof-mount application of rer	note blow	vers. 129	149				•				
	RFPLT1000P	Roof mount	ing plate for , VTR1330W		159	179					•		•	

BUILT-IN DISHWASHERS

This price list supersedes all prev Model Number	<i>rious price lists. Prices listed he</i> Description	rein do not include applicable state or	local taxes.	UMRP	MSRP	
 All Dishwashers inclu Superior washing and mance guaranteed Concealed controls Black-shimmer racks ment A highly flexible racki 18/10 Stainless steel ENERGY STAR[®] cert Powerfully Quiet[®] ope Sens-a-Wash[®] Advanced Triple Filtration 	d drying perfor- with 3-Step adjust- ing system TallTub tified eration	 Hidden Heating Eleme Leak Sensor and Auto Connected Experience TFT Capacitive Touch Home Connect Wi-Fi enabled/Home C app compatibility 	Shut off Controls	 N A P H R Opt P 2ⁱ H 	ots and P and Wash inse ions: owerBoos 4-hour De alf Load	ans n st [®]
 48 dBA Chef's Tool Drawer™ (third rack) 16 place settings Extra-Tall-Item Sprink DWHD650WFM DWHD650WFP DWHD650WPR 	• New 0 panel kler 24" Masterpiece [®] \$		Additional Wa. • Quick (30 m Additional Opt • Extra Dry	inute Was		DWHD650WFM DWHD650WFP DWHD650WFP DWHD650WPR
 44 dBA Premium Smooth Gli Chef's Tool Drawer™ (third rack) 16 place settings Extra-Tall-Item Sprink DWHD660WFP 	de Racks • Time indica • Crysta syster	al Protect [®] water softener	Additional Wat • Quick Additional Opt • Extra Dry; S certified to r 99.9% of ba	<i>tions:</i> Sanitize (NS remove up	SF	Topaz® Series DWHD660WFP Home Connect

BUILT-IN DISHWASHERS

This price list supersedes all previous Model Number	ious price lists. Prices listed herein do not include applicable state Description	or local taxes. UMRP	MSRP	
				Sapphire [®] Series
 42 dBA Adjustable Chef's Too Drawer™ (third rack) 16 place settings Flexible folding tines Extra-Tall-Item Sprink 	indicator Sapphire Glow[®] Interior Light Crystal Protect[®] water softener 	 Additional Wash Cycles: Quick; 1 hour Additional Options: Sanitize (NSF certified remove up to 99.9% of Save Time; StarDry™ Zeolite ™, an exclusiv Thermador drying solu 	l to bacteria), – with e	DWHD770WFP
DWHD770WFM	24" Masterpiece® Stainless Steel Sapphire	e [®] 2,299	2,549	
DWHD770WFP	24" Professional Stainless Steel Sapphire	» 2,299	2,549	
DWHD770WPR	24" Custom Panel Sapphire® (Requires Cu	istom Panel) 2,299	2,549	DWHD770WPR
				Home Connect

ACCESSORIES

Model		Prices listed herein do not include applicable state or local taxes.							
Number	Description	n	UMRP	MSRP					
Accessorie	es				Emerald Series	Topaz [®] Series	Sapphire [®] Series	Star Sapphire [®] Series	Glass Care Center
	<u>SGZ1010UC</u>	Dishwasher Drain Hose Extension	See Bosch Pri	ce List*	•	•	•	•	•
	<u>SGZ9091UC</u>	Dishwasher Salt for dishwashers (4.4 lbs. pack)	See Bosch Pri	ce List*		•	•	•	•
	<u>SMZ5000</u>	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small Item Basket.	See Bosch Pri	ce List*	•	•	•	•	
	<u>SMZ5002UC</u>	Fine Silverware Carafe with Clip for Emerald [®] dishwashers (clips onto lower rac	See Bosch Pr ck)	ice List*	•				
	<u>SMZ5400</u>	Large 3rd Rack Silverware Insert Accessory DWHD870* models only	See Bosch Pri	ce List*				•	
h	SMZPC002UC	Dishwasher 3-prong Power Cord (rear connection)	See Bosch Pri	ce List*	•	•	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Pri	ce List*	•	•	•	•	•
\bigcirc	SMZSH002UC	Dishwasher Water Supply Hose	See Bosch Pri	ce List*	•	•	•	•	•

^{*} Pricing for the Thermador[®] dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

3DHFGALBIN	1-15
3DPRODRAIL	1-15
24HFGALBIN	1-15
24PRODRAIL	1-15
30HFGALBIN	1-15
30PRODRAIL	1-15
36HFGALBIN	1-15
36PRODRAIL	1-15

В

BAFFLT30	6-17
BAFFLT48	6-17

С

CEM305TB	4-4
CEM366TB	4-4
CET305TB	4-4
CET366TB	4-4
CHEFSPAN08	4-8
CHEFSPAN13	4-8
CHFHMCD6-1	2, 6-15
CHFHMDW30	6-3
CHFHMDW36	6-3
CHFILISL	6-15
CHFILT30366	6-3, 6-7
CHMHP36TW	6-11
CHMHP36XTW	6-11
CHMHP48TW	6-11
CHMHP48XTW	6-11
CHMHP366W	6-11
CHMHP486W	
CHXTHDDW	6-12
CHXTHMCB	6-12
CHXTHMIB	6-15
CIT30XWBB	4-5
CIT36XWB	4-5
CIT36XWBB	4-5
CIT304TB	4-7
CIT304TM	4-7
CIT365TB	4-7
CIT367XG	4-6
CIT367XGS	4-6
CIT367XM	4-6
CIT367XMS	4-6
CSRACKH	5-25
CVDUCT2	6-21
CVTFRONT6	6-21
CVTFRONT8	6-21
CVTFRONT10	6-21
CVTRECT2	6-21
CVTSIDE6	6-21
CVTSIDE8	6-21
CVTSIDE10	6-21

D
DC30MTW6-3
DC36MTW6-3
DC48MTW6-3
DC306W6-6
DC366W6-6
DC426W6-6
DC486W6-6
DC3089W6-6
DC3689W6-6
DC4289W6-6
DC4889W6-6
DC361012W6-6
DC481012W6-6
DCT3016W6-3
DCT3616W6-3
DCT4816W6-3
DWHD650WFM7-1
DWHD650WFP7-1
DWHD650WPR7-1
DWHD660WFP 7-1
DWHD770WFM7-2
DWHD770WFP7-2
DWHD770WPR7-2

Ε

—	
EXTNCB25W 6-8, 6-11,	6-15,
6-17,	6-22
EXTNCE5	.6-22
EXTNSET46-8, 6-11, 6-15,	6-17,
	6-22

F

FRAMEKIT10 1-3, 1-5, 1-7, 1-9, 1-15

н

HDDB30WS	6-9
HDDB36WS	6-9
HEATRKIT201-3, 1-5,	1-7, 1-9,
	1-15
HMCB30WS	6-9
HMCB36WS	6-9
HMDW30WS	6-2
HMDW36WS	6-2
HMIB36WS	6-13
HMIB42WS	6-13
HMWB30WS	6-2
HMWB36WS	6-2
HMWB361WS	6-2
HMWB481WS	6-2
HPCN36WS	6-10
HPCN48WS	6-10
HPIN42WS	6-14
HPIN54WS	6-14

I	PA48WTKG	5-25
ICEBUCKETL1-16	PA60WLBG	5-25
	PA60WTKG	5-25
L	PAALTKITGW	5-24
LINER306-17	PAALTKITHW	5-11
LINER366-17	PABRICKBKW	5-10, 5-23
LINER486-17	PABRICKW	5-10, 5-23
LPRODBIN101-15	PAGRIDDLE	5-10, 5-23
	PAGRIDDLEW	5-10, 5-22
Μ	PAGRIDLFW	5-10, 5-22
MB30WP3-12	PAKNOBLUWR	5-12
MB30WS3-12	PALPKITDGW	5-24
MC30WP3-12	PALPKITGGW	5-24
MC30WS3-12	PALPKITGW	5-11
MD24WS3-13	PALPKITGW5	5-11
MD30WS3-13	PALPKITHW	5-11
ME301WS3-2	PALPKITHW5	5-11
ME301YP3-2	PARKB3XHY	5-11
ME302WS3-3	PARKB30HY	5-11
ME302YP3-3	PARKB36CGY	5-24
MED301LWS3-2	PARKB36DHY	5-11
MED301RWS3-2	PARKB36GY	5-24
MED301WS3-2	PARKB36HY	5-11
MED302LWS3-4	PARKB36IGY	5-24
MED302RWS3-4	PARKB36LHY	5-12
MED302WS3-4	PARKB48CGY	5-24
MEDMC301WS3-5	PARKB48CHY	5-12
MEDMCW31WS3-5	PARKB48DHY	5-12
MEDS301WS3-6	PARKB48SGY	5-24
MEDS302WS3-6	PARKB60CGY	5-24
MEM301WS3-5	PARKB60SGY	5-24
MS20HNDL201-17	PCG305W	5-2
MS22HNDL201-17	PCG364WD	5-3
MS30HNDL201-9	PCG364WL	5-3
MS36HNDL201-9	PCG366W	5-2
MU30WSU3-13	PCG486WD	5-3

Ρ

PA12CHPBLK	5-10, 5-23	3
PA12GRILFW	5-10, 5-22	2
PA12GRILLW	5-10, 5-22	2
PA12LCVRN	5-10, 5-23	3
PA12LCVRW	5-10, 5-23	3
PA24CVRR	5-23	3
PA24CVRW	5-10, 5-23	3
PA30WLBC	5-12	2
PA30WLBH	5-12	2
PA36WLBC	5-12	2
PA36WLBG	5-25	5
PA36WLBH	5-12	2
PA36WTKG	5-25	5
PA48WLBC	5-12	2
PA48WLBG	5-25	5
PA48WLBH	5-12	2

PA60WLBG5-25
PA60WTKG5-25
PAALTKITGW5-24
PAALTKITHW 5-11
PABRICKBKW 5-10, 5-23
PABRICKW 5-10, 5-23
PAGRIDDLE 5-10, 5-23
PAGRIDDLEW5-10, 5-22
PAGRIDLFW5-10, 5-22
PAKNOBLUWR5-12
PALPKITDGW5-24
PALPKITGGW5-24
PALPKITGW5-11
PALPKITGW55-11
PALPKITHW
PALPKITHW55-11
PARKB3XHY 5-11
PARKB30HY 5-11
PARKB36CGY5-24
PARKB36DHY5-11
PARKB36GY5-24
PARKB36HY 5-11
PARKB36IGY5-24
PARKB36LHY5-12
PARKB48CGY5-24
PARKB48CHY5-12
PARKB48DHY5-12
PARKB48SGY5-24
PARKB60CGY5-24
PARKB60SGY5-24
PCG305W5-2
PCG364WD5-3
PCG364WL5-3
PCG366W5-2
PCG486WD5-3
PCG486WL5-3
PH30HWS6-4
PH36GWS6-4
PH36HWS6-4
PH42GWS6-4
PH48GWS6-4
PH48HWS6-4
PH54GWS6-4
PH60GWS6-4
PO301W
PO302W
POD301LW
POD301RW
POD301W
POD302LW
POD302RW
POD302W3-8
PODMC301W3-9

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PODMCW31W3-10
PODS301W 3-11
PODS302W 3-11
POM301W3-9
PR20HNDL201-17
PR22HNDL201-17
PR30HNDL201-9
PR36HNDL201-9
PRD48WCSGU5-19
PRD48WDSGU5-18
PRD48WISGU5-18
PRD48WLSGU5-18
PRD304WHU5-4
PRD305WHU5-4
PRD364WDGU5-14
PRD364WDHU5-5
PRD364WIGU5-14
PRD364WLGU5-14
PRD364WLHU5-5
PRD366WGU5-14
PRD366WHU5-5
PRD484WCGU5-15
PRD484WCHU5-6
PRD486WDGU5-15
PRD486WDHU5-6
PRD486WIGU5-16
PRD486WLGU5-15
PRD486WLHU5-6
PRD606WCG5-16
PRD606WCSG5-19
PRD606WEG5-16
PRD606WESG5-19
PRG304WH5-7
PRG305WH5-7
PRG364WDG5-20
PRG364WDH5-8
PRG364WLG5-21
PRG364WLH5-8
PRG366WG5-21
PRG366WH5-8
PRG486WDG5-21
PRG486WDH5-9
PRG486WLG5-22
PRG486WLH5-9
PWOKRINGHC5-11, 5-23
R
RECHDDB6-12

REMCPW6-7, 6-17
REPLFLTR551-16
RFPLT600P.6-8, 6-12, 6-15, 6-17,
6-22
RFPLT1000P6-8, 6-12, 6-15,
6-17, 6-22
S
SD30WC3-14
SDCLNRCK303-15
SDS30WC
SGRIDDLEW4-3
SGS305TS 4-1
SGS365TS 4-1
SGSP305TS4-2
SGSP365TS4-2
SGSX305TS4-1
SGSX365TS4-1
SGSXP305TS4-2
SGSXP365TS4-2
SGZ1010UC7-3
SGZ9091UC7-3
SKNOBLUW4-3
SLPKITW4-3
SMZ50007-3
SMZ5002UC7-3
SMZ54007-3
SMZPC002UC7-3
SMZPCJB1UC7-3
SMZSH002UC7-3
SNPKITPEDW4-3
SPRODBIN101-15
SWOKRINGW4-3
_
т
T18ID905LP1-4
T18ID905RP1-4
T18IF905SP1-4
T18IW905SP1-8
T18WINERK11-16
T23IR905SP1-2
T24ID905LP1-4
T24ID905RP1-4
T24IF905SP1-4
T24IR905SP1-2
T24IW905SP1-8
T24UC900DP1-14
T24UC910DS1-14
T24UC920DS1-14

T24UR900DP1-14

T24UR900LP 1-14

T24UR900RP1-14

T24UR910DS1-14

T24UR910LS.....1-14

T24UR910RS1-14
T24UR920DS1-14
T24UR920LS1-14
T24UR920RS1-14
T24UW900LP1-14
T24UW900RP1-14
T24UW910LS1-14
T24UW910RS1-14
T24UW920LS1-14
T24UW920RS1-14
T24WINERK11-16
T30BB915SS1-12
T30BB925SS1-12
T30IB905SP1-6
T30IF905SP1-4
T30IR905SP1-2
T36BB915SS1-12
T36BB925SS1-12
T36BT915NS1-12
T36BT925NS1-12
T36FT810NS1-13
T36FT820NS1-13
T36IB905SP1-6
T36IF905SP1-4
T36IR905SP1-2
T36IT903NP1-6
T36IT905NP1-6
TCM24PS2-1
TCM24TS 2-1
TCMTK30RS
TCOOKSENSW4-9
TEPPAN10134-8
TEPPAN10164-8, 5-22
TEPPAN13144-8
TEPPAN13214-8
TFL18ID8001-5
TFL18ID9051-5
TFL18IR8001-5
TFL18IR9051-5
TFL18IW8001-8
TFL18IW9051-8
TFL23IR9001-3
TFL23IR9051-3
TFL24ID8001-5
TFL24ID9051-5
TFL24IR8001-3, 1-5
TFL24IR9051-3, 1-5
TFL24IW8001-8
TFL24IW9051-8
TFL30IB8001-7
TFL30IB9051-7

TFL30IR800.....1-3, 1-5

TFL30IR905.....1-3, 1-5

TFL36IB800.....1-7

TFL36IB905	1-7
TFL36IR900	1-3, 1-5
TFL36IR905	1-3, 1-5
TFL36IT800	1-7
TFL36IT905	1-7
TGRILLPANX	4-8
TROASTERT	4-8
TWO30YS	3-6, 3-15

U

UCTRFLTR10	1-17
UCV30ST	6-19
UCV36ST	6-19
UCVFILTER	6-19
UCVM30XS	6-18
UCVM36XS	6-18
UCVP36XS	6-18
UCVRECIRC	6-19

۷

-		
VCI230DS		6-16
VCI236DS		6-16
VCI248DS		6-16
VCIN36GWS		6-16
VCIN42GWS		6-16
VCIN48GWS		6-16
VCIN54GWS		6-16
VCIN60GWS		6-16
VTD600P		6-20
VTI610W	6-5,	6-20
VTI1010W	6-5,	6-20
VTN630W		6-5
VTN1090R		6-5
VTR630W	6-5,	6-20
VTR1030W	6-5,	6-20
VTR1330W	6-5,	6-20

W

WD30W	3-14
WD30WC	3-14
WKNOBKT3W	3-15

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

RECHMCB6-12

RECHMDW306-3

RECHMDW366-3

RECHMIB......6-15

RECHMWB306-3

RECHMWB366-3



BSH Home Appliances Corporation 1901 Main Street, Suite 600, Irvine, CA 92614 Phone: (949) 440-7100 (800) 735-4328 Sales and Service Thermador.com

©2021 BSH Home Appliances Corporation. All rights reserved.

20-BSH-0914.1 03/02/2021