

Q1 2022–Effective February 1, 2022 through March 31, 2022

PRICE LIST

Consumer UMRP







Table of CONTENTS

Consumer UMPR Price List Q1 2022 — Effective February 1, 2022 through March 31, 2022

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

REFRIGERATION		PROFESSIONAL SERIES RANGES AND I	RANGETOPS
Freedom® Collection	1-1	Overview	5-1
Fresh Food Columns		Rangetops	5-2
Freezer Columns	1-4	Pro Harmony® Series	5-4
Bottom Freezers	1-6	Dual-Fuel Ranges	5-4
Wine Preservation Columns	1-8	All-Gas Ranges	
Handles	1-9	Accessories	5-10
Quick Reference Guide	1-11	Pro Grand [®] Series	5-13
Preassembled Collection	1-12	Dual-Fuel Ranges	
Bottom Freezer Refrigerators	1-12	Steam Ranges	5-17
Freestanding Collection	1-13	All-Gas Ranges	
Bottom Freezer Refrigerators	1-13	Accessories	
Under-Counter Collection	1-14	VENTU ATION	
Glass Door Refrigeration Units	1-14	VENTILATION	
Drawer Refrigeration/Freezer Units	1-14	Overview	
Glass Door Wine Preservation Units		Wall Hoods	
Accessories	1-15	Masterpiece® Series	
Freedom® Accessories—Refrigerators	1-15	Accessories—Masterpiece® Series	
Freedom® Accessories—Freezers	1-16	Professional Series	
Freedom® Accessories— Wine Preservation	1-16	Accessories—Professional	
Under-Counter Accessories		Chimney Wall Hoods	
		Masterpiece® Series	
BUILT-IN COFFEE MACHINE		Professional Series	
Built-In Coffee Machine		Accessories	
Accessories	2-1	Island Hoods	
BUILT-IN OVENS		Masterpiece® Series	
Overview	3-1	Professional Series	
Masterpiece® Series	3-2	Accessories	
30" Masterpiece® Ovens		Custom Inserts	
Accessories		Professional Series	
Professional Series		Accessories	
30" Professional Series Ovens		Downdraft	
Microwave Ovens		Masterpiece® Series	
Microwave Ovens		Components	
Speed Ovens		Accessories	6-23
MicroDrawer® Microwave Oven		DISHWASHERS	
Over-the-Range Microwave Hood		Built-In Dishwashers	7-1
Warming Drawers		Accessories	
Accessories			
COOKTOPS		INDEX Index	Ω 1
Gas Cooktops	/1_1	III WGA	0-1
Glass Ceramic Electric Cooktops			
Glass Ceramic Induction Cooktops			
A	4-0		

CONDITIONS OF SALE

Returned Goods

No merchandise may be returned without prior approval. Please contact your sales representative for return authorization.

All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight and billing terms, refer to current program in effect.

F.O.B. Origin

Number Description **UMRP MSRP**

Refrigeration FREEDOM® COLLECTION

Thermador's ingenious Freedom Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".

To order, please follow this 4-step process:

Step 1 Select a Panel-Ready Column

Step 2 Select a Stainless Steel Panel or Use a Custom Panel

Select a Stainless Steel Handle or Use a Custom Handle

Step 3 Step 4 Select Optional Accessories



HEATRKIT20

Freedom® Heater Kit For columns that are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. See page 1-15.



FRAMEKIT10

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. See page 1-15.

Freedom® Frame Kit





To enhance the Freedom Collection, please see our accessories section on page 1-15.

FREEDOM® COLLECTION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

Fresh Food Columns

All 23.5"/24"/30"/36" Fresh Food Columns include the following features:

- · Fully Flush
- Freedom[®] hinge
- · All-LED sidewall filtered theater lighting
- · Cold Air System
- · ThermaFresh system
- · Carbon air filter

- · SuperCool function
- · Stainless steel interior
- Full-extension SoftClose[®] drawers
- TFT Control
- · Full-length cantilever racks
- · Sabbath/Economy/Vacation modes
- · Door open alarm
- · Extremely quiet
- · Reversible door swing
- Open door assist
- O Home Connect

Step 1: Fresh Food Columns









6,499 7,149

T24IR905SP	24" Fresh Food Column

6,999 7,699

T30IR905SP 30" Fresh Food Column

7,499 8,249

T36IR905SP

T23IR905SP

36" Fresh Food Column

23.5" Fresh Food Column

7,999 8,799

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description **UMRP**

Fresh Food Columns

Step 2: Panels

All Thermador® Fresh Food Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL23IR900	23.5" Stainless Steel Panel	580	649	
TFL24IR800	24" Stainless Steel Panel	525	599	
TFL30IR800	30" Stainless Steel Panel	580	649	
TFL36IR900	36" Stainless Steel Panel	1,050	1,199	
Flat Stainless Steel Door Panels with No Holes				
TFL23IR905	23" Single Door No Hole Flat Panel	525	599	
TFL24IR905	24" Single Door No Hole Flat Panel	525	599	
TFL30IR905	30" Single Door No Hole Flat Panel*1	580	649	
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199	

Step 3: Handles

For stainless steel handle options, please see page 1-9

Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit 105

> (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-



HEATRKIT20 Freedom Heater Kit 599 699

> (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or

located next to an outside wall.)



FRAMEKIT10

119



HEATRKIT20

¹ Units compatible with 30" columns, but should be installed to units with SoftClose Doors.

FREEDOM® COLLECTION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description **UMRP MSRP**

Freezer Columns

All 18"/24"/30"/36" Freezer Columns Include the Following Features:

- · Fully Flush
- Freedom[®] hinge
- · All-LED sidewall filtered theater lighting
- Full-extension SoftClose[®] drawers
- SuperFreeze® function
- · Height-adjustable glass shelves
- TFT Control
- Stainless steel interior
- · Full-length cantilever racks
- Filtered internal diamond ice maker
- Sabbath/Economy/Vacation modes
- · Door open alarm

- · Open door assist
- Extremely quiet
- Side-by-side kit included
- Home Connect

Step 1: Freezer Columns with Internal Ice Maker

- · Ice drawer with ice bin
- · Reversible door swing









T18IF905SP

T24IF905SP

T30IF905SP

T36IF905SP

T18IF905SP	18" Freezer Column (Internal Ice Maker)	6,499	7,149
<u>T24IF905SP</u>	24" Freezer Column (Internal Ice Maker)	6,999	7,699
<u>T30IF905SP</u>	30" Freezer Column (Internal Ice Maker)	7,499	8,249
T36IF905SP	36" Freezer Column (Internal Ice Maker)	7,999	8,799

Step 1: Freezer Columns with External Ice and Water Dispenser

•	External Filtered Ice and
	Water Dispenser

 FreeFlow diamond ice system

T24ID905LP

T24ID905RP

- · Proximity sensor on dispenser
- · Capacitive touch control dispenser

(External Ice and Water Dispenser, Left Hinge)

- · Available in right-hand or left-hand door swing (not reversible)
- Stainless steel interior

T18ID905LP	18" Freezer Column (External Ice and Water Dispenser, Left Hinge)	6,999	7,699
T18ID905RP	18" Freezer Column (External Ice and Water Dispenser, Right Hinge)	6,999	7,699





T18ID905LP T24ID905LP 7,499 8,249

8.249

24" Freezer Column

24" Freezer Column

7.499 (External Ice and Water Dispenser, Right Hinge)

Number Description UMRP MSRP

Freezer Columns

Step 2: Panels

All Thermador® Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL18IR800	18" Stainless Steel Panel	475	529	
TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529	
TFL24IR800	24" Stainless Steel Panel	525	599	
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599	
TFL30IR800	30" Stainless Steel Panel	580	649	
TFL36IR900	36" Stainless Steel Panel	1,050	1,199	

Flat Stainless Steel Door Panels with No Holes

TFL18IR905	18" Single Door No Hole Flat Panel ¹	475	529
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	475	529
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

Step 3: Handles

For stainless steel handle options, please see page 1-9.

Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit

Freedom Frame Kit 105 119 (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. **Note**: Included with all pre-assembled bottom freezers)



or located next to an outside wall.)

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%),

FRAMEKIT10
9 699



HEATRKIT20

¹ Units compatible with 18" columns, but should be installed to units with SoftClose Doors.

FREEDOM® COLLECTION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description **UMRP MSRP**

Bottom Freezers

All 30"/36" Bottom Freezer and 36" French Door Bottom Freezer Columns Include the Following Features:

- Fully Flush
- Freedom[®] hinge
- · TFT control
- · All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- · Full-length cantilever racks
- Full-width multi use drawer

- · Internal filtered diamond ice maker
- · SuperCool function
- SuperFreeze[®] function
- · Carbon air filter
- Sabbath/Economy/Vacation modes
- · Door open alarm
- · Extremely quiet

- Refrigerator door swing reversible (T30IB905SP and T36IB905SP)
- · Two evaporators
- Two compressors
- Filtered internal diamond ice maker
- Home Connect







T30IB905SP

T36IB905SP

T36IT905NP

Step 1: Bottom Freezers with Stainless Steel Interior

T30IB905SP	30" Bottom Freezer with open door assist and SoftClose®	8,499	9,349
T36IB905SP	36" Bottom Freezer with open door assist and SoftClose®	8,999	9,899
<u>T36IT905NP</u>	36" French Door Bottom Freezer with open door assist and SoftClose®	9,499	10,449

Step 1: Bottom Freezer with White Interior

T36IT903NP	36" French Door Bottom Freezer	7.999	8.799



T36IT903NP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.			
Model			
Number	Description	UMRP	MSRP
	·		

Bottom Freezers

Step 2: Panels

All Thermador® Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL30IB800	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB800	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
<u>TFL36IT800</u>	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949

Flat Stainless Steel Door Panels with No Holes

<u>TFL30IB905</u>	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB905	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
<u>TFL36IT905</u>	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949


Step 3: Handles

For stainless steel handle options, please see page 1-9.

Step 4: Optional Accessories

105 FRAMEKIT10 Freedom Frame Kit 119

(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-



HEATRKIT20 Freedom Heater Kit 599 699

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)



FREEDOM® COLLECTION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

Wine Preservation Columns

All 18"/24" Wine Preservation Columns Include the Following Features:

- · Fully Flush
- Portable aluminum and wenge wood wine presenter
- Full-extension completely enclosed exotic wood shelves
- Fully adjustable temperature zones:
 18" column–two; 24"–three
- · Independent humidity control
- TFT control
- Freedom[®] hinge
- · Adjustable LED lighting
- Diamond shaped dowels for vibration control
- · Glass door with UV protection

- · Sabbath/Economy/Vacation modes
- · Door open alarm
- Bottle capacity: 18" column–52 bottles; 24" column–92 bottles (750 ml)
- Open door assist
- O Home Connect

Step 1: Wine Preservation Columns



T18IW905SP

T24IW905SP

T18IW905SP	18" Wine Preservation Column	5,999	6,599
	2 - Zone Temperature Control		

T24IW905SP 24" Wine Preservation Column 6,499 7,149

3 - Zone Temperature Control

Step 2: Panels

All Thermador® Wine Preservation Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

Flot Stainless Steel Dear Panels with No Hales				
TFL24IW800	24" Stainless Steel Panel	525	599	
TFL18IW800	18" Stainless Steel Panel	475	529	

Flat Stainless Steel Door Panels with No Holes

TFL18IW905	18" Wine No Hole Flat Panel	475	529
TFL24IW905	24" Wine No Hole Flat Panel ¹	525	599

Step 3: Handles

For stainless steel handle options, please see page 1-9.

¹ Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

Handles

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description **UMRP MSRP**

Wine Preservation Columns

Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit 105 119

> (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-

assembled bottom freezers)



FRAMEKIT10

HEATRKIT20 Freedom Heater Kit

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or

located next to an outside wall.)



HEATRKIT20

Columns $05SP^2$ $055P^3$ 05NP⁴

Step 3: Stainless Steel Handles

When selecting Thermador stainless steel handles for the Freedom Collection, please order the following:

- · One 36" handle for each column
- One 30" handle and one 36" handle for 30" Bottom Freezers

Two 36" hanThree 36" ha	dles for each 36" Bo andles for each 36" I	ndle for 30" Bottom Freezers ottom Freezer French Door Bottom Freezer elect the same style.			ALL Fresh Food Column	ALL Freezer Columns	ALL Freezer with IWD1 (Bottom Freezer T30IB90	Freezer	Bottom Freezer T36IT90	ALL Wine Preservation (
	MS30HNDL20	30" Masterpiece® Handle	160	179				1			
	MS36HNDL20	36" Masterpiece [®] Handle	160	179	1	1	1	1	2	3	1
ľ	PR30HNDL20	30" Professional Handle	160	179				1			
	PR36HNDL20	36" Professional Handle	160	179	1	1	1	1	2	3	1

¹ IWD = Ice and Water Dispenser

² Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

³ Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

⁴ Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

Suggested Combinations









18" Freezer

Column

30" Fresh Food

Column





60"









T18ID905LP/T23IR905SP



T24ID905LP/T23IR905SP

Column

Column

Freezer Fresh Food Column Column





Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

These suggestions are just an example of the extensive range of

combinations possible with the Freedom Collection.

T18ID905I P/T24IR905SP

A HEATRKIT20 is recommended for use with any installation in areas that are subject to extreme humidity.





^{*}IWD = Ice and Water Dispenser



Step 1: Colum	ns and I	Bottom Freezers	Step 2: Panels			Step 3: Handles	
Freedom [®] Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece®	Professional
FRESH FOOD C	OLUMNS						
T23IR905SP	23.5"	Reversible	Panel Ready	TFL23IR900	TFL23IR905		
T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle per column
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece MS36HNDL20	Professional PR36HNDL20
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER COLU	IMNS						
T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905	Order one 36" handle	Order one 36" handle
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	per column Masterpiece	per column Professional
T30IF905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	MS36HNDL20	PR36HNDL20
FREEZER WITH	IWD ¹ CO	LUMNS					
T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905		
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece MS36HNDL20	Professional PR36HNDL20
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905		
BOTTOM FREEZ	ZERS/FRE	NCH DOOR BOTTO	M FREEZERS				
T30IB905SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	Order one 30" handle and one 36" handle per column ²	Order one 30" handle and one 36" handle per column ²
T36IB905SP ³	36"	Reversible	Panel Ready	TFL36IB800	TFL36IB905	Order two 36" handles per column ³	Order two 36" handles per column ³
T36IT905NP ⁵	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	Order three 36" han- dles per column ⁵	Order three 36" han- dles per column ⁵
WINE PRESERV	ATION CO	OLUMNS					
T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle per column	Order one 36" handle
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	Masterpiece MS36HNDL20	Professional PR36HNDL20

NOTE: Handleless panels should not be installed on units without the SoftClose[®] capability. If you are uncertain if you have a refrigeration unit with SoftClose[®] capability, please contact our customer team by calling 1-800-735-4328.

¹ IWD = Ice and Water Dispenser

² Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

³ Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

⁴ Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

⁵ Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

Number Description UMRP MSRP

Refrigeration PREASSEMBELED COLLECTION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece® Handles.

All 30"/36" Bottom Freezer and French Door Bottom Freezers Include the Following Features:

- · Fully Flush
- TFT Control
- · Installs framed or flush
- Freedom[®] hinge
- · All-LED filtered sidewall theater lighting
- · Soft closing full-extension drawers
- · Full-length cantilever racks
- Open door assist

- · ThermaFresh system
- · Internal filtered diamond ice maker
- SuperCool function
- SuperFreeze[®] function
- · Gallon door bins
- · Carbon air filter
- · Sabbath/Economy/Vacation modes
- · Door open alarm

- ENERGY STAR® certified
- · Extremely quiet
- Refrigerator door swing reversible (T30BB and T36BB)
- · Two evaporators
- Two compressors
- Home Connect

0.000

Bottom Freezers

TOODDOIECC

1308891555	30" Bottom Freezer, two-door, Masterpiece Handles	9,999	10,999
T36BB915SS	36" Bottom Freezer, two-door, Masterpiece® Handles	10,499	11,549
T30BB925SS	30" Bottom Freezer, two-door, Professional Handles	9,999	10,999
T36BB925SS	36" Bottom Freezer, two-door, Professional Handles	10,499	11,549

20" Pottom Franzor two door Masterniace® Handles



T30BB925SS



French Door Bottom Freezers

<u>T36BT915NS</u>	36" French Door Bottom Freezer, three-door,	10,999	12,099
	Masterpiece® Handles		

	T36BT925NS	36" French Door Bottom Freezer, thr	ree-door, 10	,999 12	,099
--	------------	-------------------------------------	--------------	---------	------

Professional Handles



T36BT925NS



Number Description UMRP MSRP

Refrigeration FREESTANDING COLLECTION

For faster installation, all units have been preassembled with stainless steel doors and Professional or Masterpiece® Handles.

All Freestanding 36" French Door Bottom Freezers Include the Following Features:

- · Counter-depth 72" Tall Appliance
- Built-in Look Exterior Design
- Dual Evaporator
- Dual Compressor
- Illuminated Back Wall
- Temperature and Humidity Freshness Drawers
- · Stainless Steel ThermaFresh Mats
- · Internal Water Dispenser
- · Diamond Ice Maker
- · Filtered ice and water
- SuperCool function
- SuperFreeze® function

- Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm
- Home Connect

Bottom Freezers with Stainless Steel Interior

T36FT810NS 36" with Masterpiece® Handles 4,999 5,499

<u>T36FT820NS</u> 36" with Professional Handles 4,999 5,499



T36FT810NS



UNDER-COUNTER COLLECTION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description **UMRP** MSRP

All Under-Counter Units Include the Following Features:

- Built-in flush design
- · LED lighting
- Electronic touch controls for precise temperature management
- · Venting grille for full integration
- · Fully flush at 24" depth
- Professional Handle, Masterpiece Handle or custom panel options
- · Star K Certified
- ENERGY STAR® certified

Glass Door Refrigeration Units


• 5 cu. ft.	Customizable shelving	 Customizable Fridge, Pantry 	-	
T24UR905LP	24" Refrigerator, Custom Panel, Left Swing		2,599	2,899
T24UR905RP	24" Refrigerator, Custom Panel, Right Swing		2,599	2,899
T24UR915LS	24" Refrigerator, Masterpiece Handle, Left Sv	ving	2,799	3,099
T24UR915RS	24" Refrigerator, Masterpiece Handle, Right S	Swing	2,799	3,099
T24UR925LS	24" Refrigerator, Professional Handle, Left Sv	ving	2,799	3,099
T24UR925RS	24" Refrigerator, Professional Handle, Right S	Swina	2.799	3.099



T24UR915LS

Drawer Refrigeration/Freezer Units

- 4.4 cu. ft.
- SoftClose® drawers
- · Drawer open alarm
- · Customizable shelving and drawer dividers
- · Customizable cooling modes: Fridge, Pantry and Bar
- · Quick Chill
- · Removable drawer mat for easy cleaning





T24UR925DS/ T24UC925DS

Glass Door Wine Preservation Units

Under-Counter Wine Preservation Units

- · 41-bottle capacity · Full-extension wenge wood diamond wine racks
- · Tinted UV-resistant tempered glass door
- · Independent temperature control of temperature zones.





T24UW905LP	24" Wine Pres., Custom Panel, Left Swing	3,399	3,749
T24UW905RP	24" Wine Pres., Custom Panel, Right Swing	3,399	3,749
T24UW915LS	24" Wine Pres., Masterpiece Handle, Left Swing	3,599	3,999
T24UW915RS	24" Wine Pres., Masterpiece Handle, Right Swing	3,599	3,999
T24UW925LS	24" Wine Pres., Professional Handle, Left Swing	3,599	3,999
T24UW925RS	24" Wine Pres., Professional Handle, Right Swing	3,599	3,999

Freedom® Accessories—Refrigerators			Freedom®								Pre- assembled				
	Model				T23IR905SP	T24IR905SP	T30IR905SP	T36IR905SP	T30IB905SP	T36IB905SP	T36IT905NP	T36IT903NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS
	Number	Description	UMRP	MSRP	12	T	Ĕ	Ĕ	Ĕ	P	Ĕ	Ĕ	Ľ	Ξ	=
	Installation Acce		405	440											
	FRAMEKIT10	Freedom Frame Kit (For use with any custom column for (610 mm) deep cutouts. With two means placement between the interior cutous ance helps overcome the challenge returns. Note : Included with all prefreezers)	netal side trima out wall and the of unfinished	s whose ne appli- l cabinet	•	•	•	•	•	•	•	•			
"	HEATRKIT20	Freedom Heater Kit 599 699 (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)				•	•	•	•	•	•	•			
	Interior Accessor	ries for Refrigerators			•										
	24HFGALBIN	24" Half-Gallon Bin	170	189											
3	30HFGALBIN	30" Half-Gallon Bin	180	199			•		•				•		
	36HFGALBIN	36" Half-Gallon Bin	190	209				•		•				•	
	24PRODRAIL	24" Produce Railing	105	119	•	•									
	30PRODRAIL	30" Produce Railing	115	129			•		•				•		
	36PRODRAIL	36" Produce Railing	135	149				•		•				•	
	3DHFGALBIN	Three Door Half-Gallon Bin	160	179							•	•			•
	3DPRODRAIL	3-Door Produce Railing	85	99							•	•			•
	LPRODBIN10	Large Produce Bin	295	329	•	•	•	•	•	•	•	•	•	•	•
	SPRODBIN10	Small Produce Bin	265	299	•	•	•	•	•	•	•	•	•	•	•

Freedom® Accessories—Freezers				Freedom®					Pre- assembled			Free-					
	Model Number	Description	UMRP	MSRP	T18IF905SP	F905S	1301F905SP	D905L	D905L	3005	T36IT905NP	T903N	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS	T36FT810NS	T36FT820NS
	Interior Accessor	ies for Freezers Ice Bucket	85	99	•	•	• •	•	•	•	•	•	•	•	•		
Û	Filter Accessories REPLFLTR55	Freedom [®] Replacement Water Filter	46	59	•	•	• •	•	•	•	•	•	•	•	•	•	•

Freedom® /	Accessories—	Wine Preservation				
	Model Number	Description	UMRP	MSRP	T18IW905SP	T24IW905SP
	Interior Accessor	ies for Wine Columns				
Miles.	T18WINERK1	18" Wine Shelf ¹ providing a 62 bottle capacity	229	259	•	
	T24WINERK1	24" Wine Shelf ² providing a 99 bottle capacity	299	329		•

Under-Cou	nter Accessori	es			T24UC925DS	T24UC915DS	C905DP
	Model Number	Description	UMRP	MSRP	T24U(T24U(T24UC
CALL THE STATE OF	UCTRFLTR10	Under-Counter Filter	75	89	•	•	•

¹ Presenter shelf cannot be used with the accessory.

² Presenter shelf cannot be used with the accessory.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Built-In Coffee Machines Include the Following Features:

- Equipped with the Thermador Connected Experience by Home Connect[®]
- Perfect for frequent selections, coffee customization settings store up to 8 personalized beverages with names so family members and house guests can program their favorite drinks from single shot espresso, to tea, to extra-large cappuccinos
- Easy to read color TFT display illustrates beverage selection, including size and temperature control

- · Store up to 8 different beverages
- 1 lb. Bean container
- Height-adjustable dispenser with dual spouts for brewing 2 cups at a time
- Beverages can be adjusted in small increments
- One Touch Function for coffee and milk/froth
- · Fully automatic rinse program
- 2-disk grinding units made of high performance ceramic disks

- Adjustable grinding settings for very fine to coarse
- · Powder drawer
- · Built-In water filter
- Sensor alerts when coffee beans and water level is low
- 10-cup water container
- · Removable stainless steel milk container
- 120 Volts. (V)

Built-In Coffee Machine

 Includes direct plumb for water and drain connection with AquaStop® plus protection

TCM24TS Thermador Built-In Coffee Machine

3,749 4,149



TCM24TS



TCM24PS

Thermador Built-In Coffee Machine

Plumbed

4,099 4,549



TCM24PS



Accessories				TCM24TS	TCM24PS
TCMTK30RS	30" Stainless Steel Trim Kit	399	439	•	•

For coffee accessories, please see the Cleaners & Accessories Price List.

Thermador WALL OVENS

DELUXE

Rotisserie Max Broil

- 3 Telescopic Racks (Single Ovens)
- 4 Telescopic Racks (Double Ovens)
- 6 Telescopic Racks (Combo Steam Ovens)





Professional: POD301W POD301LW* POD301RW*



Masterpiece: MED301WS MED301LWS* MED301RWS*

DOUBLE 30"



Professional: POD302W POD302LW* POD302RW*



Masterpiece: MED302WS MED302LWS* MED302RWS*

Professional:

PO302W

COMBO 30"



With Steam and Convection Oven:



With Speed Oven:

TRIPLE 30"





Speed Oven::

Professional:
PODMC301W*

Masterpiece:
MEDMC301WS

With

SELECT

- 1 Telescopic Rack (Single Ovens)
- 2 Telescopic Racks (Double Ovens)



Professional: PO301W



Masterpiece: ME301WS



Masterpiece:



With Microwave: Professional:



Masterpiece: MEM301WS

SPECIALTY

3 Telescopic Racks (Steam Ovens)



Steam and Convection Oven:

Professional: PODS301W

Masterpiece: MEDS301WS



Speed Oven::

Professional: MC30WP

Masterpiece: MC30WS

STANDARD

- 1 Telescopic Rack (Single Ovens)
- 1 Telescopic Rack (Double Ovens)



Masterpiece: ME301YP



Masterpiece: ME302YP

* Not pictured.

MASTERPIECE® SERIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description **UMRP** MSRP

All Masterpiece® Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect®
- SoftClose[®] doors

Cooking Modes

· True Convection, Bake, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza

- · Two-hour self clean
- · Sabbath Mode
- · Two halogen lights
- Star-K certified
- · 208-240 V

Microwave/Speed Ovens

- · 1.6 cu. ft. overall capacity
- · 10 power levels
- · Sensor cooking
- · Sensor reheat

30" Masterpiece® Ovens

30" Masterpiece Single Oven with Professional Handle

- · One Full Access® telescopic rack and two standard racks
- · Silver glass
- · 4.6 cu. ft. overall oven capacity
- · Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat

2,899 3,199







ME301YP

ME301YP 30" Single Oven, 1 Telescopic Rack

30" Masterpiece Single Oven-Select

- One Full Access[®] telescopic rack and two standard racks
- · TFT Touch control display

ME301WS

MED301WS

- Silver glass on stainless steel
- · 4.5 cu. ft. overall oven capacity
- · Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast
- · Fast preheat
- · Meat probe









ME301WS

30" Masterpiece Single Oven-Deluxe

- Three Full Access[®] telescopic racks
- TFT Touch control display
- · Silver glass on stainless steel
- · 4.5 cu. ft. overall oven capacity
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- · Fast preheat
- Commercial-style rotisserie with 12-pound capacity
- · Multi-point meat probe



MED301WS

30" Single Oven, 3 Telescopic Racks, MED301LWS Left Side Opening Door, 30" Single Oven, 3 Telescopic Racks, MED301RWS

30" Single Oven, 3 Telescopic Racks

30" Single Oven, 1 Telescopic Rack

Right Side Opening Door

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden

5,399 5,949

5,069

5,399



MED301LWS





5,599

5,949

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

Number Description UMRP MSRP

30" Masterpiece Double Oven with Professional Handle

- One Full Access® telescopic rack (U)
- Silver glass

ME302YP

ME302WS

- 4.6 cu. ft. overall oven capacity (U/L)
- Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat (U)

30" Double Oven, 1 Telescopic Rack (U)

 Six Cooking modes in Lower Oven: Bake, Variable Broil Hi, Variable Broil Low, Roast, Warm, Sabbath, Fast Preheat (L)

4,599 5,099









30" Masterpiece Double Oven-Select

- Two Full Access[®] telescopic racks (U/L)
- TFT Touch control display
- · Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (U/L)

30" Double Oven, 2 Telescopic Racks, Meat probe (U/L)

- Fast preheat (U/L)
- Meat probe (U/L)





6,699





7,399

ME302WS

MASTERPIECE® SERIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

30" Masterpiece Double Oven-Deluxe

- Three Full Access[®] telescopic racks (U); One Full Access[®] telescopic rack and two standard racks (L)
- · TFT Touch control display

MED302WS
MED302LWS

MED302RWS

- · Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Nine Additional Cooking modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate, Rotisserie (U)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (L)

30" Double Oven, 4 Telescopic Racks

30" Double Oven, 4 Telescopic Racks,

30" Double Oven, 4 Telescopic Racks,

Left Side Opening Door

Right Side Opening Door

- Fast preheat
- Commercial-style rotisserie with 12-pound capacity (U)
- Multi-point meat probe (U);
 Meat probe (L)



MED302WS

7,899 8,699 8,399 9,249

8,399 9,249





MED2021 WS

REFRIGERATION

BUILT-IN COFFEE MACHINE

PROFESSIONAL SERIES

DISHWASHERS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description **UMRP MSRP**

30" Masterpiece® Ovens

30" Masterpiece Combination Oven with Microwave

 One Full Access[®] telescopic rack and two standard racks (L)

MEM301WS

- · Five Additional Cooking modes:
- · Fast preheat
- · Meat probe (L)

30" Combination Oven with Microwave,

Speed Convection, Broil, Roast, Dehydrate, Slow Roast

Microwave features:

- · Touch control display
- · 1.6 cu. ft. overall capacity
- · 13" turntable
- · 950 W microwave power

5,999 6,599







30" Masterpiece Combination Oven with Speed Oven

1 Telescopic Rack

- Three Full Access® telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- · Fast preheat
- · Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

Speed Oven features:

- 36 Cook Smart[™] Programs
- 12 1/2" turntable
- · 1000 W microwave power



7.499 8,249







MEDMC301WS

30" Combination Oven with Speed Oven, 3 Telescopic Racks

30" Masterpiece Triple Combination Oven with Speed Oven and Warming Drawer

- Three Full Access® telescopic racks (L)
- · Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat for seven different cooking modes
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

- Speed Oven features:
- 36 Cook Smart[™] Programs
- · 12 1/2" turntable
- · 1000 W microwave power

Warming Drawer features:

- · 2.5 cu. ft. overall capacity
- · Touch control
- SoftClose[®] drawer
- · 450 W heater
- · Four heating modes: Low, Medium, High, Proof
- Timer



9,499 10,449



MEDMCW31WS

30" Triple Combo Oven with Speed Oven, MEDMCW31WS 3 Telescopic Racks

MASTERPIECE® SERIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

All Masterpiece® Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[®]
- Large steam cavity 2.8 cu. ft.
- · TFT Touch control display
- · Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- · Easy Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- · Multi-point meat probe
- 1.4 qt. water tank
- · LED lights
- · Sabbath Mode
- Star-K certified
- · 208-240 volts

Masterpiece® Steam and Convection Ovens

30" Masterpiece Steam and Convection Oven

MEDS301WS

30" Steam and Convection Oven with 3 Telescopic Racks

5,299 5,849









MEDS301WS

30" Masterpiece Steam and Convection Oven-Deluxe

- Lower oven: Thermador Connected Experience with Home Connect®
- · 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection

Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast

- · Two-hour self clean
- Fast preheat for seven different cooking modes
- Three Full Access[®] telescopic racks
- Multi-point meat probe
- · Three halogen lights
- Sabbath Mode
- Star-K certified
- 208–240 V

8,899 9,799









MEDS302WS

MEDS302WS 30" Deluxe, Steam and Convection
Double Oven with 6 Telescopic Racks

Accessories					ı	ece	
					30" Single Ovens	30" Double Ovens	30" Series Built-in Steam and Convection
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•		
For the telescopic rack pricing, please contact Customer Support.					•	•	•

DISHWASHERS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description **UMRP MSRP**

All Professional Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect®
- · Restaurant-style stainless steel knobs
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose® doors
- 4.5 cu. ft. overall oven capacity
- · 13 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake. Convection Broil. Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- · Two-hour self clean
- Fast preheat for seven different cooking modes
- · Two halogen lights

- Sabbath Mode
- Star-K certified
- 208-240 V

Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- Sensor cooking
- Sensor reheat

30" Professional Series Ovens

30" Professional Single Oven-Select

 One Full Access[®] telescopic · Meat probe rack and two standard racks

PO301W 30" Single Oven, 1 Telescopic Rack 4,849 5,349

PO301W







30" Professional Single Oven—Deluxe

· Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil

POD301LW

- · Commercial-style rotisserie with 12-pound capacity
- Three Full Access® telescopic

racks

POD301W 30" Single Oven, 3 Telescopic Racks 5,699

30" Single Oven, Left Side Opening Door,

3 Telescopic Racks

POD301RW 30" Single Oven, Right Side Opening Door,

3 Telescopic Racks

· Multi-point meat probe

5,799



6,399

POD301W











POD301LW







Number Description **UMRP MSRP**

30" Professional Series Ovens

30" Professional Double Oven-Select

• One Full Access® telescopic · Meat probe rack and two standard racks (U/L)

PO302W 30" Double Oven, 1 Telescopic Rack (U/L)



PO302W





30" Professional Double Oven-Deluxe

- Three Full Access[®] telescopic racks (U)
- · One Full Access® telescopic rack and two standard racks (L)

POD302RW

- · Additional Cooking modes:
- Rotisserie, Max Broil, Max Convection Broil (U)
- Multi-point meat probe(U)

7,299

8,049

- · Meat probe (L)
- POD302W 30" Double Oven, 4 Telescopic Racks 8.399 9.249 POD302LW 30" Double Oven, 4 Telescopic Racks, 9,099 Left Side Opening Door

Right Side Opening Door

30" Double Oven, 4 Telescopic Racks,

10,049

9,099 10,049



POD302W



POD302LW



UMRP Number Description **MSRP**

30" Professional Series Ovens

30" Professional Combination Oven with Microwave

- One Full Access[®] telescopic
- Microwave features:
- rack and two standard racks (L)
- · Touch control display · 13" turntable

· Meat probe (L)

- **POM301W** 30" Combination Oven with Microwave,
 - 1 Telescopic Rack

· 950 W microwave power

6,599

7,299



POM301W



30" Professional Combination Oven with Speed Oven

3 Telescopic Racks

· Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil

PODMC301W

- Three Full Access® telescopic racks
- Multi-point meat probe

30" Combination Oven with Speed Oven,


- Speed Oven features:
- 36 Cook Smart™ Programs
- 12 ½" turntable
- · 1,000 W microwave power

7,999 8,799



PODMC301W





Number Description UMRP MSRP

30" Professional Series Ovens

30" Professional Triple Combination Oven with Speed Oven and Warming Drawer

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access[®] telescopic racks
- · Multi-point meat probe

Speed Oven features:

- 36 Cook Smart[™] Programs
- 12 1/2" turntable
- 1,000 W microwave power

Warming Drawer features:

- SoftClose[®] drawer
- · Touch control
- · 2.5 cu. ft. overall capacity
- · 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

10,199 11,249



PODMCW31W







PODMCW31W

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Number Description UMRP MSRP

All Professional Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[®]
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- · Restaurant-style stainless steel knobs
- · Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- · Steam Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 gt. water tank
- · LED lights
- · Sabbath Mode
- · Star-K certified
- 208-240 V

30" Professional Series Built-In Steam and Convection Oven

Professional Series Steam and Convection Oven

PODS301W 30" Steam and Convection Oven with

3 Telescopic Racks

5,549 6,149



PODS301W





- Lower oven: Thermador Connected Experience with Home Connect[®]
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection

PODS302W

- Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- · Two-hour self clean
- Fast preheat for seven different cooking modes
- Three Full Access[®] telescopic racks
- · Multi-point meat probe
- · Three halogen lights
- · Sabbath Mode
- Star-K certified
- · 208-240 V

9,299 10,249



PODS302W



^{30&}quot; Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks

¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

MICROWAVE OVENS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

30" Masterpiece Microwave,

30" Professional Microwave,

Stainless Steel, 120 V

Stainless Steel, 120 V

UMRP Number Description MSRP

All Masterpiece® Series Built-in Microwave and Speed Ovens Include the Following Features:

· Silver glass on stainless steel

· 10 power levels

· Sensor reheat

· 1.6 cu. ft. overall capacity

· Sensor cooking

Microwave Ovens

Built-In Microwaves

MB30WS

MB30WP

· Touch Control Display · 14□" ceramic turntable · 950 W Microwave power

· Plugs into 120 V, 60 Hz/, AC

3-prong grounded outlet

1,999 2,199

2,199 2,449



MB30WS



Speed Ovens

Built-In Speed Ovens

· Full color TFT display

• 1,000 W Microwave power

12¾" ceramic turntable

· 36 Cook Smart™ Programs

· Convection Bake

MC30WS 30" Masterpiece Speed Oven,

Stainless Steel, 208-240 V

MC30WP 30" Professional Speed Oven,

Stainless Steel, 208-240 V

Broil

· 208 or 240 V, 4 wire fixed

connection

2.799 3.099

2,999 3,299





MC30WP



¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation

UMRP Number Description **MSRP**

MicroDrawer® Microwave Oven

Built-In MicroDrawer® Microwave

- Blue digital display with scrolling text
- · 1.2 cu. ft. cavity
- · Fits a 7" mug or 20 oz. cup
- · 950 W microwave power
- · Auto-Cooking modes (including Melt, Soften, Keep Warm)
- · Sensor cooking
- · Hidden vent
- · Touch open and close
- Perfect flush installation

1,999

2,049

2,199

2,299



MD24WS



MD30WS

MD24WS 24" Microwave Drawer

MD30WS

30" Microwave Drawer

Over-the-Range Microwave Hood

Over-the Range Microwave Hood

- Design match for use in combination with 30" Pro Harmony 5-burner gas range
- Exclusive stainless steel handle
- · LCD display

MU30WSU

- · 2.1 cu. ft. cavity
- 14 3/18" glass turntable
- 1,100 W microwave power
- Triple microwave distribution system
- · 10 cooking modes
- Sensor cooking
- Plugs into standard 120 V. 3-prong outlet
- · Four-speed vent with up to 385 CFM



Over-the-Range Microwave Hood, Stainless Steel

1.049 1,199

WARMING DRAWERS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description **UMRP MSRP**

Warming Drawers

Standard Warming Drawers

- · Our warming drawer is the perfect combination of uncompromising performance, unique convenience features and elegant design
- SoftClose[®] door (WD30W only)
- · 2.2 cu. ft. overall capacity
- · Touch Control Display
- · Four heating modes: Low, Medium, High, Proof
- · 450 W heating element
- · Timer
- · Plugs into a standard 120 volt, 3-prong outlet



WD30WC

2,349

WD30W 30" Warming Drawer, Custom Panel Ready 2,099

WD30WC 30" Warming Drawer, Push to Open 1.899 2.099

Storage Drawers

· Our storage drawers are the perfect combination of uncompromising performance, unique convenience features and elegant design

· 2.4 or 0.8 cu. ft. overall capacity





SDS30WC

SD30WC 30" Storage Drawer (2.4 cu. ft.) 1,049 1,199 1,099 SDS30WC 30" Storage Drawer, Short Height (0.8 cu. ft.) 999

(Install Under Steam Oven)

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

DISHWASHERS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number UMRP

Description

Accessories				Professional Series													
					PO301W	POD301W	POD301LW	POD301RW	PO302W	POD302W	POD302LW	POD302RW	POM301W	PODMC301W	PODMCW31W	PODS301W	PODS302W
	SDCLNRCK30	Self-Clean Standard Rack, 30"	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•
	For the telescopic rack pricing, please contact Customer Support.			•	•	•	•	•	•	•	•	•	•	•			
	WKNOBKT3W	Blue Metal Knob Kit for Professional Oven (2 pc.)	49	59	•	•	•	•	•	•	•	•	•			•	•
Parameters	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•	•	•	•								•	

MSRP

DEX DIS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Masterpiece® Series Star® Burner Gas Cooktops Include the Following Features:

- Patented Star® Burner provides superior flame coverage for faster and more even pan heating
- 16K BTU max
- · Blue indicator burner ON light
- · Chiseled stainless steel design
- Stainless steel control panel offers a sleek, modern design
- · High-quality, robust, metal knobs
- LP gas conversion kit not included; order separately
- Sabbath compliant
- · Two-year warranty

Masterpiece® Series

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/1,750 low

C: BTU 16,000 high/1,900 low RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGS305TS

30" Star® Burner, Stainless Steel, Five Burners

1,549 1,749

SGS305TS

 ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/204 XLO

C: BTU 16,000 high/583 XLO RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSX305TS

SGSX305TS

30" Star® Burner, Stainless Steel, Five Burners,

2,099 2,349

ExtraLow® Select

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/1,750 low

C: BTU 16,000 high/1,900 low RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGS365TS

36" Star® Burner, Stainless Steel, Five Burners

1.849 2.049

SGS365TS

 ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/204 XLO

C: BTU 16,000 high/583 XLO RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSX365TS

SGSX365TS 36" Star® Burner, Stainless Steel, Five Burners,

2,299 2,549

ExtraLow® Select

GAS COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

All Masterpiece® Series Pedestal Star® Burner Gas Cooktops Include the Following Features:

- Raised Pedestal Star® Burner provides superior flame coverage and allows for easier cleanup under each burner
- 18K BTU max

- QuickClean Base[®] contains liquid spills
- Sleek glass control panel
- · High-quality, robust, metal knobs
- · LP conversion kit not included; order separately
- · Sabbath compliant
- · Two-year warranty

Masterpiece® Series

Blue indicator light for each burner

LR: BTU 10,000 high/1,750 low	
LF: BTU	
8 000 high/1 750 low	

C: BTU 18,000 high/1,900 low

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSP305TS


SGSP305TS

30" Pedestal Star® Burner, Stainless Steel,

2,099 2,349

Five Burners

- · Progressive Illuminated light ring around each knob
- ExtraLow[®] Select feature. which provides 204 BTU low simmering capability with five precise setting cycles





SGSXP305TS

10,000 high/1,750 low LF: BTU 8,000 high/204 XLO

LR: BTU

18,000 high/583 XLO

10,000 high/1,750 low

SGSXP305TS

30" Pedestal Star® Burner, Stainless Steel,

2.449 2,699

Five Burners, ExtraLow® Select

Blue indicator light for each burner

LR: BTU 12,000 high/1,750 low	
LF: BTU	
9 100 high/1 750 low	

C: BTU 18,000 high/1,900 low

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSP365TS


SGSP365TS

SGSXP365TS

36" Pedestal Star® Burner, Stainless Steel, Five Burners

2,299 2,549

- Progressive Illuminated light ring around each knob
- ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSXP365TS

36" Pedestal Star® Burner, Stainless Steel,

Five Burners, ExtraLow® Select

2,749 3,049

Number Description **UMRP** MSRP

All Masterpiece® Series Glass Ceramic Electric Cooktops Include the Following Features:

· Triple element

· Maximum wattage: 4,000 W

Masterpiece® Series

Touch Control

- · With the help of CookSmart®, the temperature is reached and maintained automatically without boilover
- · Touch controls with blue illumination are easy to use and offer a sleek, modern design
- · Keep Warm
- · Child Lock
- Shut-Off Timer for every element (current models only)

 Kit 	tchen i	timer
-------------------------	---------	-------

- · Number of cooking zones:
- Power/Amps: 208–240 V, 60 Hz//30 A



CET305TB/CET305YB

LR: 5"/7" @ 700 W (1,700 W)	RR: 6"/8"/11" @ 1,050 W/2,200 W/3,080 W
LF: 6" @	RF: 6" @
1,700 W (4,000 W Bridge)	1,200 W

CET305TB1

30" Frameless Design

30" Frameless Design

1,899 2,099 1,899 2,099

Available April

NEW CET305YB

Touch Control/Bridge

- With the help of CookSmart®, the temperature is reached and maintained automatically without boilover
- Bridge element with dual element
- · Touch controls with blue illumination are easy to use and offer a sleek, modern design
- PowerBoost[®]
- Child Lock

- · Shut-Off Timer for every element (current models only)
- · Kitchen timer
- Number of cooking zones: 10
- Power/Amps: 208-240 V. 60 Hz//40/50 A



CET366TB/CET366YB

LR: 5"//" @ 700 W/1,700 W	C: 6"/8"/11" @	1,200 W
LF: 7" @ 1,700 W (4,000 W Bridge)	1,050 W/2,200 W/3,080 W	RF: 6"/8" @ 1,200 W/2,100 W

CET366TB²

36" Stainless Steel Frame

36" Stainless Steel Frame

2.249

Available April

NEW CET366YB

Manual Controls/Stainless Steel Knobs

- · Dual zone bridge element accommodates oblong cookware
- · High quality, robust, die-cast metal knobs
- Variable 9-stage power settings
- · Number of cooking zones: 10

2,249

Power/Amps: 208-240 V, 60 Hz//30 A



CEM305TB

2,499

2,499

LR: 5"/7" @	RR: 6"/8"/11" @
700 W,1,700 W	1,050 W,2,200 W/3,080 W
LF: 7" @	RF: 6"
1,700 W (4,000 W Bridge)	1,200 W

CEM305TB 30" Frameless Design 1.599 1.799

Transitions to CET305YB

² Transitions to CET366YB

GLASS CERAMIC ELECTRIC COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

Masterpiece® Series

Manual Controls/Stainless Steel Knobs/Bridge

 Dual zone bridge element accommodates oblong cookware

> LR: 5"/7" @ 700 W,1,700 W

LF: 7" @ 1,700 W (4,000 W Bridge)

- High quality, robust, die-cast metal knobs
- Variable 9-stage power settings
- · Number of cooking zones: 10
- Power/Amps: 208–240 V, 60 Hz//40/50 A

C: 6"/8"/11" @	RR: 6" @ 1,200 W
,050 W,2,200 W/3,080 W	RF: 6"/8" @ 1 000 W/2 200 W



CEM366TB

CEM366TB

36" Stainless Steel Frame

1,899 2,099

Number Description **UMRP** MSRP

All Masterpiece® Series Freedom® and Liberty® Induction Cooktops Include the Following Features:

PowerBoost®

17 power levels

· Home Connect® (Wi-Fi Enabled)

Masterpiece® Series

Freedom® Induction – 13"×21" Cooking Position with 5,500 W

- Entire surface of the cooktop can be used as one large cooking area
- · Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone® mode allows changing a preset power level simply by moving a pot or pan on the cooktop

- · Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow® LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only)
- TeppanyakiPro® mode divides a teppanyaki griddle into on heated or one non-heated
- PanBoost[®]
- · 17 power levels

- · Residual heat indicators
- Panel Lock
- Cooking Timer, Kitchen Timer and Stopwatch Timer (Countdown timer only available on current models due to UL regulations)
- Power/Amps: 208/240 V, 60 Hz, 30 A

Minimum cookware size: 3"×3" Maximum cookware size: 13"x21" Performance: 3,500 W/5,500 W (PowerBoost)



CIT30XWBB/CIT30YWBB





CIT36XWB/CIT36YWB



CIT36XWBB/CIT36YWBB





30" Dark Gray Glass, Frameless Design	5,199	5,749
36" Dark Gray Glass, Stainless Steel Frame	5,899	6,499
36" Dark Gray Glass, Frameless Design	5,899	6,499
30" Dark Gray Glass, Frameless Design	5,199	5,749
36" Dark Gray Glass, Stainless Steel Frame	5,799	6,399
36" Dark Grav Glass. Frameless Design	5.799	6,399
	36" Dark Gray Glass, Stainless Steel Frame 36" Dark Gray Glass, Frameless Design 30" Dark Gray Glass, Frameless Design	36" Dark Gray Glass, Stainless Steel Frame5,89936" Dark Gray Glass, Frameless Design5,89930" Dark Gray Glass, Frameless Design5,19936" Dark Gray Glass, Stainless Steel Frame5,799

All Available April

¹ Transitions to CIT30YWBB

² Transitions to CIT36YWB

³ Transitions to CIT36YWBB

GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

Masterpiece® Series

Liberty[®] Induction

- Three extra-large Liberty cooking surfaces allow for tailored cooking zones
- Number of cooking zones:
 Five
- · Cooktop-Hood Sync
- · Automatic pan recognition
- HeatShift[®] has three preset heat zones
- MoveMode[®] allows easy transfer settings
- · Illuminated touch controls
- 17 power levels
- · Control panel lock

- · Automatic switch off
- Timer for all zones
 (Countdown timer only available on current models due to UL regulations)
- · Maximum wattage: 10,800 W
- Power/Amps: 208–240 V, 60 Hz//50 A



CIT367XG/CIT367XGS







CIT367YG/CIT367YGS




Left Full Zone 15"×9" @ 3,300 W/3,700 _s W (PowerBoost)	LR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)	V/3,600 ₈ W Center Full Zone 2,200 W/3,600 ₈ W		Right Full Zone 15"×9" @
	LF: 7½"×9" @ 2,200 W/3,600 _® W (PowerBoost)	3,300 W/3,600 W (PowerBoost) RF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)	3,300 W/3,700 W (PowerBoost)	
CIT367XG ¹	36" Tit	anium Gray Glass Frameless		1 200



CIT367XMS ⁴	36" Silver Mirrored Glass, Stainless Steel Frame	4,899	5,399
NEW CIT367YM	36" Silver Mirrored Glass.	4.799	5.299





irrored Glass, 4,799 5,299



CIT367XM/CIT367YM





CIT367XMS/CIT367YMS



Both Available April

¹ Transitions to CIT367YG

² Transitions to CIT367YGS

³ Transitions to CIT367YM

⁴ Transitions to CIT367YMS

MSRP

UMRP

REFRIGERATION

BUILT-IN COFFEE MACHINE BUILT-IN OVENS

DISHWASHERS

All Masterpiece® Heritage Series Glass Ceramic Induction Cooktops Include the Following Features:

- Pan Recognition
- Touch control panel with blue light illumination offers 17 power settings
- Speed Heating-induction cooktops heat 50% faster than traditional gas cooktops
- PowerBoost[®]
- Anti-Overflow System
- Two-Level Heat Indicator
- Child safety lock

· Element Shut Off Timer and kitchen timer (Countdown timer only available on current models due to UL regulations)

Masterpiece® Heritage Series

CIT304TB/CIT304YB

CIT304YM/CIT365YB

11" Element with 3,700 W

- · Large and powerful 11" element with 3,700 W
- · Power/Amps: 240 V, 60 Hz/30 A

LR: 9" @ 2,200 W/3,700 W (PowerBoost)	RR: 11" @ 2,400 W/3,700 W (PowerBoost)
LF: 6" @	RF: 6" @
1,400 W/2,200 W (PowerBoost)	1,400 W/2,200 W (PowerBoost)





3,849





NEW CIT304YM 30" Silver Mirrored Finish

30" Frameless Design

30" Silver Mirrored Finish

Available April

NEW CIT304YB

CIT304TM²

13" Element with 5,500 W

- · Large 13" round heating element
- · Industry-exclusive triple zone-accommodates multiple-size pans with three diameter sizes
- The most powerful (5,500 W) in its class

3,099

3,500

· Power/Amps: 240 V, 60 Hz//50 A





LR: 7" @ C: 9"/11"/13" @ 1,800 W/3,100 W (PowerBoost) 2,200 W/3,700 W (PowerBoost) 2,600 W/4,400 W (PowerBoost) LF: 7" @ 3,300 W/5,500 W (PowerBoost) 1,800 W/3,100 W (PowerBoost) 2,200 W/3,700 W (PowerBoost)

CIT365TB3 36" Frameless Design NEW CIT365YB 36" Frameless Design

Available April

- 3.599 3.999
- 3,599 3,999

- 1 Transitions to CIT304YB
- 2 Transitions to CIT304YM
- 3 Transitions to CIT365YB

Electric and	d Induction Accessories		sdo	ıction	tion	
		Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty® Induction	ion
		Gas C	Electr	Freed	Libert	Induction
	Griddle-Style Teppanyaki					
	 Recommended accessory electric and gas 18/10 stainless steel 					
	for Freedom® Induction • Silvinox surface treatment • Additional copper and Cooktop prevents discolaration aluminum materials used					
1	prevents discoloration administrates used					
The state of the s	 Can be used in oven 7-Ply material Works with induction, 10-year guarantee 			•		
	TEPPAN1321 13"×21" 499 549					
	Recommended accessory for					
	Freedom® Induction Cooktop					
	<u>TEPPAN1314</u> 13"×14" 399 439					
1 1	Recommended accessory for Freedom® Induction Cooktop			•		
	Discontinues Q1					
200	TEPPAN1013 10"×13" 299 329					
	Recommended accessory for			•	•	
	Liberty® and Freedom® Induction Cooktops					
	<u>TEPPAN1016</u> 10"×16" 399 439					
	Recommended accessory for Liberty® and Freedom® Induction Cooktops			•	•	
	Cast Aluminum Non-Stick Induction Grill					
	Heavy-duty cast aluminum Outstanding corrosion and Ovenproof up to 425°F and					
	with a thick ferromagnetic abrasion resistance dishwasher-safe					
	base • Ridged surface adds grilled • 17" x 9" grilling surface			•	•	
	 Easy to grip with two cast- in side handles Sear marks, while draining away excess fat PFOA-free 					
	·					
	TGRILLPANX 17" x 9" 269 299					
	 Stainless Steel Chef's Pan Optimized for cooking with Stainless steel with alumi- Encapsulated aluminum 					
	CookSmart® element num core base					
	 Works with induction, electric and gas Non-stick Teflon® Platinum three layers material (CHEFSPAN08) 	•	•	•	•	•
	CHEFSPAN08 10" Chef's Pan for 8" and 9" Elements 199 219					
	CHEFSPAN13 16" Chef's Pan for 13" Element 399 439	•	•	•	•	•
	Stainless Steel Roasting Pan					
	Perfect for searing, brais- induction cooking zones Dishwasher safe					
d n	ing, roasting meat, poultry • Made of 18/10 stainless • Oven-safe up to 500° F and vegetables • (350° with lid)				•	
	and vegetables steel (350° with lid) • Ideally suited for Liberty®					
	TROASTERT 10"×16" Roasting Pan with Glass Lid 199 219					

This price list supersedes all previ	ous price lists. Prices listed herein do not include applicable state or local taxes.		
Model			
Number	Description	UMRP	MSRP


Electric and	d Induction Accessories	Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty® Induction	Induction
9	Wireless Cooking Temperature Sensor Allows you to select the best way to prepare every food as you wish. The cooking sensor measures the temperature of the pot continuously. This allows the power to be maintained with greater precision to provide exceptional cooking results. The sensor is required to use the Freedom induction Cooking Sensor mode TCOOKSENSW Wireless Cooking Sensor 199 219			•		

Gas Acces	sories				Star [®] Burner	Pedestal Star®
	center grate • Cas	Griddle -burner Star® and Pedestal Star® Burner Series mode t aluminum design allows for even heat distribution a for easy cleanup and cooking			•	•
. %	SKNOBLUW Fits 30" and 36" Pe • Easy to install	Blue Knob Kit, Pedestal Star [®] Burner Cooktops edestal Star [®] Burners Series models • Set of five knob	109 os • Blue me	119 etallic finish		•
	SLPKITW	LP Gas Conversion Kit for Star® Burner Series Cooktops	99	109	•	
	SNPKITPEDW	LP Gas Conversion Kit for Pedestal Star® Burner Series Cooktops	99	109		•
0	over the large burn	Wok Ring ration on Star® Burner and Pedestal Star® Burner Senter on all cooktop sizes, allowing the user to cook wittion is durable and dishwasher safe			•	•

X DISHWA

$Thermador^{\circ}$

PROFESSIONAL



RANGETOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

All Professional Series Rangetops Include the Following Features:

- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Each burner has electronic ignition/ re-ignition;
- Metal knobs (also available in Metallic Blue, PKNOBLUWR, sold separately. See page 5-12)
- · LED downlighting illuminates the control
- Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners
- Two-year warranty
- Star-K certified
- 15 Amps

Note

- · It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- · For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately (PALPKITHW for all units; PALPKITHW5 for five Pedestal Star® Burner units). No High Altitude conversion kit needed for Rangetops.

30" Professional Gas Rangetop

- Five Pedestal Star® Burners (Two with ExtraLow®). overall output of 59,000 BTU.
- Suitable for use with Thermador OTR (see page 3-13)

· For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately (PALPKITHW5 for five Pedestal Star® Burner units). No High Altitude conversion kit needed for Rangetops.

15 Amps



PCG305W



LR: BTU 8,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO

RR: BTU 8.000 high* Center: BTU 10,000 high* RF: BTU 15,000 high*

PCG305W 30" Stainless Steel with

Porcelain Surface

3,649 4,049

36" Professional Gas Rangetop

Six Pedestal Star® Burners (Two with ExtraLow®).

PCG366W

15 Amps

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high*/375 XLO	18,000 high*/3,000 low	18,000 high*/3,000 low



PCG366W



36" Stainless Steel with Porcelain Surface

4,299 4,749

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 8,000} BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description **UMRP MSRP**

36" Professional Gas Rangetop

 Four Pedestal Star® Burners (Two with ExtraLow®)

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps



LR: BTU 15,000 high*/375 XLO LE: BTH 18,000 high*/375 XLO

Electric Griddle 1,630 W

RR: BTU 15,000 high*/3,000 low RF: RTH 18,000 high*/3,000 low



PCG364WD

36" Stainless Steel with Porcelain Surface and Griddle 4.199

Four Pedestal Star® Burners (Two with ExtraLow®)

· Fusion non-stick surface Indoor Pro Electric Grill with ceramic briquettes, convertible to

Griddle with optional accessory PAGRIDDLEW.

20 Amps



4,649

LR: BTU 15,000 high*/375 XLO I F: BTU 18,000 high*/375 XLO

Pro Indoor Electric Grill 1,630 W (6-pass 2x)

RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG364WL

36" Stainless Steel with Porcelain Surface and Pro Grill 4,599 5,099

48" Professional Gas Rangetop

Six Pedestal Star® Burners (Two with ExtraLow®)

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps



LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
18,000 high*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1.630 W

RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG486WD

48" Stainless Steel with Porcelain Surface and Griddle

5,799 5,249

Six Pedestal Star® Burners (Two with ExtraLow®)

· Fusion non-stick surface Indoor Pro Electric Grill with ceramic briquettes, convertible to

Griddle with optional accessory PAGRIDDLEW.

20 Amps



LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
18,000 high*/375 XLO	18,000 high*/3,000 low

Pro Indoor Electric Grill 1,630 W (6-pass 2x)

RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



48" Stainless Steel with PCG486WL Porcelain Surface and Pro Grill

5,799 5,249

* 8,000 BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO HARMONY® SERIES—DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number Description UMRP MSRP

All Pro Harmony® Series Dual Fuel Ranges Include the Following Features:

- · Cabinet-Depth (24")
- Four pedestal burner range: each front burner has output of 18,000 BTU (NG)
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-11
- All burners with electronic ignition/ re-ignition
- Precision simmering capabilities as low as 375 BTU with two ExtraLow[®] simmer burners

Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum Indoor Pro Electric Grill model:

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating
- For LP: Natural to LP Gas Field Conversion Kit must be ordered separately.
- · Island trim included
- · Two-year warranty
- · Star-K certified

Main oven features:

- Thermador Connected Experience with Home Connect® enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Full Access[®] telescopic racks with

- integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- Hidden Thermal Bake (2,000 W), Broil (4,000 W),
- · Third element rear 2.750 W convection
- Convection Broil and two rapid, self-clean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1½ hr light-soil clean

Secondary oven features:

- · 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements.
- 2.4 cu. ft. overall volume*

Note

 Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador[®] Professional hoods)

30" Dual-Fuel Range

- Four Pedestal Star Burners (Two with ExtraLow)
 - o with ExtraLow) overall volume*

 LR: BTU RR: BTU
 15,000 high**/375 XLO 15,000 high**/3,000 low

LF: BTU RF: BTU 18,000 high**/375 XLO 18,000 high**/3,000 low

PRD304WHU

30" Stainless Steel with

Porcelain Surface and One Telescopic Oven Rack

• 30" range features 4.4 cu. ft.



PRD304WHU



 Five Pedestal Star Burners (Two with ExtraLow); overall output of 59,000 BTU and suit-

LR: BTU

8,000 high**/375 XLO

LF: BTU

18,000 high**/375 XLO

able for use with the Thermador • OTR (see page 3-13)

30" range features 4.4 cu. ft. overall volume*

RR: BTU

8,000 high**

RF: BTU

15,000 high*

6,599

7,299



PRD305WHU

30" Stainless Steel with

Porcelain Surface and One Telescopic Oven Rack

Center: BTU 10,000 high*

7,499 8,249



PRD305WHU

*According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

36" Dual-Fuel Range

 Six Pedestal Star Burners (Two with ExtraLow)

· Oven features 4.9 cu. ft. overall volume*

· Thermador Connected Experience with Home Connect[®]

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low	18,000 high**/3,000 low



PRD366WHU

PRD366WHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

Four Pedestal Star Burners (Two with ExtraLow)

Oven features 4.9 cu. ft. overall volume*

LR: BTU 15,000 high**/375 XLO LF: BTU 18,000 high**/375 XLO · Thermador Connected Experience with Home Connect[®]

> Electric Griddle 1,630 W (6-pass)

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

9,099 10,049

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low



PRD364WDHU

9,899 10,899



PRD364WDHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

Thermador Connected Experience with Home Connect®

LR: BTU

15,000 high**/375 XLO

LF: BTU

18,000 high**/375 XLO

· Four Pedestal Star Burners (Two with ExtraLow)

Oven features 4.9 cu. ft. overall volume*

Electric Grill

1,630 W

(6-pass 2x)

· Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low



PRD364WLHU

PRD364WLHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

9.899 10.899



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

PRO HARMONY® SERIES—DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

48" Dual-Fuel Range

- Thermador Connected Experience with Home Connect®
- · Six Pedestal Star Burners (Two with ExtraLow)
- · Main oven features 4.4 cu. ft. overall volume*

LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	(6-pass)

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high**/3,000 low
RF: BTU 18,000 high**/3,000 low



PRD486WDHU

PRD486WDHU

48" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

13,599 14,999

13,599 14,999

Thermador Connected Experience with Home Connect®

LR: BTU

15,000 high**/375 XLO

LF: BTU


18,000 high**/375 XLO

- Six Pedestal Star Burners (Two with ExtraLow)
- · Main oven features 4.4 cu. ft. overall volume*

Electric Grill 1.630 W

(6-pass 2x)

•	Fusion non-stick surface
	Indoor Pro Electric Grill,
	convertible to Griddle
	with optional accessory
	PAGRIDDLEW





PRD486WLHU



PRD486WLHU

48" Stainless Steel with

CR: BTU

15,000 high**/3,000 low

CF: BTU

18,000 high**/3,000 low

Porcelain Surface and All Telescopic Oven Racks

Thermador Connected Experience with Home Connect®

LR: BTU

15,000 high**/375 XLO

LF: BTU

- Four Pedestal Star Burners (Two with ExtraLow)
- · Main oven features 4.4 cu. ft. overall volume*
- Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**

· Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



	Electric Grill	Griddle
-	1,630 W	1,630 W
	(6-pass 2x)	(6-pass)

PRD484WCHU





18,000 high**/375 XLO PRD484WCHU

48" Stainless Steel with

CR: BTU

15,000 high**/3,000 low

CF: BTU

18,000 high**/3,000 low

13,799 15,199

Porcelain Surface and All Telescopic Oven Racks

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description UMRP MSRP

All Pro Harmony® Series All Gas Ranges Include the Following Features:

- · Cabinet-Depth (24")
- Four pedestal burner; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-11)
- Precision simmering capabilities as low as 375 BTU with two ExtraLow[®] simmer hurners

Griddle model:

PRG304WH

PRG305WH

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum Griddle is interchangeable with grill accessory for convenient indoor grilling

Indoor Pro Electric Grill model:

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating
- Gas ranges are field convertible from natural gas to liquid propane— Conversion Kit must be ordered separately
- Island trim included
- Two-year warranty
- · Star-K certified

Ovens feature:

 Thermador Connected Experience with Home Connect® enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'

- · 17,500 BTU high-intensity infrared broiler
- Full Access[®] telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- · Gas convection oven
- · 20,500 BTU bake burner
- Convection Bake, Thermal Bake (20,500 BTU)

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- · 2.4 cu. ft. overall volume*

Note

Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

30" All-Gas Range

 Four Pedestal Star Burners (Two with ExtraLow) each front burner has output of 18,000 BTU (NG)

30" Stainless Steel with Porcelain Surface

Center: BTU 10,000 high**

30" Stainless Steel with Porcelain Surface

LR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	RF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low

 30" range features 4.6 cu. ft. overall volume*



4,949 5,449



Five Pedestal Star Burners (Two with ExtraLow);

overall output of 59,000 BTU


LR: BTU

LH: B1U 8,000 high**/375 XLO LF: BTU 18,000 high**/375 XLO and suitable for use with the Thermador OTR (see page 3-13

RR: RTII

overall volume*

· 30" range features 4.6 cu. ft.





6,599 PRG305WH

* According to AHAM Standards

* 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

5,999

PRO HARMONY® SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

36" All-Gas Range

•	Thermador Connected
	Experience with Home
	Connect®

- Six Pedestal Star® Burners (Two with ExtraLow®)
- 36" range features 5.1 cu. ft. overall volume*

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low	18,000 high**/3,000 low



PRG366WH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

6,799 7,499

PRG366WH





 Thermador Connected Experience with Home Connect[®]

- Four Pedestal Star Burners (Two with ExtraLow) each front burner has output of 18,000 BTU (NG)
- 36" range features 5.1 cu. ft. overall volume*
- Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



LR: BTU 15,000 high**/375 XLO

LF: BTU 18,000 high**/375 XLO

LR: BTU

15,000 high**/375 XLO

LF: BTU

18,000 high**/375 XLO

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

PRG364WDH


PRG364WDH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

7,949 8,749







- Four Pedestal Star Burners (Two with ExtraLow) each front burner has output of 18,000 BTU (NG)
- 36" range features 5.1 cu. ft. overall volume*
- Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW



Electric Grill
1,630 W
(6-pass 2x)

RR: BTU
15,000 high**/3,000 low

RF: BTU
18,000 high**/3,000 low

PRG364WLH

PRG364WLH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

7,949 8,749



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description **UMRP MSRP**

48" All-Gas Range

- Thermador Connected Experience with Home Connect®
- · Six Pedestal Star Burners (Two with ExtraLow) and
- · Main oven features 4.6 cu. ft. overall volume*

LR: BTU	CR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	CF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low

Electric Griddle 1 630 W (6-pass)

Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high**/3,000 low
RF: BTU 18,000 high**/3,000 low



PRG486WDH





PRG486WDH

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

Thermador Connected Experience with Home Connect®

- Six Pedestal Star Burners (Two with ExtraLow) and
- Main oven features 4.6 cu. ft. overall volume*

LR: BTU	CR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low

Electric Grill 1 630 W (6-pass 2x)

· Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

10,999 12,099

11,499 12,649

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low



PRG486WLH





PRG486WLH

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

* According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models; when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es									ony					o H Gas			-			Ra	ıng	etop	ps	
					3	0"		36'			48"		30)"	3	36"		48	3"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	РВСЗ66WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
	PA12GRILLW	12" Grill Plate Accessory w/ Tray (for Griddle Modules)	319	359				•	ш	•	<u> </u>	•	ш.	ш	ш.	•	ш.	•		ш.	•	<u> </u>	Ш	•	ш.
		usion) surface coating (" v to clean and durable o		e.																					
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) Fusion coated accesso to the "high-release" ac						•		•		•				•		•			•			•	
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Mo	319 dules)	359					•		•	•					•		•			•			•
	PABRICKW	Flat Ceramic Briquettes (no Basket	99	109					•		•	•					•		•			•			•
	PABRICKBKW	Flat Ceramic Briquettes with Baske	199 t	219					•		•	•					•		•			•			•
	PAGRIDDLE	Griddle sits on top of Grates over two Bu high-release surface co	,	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0 0	PA24CVRW	24" Cover for Grill/ Griddle Combination I	259 Models	289								•													
TT/	PA12LCVRN	12" Professional Indoor Grill Cover	299	329					•		•	•					•		•			•			•
1	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•				•		•			•			•	

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es									ony					o H Gas						Ra	nge	etop	os	
					3	0"		36'	"		48"	1	30)"	(36"		48	3"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
	PARKB36LHY	Blue Knob Kit 36" Grill Harmony	249	279					•								•								
	PARKB48CHY	Blue Knob Kit 48" DF Harmony	299	329						•	•	•													
	PARKB48DHY	Blue Knob Kit 48" Gas Harmony	299	329														•	•						
	PAKNOBLUWR	Metallic Blue Knob Kit Pro Rangetop	239	269																•	•	•	•	•	•
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmony Range	419	469	•	•							•	•											
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmony Range	479	529			•	•	•						•	•	•								
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harmony Range	509	599						•	•	•						•	•						
	PA30WLBC	10" Low Backguard for 30"Rangetop	209	229																•					
	PA36WLBC	10" Low Backguard for 36" Rangetop	269	299																	•	•	•		
	PA48WLBC	10" Low Backguard for 48" Rangetop	319	359																				•	•

All Pro Grand® Series Dual Fuel Ranges Include the Following Features:

- · Commercial-Depth (27")
- Patented Pedestal Star[®] Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24.
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- LP kit ordered separately for converting burners for LP gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- · Star-K certified

All Ovens

- SoftClose hydraulic hinges for ultrasmooth closing
- Three Full Access[®] telescopic racks with integrated easy-grip handles
- · Fast Preheat

Main Oven

- Thermador Connected Experience with Home Connect® enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1 ½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- Hidden bake element

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador® Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

Induction Models

- Thermador 3,600 W Liberty[®] Induction with two zones
- Features 9 power levels, XHI
 PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff

Indoor Pro Electric Grill

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating
- Fusion non-stick surface

Griddle:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

48" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- · 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- · Temperature probe for Roast
- · 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

REFRIGERATION

^{*} According to AHAM Standards

PRO GRAND® SERIES—DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

36" Dual-Fuel Ranges

 Six Pedestal Star® Burners (Four with ExtraLow®)

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low	18,000 high*/375 XLO

36" Stainless Steel with 10,549 11,649

Porcelain Surface and All Telescopic Oven Racks





 Four Pedestal Star® Burners (Four with ExtraLow®) and fusion non-stick surface Indoor Pro Electric Grill,

LR: BTU

15,000 high*/375 XLO

LF: BTU

22,000 XHI*/375 XLO

 Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



11,399 12,549

PRD364WLGU

PRD364WLGU

PRD366WGU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

 Four Pedestal Star[®] Burners (Four with ExtraLow[®]) and Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high*/375 XLO LF: BTU 22,000 XHI*/375 XLO Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRD364WDGU 36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks 11,399 12,549



Four Pedestal Star® Burners

 Teppan-yaki accessory TEPPAN1016 sold separately

(Four with ExtraLow®) with Liberty® Induction

LR: BTU

15,000 high*/375 XLO

I F: BTU

22,000 XHI*/375 XLO

RR: BTU 15,000 high*/375 XLO RF: BTU

18,000 high*/375 XLO

Induction 3,600 W 230 V 3,300 W 208 V



11,999 13,199

PRD364WIGU

36" Stainless Steel with
Porcelain Surface and
All Telescopic Oven Racks

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description **UMRP MSRP**

48" Dual-Fuel Ranges

Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Electric Griddle

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1.630 W (6-pass)

RR: BTU
15,000 high*/375 XLO
RF: BTU
18,000 high*/375 XLO



PRD486WDGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 14,849 16,349



Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Indoor Pro Electric Grill

· Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Grill 1,630 W (6-pass 2x)

RR: BTU	
15,000 high*/375 XLO	
RF: BTU	
18.000 high*/375 XLO	



PRD486WLGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 14,849 16,349



Four Pedestal Star® Cooktop (Four with ExtraLow®) with fusion non-stick surface Indoor Pro Electric Grill, and Griddle

· Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**

CR: BTU) high*/375 XLO	Electric Grill
CF: BTU	1,630 W (6-pass 2x)

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

> Electric Griddle 1 630 W (6-pass)



PRD484WCGU

LR: BTU

15,000 high*/375 XLO

LF: BTU

22,000 XHI*/375 XLO

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

18,000 high*/375 XLO

15,000 high

14,949 16,449



NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

PRO GRAND® SERIES—DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

48" Dual-Fuel Ranges

 Six Pedestal Star[®] Burner Cooktop (Four with ExtraLow®) with Liberty® Induction

 Teppan-vaki accessory TEPPAN1016 sold separately

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/375 XLO	18,000 high*3,000 low	18,000 high*/375 XLO

Induction 3,600 W 230 V 3.300 W 208 V





PRD486WIGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

60" Dual-Fuel Ranges

The Ultimate Entertainer's Center™

 Six Pedestal Star Burners (Four with ExtraLow) with Indoor Pro Electric Grill and 12" Griddle

LR: BTU

12,500 high*/375 XLO

LF: BTU

22,000 XHI*/375 XLO

· Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**

PA12GRILLW or PA12GRILFW Electric Griddle Electric Grill 12,500 high*/3,000 low 1,630 W 1,630 W (6-pass 2x) (6-pass)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

19,349 21,299

Non-stick surface Electric

with optional accessory

Griddle, convertible to Grill

15,499 17,049



PRD606WCG



PRD606WCG

60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

CR: BTU

CF: BTU

18,000 high*/3,000 low

The Ultimate Entertainer's Center™

 Six Pedestal Star Burners (Four with ExtraLow®) with 24" Dual Zone Griddle

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
12,500 high*/375 XLO	12,500 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

24" Electric Griddle 1,630 W (Left & Right) (3,260 W total)

RR: RTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

19,299 21,249





PRD606WEG 60" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

- · Commercial-depth (27")
- Featuring Pedestal Star[®] Burners with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- · Steam and convection oven
- · Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with Four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty[®] surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift[®], Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Indoor Pro Electric Grill (convertible to griddle with griddle accessory),

- LP conversion kit ordered separately for converting burners for LP gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- · Star-K certified
- CSA certified
- Indoor Pro Electric Grill Model: 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating

Oven features:

- Thermador Connected Experience with Home Connect® enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose[®] hinges for ultra-smooth closing
- Large oven includes three Full Access[®] telescopic racks with integrated easy-grip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion and preheat status with audible alert

Steam Oven features:

- 27 Easy Cook programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- · 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed
- · Steam Clean function

Warming drawer features:

- · Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador® Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

REFRIGERATION

^{*} According to AHAM Standards

PRO GRAND® SERIES—STEAM RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

48" Dual-Fuel Steam Range

The Ultimate Culinary Center™

 Six Pedestal Star[®] Burners (Four with ExtraLow[®]) Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU	Electric Griddle	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	1.630 W	15,000 high*/375 XLO
LF: BTU	CF: BTU	(6-pass)	RF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low		18,000 high*/375 XLO



PRD48WDSGU

0 ×



00000

PRD48WDSGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

The Ultimate Culinary Center™

Six Pedestal Star® Burners (Four with ExtraLow®) Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

low Electric Grill 1,630 W (6-pass 2x)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

17,149 18,899

17,149 18,899



PRD48WLSGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

Liberty[®] Induction.

The Ultimate Culinary Center™

 Six Pedestal Star® Burners (Four with ExtraLow®))

CR: BTU RR: BTU

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low	18,000 high*/375 XLO

 Teppan-yaki accessory TEPPAN1016 sold separately

> Induction 3,600 W 230 V 3,300 W 208 V

> > 18,199 20,049



PRD48WISGU





PRD48WISGU 48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

48" Dual-Fuel Steam Range

The Ultimate Culinary Center™

- Four Pedestal Star[®] Burners (Four with ExtraLow[®])
- Indoor Pro Electric Grill and Griddle

LR: BTU 15,000 high*/375 XLO	CR: BTU 15,000 high*/375 XLO	Electric Grill
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/375 XLO	(6-pass 2x)

 24" stainless steel cover PA24CVRW for Grill/Griddle sold separately

> Electric Griddle 1,630 W (6-pass)



17,899 19,699

PRD48WCSGU



PRD48WCSGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

60" Dual-Fuel Steam Range

The Ultimate Entertainer's Center™

- Six Pedestal Star[®] Burners (Four with ExtraLow[®])
- 24" Dual Zone Griddle

 LR: BTU

12,500 high*/375 XLO

LF: BTU

22,000 XHI*/375 XLO

 5.7 cu. ft. main oven cavity accommodates commercial size full sheet pan •

> 24" Electric Griddle 1,630 W (Left & Right) (3,260 W total)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

· 24" stainless steel cover

accessory PA24CVRR for

24" Griddle sold separately



PRD606WESG

PRD606WESG

60" Stainless Steel with Porcelain Surface and

CR: BTU

12,500 high*/3,000 low

CF: BTU

18,000 high*/3,000 low

All Telescopic Oven Racks (main oven)

22,049 24,299



The Ultimate Entertainer's Center™

- Six Pedestal Star[®] Burners (Four with ExtraLow[®])
- Indoor Pro Electric Grill and 12" Griddle


LR: BTU

12,500 high*/375 XLO

LF: BTU

22,000 XHI*/375 XLO

- 5.7 cu. ft. main oven cavity accommodates commercial size full sheet pan
- 24" stainless steel cover PA24CVRW for Grill/Griddle sold separately





PRD606WCSG



PRD606WCSG 60" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

Steel with 21,849 24,049

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 12,500} BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

PRO GRAND® SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

All Pro Grand® Series All Gas Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Patented Pedestal Star® Burner with QuickClean Base™ (Four with ExtraLow® Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24.
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow Simmer burners (two far-left pair and two far-right pair)

Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Electric Griddle (convertible to grill with grill accessory),

Indoor Pro Electric Grill model:

1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating

- Indoor Pro Electric Grill (convertible to griddle with griddle accessory)
- Gas ranges are field convertible from natural gas to liquid propanekits sold separately
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

Oven features:

- SoftClose hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access telescopic racks with integrated easy-grip handles

Large oven:

- Thermador Connected Experience with Home Connect® enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/LP)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- 6 conventional cooking modes
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 11/2 hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible

Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume*
- Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/LP)
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

36" All-Gas Range

 Four Pedestal Star Burners (Four with ExtraLow")

Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high*/375 XLO LF: BTU 22,000 XHI*/375 XLO Electric Griddle 1.630 W (6-pass)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 9,659 10,649



PRG364WDG



PRG364WDG

**15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*}According to AHAM Standards

TRO GRAIND SERIES—ALL-GAS RAIN

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

36" All-Gas Range

 Four Pedestal Star Burners (Four with ExtraLow)

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional PAGRIDDLEW

LR: BTU 15,000 high*/375 XLO	
LF: BTU	
22 000 XHI*/375 XLO	

Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRG364WLG

Λ

9,662 10,649

8,499

9,349

PRG364WLG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

 Six Pedestal Star[®] Burners (Four with ExtraLow[®])

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI**/375 XLO	18,000 high**/3,000 low	18,000 high**/375 XLO



PRG366WG



PRG366WG 36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

48" All-Gas Range

 Six Pedestal Star[®] Burners (Four with ExtraLow[®])

PRG486WDG

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle

15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

RR: BTU



PRG486WDG

Q



48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 11,999 13,199

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND® SERIES—ALL-GAS RANGES AND ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

48" All-Gas Range

 Six Pedestal Star[®] Burners (Four with ExtraLow[®])

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional PAGRIDDLEW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRG486WLG

Q

12,849 14,149



PRG486WLG 48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

Accessories					D				Dual Fuel						St	ean	n			Al	as			
					36"					48	3"		60'	'	48"			6	0"	36"			48"	
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WDSGIT	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
		12" Grill Plate Accessory w/ Tray (for Griddle Models)) Fusion coated accesses to the "high-release" a						•		•		•	•	•	•		•	•	•		•		•	
	PA12GRILLW Non-stick (non-fu	12" Grill Plate Accessory w/ Tray (for Griddle Models) usion) surface coating (" and durable over time.	319	359				•		•		•	•	•	•		•	•	•		•		•	
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Mo	319 odules)	359			•				•	•		•		•	•		•			•		•
	TEPPAN1016	Teppan-yaki pan for Induction models	399	439	•				•					•	•									

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number Description

Accessories								D	ual	Fu	el					S	tear	n			Al	I G	as	
						3	6"			48	8"	60"				48"		6	0"	L	36'	_	48	8"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	PABRICKW	Flat Ceramic Briquettes (no Basket)	99	109			•				•	•		•		•	•		•			•		•
	PABRICKBKW	Flat Ceramic Briquettes with Basket	199	219			•				•	•		•		•	,					•		•
	PAGRIDDLE	Griddle sits on top of Grates o two Burners, high-relea coating		219 face	•	•	•	•	•	•	•	•	•	•	•	• •	•	•	•		•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1 1	PA24CVRR	24" Cover for Griddle	299	329									•					•						
6 1/	PA24CVRW	24" Cover for Grill/Griddle Combi Models	259 ination	289								•		•			•		•					
	PA12LCVRN	12" Cover Professional Indoor G	299 rill	329			•				•	•		•		•	•		•			•		•
	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•		•		•	•		•		•		•	
	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•

PRO GRAND® SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description

Accessories								D	ual	Fu							Ste	ean					I G		
						30	6"			48	B"		60	"		48	B"		60	O"		36"	_	4	8"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
1 =	PAALTKITGW	High Altitude Kit, NG Pro Grand Range 5.4K ft. to 10.2K ft.	89 es,	99	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	For the high altit Customer Suppo	ude kit pricing, please co	ontact		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
×/	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel	199 Range	219 s	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
·:·/	PALPKITGGW	LP Conversion Kit Pro Grand Gas Rang	199 es	219																	•	•	•	•	•
	PARKB36IGY	Blue Knob Kit 36" Grill/Ind Grand	249	279	•		•																		
	PARKB36GY	Blue Knob Kit 36" Gas Grand	249	279																	•				
	PARKB36CGY	Blue Knob Kit 36" Combi Grand	279	309		•		•														•	•		
	PARKB48CGY	Blue Knob Kit 48" Combi Grand	384	429					•	•	•	•			•			•							
	PARKB48SGY	Blue Knob Kit 48" Combi Steam Gra	379 and	419												•	•							•	•
	PARKB60CGY	Blue Knob Kit 60" Combi Grand	349	389									•	•											
	PARKB60SGY	Blue Knob Kit 60" Combi Steam Gra	349 and	389															•	•					

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number Description

Accessorie	es							Dı	ual	Fue	əl					Ste	am	1			All	Ga	เร	
						36	5"			48	3"	6	80"		48	3"		60)"		36"		48	"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD606WFG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	CSRACKH	Wire Rack	199	219										•	•	•	•	•	•					
	PA36WTKG	Toe Kick for 36" Pro Grand [®] Ra	109 ange	119	•	•	•	•												•	•	•		
	PA48WTKG	Toe Kick for 48" Pro Grand [®] Ra	109 ange	119					•	•	•	•		•	•	•	•						•	•
	PA60WTKG	Toe Kick for 60" Pro Grand [®] Ra	139 ange	159								•	•					•	•					
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fue Ranges	479 I Pro G	529 rand [®]	•	•	•	•												•	•	•		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	PA48WLBG	7" Low Back, for 48" Pro Grand [®] Ga	509 as Ran	599 ges					•	•	•	•		•	•	•	•						•	•
	PA60WLBG	7" Low Backguard for 60" for Pro Grand	559 Range	649 e								•	•					•	•					

Thermador® VENTILATION

		30"	36"	42"	48"	54"/60"
	Low-Profile					
		HMWB30WS	HMWB36WS HMWB361WS		HMWB481WS	
	Masterpiece®					
1		HMDW30WS	HMDW36WS			
WALL	Pro Grand [®]					
			PH36GWS	PH42GWS	PH48GWS	PH54GWS PH60GWS
	Pro Harmony [®]					
		PH30HWS	PH36HWS		PH48HWS	
	Masterpiece [®]	T HOOTIVE	T HESTIVE			
Ļ						
Š	Masterpiece [®]	HMCB30WS	HMCB36WS			
ĒΥ	mactor proce					
Σ		HDDB30WS	HDDB36WS			
CHIMNEY WALL	Professional					
			HPCN36WS		HPCN48WS	
	Masterpiece®		479	479		
9			HMIB36WS	HMIB42WS		
ISLAND	Pro Grand [®]		THAIDSOVE	THURSTEVE		ATT IS
<u>S</u>						
				HPIN42WS		HPIN54WS
TOM	Professional					
STC			VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS
CUST						VCIN60GWS
→ ⊢	Masterpiece [®]					
DOWN- DRAFT						
DC DR		UCVM30XS	UCVM36XS UCVP36XS			

WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number Description UMRP MSRP

All Wall Hoods Include the Following Features:

- Beautiful illumination with multi-level, LED lights
- Dishwasher-safe commercial-style stainless steel baffle filters
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation

Accessory options available

 Built-in remote control panel, sold separate (see page 6-8)

All Masterpiece® Wall Hoods Include these Additional Features:

- Equipped with the Thermador Connected Experience by Home Connect[®]
- A perfect complement to the sleek
 Thermador Masterpiece Series cooktops
- · Brushed stainless steel
- Noise Control Technology™
- · Cooktop Hood-Sync Enabled
- · Vertical ducting direction
- · Integral blower included
- Convertible to recirculation, accessory sold separate (see page 6-3)

Masterpiece® Series

Drawer Under Cabinet Wall Hood

- A masterful blend of luxury and performance with a slide-out canopy design
- When the slide-out canopy is pushed back, it sits flush
- against surrounding cabinetry, and when pulled forward increases capture area
- Fan can be activated in the closed or open position
- 600 CFM integral blower included
- Transition to 6" round and backdraft damper included



HMDW36WS

HMDW30WS 30" Masterpiece®, Under Cabinet

Drawer Wall Hood, 600 CFM

36" Masterpiece®, Under Cabinet

Drawer Wall Hood, 600 CFM

2,099 2,349

2,199 2,449

Low-Profile Wall Hood

HMDW36WS

HMWB361WS

- Chiseled design that is 24" depth, 11" tall
- Approved for use with Professional Series Ranges and Rangetops
- 6" tall and 28"–65" tall telescopic duct cover accessory options available, sold separate (see page 6-7)
- Transition to 10" round and backdraft damper included

2.199

2.449



HMWB30WS

HMWB30WS	30" Low-Profile Wall Hood, 600 CFM	1,999	2,199

HMWB36WS	36" Low-Profile Wall Hood, 600 CFM	2,099	2,349

36" Low-Profile Wall Hood, 1000 CFM

HMWB481WS	48" Low-Profile Wall Hood, 1000 CFM	2.299 2.549

Model Number UMRP MSRP Description

Accessories—Masterpiece® Series									w P	rofi	le
						HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
	filtered air back Replace charco depending on u Charcoal filter r	 When ducting is not feasible, kit brings filtered air back into kitchen Replace charcoal filter every 3-6 months depending on usage Charcoal filter replacement accessory available (see below) Installation Note: RECHMWB30 and RECHMWB36 are brushed stainless steel, and adds 4" height to the appliance. Approved for use with HMWB30WS and HMWB36WS Low-Profile Series Wall Hoods with 600 CFM blowers only 									
	RECHMWB30	Recirculation Kit for HMWB30 Low-Profile Wall Hood, 30" W	-	699	799			•			
	RECHMWB36	Recirculation Kit for HMWB36 Low-Profile Wall Hood, 36" W		749	849				•		
	RECHMDW30	Recirculation Kit for Masterpie Under Cabinet Drawer Hood,		129	149	•					
	RECHMDW36	Recirculation Kit for Masterpie Under Cabinet Drawer Hood,		129	149		•				
FEER	CHFHMDW30	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood,		99	109	•					
FEEL	CHFHMDW36	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood,		99	109		•				
9	CHFILT3036	Replacement charcoal filters recirculating wall hoods	for	109	119	•		•	•		
	_ ·	and 20"-54" telescoping •	Can be used with I Series Wall Hoods	Low-Profile I	HMWBxxWS						
	DCT3016W	16" Tall Duct Cover for Low-P 30" Wide	Profile Wall Hood,	649	749						
4	DCT3616W	16" Tall Duct Cover for Low-P 36" Wide	Profile Wall Hood,	659	749				•	•	
4	DCT4816W	16" Tall Duct Cover for Low-P 48" Wide	Profile Wall Hood,	679	749						•
J	DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" W	/ide	749	849			•			

WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Accessories—Masterpiece® Series								w P	rofi	le
					HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
V	DC36MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	759	849				•	•	
V	DC48MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	779	899						•

WALL HOODS This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description **UMRP MSRP** All Professional Wall Hoods Include these Additional Features: Add distinct flair to your kitchen with bold. • 6" tall and 20"-54" tall telescopic duct · Make-up air damper relay switch (120 V stainless steel wall hoods with design cover accessory options available, sold that echoes the thoughtful details of your separate (see page 6-7) Transition to 10" round and backdraft Thermador kitchen Blower options sold separate and damper included Powerfully Quiet[®] optional blower required to complete install. Works with Accessory options available system accepts integral, inline, and the following blowers, sold separately · Duct cover accessory options (see page remote blowers (see page 6-6) Integral Remote Vertical or horizontal ducting discharge · Remote blower roof plates (see VTN630W1 VTR630W1 possible page 6-9) VTN1090R VTR1030W · 25-ft remote & inline blower extension Inline VTR1330W cable (see page 6-9) VTI610W1 VTI1010W **Professional Series Pro Harmony® Wall Hood** Adds distinct flair to your kitchen A perfect companion to Commercial-style stainless with bold, stainless steel wall Pro Harmony® Professional steel baffle filters hoods with design that echoes Ranges MILLIANI. the thoughtful details of your · Pro-style 24" depth, 18" tall Thermador kitchen PH36HWS 30" Pro Harmony® Wall Hood, Optional Blower PH30HWS 2,199 2,449 36" Pro Harmony® Wall Hood, Optional Blower PH36HWS 2,299 2,549 PH48HWS 48" Pro Harmony® Wall Hood, Optional Blower 2,549 2,849 Pro Grand® Wall Hood Equipped with the Thermador hoods with design that echoes Professional Ranges Connected Experience by the thoughtful details of your · Pro-style 27" depth, 18" tall Home Connect® Thermador kitchen Two infrared,175 W, Keep-Hot PH36GWS · Adds distinct flair to your kitchen · Crafted to complete the ultimate lamps (included) with bold, stainless steel wall cooking system with Pro Grand® PH36GWS 36" Pro Grand® Wall Hood, Optional Blower 2,749 2,499 PH42GWS 42" Pro Grand® Wall Hood, Optional Blower 2,649 2,949

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

48" Pro Grand® Wall Hood, Optional Blower

54" Pro Grand® Wall Hood, Optional Blower

60" Pro Grand® Wall Hood, Optional Blower1

PH48GWS

PH54GWS

PH60GWS

2,949

3,149

3.949

3,249

3,499

4.349

¹ The 600 CFM blower options are not available with the 60" hood

Model Number Description UMRP MSRP

Blowers	Blowers						fessional		
		Custom Insert	3	Downdraft	Wall	Chimney Wall	Island	Custom Insert	
		VCI2xxDS	UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	HPINxxWS	VCINxxGWS	
	Integral Blowers Integrated into ventilation hood at the time of installation								
	<u>VTN630W</u> 600 CFM Integral Blower 709 799				•	•	•	•	
	<u>VTN1090R</u> 1,000 CFM Blower 899 999				•	•	•	•	
	 May be used as integral solution for VCI2xxDS the exterior wall the exterior wall solutions. 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately along the duct line (see page 6-9) VTI610W 600 CFM Inline Blower, 6" duct size 	•	•	•	•1	•	•	•1	
	VTI1010W 1,000 CFM Inline Blower, 899 999 10" duct size	•	•	•	•	•	•	•	
	 For external roof or wall mount* Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-9) VTR630W For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods VTR630W 	•	•	•	•	•	•		
	VI DOUVY OUU OFINI DEITIOLE DIOWEI, 6 UUCL SIZE 829 949				_	•	•		
	<u>VTR1030W</u> 1,000 CFM Remote Blower, 10" duct size 869 999	•	•	•	•	•	•	•	
	<u>VTR1330W</u> 1,300 CFM Blower, 10" duct size 1,079 1,199	•	•	•	•	•	•	•	

¹ The 600 CFM blower options are not available with the 60" hood

Model
Number Description UMRP MSRP

Accessorie	Accessories—Professional							Pro Grand					
					Wa	ll			Wall				
				OWN TOOL IO	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS		
	Optional Stainless Steel Duct Cover • Available in 6" and 20"–54" telescoping heights • Can be used with PHxxxWS Pro Grand® and Pro Harmony® Series Wall Hoods DC306W 6" Tall Duct Cover for A69 519												
	DC366W	Pro Wall Hoods, 30" Wide 6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	489 539)	•		•						
4	DC426W	6" Tall Duct Cover for Pro Wall Hoods, 42" Wide	499 549)				•					
1	DC486W	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499 54)		•			•				
	DC3089W	8' - 9' Ceilings Telescoping Duct Cover, 30" wide	499 54)	•								
	DC3689W	8' - 9' Ceilings Telescoping Duct Cover, 36" wide	509 599)	•		•						
	DC4289W	8' - 9' Ceilings Telescoping Duct Cover, 42" wide	519 599)				•					
	DC4889W	8' - 9' Ceilings Telescoping Duct Cover, 48" wide	529 599)		•			•				
	DC361012W	10' - 12' Ceilings Telescoping Duct Cover, 36" wide	659 74)	•			•					
	DC481012W	10' - 12' Ceilings Telescoping Duct Cover, 48" wide	719 79)		•			•				

WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description UMRP MSRP

Accessorie	Accessories—Professional						Pro Grand			
		Wall			Wall					
D. W. Iv. Down to Control							PH48GWS	PH54GWS	PH60GWS	
1	Built-In Remote Control Ability to vertically install on cabinetry or wall to control hood in a convenient location Built-in sleek, smooth remote touch control panel Compatible with HDDBxxWS, HMCBxxWS, HMCBxxWS, HMCBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HPCNxxWS, HPCNxxWS, PHxxxWS, and VCINxxGWS Series hoods Wired to hood Cable length: 30 ft.		•	•	•	•	•	•	•	
	REMCPW Built-In Remote Control Accessory 319 359									
•	Recirculation Accessories • For non-ducted operation of Thermador • Available for HMWB3xWS (30" and 36") Wall Hoods CHFILT3036 Replacement charcoal filters 109 119 for recirculating wall hoods									

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

DISHWASHERS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number

Description

UMRP MSRP

Blower and	Blower and Duct Accessories						ny	F	and			
					,	Wal		L,				
					PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
	25-ft. extension hood and inlineSupports PHxxx	Blower Extension Cable cable for use between or remote blower WS, HPCNxxWS, VMxxXS, UCVP36XS Series hoods Cannot join two cables to ger length. For use with blowers VT VTI1010W, VTR630W, V VTR1330W	l610W,		•	•	•	•	•	•	•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139								
	EXTNSET4	3-pc extension set for Inline and remote blowers	159	179	•	•	•	•	•	•	•	•
	Roof Plates NOTE: Roof plate	required for roof-mount application of remote blowers.										
	RFPLT600P	Roof mounting plate for VTR630W and VTR630W	129	149	•	•	•	•	•	•	•	
	RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W, VTR1330W	159	179	•	•	•	•	•	•	•	•

CHIMNEY WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description **UMRP** MSRP

All Chimney Wall Hoods include the following features:

- Beautiful illumination with multi-level, LED lights
- · Dishwasher-safe filters
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- · Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-8)

All Masterpiece® Chimney Wall Hoods include these Additional features:

- Equipped with the Thermador Connected Experience by Home Connect
- A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- Brushed stainless steel
- Serves as the focal point of the room and can add a modern feel
- Cooktop Hood-Sync Enabled

- · 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings
- Transition to 8" round and backdraft damper included
- Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings available, sold separate (see page 6-13)
- Convertible to recirculation, accessory sold separate (see page 6-13
- Hybrid mesh filters with stainless steel frame
- · Vertical ducting direction

Masterpiece® Series

Pyramid Chimney Wall Hood

 Streamlined, contemporary, low-profile design with 5" pyramid canopy height

Noise Control Technology™



30" Masterpiece® Pyramid Chimney Wall Hood, **HMCB30WS** 2,399 2,649 HMCB30WS

600 CFM

36" Masterpiece® Pyramid Chimney Wall Hood, HMCB36WS 2.499 2.749

600 CFM



Drawer Chimney Wall Hood

- · A masterful blend of luxury and performance with unique slideout canopy design that can be pushed back for increased head room or pulled forward for increased capture area
- · Can be activated whether in the open or closed position
- Noise Control Deluxe™



HDDB30WS

2.799 3.099

HDDB30WS* 30" Masterpiece® Drawer Chimney Wall Hood,

600 CFM

36" Masterpiece® Drawer Chimney Wall Hood, 2,999 3,299 HDDB36WS*

600 CFM

^{*} Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy

All Professional Chimney Wall Hoods include these Additional features:

- Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Creates a focal point in the room with a more contemporary-style feel
- Make-up air damper relay switch (120 V
- Transition to 10" round and backdraft damper included
- Duct cover accessory options available, sold separate (see page 6-12)
- · Pro-style 24" depth, 18" tall

- · Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- 6" tall, 18"- 35" tall telescopic, and 42"-59" tall telescopic duct cover accessory options available, sold separate (see page 6-12)

Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6).

Integral Remote **VTN630W** VTR630W VTN1090R VTR1030W Inline VTR1330W **VTI610W** VTI1010W

Accessory options available

3,299

2,999

UMRP

MSRP

- Remote blower roof plates (see page 6-9)
- 25-ft remote & inline blower extension cable (see page 6-9)

Professional Series

Pro Grand[®] Chimney Wall Hood

36" Professional® Chimney Wall Hood, **HPCN36WS**

Optional Blower

48" Professional® Chimney Wall Hood, HPCN48WS 3,499 3,849

Optional Blower

HPCN36WS

CHIMNEY WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description UMRP MSRP

Accessories					N	laste	rpiec	е	Pı	ro	
						Dra	wer	W	all	W	all
						HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS	HPCN36WS	HPCN48WS
	Remote & Inline	Blower Extension Cable									
		cable for use between or remote blower	Cannot join two cable ger length.	s together fo	or lon-						
		VMxxXS, UCVP36XS	For use with blowers VTI1010W, VTR630W VTR1330W		V,					•	•
	EXTNCB25W	25-ft Remote & Inline Blow Extension Cable	ver	119	139						
	EXTNSET4	3-pc extension set for Inlin remote blowers	e and	159	179					•	•
	Duct Cover										
		all, 18"-35" tall telescopic, • telescopic heights	Can be used with HPO Professional Series C		l Hoods					•	
	CHMHP366W	6" Tall Duct Cover for Professional® Chimney Wa	all Hood, 36" Wide	499	549						
	CHMHP486W	6" Tall Duct Cover for Professional® Chimney Wa	all Hood, 48" Wide	509	599						•
V	CHMHP36TW	18"×35" Tall Telescoping E Professional® Chimney Wa		649	749					•	
J	CHMHP48TW	18"×35" Tall Telescoping Deleter Tall Telescop		659	749						•
V	CHMHP36XTW	42"×59" Tall Telescoping E Professional® Chimney Wa		719	799					•	
J	CHMHP48XTW	42"×59" Tall Telescoping E Professional® Chimney Wa		739	849						•

 Model
 Number
 Description
 UMRP
 MSRP

Accessories					/laste	rpiec	е	Pı	ro
				Dra	wer	W	all	W	all
				HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS	HPCN36WS	HPCN48WS
		ood Extension Kits escopic chimney extension for 9-ft to 12-ft tall ceilings							
14	CHXTHDDW	9'-12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece® Chimney Drawer Hood	579 649	•	•				
	CHXTHMCB	9'–12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece® Pyramid Chimney Hood	579 649			•	•		
	Chimney Wall He	ood Recirculation Accessories							
	When ducting is sible, kit brings air back into kite	filtered ter every 3-6 months ment acces	ssory available	•	•				
	RECHDDB	Recirculation Kit for Masterpiece® HDDBxxWS Drawer Chimney Wall Hood	159 179						
	RECHMCB	Recirculation Kit for Masterpiece® HMCBxxWS Chimney Wall Hood	159 179			•	•		
	CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109 119	•	•	•	•		
	Roof Plates NOTE: Roof plate	e required for roof-mount application of remote blowers.							_
	RFPLT600P	Roof mounting plate for VTR630W and VTR630W	129 149					•	•
	RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W	159 179					•	•

ISLAND HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Island Hoods include the following features:

600 CFM

- Equipped with the Thermador Connected Experience by Home Connect[®]
- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- · Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-8)

Masterpiece® Series

Low-Profile Island Hood

- Sleek and slim, these meticulously sculpted, floating stainless steel island hoods catch the eye without obstructing views
- A perfect complement to Thermador Masterpiece[®] Series cooktops
- · Brushed stainless steel

- · Cooktop Hood-Sync Enabled
- Noise Control Deluxe™
- · 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings
- Transition to 8" round and backdraft damper included

 Convertible to recirculation, accessory sold separate (see page 6-16)

Accessory options available

 Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings (see page 6-16)



HMIB36WS



HMIB36WS	36" Masterpiece® Box Island Hood, 600 CFM	3,299	3,649
HMIB42WS	42" Masterpiece® Box Island Hood,	3,399	3,749

INDEX

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description

Professional Series

Box Island Hoods

- A stunning, meticulously crafted piece that could be a conversation starter while entertaining in the kitchen
- Designed and engineered to match in design and performance with Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Unique angled box canopy island hood design
- Dishwasher-safe commercialstyle stainless steel baffle filters
- Make-up air damper relay switch (120 V max)

HPIN42WS

HPIN54WS

- Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers
- Transition to 10" round and backdraft damper included
- For ceiling applications of 8' to 9' height
- May require fabrication for custom height

42" Professional® Island Hood,

54" Professional® Island Hood,

Optional Blower

 Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6).

UMRP

MSRP



HPIN42WS



Accessory options available

- Remote blower roof plates (see page 6-9)
- 25-ft remote & inline blower extension cable (see page 6-9)

Optional Blower

3,699 4,099

4,299 4,749

Model Number Description UMRP MSRP

Accessorie	es			Maste	rpiece	Pi	ro
				Low F	Profile	Во	ЭX
				HMIB36WS	HMIB42WS	HPIN42WS	HPIN54WS
	Remote & Inline • 25-ft. extension use between ho inline or remote	od and HPCNxxWS, HPINxxWS, together for lor	nger length. lowers 1010W, R1030W,			•	•
	<u> </u>	Extension Cable					
()]	EXTNSET4	3-pc extension set for Inline and remote blowers	179			•	•
	Low-Profile Island	l Hood Extension Kit					
	Stainless steel to chimney extension 12-ft tall ceilings CHXTHMIB		9 799	•	•		
	<u> </u>	HMIBxxWS Masterpiece® Island Hood	, , , , ,				
	 When ducting is kit brings filters a kitchen Replace charcoa 3–6 months depousage 	ir back into Masterpiece® Island Hood Charcoal filter replacement accessory available (see					
-IIII	RECHMIB	Recirculation Kit for Masterpiece® 159 HMIBxxWS Island Hood	179	•	•		
	CHFHMCD	Replacement Charcoal Filters 109 For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	9 119	•	•		
	CHFILISL	Charcoal filter for Island Hoods 99	109				
	Roof Plates NOTE: Roof plate	required for roof-mount application of remote blowers.					
	RFPLT600P	Roof mounting plate for 129 VTR630W and VTR630W	149			,	
	RFPLT1000P	Roof mounting plate for 159 VTR1030W, VTR1330W, VTR1030W, VTR1330W) 179			•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All Professional Series Custom Inserts include the following features:

· Vertical ducting

P Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6). New Custom Inserts do not require separate blowers.

Integral VTN630W VTN1090R Inline VTI610W¹, VTI1010W

Remote VTR630W VTR1030W VTR1330W

Professional Series

Custom Insert Hoods

- Equipped with the Thermador Connected Experience by Home Connect[®]
- Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials
- Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops
- Brushed stainless steel
- Dishwasher-safe commercialstyle stainless steel baffle filters

- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Make-up air damper relay switch (120 V max)

- Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers
- Includes custom hood trim to complete custom insert installation
- Transition to 10" round and backdraft damper included
- Built-in remote control panel accessory available, sold separate (see page 6-8)

Accessory options available

- Remote blower roof plates (see page 6-9)
- 25-ft remote & inline blower extension cable (see page 6-9)



VCIN48GWS



VCIN36GWS	36" Professional® Custom Insert, Optional Blower	1,999	2,199
VCIN42GWS	42" Professional® Custom Insert, Optional Blower	2,099	2,349
VCIN48GWS	48" Professional® Custom Insert, Optional Blower	2,199	2,449
VCIN54GWS	54" Professional® Custom Insert, Optional Blower	2,299	2,549
VCIN60GWS	60" Professional® Custom Insert, Optional Blower¹	2,399	2,649

¹ The 600 CFM blower options are not available with the 60" hood

CUSTOM INSERTS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description UMRP MSRP

Accessories					Pro				
		VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS			
	Built-In Remote Control Ability to vertically install on cabinetry or wall to control hood in a convenient location Built-in sleek, smooth remote touch control panel Compatible with HDDBxxWS, HMCBxxWS, Hoods hoods HMDWxxWS, HMIBxxWS, HMWBxx1WS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HPCNxxWS, HPCNxxWS, HPCNxxWS, VCIxBxxZS Cable length: 30 ft.								
22444400	REMCPW Built-In Remote Control Accessory 319 359	•	•	•	•	•			
	Remote & Inline Blower Extension Cable 25-ft. extension cable for use between hood and inline or remote blower Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods Cannot join two cables together for longer length. For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W								
	EXTNCB25W 25-ft Remote & Inline Blower Extension Cable 119 139	•	•	•	•	•			
() }	EXTNSET4 3-pc extension set for Inline and 159 179 remote blowers	•	•	•	•	•			
	Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers.		_			_			
	RFPLT600P Roof mounting plate for 129 149 VTR630W and VTR630W	•	•	•	•	•			
	RFPLT1000P Roof mounting plate for 159 179 VTR1030W, VTR1330W, VTR1030W, VTR1330W	•	•	•	•	•			

INDEX

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number

Description

UMRP

All Downdrafts include the following features:

- Designed for installation with all Thermador[®] cooktops except Professional Series
- All models feature six possible discharge connections including front, side, down, and rear as well as recirculation
- · Stainless steel
- Sleek, removable front filter panel design that act as a splatter shield
- · Dishwasher safe mesh filters
- · Three speeds
- Convenient 10-minute time-delay shut-off feature

- Filter maintenance reminder light
- · Automatic mode
- Recirculation possible with electric and induction cooktops, Accessory Sold Separately (UCVRECIRC see page 6-20)

Required To Complete The Installation:

 Blower Options, Sold Separately. Works with the following blowers, sold separately (see page 6-21).

\ 1 0	,
Integral	
VTD600P	
see page 6-21	
Inline	
VTI610W	
VTI1010W	

Remote VTR630W VTR1030W VTR1330W Downdraft transitions may be required to complete the installation depending on exhaust direction & blower chosen: [see page 6-22]

CVTSIDE6 CVTRECT2
CVTSIDE8 CVTFRONT6
CVTSIDE10 CVTFRONT8
CVDUCT2 CVTFRONT10

Accessory options available

MSRP

- Gas cooktop seal kit sold separately, required for installation with gas cooktops (UCV30ST, UCV36ST [see page 6-20)
- 5' electrical panel extension cable (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-23])
- 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-23)

Masterpiece® Series

Downdraft Ventilation System

UCVM30XS 30" Masterpiece® Downdraft

15" Snorkel, Optional Blower

1,799 1,999

1.999

2,299

2.199



UCVM36XS 36" Masterpiece® Downdraft

15" Snorkel, Optional Blower

UCVM36XS

<u>UCVP36XS</u> 36" Masterpiece® Downdraft, Deluxe

18" Snorkel, Optional Blower

LED Task Bar Lights

NOTE: Transition required and sold separately for all remote and inline blower installations.



DOWNDRAFT

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description UMRP MSRP

Componen	ts		UCVM30XS	UCVM36XS	UCVP36XS
	For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS d draft models only Works in wall or is applications When ducting is n sible, kit brings filt air back into kitch passing through a coal filter	 To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Gas Cooktops Module ships with one heavy duty charcoal filter and two metal grill vent plates Mounts to cabinet base, recesses into toe kick/ socket area Fits in toe-kick/socket heights of 4" or taller Module and grill vent plate can be placed so air does not hit feet Blower and downdraft sold separately Replacement charcoal filters available, sold separately 			
	UCVRECIRC	Recirculation kit for downdraft 599 699 UCVM30XS, UCVM36XS, UCVP36XS downdrafts only. VTD600P Blower required, sold separately. Replace filters every 3-6 months depending on usage with UCVFILTER	•	•	•
The state of the s	UCVFILTER	Charcoal filter replacement 109 119 For use with UCVRECIRC recirculation kit (above)	•	•	•
	• For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models	 Required for installation with gas cooktops Includes trim bracket, seal, and 2 metal grills 			
	UCV30ST	30" gas cooktop seal kit 129 149 For UCVM30XS downdraft	•		
	UCV36ST	36" gas cooktop seal kit 129 149 For UCVM36XS and UCVP36XS downdrafts		•	•

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

DISHWASHERS

Components	UCVM30XS	UCVM36XS	UCVP36XS
	on n	nc	nC
Integrated Blower VTD600P 600 CFM, 8" duct size flexible integrated blower Use with UCVM30XS, UCVP36XS downdrafts only	•	•	•
Inline Blowers May be used as integral solution for VCI2xxDS the exterior wall series custom hood inserts. See website for additional details Blower can be mounted along the duct line between the kitchen and the exterior wall set of the exterior wall phase of the exterior wall set of the exterior wall phase of the			
VTI610W 600 CFM Inline Blower, 6" duct size 709 799	•	•	•
<u>VTI1010W</u> 1,000 CFM Inline Blower, 10" duct size 899 999	•	•	•
For external roof or wall mount Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-23) * 25 ft. cable (EXTNCB25W) available (EXTNCB25W) available for inline blower applications—sold separately (see page 6-23) * For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCINxxGWS, VCINxxGWS, and UCVP36XS Series hoods			
VTR630W 600 CFM Remote Blower, 6" duct size 829 949	•	•	•
<u>VTR1030W</u> 1,000 CFM Remote Blower, 10" duct size 869 999	•	•	•
<u>VTR1330W</u> 1,300 CFM Blower, 10" duct size 1,079 1,199	•	•	•

DOWNDRAFT

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description UMRP MSRP

Componen	ts			UCVM30XS	UCVM36XS	UCVP36XS
	36" UCVM36XS, chosen in combin	be required to complete the installation of 30" UCVM30XS, 36" UCVP36XS downdrafts depending on the discharge contraction with the downdraft blower selected (see installation make and remote blowers				
	CVTSIDE6	6" side/rear transition 199 Rectangular 1 %"×19" transition to 6" round for side, down and rear exhaust applications	219	•	•	•
0	CVTSIDE8	8" side/rear transition 199 Rectangular 1 %"×19" transition to 8" round for side, down and rear exhaust applications	219	•	•	•
6	CVTSIDE10	10" side/rear transition 199 Rectangular 1 %"×19" transition to 10" round for side, down and rear exhaust applications	219	•	•	•
0	CVTFRONT6	6" round front plate 99 Front rough-in plate for front downward exhaust applicati		•	•	•
0	CVTFRONT8	8" round front plate 99 Front rough-in plate for front downward exhaust applicati		•	•	•
	CVTFRONT10	10" round front plate 99 Front rough-in plate for front downward exhaust applicati		•	•	•
	CVDUCT2	2' rectangular duct 199 Rectangular duct that is 2' long × 1 %" deep × 19" wide (CVDUCT2) required to co CVTRECT2 to downdraft housing. Ability to use as an ex exhaust through a cabinet or wall. To modify length, duct cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be used nect CVTRECT2 to round ductwork	nnect tension to may be	•	•	•
	CVTRECT2	Transition for rectangular duct 99 Required to attach CVDUCT2 2' rectangular duct to downdraft housing	109	•	•	•

Model Number UMRP MSRP Description

Accessorie	s	Integrated		Inline		Kemote	DIOWEIN		Downdraft	
		VTD600P	VTI610W	VTI1010W	VTR630W	VTR1030W	VTR1330W	UCVM30XS	UCVM36XS	000100
	Remote & Inline Blower Extension Cable • 25-ft. extension cable for use between hood and inline or remote blower • Cannot join two cables together for longer length. • Cannot join two cables together for longer length. • For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W									
700	EXTNCB25W 25-ft Remote & Inline Blower 119 139 Extension Cable		•	•	•	•	•	•	•	
	EXTNSET4 3-pc extension set for Inline and remote blowers 159 179			•	•	•	•			
Sn	 For use with 30"							•	•	
	UCVM36XS, UCVP36XS downdrafts Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers.				•					_
	RFPLT600P Roof mounting plate for VTR630W 129 149 RFPLT1000P Roof mounting plate for VTR1030W, VTR1330W 159 179					•		•		

IDEX

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Number Description UMRP MSRP

All Dishwashers include the following features:

- Superior washing and drying performance guaranteed
- · Concealed controls
- Black-shimmer racks with 3-Step adjustment
- · A highly flexible racking system
- · 18/10 Stainless steel TallTub
- ENERGY STAR® certified
- Powerfully Quiet® operation
- · Sens-a-Wash®
- Advanced Triple Filtration System

- · Hidden Heating Element
- · Leak Sensor and Auto Shut off
- · Connected Experience
- · TFT Capacitive Touch Controls
- Home Connect
 Wi-Fi enabled/Home Connect
 app compatibility

Wash Cycles:

- Normal
- Auto
- Pots and Pans
- · Hand Wash
- Rinse

Options:

- PowerBoost[®]
- · 24-hour Delay Start
- Half Load

1,549

1,549

1.549

Remote Start (Connected)

Emerald Series

- 48 dBA
- Chef's Tool Drawer[™] (third rack)
- · 16 place settings

DWHD650WFM

DWHD650WFP

DWHD650WPR

· Extra-Tall-Item Sprinkler

· Blue PowerBeam® "on" indicator

· Capacitive touch control panel

24" Masterpiece® Stainless Steel Emerald®

24" Professional Stainless Steel Emerald®

24" Custom Panel Emerald®

(Requires Custom Panel)

or Additional Wash Cycles:

Quick (30 minute Wash)
 Additional Options:

1,399

1,399

1.399

• Extra Dry



DVVHD65UVVFIVI



DWHD650WFP



DWHD650WPR



42 dBA

- Adjustable Chef's Tool Drawer™ (third rack)
- · 16 place settings
- · Flexible folding tines
- · Extra-Tall-Item Sprinkler
- Stainless steel control panel
- Time remaining PowerBeam[®] indicator
- Sapphire Glow[®] Interior Light
- Crystal Protect[®] water softener system
- · Push to Open

Additional Wash Cycles:

Quick; 1 hour

Additional Options:

 Sanitize (NSF certified to remove up to 99.9% of bacteria), Save Time; StarDry™ – with Zeolite ™, an exclusive Thermador drying solution



Sapphire® Series

DWHD770WFM



DWHD770WFP



DWHD770WPR



DWHD770WFM24" Masterpiece® Stainless Steel Sapphire®2,2992,549DWHD770WFP24" Professional Stainless Steel Sapphire®2,2992,549DWHD770WPR24" Custom Panel Sapphire® (Requires Custom Panel)2,2992,549

Model Number Description UMRP MSRP

Accessories						Series	<u>.</u>
				Emerald Series	Sapphire® Series	Star Sapphire® Se	Glass Care Center
	<u>SGZ1010UC</u>	Dishwasher Drain Hose Extension	See Bosch Price List*	•	•	•	•
	<u>SGZ9091UC</u>	Dishwasher Salt for dishwashers (4.4 lbs. pack)	See Bosch Price List*		•	•	•
o M	SMZ5000	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small Item Basket.	See Bosch Price List*	•	•	•	
	<u>SMZ5002UC</u>	Fine Silverware Carafe with Clip for Emerald dishwashers (clips onto lower rac	See Bosch Price List*	•			
	SMZ5400	Large 3rd Rack Silverware Insert Accessory DWHD870* models only	See Bosch Price List*			•	
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Price List*	•	•	•	•
	SMZSH002UC	Dishwasher Water Supply Hose	See Bosch Price List*	•	•	•	•

^{*} Pricing for the Thermador® dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.

Triis price iist supersedes aii p	revious price lists	e. Prices listed herein do not include applicable sta	le Oi local laxes.		
3DHFGALBIN	1-15	CVTFRONT66-22	HMWB36WS6	6-2 PA48WLBG	5-25
3DPRODRAIL	1-15	CVTFRONT86-22	HMWB361WS6		5-12
24HFGALBIN	1-15	CVTFRONT106-22	HMWB481WS6	6-2 PA48WTKG	5-25
24PRODRAIL	1-15	CVTRECT26-22	HPCN36WS 6-	11 PA60WLBG	5-25
30HFGALBIN	1-15	CVTSIDE66-22	HPCN48WS 6-	11 PA60WTKG	5-25
30PRODRAIL	1-15	CVTSIDE86-22	HPIN42WS6-	15 PAALTKITGW	5-24
36HFGALBIN	1-15	CVTSIDE106-22	HPIN54WS6-	15 PAALTKITHW	5-11
36PRODRAIL	1-15			PABRICKBKW	5-10, 5-23
•		D	I	PABRICKW	•
С		DC30MTW6-3	ICEBUCKETL1-	16 PAGRIDDLE	5-10, 5-23
CEM305TB		DC36MTW6-4	L	PAGRIDDLEW	5-10, 5-22
CEM366TB		DC48MTW6-4		PAKNOBLUWR	5-12
CET305TB		DC306W6-7	LPRODBIN101-	¹⁵ PALPKITDGW	5-24
CET305YB		DC366W6-7	М	PALPKITGGW	5-24
CET366TB		DC426W6-7	MB30WP3-	PALPKITGW	5-11
CET366YB		DC486W6-7		PAI PKITGW5	5-11
CHEFSPAN08		DC3089W6-7	MB30WS3-	DAI DKITUM	5-11
CHEFSPAN13	4-8	DC3689W6-7	MC30WP3-		5-11
CHFHMCD	6-13, 6-16	DC4289W6-7	MC30WS3-	PARKRRXHY	5-11
CHFHMDW30	6-3	DC4889W6-7	MD24WS3-	13 PARKR30HY	
CHFHMDW36	6-3	DC361012W6-7	MD30WS3-		
CHFILISL	6-16	DC481012W6-7	ME301WS3	BADKBSEDHV	
CHFILT3036		DCT3016W6-3	ME301YP3	3-2 DADKRSEGV	
CHMHP36TW		DCT3616W6-3	ME302WS3	1-3	
CHMHP36XTW		DCT4816W6-3	ME302YP3	-3	
CHMHP48TW		DWHD650WFM7-1	MED301LWS	PARKB36LHY	
CHMHP48XTW		DWHD650WFP7-1	MED301RWS	PARKB48CGY	
CHMHP366W		DWHD650WPR7-1	MED301WS	1-2	
CHMHP486W		DWHD770WFM7-1	MED302LWS	PARKB48CHY	
CHXTHDDW		DWHD770WFP7-1	MED302RWS	PARKB48DHY	
CHXTHMCB		DWHD770WPR7-1	MED302WS	PARKB48SGY	
CHXTHMIB		DWHD//0WFh7-1	MEDMC301WS	PARKB60CGY	
CIT30XWBB		E	MEDMCW31WS	PARKB60SGY	
		EXTNCB25W 6-9, 6-12, 6-16,	MEDS301WS	PCG305W	
CIT30YWBB		6-18, 6-23	MEDS302WS	PCG364WD	
CIT36XWB		EXTNCE56-23		PCG364WL	
CIT36XWBB		EXTNSET46-9, 6-12, 6-16, 6-18,	MS30HNDL201	PCG366W	5-2
CIT36YWB		6-23	MS36HNDL201	PCG486WD	5-3
CIT36YWBB			MU30WSU3-	PCG486WI	5-3
CIT304TB		F	W030VV305-	PH30HWS	6-5
CIT304TM		FRAMEKIT10 1-3, 1-5, 1-7, 1-9,	Р	PH36GWS	6-5
CIT304YB	4-7	1-15	PA12CHPBLK5-10, 5-	23 PH36HWS	6-5
CIT304YM	4-7		PA12GRILFW5-10, 5-	DILLAGONAGO	6-5
CIT365TB	4-7	Н	PA12GRILLW5-10, 5-		6-5
CIT365YB	4-7	HDDB30WS6-10	PA12LCVRN5-10, 5-	DILIAGUNAC	6-5
CIT367XG	4-6	HDDB36WS6-10	PA12LCVRW5-10, 5-	DLIEACIMO	6-5
CIT367XGS	4-6	HEATRKIT201-3, 1-5, 1-7, 1-9,	· ·	ZO DI IGOCIMO	
CIT367XM	4-6	1-15	PA24CVRR5-	DO204M/	3-7
CIT367XMS	4-6	HMCB30WS6-10	PA24CVRW5-10, 5-	23 DO202W	
CIT367YG	4-6	HMCB36WS6-10	PA30WLBC5-	DOD2041W	
CIT367YGS		HMDW30WS6-2	PA30WLBH5-	DOD201DW	
CIT367YM		HMDW36WS6-2	PA36WLBC5-	DOD204W	
CIT367YMS		HMIB36WS6-14	PA36WLBG5-	25 DOD2001W	
CSRACKH		HMIB42WS6-14	PA36WLBH5-	DOD202DW	
CVDUCT2		HMWB30WS6-2	PA36WTKG5-	25	
O * D O O 1 Z	0-22		PA48WLBC5-	40 POD302W	3-8

INDEX

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PODMC301W	3-9	REMCPW	6-8, 6-18	T24UR925DS	1-14	TFL36IB905	1-7
PODMCW31W	3-10	REPLFLTR55	1-16	T24UR925LS	1-14	TFL36IR900	1-3, 1-5
PODS301W	3-11	RFPLT600P.6-9, 6-	13, 6-16, 6-18,	T24UR925RS	1-14	TFL36IR905	1-3, 1-5
PODS302W			6-23	T24UW905LP	1-14	TFL36IT800	
POM301W		RFPLT1000P6	-9, 6-13, 6-16,	T24UW905RP		TFL36IT905	
PR30HNDL20			6-18, 6-23	T24UW915LS		TGRILLPANX	
PR36HNDL20		_		T24UW915RS		TROASTERT	
PRD48WCSGU		S		T24UW925LS		TWO30YS	
PRD48WDSGU		SD30WC		T24UW925RS		11100010	
PRD48WISGU		SDCLNRCK30	3-15	T24WINERK1		U	
PRD48WLSGU		SDS30WC		T30BB915SS		UCTRFLTR10	1-16
PRD304WHU		SGRIDDLEW	4-9	T30BB91535		UCV30ST	
PRD305WHU		SGS305TS	4-1	T30IB905SP		UCV36ST	
		SGS365TS	4-1			UCVFILTER	
PRD364WDGU		SGSP305TS	4-2	T30IF905SP		UCVM30XS	
PRD364WDHU		SGSP365TS	4-2	T30IR905SP		UCVM36XS	
PRD364WIGU		SGSX305TS	4-1	T36BB915SS			
PRD364WLGU		SGSX365TS		T36BB925SS		UCVP36XS	
PRD364WLHU		SGSXP305TS		T36BT915NS		UCVRECIRC	6-20
PRD366WGU		SGSXP365TS		T36BT925NS		V	
PRD366WHU	5-5	SGZ1010UC		T36FT810NS		•	0.47
PRD484WCGU	5-15	SGZ9091UC		T36FT820NS		VCIN36GWS	
PRD484WCHU	5-6	SKNOBLUW		T36IB905SP	1-6	VCIN42GWS	
PRD486WDGU	5-15	SLPKITW		T36IF905SP	1-4	VCIN48GWS	
PRD486WDHU	5-6			T36IR905SP	1-2	VCIN54GWS	
PRD486WIGU	5-16	SMZ5000		T36IT903NP	1-6	VCIN60GWS	
PRD486WLGU	5-15	SMZ5002UC		T36IT905NP	1-6	VTD600P	
PRD486WLHU	5-6	SMZ5400		TCM24PS	2-1	VTI610W	
PRD606WCG	5-16	SMZPCJB1UC		TCM24TS		VTI1010W	
PRD606WCSG		SMZSH002UC		TCMTK30RS	2-1	VTN630W	
PRD606WEG		SNPKITPEDW		TCOOKSENSW		VTN1090R	6-6
PRD606WESG		SPRODBIN10		TEPPAN1013		VTR630W	6-6, 6-21
PRG304WH		SWOKRINGW	4-9	TEPPAN1016		VTR1030W	6-6, 6-21
PRG305WH		-		TEPPAN1314	*	VTR1330W	6-6, 6-21
PRG364WDG		T		TEPPAN1321			
PRG364WDH		T18ID905LP		TFL18ID800		W	
PRG364WLG		T18ID905RP		TFL18ID905		WD30W	
PRG364WLH		T18IF905SP		TFL18IR800		WD30WC	
PRG366WG		T18IW905SP		TFL18IR905		WKNOBKT3W	3-15
		T18WINERK1		TFL18IW800			
PRG366WH PRG486WDG		T23IR905SP		TFL18IW905			
		T24ID905LP					
PRG486WDH		T24ID905RP	1-4	TFL23IR900			
PRG486WLG		T24IF905SP	1-4	TFL23IR905			
PRG486WLH		T24IR905SP	1-2	TFL24ID800			
PWOKRINGHC5	-11, 5-23	T24IW905SP	1-8	TFL24ID905			
R		T24UC905DP	1-14	TFL24IR800			
	0.40	T24UC915DS	1-14	TFL24IR905			
RECHDDB		T24UC925DS	1-14	TFL24IW800			
RECHMCB		T24UR905DP	1-14	TFL24IW905			
RECHMDW30		T24UR905LP		TFL30IB800			
RECHMDW36		T24UR905RP		TFL30IB905			
RECHMIB		T24UR915DS		TFL30IR800			
RECHMWB30		T24UR915LS		TFL30IR905	1-3, 1-5		
RECHMWB36	6-3	T24UR915RS		TFL36IB800	1-7		



BSH Home Appliances Corporation

1901 Main Street, Suite 600, Irvine, CA 92614

Phone: (949) 440-7100

(800) 735-4328 Sales and Service

Thermador.com

20-BSH-0914.1-R2-R2 12/20/2021

©2021 BSH Home Appliances Corporation. All rights reserved.