



Thermador[®] VENTILATION



Legacy

In **1978** Thermador introduced the first retractable pop-up downdraft ventilation, offering a concealed look.

In **2018** Thermador introduced Noise Control Technology™ and Noise Control Deluxe™, to reduce the noise from integrated blowers.



Masterpiece[®] Series

- Designed & engineered for perfect pairing with Masterpiece[®] cooktops
- Most models come with integrated blowers for an 'all-in-one-box' solution
- *Noise Control Technology™* or *Noise Control Deluxe™* on most models



Professional Series

- Designed & engineered for perfect pairing with Professional ranges and rangetops
- Heavy duty baffle filters
- *Powerfully Quiet[®]* blower system offers the ability to select the blower type (integral, inline, or remote) and power

Both ventilation series offer the following features:

- White LED lighting
- Touch controls
- 4-speed blowers
- Automatic mode
- Delay fan timer
- Clean filter reminder
- Home Connect™ (select models only)

Masterpiece[®]

Noise Control Technology[™] & Noise Control Deluxe[™]


- Addresses 2 causes of noise—air turbulence & vibration
 - Reduces the noise level with integrated blowers, providing levels similar to that of inline blower

Noise Control Technology[™]

Minimizes the noise caused by air turbulence




Sound absorbent lining around interior of hood



Noise Control Deluxe[™]

Minimizes the noise caused by both air turbulence *and* vibration

Sound absorbent lining around interior of hood




PLUS lining around integrated blower motor

Downdraft System



- 30" and 36" units
- Step-up 36" unit with LED task lighting
- Recirculation kit available
For electric & induction only

- Flexible blower installation options
All options outlined & described in spec sheets with potential accessories & transitions



Professional

Performance Driven & Tested

- Handcrafted in LaFollette, TN factory where Pro Ranges & Pro Rangetops are developed and produced
 - Entire 'cooking system' designed to work together
- Compatibility tested with professional cooking in real world scenarios to ensure optimal performance



LEFT: 48" Pro Harmony Range partnered with Pro Custom Insert Hood
RIGHT: Cooking surface of 48" Range that hood is capturing smoke/heat from

Blower Options

BLOWER OPTIONS

Remote Blowers
(Mounted to Roof or External Wall)

VTR630W - 600 CFM

VTR1030W - 1000 CFM

VTR1330W - 1300 CFM

Inline Blowers
(Mounted Between Kitchen and External Wall)

VTI610W - 600 CFM

VTI1010W - 1000 CFM

Integrated Blower (Mounted in Hood)

VTN630W - 600 CFM

VTN1090R - 1000 CFM

- All Pro Hoods require the selection of a Thermador blower

- **No Adapters Needed**— Common wire color code between hoods & blowers







Ventilation

SALES RESOURCES


Pairing Guides

Kitchen Design & Planning Guide

Masterpiece®

		✓ - PERFECT FIT	✓ - VIABLE OPTION	 30-INCH INDUCTION COOKTOP	 36-INCH INDUCTION COOKTOP	 30-INCH GAS COOKTOP	 36-INCH GAS COOKTOP
 LOW-PROFILE WALL HOODS WITH BLOWER	30-INCH HMWB30WS ¹	✓		✓		✓	
	36-INCH HMWB36WS ¹	✓	✓		✓	✓	✓
 UNDER CABINET DRAWER WALL HOODS WITH BLOWER	30-INCH HMDW30WS	✓		✓		✓	
	36-INCH HMDW36WS	✓	✓		✓	✓	✓

Professional

		✓ - PERFECT FIT	✓ - VIABLE OPTION	 30-INCH RANGETOP ¹	 36-INCH RANGETOP	 48-INCH RANGETOP
		24-INCH DEPTH				
 27-INCH DEPTH, 18-INCH TALL WALL HOODS	36-INCH PH36GWS	✓		✓		
	42-INCH PH42GWS		✓			
 LOW-PROFILE WALL HOODS WITH BLOWER	48-INCH PH48GWS					✓
	54-INCH PH54GWS					✓
	36-INCH HMWB361WS	✓		✓		
	48-INCH HMWB481WS					✓

Blower & Duct Selection

Kitchen Design & Planning Guide

Blower Information						Hood Information			
Type	Model #	CFM	Max. Total Amps (120V, 60Hz)	Roofplate Required	Duct Size at Blower	Transition w/Backdraft Damper	Duct Size at Discharge	Discharge Direction	
<i>Island Hoods – Professional</i>									
54" – HPIN54WS 42" – HPIN42WS	Remote	VTR630W	600	6.5	RFPLT600P	6-Inch	Included	6-Inch	Vertical
		VTR1030W	1000	8.4	RFPLT1000P	10-Inch			
		VTR1330W	1300	11.9	RFPLT1000P	10-Inch			
	Inline	VTI610W	600	6.5	—	6-Inch			
		VTI1010W	1000	8.4	—	10-Inch			
		VTN630W	600	4.6	—	6-Inch			
Integrated	VTN1090R	1000	8.0	—	10-Inch				

Compatible Accessories

Spec Sheets

HMIB42WS
42-INCH LOW PROFILE ISLAND HOOD WITH BLOWER
MASTERPIECE® SERIES



UL HomeConnect

FEATURES & BENEFITS

- ★ Noise Control Deluxe™ draw is in use
- ★ Equipped with the Thermador Home Connect™
- Cooktop Hood Sync enables Induction Cooktop
- Efficient perimeter grease-catcher
- Beautiful illumination with multi-level, variable lighting

ACCESSORIES (OPTIONAL)

- CHXTHMIB - For up to 12-foot ceiling applications. Extension replaces upper section of standard chimney extension.
- RECHMIB - For HMIBxxWS Masterpiece® Island Hoods only
- Replacement Charcoal Filter
- CHFHMB - For use with recirculation kit RECHMIB

ACCESSORIES (OPTIONAL)

- Stainless Steel Island Hood Extension**
CHXTHMIB - For up to 12-foot ceiling applications. Extension replaces upper section of standard chimney extension.
- Recirculation Kit**
RECHMIB - For HMIBxxWS Masterpiece® Island Hoods only
- Replacement Charcoal Filter**
CHFHMB - For use with recirculation kit RECHMIB

HPIN42WS
42-INCH BOX ISLAND HOOD
PROFESSIONAL® SERIES



UL HomeConnect

FEATURES & BENEFITS

- Meticulously sculpted, floating stainless steel Series Island hoods make a dramatic statement in the kitchen
- Crafted to complete the ultimate cooking Thermador ranges
- ★ Equipped with the Thermador Connect Home Connect™
- Powerfully Quiet® system accepts integrated remote blowers
- Beautiful illumination with multi-level, variable lighting

ACCESSORIES (OPTIONAL)

- 25 ft. Blower Connector Cable - EXTNCB25W
- For use with the following inline and remote blowers: VTR1030W, VTR1330W, VTI610W, VTI1010W
- Roofplates
- RFPLT600P - For use with 600 CFM remote blower VTR630W
- RFPLT1000P - For use with 1000 CFM remote blower VTR1030W and 1300 CFM blower VTR1330W

ACCESSORIES (OPTIONAL)

- 25 ft. Blower Connector Cable - EXTNCB25W**
For use with the following inline and remote blowers: VTR630W, VTR1030W, VTR1330W, VTI610W, VTI1010W
- Roofplates**
RFPLT600P - For use with 600 CFM remote blower VTR630W
- RFPLT1000P - For use with 1000 CFM remote blower VTR1030W and 1300 CFM blower VTR1330W