

PODMC301W

30-INCH DOUBLE COMBINATION BUILT-IN OVEN WITH SPEED OVEN

PROFESSIONAL SERIES



FEATURES & BENEFITS

- Specially crafted gray glass on stainless steel for a luxurious look and finish
- Designed for flexibility – standard or flush installation into kitchen cabinets
- Speed oven with microwave capability can broil and convection bake
- Large commercial style rotisserie with 12 pound capacity
- Multi-point Meat Probe to better capture temperature in roast and poultry

ACCESSORIES (INCLUDED)

Upper Cavity: Metal Turntable, Rack, Ceramic Tray; Lower Cavity: 3 Telescopic Racks, Multi-point Meat Probe, Max Broil Pan, Rotisserie

WARRANTY

| | |
|----------------------------------|--------|
| Limited Warranty Parts and Labor | 2 Year |
|----------------------------------|--------|

GENERAL PROPERTIES

Heating Modes – Upper Cavity
 36 CookSmart™ Auto Programs (including True Convection, Speed Convection, Broil, Convection Broil, Heating Programs, Keep Warm) and Microwave Programs

Heating Modes – Lower Cavity
 (16) Bake, Broil, Max Broil, Roast, Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, True Convection, Dehydrate, Speed Convection, Slow Roast, Rotisserie

| | |
|------------------------------|--|
| Sabbath | Yes |
| Cleaning Type – Lower Cavity | Easy Clean and Self Clean |
| Telescopic Rack(s) | 3 |
| Illumination Type | Upper Cavity LED Lower Cavity Halogen |
| Interior Lights | Upper Cavity 1 Lower Cavity 2 |
| Home Connect (Wi-Fi Enabled) | Yes, Lower Oven Only |

OVEN PERFORMANCE

| | |
|----------------------|--|
| Microwave Power | 1,000 W |
| Bake / Broil Element | Upper Cavity 600 W / 1,750 W Lower Cavity 2,400 / 1,000/3,800 W |
| Convection Element | Upper Cavity 1,700 W Lower Cavity 2,000 W |

TECHNICAL DETAILS

| | |
|------------------|---------------------------|
| Watts | 10,200 W |
| Circuit Breaker | 50 A |
| Volts; Frequency | 240 / 208 V; 60 Hz |
| Plug Type | Fixed Connection, No Plug |
| Conduit | 60" 4-Wire |
| Energy Source | Electric |

DIMENSIONS & WEIGHT

| | |
|--|-----------------------------|
| Overall Appliance Dimensions (HxWxD) | 49" x 29 3/4" x 24 1/2" |
| Trim Overlaps (Top – Sides – Bottom) | 1/2" – 9/16" – 0" |
| Required Cutout Size (HxWxD) – Standard | 48 1/2" x 28 1/2" x 23 1/2" |
| Required Cutout Size (HxWxD) – Flush | 49 1/8" x 30" x 24 1/2" |
| Speed Oven Capacity | 1.6 cu. ft. |
| Oven Capacity | 4.5 cu. ft. |
| Overall Lower Oven Interior Dimensions (HxWxD) | 17 3/4" x 24" x 17 7/8" |
| Usable Lower Oven Interior Dimensions (HxWxD) | 13 1/2" x 21 5/8" x 16 1/4" |
| Net Weight | 267 lbs |

PODMC301W

30-INCH DOUBLE COMBINATION BUILT-IN OVEN WITH SPEED OVEN

PROFESSIONAL SERIES



30-INCH DOUBLE COMBINATION OVEN WITH SPEED OVEN

Combination Oven with Microwave or Speed Oven

measurements in inches (mm)

Door Handle Depth*
Professional Series Handle

*Protrusion of handle from door skin

Combination Oven with Microwave or Speed Oven

measurements in inches (mm)

* Junction box may be installed above, beneath, right or left of the unit within range of the power cord.

Combination Oven with Microwave or Speed Oven, flush mount installation
Top View Bottom Hinge Door

measurements in inches (mm)

Side View-Combination Oven with Microwave or Speed Oven

measurements in inches (mm)



PODMC301W

30-INCH DOUBLE COMBINATION BUILT-IN OVEN WITH SPEED OVEN

PROFESSIONAL SERIES



INSTALLATION DETAILS



These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.