Thermador* Q12020 PRICELIST

Consumer UMRP





Table of **CONTENTS**

Consumer UMRP Price List Effective Q1 2020

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

REFRIGERATION

Freedom [®] Collection	1-1
Fresh Food Columns	1-2
Freezer Columns	1-4
Freezer Columns with External Ice and Water Dispense	er 1-6
Bottom Freezers	1-7
Wine Preservation Columns	1-9
Handles	1-11
Quick Reference Guide	1-13
Preassembled Collection	1-14
Bottom Freezer Refrigerators	1-14
Under-Counter Collection	1-15
Glass Door Refrigeration Units	1-15
Drawer Refrigeration/Freezer Units	1-15
Glass Door Wine Preservation Units	1-15
Accessories	1-16
Freedom [®] Accessories	1-16
Freedom [®] Wine Preservation Accessories	1-17
Under-Counter Accessories	
BUILT-IN COFFEE MACHINE	

Built-In Coffee Machine	2-	1
Accessories	2-	1

BUILT-IN OVENS

Ovens Lineup	3-1
Masterpiece [®] Series	
30" Masterpiece [®] Ovens	
Accessories	
Professional Series	
30" Professional Series Ovens	
Microwave Ovens	3-11
Microwave Ovens	3-11
Speed Ovens	3-11
MicroDrawer [®] Microwave Oven	
Over-the-Range Microwave Hood	3-12
Warming Drawers	
Accessories	3-14
COOKTOPS	

Gas Cooktops	4-1
Glass Ceramic Electric Cooktops	4-4
Glass Ceramic Induction Cooktops	4-5
Electric and Induction Accessories	4-8

Overview	
Pro Grand [®] Series	
Dual-Fuel Ranges	5-2
Steam Ranges	
All-Gas Ranges	
Accessories	
Pro Harmony [®] Series	
Dual-Fuel Ranges	
All-Gas Ranges	
Rangetops	
Accessories	
/ENTILATION	
Ventilation Lineup	
Wall Hoods	
Professional Series	
Professional and Masterpiece [®] Accessories	
Masterpiece [®] Series	
Chimney Wall Hoods	
Professional Series	
Masterpiece® Series	
Accessories	
Island Hoods	6-12
Professional Series	
Masterpiece® Series	
Accessories	
Custom Inserts	6-15
Professional Series	
Accessories	
Downdraft	
Masterpiece® Series	
Components	
Accessories	
DISHWASHERS	
Built-In Dishwashers	7-1
Glass Care Center	

INDEX

CONDITIONS OF SALE

Returned GoodsNo merchandise may be returned without prior approval. Please contact your sales representative
for return authorization.
All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight
and billing terms, refer to current program in effect.F.O.B. Origin


This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

UMRP MSRP

Refrigeration FREEDOM[®] COLLECTION

Thermador's ingenious Freedom Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".

To order, please follow this 3-step process:



To enhance the Freedom Collection, please see our accessories section on page 1-16.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

Model Number	Description	rein do not include applicable state or local taxes.	UMRP	MSRP	
All 23.5"/24"/30"/36" Fully Flush Freedom [®] hinge All-LED sidewall filte Cold Air System ThermaFresh system Carbon air filter	ered theater lighting	 s include the following features: SuperCool function Gallon & Half gallon door bins Full-extension SoftClose[®] drawers SoftClose[®] delicate produce bins TFT Control Full-length cantilever racks 	• D • E • E • R	oor open a	TAR [®] certified uiet door swing
Step 1: Fresh Food (Columns				L Dan
<u>T23IR900SP</u>	23.5" Fresh Food	Column	5,799	6,399	T23IR900SP
T24IR900SP	24" Fresh Food Co	olumn w/Produce Bins	5,999	6,599	
NEW T24IR902SP	24" Fresh Food Co	olumn w/Half Gallon Bins	5,999 T24IR90	6,599	T24IR902SP
<u>T30IR900SP</u>	30" Fresh Food Co	blumn	6,599	7,299	T30IR900SP

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

	vious price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	UMRP	MSRP	
				Fresh Food Columns
<u>T30IR901SP</u>	30" Fresh Food Column w/Produce Bin with Home Connect™	6,599	7,299	
NEW T30IR902SP	30" Fresh Food Column w/Half Gallon Bins with Home Connect™	6,599	7,299	
		T30IR901SP		T30IR902SP
		Q		Q
<u>T36IR900SP</u>	36" Fresh Food Column	7,299	8,049	
				T36IR900SP

Step 2: Panels

All Thermador[®] Fresh Food Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Stee	el Door Panels for Flush Installations		
TFL23IR900	23.5" Stainless Steel Panel	580	649
TFL24IR800	24" Stainless Steel Panel	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199
Flat Stainless Stee	el Door Panels with No Holes		
TFL23IR905	23" Single Door No Hole Flat Panel	525	599
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel*	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

Step 3: Handles

For stainless steel handle options, please see page 1-11.

* Units compatible with 30" columns, but should be installed to units with SoftClose[®] Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

COOKTOPS

PROFESSIONAL SERIES

REFRIGERATION

Model		erein do not include applicable state or local taxes.		MODD		
Number	Description		UMRP	MSRP		
					Freezer Column	
 All 18"/24"/30"/36" Freezer Columns In Fully Flush Freedom[®] hinge All-LED sidewall filtered theater lighting Soft closing full-extension drawers SuperFreeze[®] function Height-adjustable glass shelves 		 clude the Following Features: TFT Control Full-length cantilever racks Filtered internal diamond ice maker Ice drawer with ice bin Sabbath/Economy/Vacation modes Door open alarm 		 Open door assist ENERGY STAR[®] certified Extremely quiet Reversible door swing Side-by-side kit included 		
Step 1: Freezer Co		nn (Internal Ice Maker)	5,499	6,049	T18IF900SP	
<u>T18IF901SP</u>	18" Freezer Colur with Home Conne	nn (Internal Ice Maker) ect™	5,499	6,049	T18IF901SP	
<u>T24IF900SP</u>	24" Freezer Colur	nn (Internal Ice Maker)	5,999	6,599		

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

T24IF900SP

mits



Step 2: Panels

All Thermador[®] Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

18" Stainless Steel Panel	475	529
24" Stainless Steel Panel	525	599
30" Stainless Steel Panel	580	649
36" Stainless Steel Panel	1,050	1,199
oor Panels with No Holes		
18" Single Door No Hole Flat Panel*	475	529
24" Single Door No Hole Flat Panel	525	599
30" Single Door No Hole Flat Panel	580	649
36" Single Door No Hole Flat Panel	1,050	1,199
	24" Stainless Steel Panel 30" Stainless Steel Panel 36" Stainless Steel Panel oor Panels with No Holes 18" Single Door No Hole Flat Panel 24" Single Door No Hole Flat Panel 30" Single Door No Hole Flat Panel	24" Stainless Steel Panel52530" Stainless Steel Panel58036" Stainless Steel Panel1,050oor Panels with No Holes18" Single Door No Hole Flat Panel*47524" Single Door No Hole Flat Panel52530" Single Door No Hole Flat Panel580

Step 3: Handles

For stainless steel handle options, please see page 1-11.

* Units compatible with 18" columns, but should be installed to units with SoftClose[®] Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

VENTILATION

DISHWASHERS

INDEX

This price list supersedes a Model	all previous price lists. Prices listed h	erein do not include applicable state or local taxes.			
Number	Description		UMRP	MSRP	
		Freezer Columns	with Ext	ernal Ico	e and Water Dispense
All 18"/24" Freez	er Columns with Dispe	enser Include the Following Features:			
 Fully Flush External Filtered Dispenser Freedom[®] hinge 	Ice and Water sidewall theater lighting and ice system	 SuperFreeze function Height-adjustable shelves Full-length cantilever racks Proximity censor on dispenser Capacitive touch control dispenser Sabbath/Economy/Vacation modes Door open alarm 	• T • O • E • A st	FT Control open door A xtremely q vailable in wing (not r	Assist juiet right-hand or left-hand door
Step 1: Freezer C	olumns with External lo	ce and Water Dispenser			Da
T18ID900LP	18" Freezer Colur (External Dispens	mn	5,999	6,599	
<u>T18ID900RP</u>	18" Freezer Colur (External Dispens		5,999	6,599	T1BID900LP
T24ID900LP	24" Freezer Colur (External Dispens		6,599	7,299	
<u>T24ID900RP</u>	24" Freezer Colur (External Dispens		6,599	7,299	

Step 2: Panels

All Thermador[®] Freezer Columns with External Ice and Water Dispenser are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Do	oor Panels for Flush Installations		
TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599
Flat Stainless Steel Do	oor Panels with No Holes		
TFL18ID905	18" Single Door No Hole Flat Panel	475	529
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599
TFL24IR905	24" Single Door No Hole Flat Panel	525	599

Step 3: Handles

For stainless steel handle options, please see page 1-11.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

T24ID900LP

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS


COOKTOPS

PROFESSIONAL SERIES

VENTILATION

DISHWASHERS

INDEX



This price list supersedes all pre Model	evious price lists. Prices listed herein do not include applicable state or local taxes.			
Number	Description	UMRP	MSRP	
				Bottom Freezers
<u>T36IT900NP</u>	36" French Door Bottom Freezer	7,999	8,799	
<u>T36IT901NP</u>	36" French Door Bottom Freezer w/Produce Bins with Home Connect™	7,999	8,799	
NEW T36IT902NP	36" French Door Bottom Freezer w/Half Gallon Bins with Home Connect™	7,999	8,799	
		T36IT900NP / T36IT901NP	LEARNING E ST BOOLYTIS. (201	T36IT902NP
		Q		Q

Step 2: Panels

All Thermador[®] Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Do	oor Panels for Flush Installations		
TFL30IB800	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB800	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
<u>TFL36IT800</u>	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949
Flat Stainless Steel Do	oor Panels with No Holes		
TFL30IB905	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB905	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
TFL36IT905	36" Stainless Steel Panel Set	840	949

Step 3: Handles

For stainless steel handle options, please see page 1-11.

REFRIGERATION


BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

DISHWASHERS

This price list supersedes all prev Model	ious price lists. Prices listed herein do not include applicable state or local taxes.		
Number	Description	UMRP	MSRP
			Wine Preservation Columns
Step 2: Panels All Thermador [®] Wine Pr following stainless stee	reservation Columns are panel ready. Apply custom panels or cho I panel options:	oose one	of the
Flat Stainless Steel D	oor Panels for Flush Installations		
TFL18IW800	18" Stainless Steel Panel	475	529
TFL24IW800	24" Stainless Steel Panel	525	599
Flat Stainless Steel D	oor Panels with No Holes		
TFL18IW905	18" Wine No Hole Flat Panel	475	529
TFL24IW905	24" Wine No Hole Flat Panel*	525	599

Step 3: Handles

For stainless steel handle options, please see page 1-11.

* Units compatible with 30" columns, but should be installed to units with SoftClose[®] Doors.

	edes all previous price lists. I	Prices listed herein do not include applicable state or local taxes.											
Model Number	Description	1	UMRP	MSRP									
										На	an	dle	es
When selecting • One 36" han • One 30" han • Two 36" han • Three 36" ha	dle for each column dle and one 36" har dles for each 36" Bo Indles for each 36" I	ss steel handles for the Freedom [®] Collection, Indle for 30" Bottom Freezers Ittom Freezer French Door Bottom Freezer elect the same style.	please order the fo	ollowing:	ALL Fresh Food Columns	ALL Freezer Columns	ezer	Bottom Freezers/French Door Bottom Freezers		T36IB902SP ³	T36IT900NP ⁴ / T36IT901NP ⁴ / T36IT902NP ⁴		ALL Wine Preservation Columns
	MS30HNDL20	30" Masterpiece [®] Handle	160	179					1				
	MS36HNDL20	36" Masterpiece® Handle	160	179	1	1	1		1	2	3	3	1

ľ	PR30HNDL20	30" Professional Handle	160	179				4	8				
	PR36HNDL20	36" Professional Handle	160	179	1	1	1	1		2	3	3	1

1 IWD = Ice and Water Dispenser

Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20 Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20 Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20 2

3 4


BUILT-IN OVENS

REFRIGERATION

BUILT-IN COFFEE MACHINE

FREEDOM® COLLECTION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



Suggested Combinations

30"

Bottom

Freezer

24" Wine

Preservation

Column

* IWD = Ice and Water Dispenser

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Quick Reference Guide
1 1

Step 1: Colum	nns and B	ottom Freezers	Step 2: Panels			Step 3: Handles	
Freedom [®] Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece®	Professional
FRESH FOOD C	Addom mm Type Width Door Swing Type Custom Panel Stainless Steel Stainless Steel Handleless Stainless Steel Masterpiece* Profession 89005P 23.5" Reversible Panel Ready TFL23IR900 TFL23IR905 Order one 36" handle per column Order on						
T23IR900SP	23.5"	Reversible	Panel Ready	TFL23IR900	TFL23IR905	SS Masterpiece Pro 105 Order one 36" handle per column Masterpiece Order o per Pro 105 Order one 36" handle per column Order o pe 105 Order one 36" handle per column Order o pe 105 Order one 30" handle per column ² Order o per 105 Order one 30" handle per column ² Order o per 105 Order two 36" handles per column ³ Order handles 105 Order three 36" Order three 36" Order o per 105 Order one 36" handle per column ⁴ Per 105 Order one 36" handle per column Order o pe 105 Order one 36" handle per column Pro 105 Order one 36" handle per column Pro	
T24IR900SP T24IR902SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905		Order one 36" handle
T30IR900SP T30IR901SP T30IR902SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905		per column Professional PR36HNDL20
T36IR900SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER COLU	JMNS		•				
T18IF900SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905		
T18IF901SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905		Order one 36" handle
T24IF900SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905		
T30IF900SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	el Masterpiece Professional Order one 36" handle per column Masterpiece MS36HNDL20 Order one 36" handle per column Professiona PR36HNDL2 Order one 36" handle per column Masterpiece MS36HNDL20 Order one 36" handle per column Professiona PR36HNDL2 Order one 36" handle per column Masterpiece MS36HNDL20 Order one 36" handle per column Professiona PR36HNDL2 Order one 36" handle per column Masterpiece MS36HNDL20 Order one 36" handle per column Professiona PR36HNDL2 Order one 36" handle per column ² Order one 30" handle and one 36" handle per column ³ Order one 30" handle and one 36" handle per column ⁴ Order one 36" handle per column ⁴ Order one 30" handle and one 36" handle per column ⁴ Order two 36 handles per column ⁴	PR36HNDL20
T36IF900SP			Panel Ready	TFL36IR900	TFL36IR905		
FREEZER WITH	IWD ¹ COL	.UMNS					
T18ID900LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905		
T18ID900RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905		Order one 36" handle per column
T24ID900LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	per column per colu Masterpiece Professi MS36HNDL20 PR36HN Order one 36" handle Order one 36 per column Masterpiece MS36HNDL20 Professi PR36HN Order one 36 Order one 30" handle Order one 30 Order one 30" handle Order one 30 and one 36" handle Order one 36	Professional
T24ID900RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905	- MS36HNDL20	PR36HNDL20
BOTTOM FREE	ZERS/FREI	NCH DOOR BOTTO	M FREEZERS	•	1	per column per colum Masterpiece Professio MS36HNDL20 PR36HND Order one 36" handle Order one 36" per column per colum Masterpiece Professio MS36HNDL20 Professio Order one 36" handle Order one 36" Order one 30" handle Order one 30" Order one 30" handle Order one 30"	
T30IB900SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	and one 36" handle	Order one 30" handle and one 36" handle per column ²
T36IB900SP ³ T36IB902SP ³	36"	Reversible	Panel Ready	TFL36IB800	TFL36IB905	Order two 36" handles per column ³	Order two 36" handles per column ³
T36IT900NP ⁴ T36IT901NP ⁴ T36IT902NP ⁴	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	handles	Order three 36" handles per column ⁴
WINE PRESERV	ATION CO	LUMNS	·				·
T18IW900SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle	Order one 36" handle
T24IW900SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	per column Masterpiece	per column Professional
T24IW901SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	MS36HNDL20	PR36HNDL20

NOTE: Handleless panels should not be installed on units without the SoftClose[®] capability. If you are uncertain if you have a refrigeration unit with SoftClose[®] capability, please contact our customer team by calling 1-800-735-4328.

1 IWD = Ice and Water Dispenser

2 Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

3 Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

4 Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

PREASSEMBLED COLLECTION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Number

Description

UMRP MSRP

Refrigeration PREASSEMBELED COLLECTION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece® Handles.

 All 30"/36" Bottom Fre Fully Flush TFT Control Installs framed or flust Freedom[®] hinge All-LED filtered sidew Soft closing full-exter Delicate produce bin Full-length cantilever 	sh vall theater lighting nsion drawers s	 Pr Bottom Freezers Include the Followin Open door assist ThermaFresh system Internal filtered diamond ice maker SuperCool function SuperFreeze[®] function Gallon door bins Carbon air filter Sabbath/Economy/Vacation modes 	• [• [• [• [• [•]	Door open a ENERGY S Extremely o	TAR [®] certified quiet r door swing reversible d T36BB) rators
Bottom Freezers					
T30BB920SS	30" Bottom Freez	zer, two-door, Professional Handles	8,499	9,349	
<u>T36BB920SS</u>	36" Bottom Freez	zer, two-door, Professional Handles	8,799	9,699	
T30BB910SS	30" Bottom Freez	zer, two-door, Masterpiece® Handles	8,499	9,349	
<u>T36BB910SS</u>	36" Bottom Freez	zer, two-door, Masterpiece [®] Handles	8,799	9,699	T30BB920SS
French Door Bottom	Freezers				
<u>T36BT920NS</u>	36" French Door Professional Han	Bottom Freezer, three-door, dles	9,299	10,249	
<u>T36BT910NS</u>	36" French Door Masterpiece [®] Har	Bottom Freezer, three-door, ndles	9,299	10,249	T36BT920NS

UNDER-COUNTER COLLECTION

			••••		
<i>This price list supersedes all prev</i> Model Number	<i>vious price lists. Prices liste</i> Description	d herein do not include applicable state or local taxes.	UMRP	MSRP	
	Description		UNINF	MORF	
 All Under-Counter U Built-in flush design LED lighting Electronic touch cont temperature manage 	trols for precise	 Following Features: Venting grille for full integration Fully flush at 24" depth Professional Handle, Masterpiece Hor custom panel options 	• E	itar K Certii	fied TAR [®] certified
				Glass Do	oor Refrigeration Unit
• 5 cu. ft.	• Cı		zable cooling Pantry and Ba		
T24UR920LS	24" Refrigerator	, Professional Handle, Left Swing	2,649	2,949	
<u>124UR920RS</u>	24" Refrigerator	, Professional Handle, Right Swing	2,649	2,949	l li
<u>F24UR910LS</u>	24" Refrigerator	, Masterpiece Handle, Left Swing	2,649	2,949	T24UR920LS
<u>F24UR910RS</u>	24" Refrigerator	, Masterpiece Handle, Right Swing	2,649	2,949	in the second
T24UR900LP	24" Refrigerator	, Custom Panel, Left Swing	2,299	2,549	
<u> 724UR900RP</u>	24" Refrigerator	, Custom Panel, Right Swing	2,299	2,549	
			Drav	ver Refri	geration/Freezer Unit
 SoftClose[®] drawers Drawer open alarm 	• Cı	awer dividers • Remova Istomizable cooling modes: easy cle dge, Pantry and Bar	ble drawer m aning	nat for	
T24UR920DS	24" Refrigerator	, Professional Handle	3,299	3,649	T24UR920DS/
<u>T24UR910DS</u>	24" Refrigerator	, Masterpiece Handle	3,299	3,649	T24UR920DS/
T24UR900DP	24" Refrigerator	, Custom Panel	2,949	3,249	
T24UC920DS	24" Refrigerator	/Freezer, Professional Handle, ice make	r 3,599	3,999	
T24UC910DS	24" Refrigerator	/Freezer, Masterpiece Handle, ice maker	3,599	3,999	
T24UC900DP	24" Refrigerator	/Freezer, Custom Panel, ice maker	3,449	3,799	
			Glass	Door W	ine Preservation Unit
Under-Counter Wine					11
 42-bottle capacity Full-extension wenge diamond wine racks 	مارم	nted UV-resistant tempered lass door			
T24UW920LS	24" Wine Pres.,	Professional Handle, Left Swing	3,399	3,749	T24UW920LS
<u> 724UW920RS</u>	24" Wine Pres.,	Professional Handle, Right Swing	3,399	3,749	
	24" Wine Pres	Masterpiece Handle, Left Swing	3,399	3,749	
<u> T24UW910LS</u>	21 •••••••••••••••••				
<u>T24UW910LS</u> T24UW910RS		Masterpiece Handle, Right Swing	3,399	3,749	
	24" Wine Pres.,		3,399 3,049	3,749 3,399	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Freedom [®] #	Accessories						F	ree	don	n®			F	Prea	ass	eml	blec	ł
	Model Number	Description	UMRP	MSRP	T23IR900SP	T24IR90xSP	T30IR90xSP	T36IR900SP	T30IB900SP	T36IB90xSP	T36IT900NP/902	T36IT901NP	T30BB920SS	T36BB920SS	T30BB910SS	T36BB910SS	T36BT920NS	T36BT910NS
	Installation Acces	ssories			-	' 		' 	<u> </u>	-	-	<u>'</u>	-		<u>'</u>		-	<u> </u>
11	HEATRKIT20	Freedom Heater Kit (Use when columns are less tha not side by side, or for nontraditi combinations, without freezer co recommended for use with any i that are subject to humidity, or lo outside wall.)	onal side-b lumn. This nstallation i	y-side kit is n areas	•	•	•	•	•	•								
	FRAMEKIT10	Freedom Frame Kit (use for a framed installation)	105	119	•	•	•	•	•	•	•	•						
	Interior Accessor	ies for Refrigerators Small Produce Bin	265	299	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	LPRODBIN10	Large Produce Bin	295	329	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	24PRODRAIL	24" Produce Railing	105	119	•	•												
Ĺ	30PRODRAIL	30" Produce Railing	115	129			•		•				•		•			
	<u>36PRODRAIL</u>	36" Produce Railing	135	149				•		•	•			•		•		
	3DPRODRAIL	3-Door Produce Railing	85	99								•					•	•
	24HFGALBIN	24" Half-Gallon Bin	170	189	•	•												
	30HFGALBIN	30" Half-Gallon Bin	180	199			•		•				•		•			
	<u>36HFGALBIN</u>	36" Half-Gallon Bin	190	209				•		•	•			•		•		
	3DHFGALBIN	Three Door Half-Gallon Bin	160	179								•					•	•

ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Freedom [®] A	Accessories							Fre	eed	om	0	-		F	Prea	ass	em	ble	ed
	Model Number	Description	UMRP	MSRP	T18IF900SP	T18IF901SP	T24IF900SP	1301F900SP T361F900SP		T24ID900LP/RP	T30IB900SP	T36IB900SP	13611900NP T261T001ND	TRARGODSS	T36BB920SS	T30BB910SS	T36BB910SS	T36BT920NS	T36BT910NS
	Interior Accessori	es for Freezers Ice Bucket	85	99	•	•		•	•	•			•		•	•	•	•	•
	Filter Accessories	Freedom [®] Replacement Water Filte	er 75	89	•	•	•	• •	•	•	•	•	•	•	•	•	•	•	•
11	SCRNFLTR10	Freedom [®] Screen Filter (Filter bypass when no filter neces	55 sary)	69	•	•	•	• •	•	•	•	•	•	•	•	•	•	•	•

Freedom[®] Wine Preservation Accessories

	Model Number	Description	UMRP	MSRP	T18IW900SP	T24IW900SP	T24IW901SP
III	Interior Accessor T18WINERK1	ries for Wine Columns 18" Wine Shelf ¹ providing a 62 bottle capacity	229	259	•		
111	T24WINERK1	24" Wine Shelf ² providing a 99 bottle capacity	299	329		•	•

1 Presenter shelf cannot be used with the accessory.

2 Presenter shelf cannot be used with the accessory.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

VENTILATION

ACCESSORIES

Model		Prices listed herein do not include applicable state or local taxes.								
Number	Descriptio	n	UMRP	MSRP						
Under-Co	unter Accessori	es			T24UC920DS	T24UC910DS	T24UC900DP	T24UW920LS/RS	T24UW910LS/RS	T24UW900LP/RS
-	MS20HNDL20	20" Under-Counter Masterpiece Handle	150	169	•	•	•			
	MS22HNDL20	22" Under-Counter Masterpiece Handle	150	169				•	•	•
	PR20HNDL20	20" Under-Counter Professional Handle	150	169	•	•	•			
	PR22HNDL20	22" Under-Counter Professional Handle	150	169				•	•	•
	UCTRFLTR10	Under-Counter Filter	75	89	•	•	•	•	•	•

BUILT-IN COFFEE MACHINE

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

This price list supersedes	all previous price lists. Prices listed her	ein do not include applicable state or local taxes.		-			
Model Number	Description		UMRP	MSRP			
 Equipped with t Experience by H Perfect for freque customization s 8 personalized so family member can program the from single show to extra-large cat Easy to read compared 	lor TFT display illustrates tion, including size and	 Following Features: Store up to 8 different beverages 1 lb. Bean container Height-adjustable dispenser with dr spouts for brewing 2 cups at a time Beverages can be adjusted in sma increments One Touch Function for coffee and milk/froth Fully automatic rinse program 2-disk grinding units made of high mance ceramic disks 	ta • F • • B II • S • W • 1 • F • 1	o coarse Powder dra Built-In wate Gensor aler vater level 0-cup wate	er filter ts when coffe is low er container stainless ste	e beans	and
 Includes direct and drain conne AquaStop[®] plus <u>TCM24PS</u> 	ection with	Coffee Machine	3,999	E 4,399	Built-In Co		achine
TCM24TS	Thermador Built-In	Coffee Machine	3,699	4,099	TCM24TS		Q
Accessories						TCM24PS	TCM24TS
	<u>rcmtk30RS</u> 30" Stair	nless Steel Trim Kit	399	439		•	•


For coffee accessories, please see the Cleaners & Accessories Price List in the Sales SharePoint.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

VENTILATION

Thermador WALL OVENS



* Not pictured.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

OVENS

BUILT-IN

INDEX

/ENTILATION

This price list supersed Model Number	des all previous price lists. Prices listed l Description	nerein do not include applicable state or local taxes.	UMRP MSRP
All Masterpied	ce [®] Series Built-In Ovens	Include the Following Features:	
Home Connect • TFT Touch co • Silver glass o	n stainless steel	 13 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast 	 Sabbath Mode Two halogen lights Star-K certified 208–240 V
 SoftClose[®] do 4.5 cu. ft. ove 	oors erall oven capacity	Two-hour self cleanFast preheat for seven different cooking modes	Microwave/Speed Ovens1.6 cu. ft. overall capacity10 power levels

• Meat probe

- Sensor cooking
- · Sensor reheat

30" Masterpiece® Ovens

30" Masterpiece Single Oven-Deluxe

 Additional Cooking m Rotisserie, Max Broil, Convection Broil 	odes: • Commercial-style rotisserie with	 Three Full Access[®] te racks Multi-point meat prob 	
MED301WS	30" Single Oven, 3 Telescopic Racks	4,469	4,949
MED301LWS	30" Single Oven, 3 Telescopic Racks, Left Side Opening Door,	4,799	5,299
MED301RWS	30" Single Oven, 3 Telescopic Racks, Right Side Opening Door	4,799	5,299



MED301LWS



30" Masterpiece Single Oven-Select

One Full Access[®] telescopic
 rack and two standard racks

<u>ME301WS</u>

30" Single Oven, 1 Telescopic Rack

3,899 4,299



ME301WS



This price list supersedes all Model	l previous price lists. Price	es listed herein do not include applicable state or l	ocal taxes.		
Number	Description		UMRP	MSRP	
				3	0" Masterpiece [®] Oven
30" Masterpiece D	ouble Oven—De	luxe			
 Additional Cookin Rotisserie, Max E Convection Broil Commercial-style 12-pound capacit 	Broil, Max (U) a rotisserie with	 Three Full Access[®] telescopic racks (U); One Full Access[®] telescopic rack and two standard racks (L) 	 Multi-point meat prol Meat probe (L) 	be (U);	4
MED302WS	30" Double	Oven, 4 Telescopic Racks	6,999	7,699	
MED302LWS		Oven, 4 Telescopic Racks, pening Door	7,499	8,249	
MED302RWS		Oven, 4 Telescopic Racks, Opening Door	7,499	8,249	MED302WS
					MED302LWS
30" Masterpiece D	ouble Oven—Se	lect			
<u>ME302WS</u>	30" Double Meat probe	Oven, 2 Telescopic Racks, (U/L)	5,899	6,499	
					ME302WS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

DISHWASHERS

INDEX

	previous price lists. Prices listed herein do not include applicable state	or local taxes.	
/lodel Number	Description	UMRP	MSRP
			30" Masterpiece [®] Ov
0" Masterpiece Co	ombination Oven with Microwave		
One Full Access® rack and two stan			
Meat probe (L)	1.6 cu. ft. overall capacity13" turntable950 W microwave power		
<u>//EM301WS</u>	30" Combination Oven with Microwave, 1 Telescopic Rack	5,299	5,849
			MEM301WS
-	ombination Oven with Speed Oven		
Additional Cooking Rotisserie, Max B Convection Broil		 Speed Oven features: 36 Cook Smart™ Prog 12 ½" turntable 	rams
Commercial-style 12-pound capacity	rotisserie with	1000 W microwave por	wer
<u>/IEDMC301WS</u>	30" Combination Oven with Speed Oven, 3 Telescopic Racks	6,599	7,299
			MEDMC301WS
	iple Combination Oven with Speed Oven and	•	J)
Additional Cooking Rotisserie, Max B Convection Broil	roil, Max • 36 Cook Smart™ Programs	 Warming Drawer features 2.5 cu. ft. overall capac 	
Commercial-style 12-pound capacity		 Touch control SoftClose[®] drawer 	
Three Full Access racks (L)		450 W heaterFour heating modes: L	ow,
Multi-point meat p	robe (L)	Medium, High, Proof Timer 	
<u>/IEDMCW31WS</u>	30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks	8,499	9,349
		$\square \checkmark$	MEDMCW31WS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

<i>This price list supersedes all</i> Model Number	l previous price lists. Prices listed he Description	erein do not include applicable state or local taxes.	UMRP	MSRP	
 All Masterpiece[®] Series Built-in Steam a Thermador Connected Experience with Home Connect[™] Large steam cavity 2.8 cu. ft. TFT Touch control display Silver glass on stainless steel SoftClose[®] doors 41 EasyCook[®] programs 		 and Convection Ovens Include the Fol Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost Easy Clean program Fast preheat for five different cooking modes 	• T • M • 1 • L • S	Access [®] telescopic rails meat probe ter tank Mode tified	
30" Masterpiece S	team and Convection (rpiece®	Steam	and Convection Ovens
MEDS301WS	30" Steam and Co with 3 Telescopic	nvection Oven	4,899	5,399	MEDS301WS

30" Masterpiece Steam and Convection Oven—Deluxe

٠	Lower oven: Thermador
	Connected Experience with
	Home Connect™

- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection

MEDS302WS

Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast • Two-hour self clean

Bake, Convection Broil, Max

• Fast preheat for seven different cooking modes


30" Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks

- Three Full Access[®] telescopic racks
- Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- Star-K certified
- 208–240 V

7,999 8,799



MEDS302WS



REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

Model Number	Description	rein do not include applicable state or local taxes. L	JMRP MSRP
All Profession	al Series Built-In Ovens	nclude the Following Features:	
Thermador Co	onnected Experience with	Speed Convection, Bake, Broil, Roast,	Sabbath Mode
Home Connec	ct™	Convection Bake, Convection Broil,	 Star-K certified
Restaurant-sty	yle stainless steel knobs	Convection Roast, Proof, Warm, Pizza,	• 208-240 V
• TFT Touch co	ntrol display	Dehydrate, Slow Roast	Microwave/Speed Ovens
 Silver glass or 	n stainless steel	Two-hour self clean	 1.6 cu. ft. overall capacity
 SoftClose[®] do 	ors	 Fast preheat for seven different cooking modes 	10 power levels

4.5 cu. ft. overall oven capacity

Additional Cooking modes:

Convection Broil

POD301W

POD301LW

POD301RW

Rotisserie, Max Broil, Max

• 13 Cooking modes: True Convection,

30" Professional Single Oven-Deluxe

30" Professional Single Oven-Select

One Full Access[®] telescopic

PO301W

rack and two standard racks

racks

Meat probe

30" Single Oven, 1 Telescopic Rack

3 Telescopic Racks


3 Telescopic Racks

modes · Two halogen lights

Sensor reheat

Sensor cooking

30" Professional Series Ovens



•

POD301LW



PO301W

4,749

4,299



Description	UMRP	MSRP	
	3	30" Prof	fessional Series Ovens
odes: Max • Three Full Access® telescopic racks (U) • One Full Access® telescopic rack and two standard racks (L)	 Multi-point meat probe Meat probe (L) 	(U)	
30" Double Oven, 4 Telescopic Racks	7,499	8,249	
30" Double Oven, 4 Telescopic Racks, Left Side Opening Door	8,099	8,949	
30" Double Oven, 4 Telescopic Racks, Right Side Opening Door	8,099	8,949	POD302W
			POD302LW
ble Oven—Select scopic • Meat probe d racks			00 00
30" Double Oven, 2 Telescopic Rack	6,499	7,149	PO302W
	Die Oven—Deluxe odes: • Three Full Access® telescopic racks (U) • One Full Access® telescopic rack and two standard racks (L) 30" Double Oven, 4 Telescopic Racks 30" Double Oven, 4 Telescopic Racks, Left Side Opening Door 30" Double Oven, 4 Telescopic Racks, Right Side Opening Door 30" Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Door 90 Double Oven, 4 Telescopic Racks, Right Side Opening Racks	odes: • Three Full Access [®] telescopic racks (U) • Multi-point meat probet 0 One Full Access [®] telescopic rack and two standard racks (L) • Multi-point meat probet 30° Double Oven, 4 Telescopic Racks 7,499 30° Double Oven, 4 Telescopic Racks, 8,099 Left Side Opening Door 30° Double Oven, 4 Telescopic Racks, 8,099 Side Opening Door 8,099 Bight Side Opening Door 8,099 Night Side Opening Door 8,099 Night Side Opening Door 8,099 North Side Opening Door 8,099 Sogreget Side Side Side Side Side Side Side Side	S0" Prof ble Oven-Deluxe odes: • Three Full Access® telescopic Max • One Full Access® telescopic • One Full Access® telescopic • Multi-point meat probe(U) • Meat probe (L) • Meat probe (L) 30" Double Oven, 4 Telescopic Racks 8,099 8,949 20" Double Oven, 4 Telescopic Racks, 8,099 8,949 20" Double Oven, 4 Telescopic Racks, 8,099 8,949 Right Side Opening Door 30" Double Oven, 4 Telescopic Racks, 8,099 8,949 Right Side Opening Door 8099 8,949 8,949 Bight Side Opening Door 8,099 8,949 Sole Oven-Select 809 8,949 scopic • Meat probe • Meat probe

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

DISHWASHERS

INDEX

Model	previous price lists. Prices listed herein do not include applicable state o		
Number	Description	UMRP MSRP	
		30" Profe	essional Series Ovens
	ombination Oven with Microwave		
 One Full Access[®] f rack and two stand 		950 W microwave power	
Meat probe (L)	13" turntable		
<u>POM301W</u>	30" Combination Oven with Microwave, 1 Telescopic Rack	5,799 6,399	С. С
 30" Professional C Additional Cooking Rotisserie, Max Bi Convection Broil 		 Speed Oven features: 36 Cook Smart™ Programs 12 ½" turntable 1,000 W microwave power 	
PODMC301W	30" Combination Oven with Speed Oven, 3 Telescopic Racks	7,099 7,849	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PODMC301W

Model	previous price lists. Prices listed herein do not include applicable sta	
Number	Description	UMRP MSRP
		30" Professional Series Oven
30" Professional Tr	iple Combination Oven with Speed Oven a	d Warming Drawer
 Additional Cooking Rotisserie, Max Br Convection Broil 		Warming Drawer features: • SoftClose [®] drawer • Touch control
 Three Full Access[®] racks 		 2.5 cu. ft. overall capacity 450 W heater
 Multi-point meat pr 	robe	Four heating modes: Low, Medium, High, Proof
		• Timer
PODMCW31W	30" Triple Combo Oven with Speed Ove 3 Telescopic Racks	n, 9,099 10,049
		PODMCW31W

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

DISHWASHERS

INDEX

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.									
Model									
Number	Description	UMRP	MSRP						

All Professional Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Restaurant-style stainless steel knobs
- Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook[®] programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Steam Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- Star-K certified

5,399

• 208-240 V

30" Professional Series Built-In Steam and Convection Oven

Professional Series Steam and Convection Oven

PODS301W

30" Steam and Convection Oven with 3 Telescopic Racks

4,899



PODS301W



Professional Combination Oven with Steam and Convection Oven—Deluxe

- Lower oven: Thermador Connected Experience with Home Connect[™]
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection
- Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast • Two-hour self clean

Bake, Convection Broil, Max

Convection Broil, Convection

• Fast preheat for seven different cooking modes

PODS302W

30" Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks

- Three Full Access[®] telescopic racks
- Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- Star-K certified
- 208–240 V


8,499 9,349



PODS302W



MICROWAVE OVENS



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

COOKTOPS

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

MICROWAVE OVENS

This price list supersedes a Model Number	<i>all previous price list</i> Descript	s. Prices listed herein do not include applicable state o ion	or local taxes. UMRP	MSRP		
			IV	licroDr	awer [®] Microwave Oven	
 Built-In MicroDrawer[®] Microwa Blue digital display with scrolling text 1.2 cu. ft. cavity Fits a 7" mug or 20 oz. cup 		 ve 950 W microwave power Auto-Cooking modes (includ- ing Melt, Soften, Keep Warm) Sensor cooking 	Hidden ventTouch open and closePerfect flush installation		MD24WS	
MD24WS	24" Mic	crowave Drawer	1,699	1,899		
MD30WS	30" Mio	crowave Drawer	1,799	1,999	MD30WS	

Over-the-Range Microwave Hood

Over-the Range Microwave Hood

- Design match for use in combination with 30" Pro Harmony[®] 5-burner gas range
- Exclusive stainless steel
 handle
- · LCD display

MU30WSU

2.1 cu. ft. cavity

- 14 3/16" glass turntable
- 1,100 W microwave power
- Triple microwave distribution system

Over-the-Range Microwave Hood, Stainless Steel

- 10 cooking modes
- Sensor cooking
- Plugs into standard 120 V, 3-prong outlet
- Four-speed vent with up to 385 CFM

899 999



MU30WSU

WARMING DRAWERS

<i>This price list supersedes a</i> Model Number	all previous price lists.	Prices listed herein do not include applicable state or	local taxes.	UMRP	MSRP	
	Descriptio			OMAF	MORF	Warmin a Drawar
						Warming Drawers
Standard Warmin	g Drawers					
Our warming dra		 SoftClose[®] door (WD30W only) 	450 W heatin	ig element	t	
perfect combinat		• 2.2 cu. ft. overall capacity	Timer			WD30WC
uncompromising unique convenier		 Touch Control Display 	Plugs into a s		20 volt,	11200110
and elegant desi		 Four heating modes: Low, Medium, High, Proof 	3-prong outle	t		
ND30W	30" War	ming Drawer, Custom Panel Ready		1,799	1,999	
WD30WC	30" War	ming Drawer, Push to Open		1,599	1,799	
Storage Drawers						_
 Our storage drav the perfect comb 		 2.4 or 0.8 cu. ft. overall capacity 				
uncompromising	•					SD30WC
unique convenier and elegant desi						
						SDS30WC
SD30WC	30" Stor	age Drawer (2.4 cu. ft.)		949	1,049	
SDS30WC	30" Stor	age Drawer, Short Height (0.8 cu. ft	.)	649	749	

(Install Under Steam Oven)

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PROFESSIONAL SERIES

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

ACCESSORIES

This price list superse Model Number	Model	<i>rice lists. Pl</i>	ices listed herein do not include applicable state or local taxes. Description	UMRP	MSRP		
Accessorie						30" Professional Series	30" Professional Series Built- In Steam and Convection
	SDCLNRC	X <u>X30</u>	Self-Clean Standard Rack, 30"	199	219	•	•
	For the tel SharePoir	-	rack, please see the Cleaners & Accessori	ies Price List in t	he Sales	•	
	WKNOBK	<u>T3W</u>	Blue Metal Knob Kit for Professional Oven (2 pc.)	49	59	•	•

GAS COOKTOPS


REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES




The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

VENTILATION

GAS COOKTOPS



GAS COOKTOPS

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

This price list superse	edes all previous price lists. I Model	Prices listed herein do not include applicable state or local taxes.				
	Number	Description	UMRP	MSRP		
Accessorie	25				Star [®] Burner	Pedestal Star [®]
	<u>SLPKITW</u>	LP Gas Conversion Kit for Star [®] Burner Series Cooktops	99	109	•	
	<u>SNPKITPEDW</u>	LP Gas Conversion Kit for Pedestal Star [®] Burner Series Cooktops	99	109		•
0		Wok Ring ration on Star [®] Burner and Pedestal Star [®] Burner cooktop sizes, allowing the user to cook with up asher safe			•	•
		Griddle ·burner Star [®] and Pedestal Star [®] Burner Series mo sign allows for even heat distribution and fast pre ng		-	•	•
	SKNOBLUW Fits 30" and 36" Pe install	Blue Knob Kit, Pedestal Star [®] Burner Cooktops edestal Star [®] Burners Series models • Set of five ki	109 nobs • Blue me	119 tallic finish • Easy to		•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

GLASS CERAMIC ELECTRIC COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

UMRP MSRP

All Masterpiece® Series Glass Ceramic Electric Cooktops Include the Following Features:

• Triple element

• Maximum wattage: 4,000 W

	Maximum Wattago. 4		
			Masterpiece [®] Series
 Touch Control/Bridge With the help of CookSmart[®], the temperature is reached and maintained automatically without boilover Bridge element with dual element 	 Touch controls with blue illumination are easy to use and offer a sleek, modern design PowerBoost[®] Child Lock 	 Shut-Off Timer for every element Kitchen timer Number of cooking zones: 10 Power/Amps: 208–240 V, 60 Hz//40/50 A 	CET366TB
LR: 5"/7" @ 700 W/1,700 W LF: 7" @ 1,700 W (4,000 W Bridge) CET366TB 36" Sta	C: 6"/8"/11" @ 1,050 W/2,200 W/3,080 W ainless Steel Frame	RR: 6" @ 1,200 W RF: 6"/8" @ 1,200 W/2,100 W 1,899 2,099	
 Touch Control With the help of CookSmart[®], the temperature is reached and maintained automatically without boilover Touch controls with blue illumination are easy to use and LR: 5"/7" @ 700 W (1,700 W) LF: 6" @ 1,700 W (Bridge) 	offer a sleek, modern design Keep Warm Child Lock Shut-Off Timer for every element RR: 6"/8"/11" @ 1,050 W/2,200 W/3,080 W RF: 6" @ 1,200 W 	 Kitchen timer Number of cooking zones: Eight Power/Amps: 208–240 V, 60 Hz//30 A 	CET305TB
1,700 W (4,000 W Bridge)	ameless Design	1,699 1,899	
Manual Controls/Stainless Ste • Dual zone bridge element accommodates oblong cookware LR: 5"/7" @ 700 W,1,700 W LF: 7" @ 1 700 W Drider)	 eel Knobs/Bridge High quality, robust, die-cast metal knobs Variable 9-stage power settings C: 6"/8"/11" @	 Number of cooking zones: 10 Power/Amps: 208–240 V, 60 Hz//40/50 A RR: 6" @ 1,200 W RF: 6"/8" @ 1 con W/0 con W/0 	СЕМЗ66ТВ
1,700 W (4,000 W Bridge) CEM366TB 36" State	ainless Steel Frame	1,000 W/2,200 W 1,599 1,799	
Manual Controls/Stainless Ste • Dual zone bridge element accommodates oblong cookware LR: 5"/7" @ 700 W,1,700 W LF: 7" @ 1,700 W (4,000 W Bridge)	eel Knobs High quality, robust, die-cast metal knobs Variable 9-stage power settings RR: 6"/8"/11" @ 1,050 W,2,200 W/3,080 W RF: 6" 1,200 W 	 Number of cooking zones: 10 Power/Amps: 208–240 V, 60 Hz//30 A 	СЕМЗОБТВ
	ameless Design	1,399 1,549	

This price list supersed Model	des all previous price lists.	Prices listed herein do not include applicable state or	local taxes.			
Number	Descriptio	n		UMRP	MSRP	
All Masterpied	ce [®] Series Freed	om [®] and Liberty™ Induction Cod • 17 power levels	ktops Ir	clude the Follo	wing Fea	
						Masterpiece [®] Series
 Entire surface can be used a cooking area Up to 6 pots automatically any position a using a full co Wi-Fi connec cooktop and a communicate 	e of the cooktop as one large or pans are recognized in and controlled olor touch screen tivity allows the matching hood to with one another e turning on task ilation fan	 Cooking Position with 5,500 W MyZone[™] mode allows changing a preset power level simply by moving a pot or pan on the cooktop Cooking Sensor Mode ready (wireless cooking sensor sold separately) Sapphire Glow[™] LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only) Minimum cookware size: 3"×3" Maximum cookware size: 13"×21" Performance: 3,500 W/5,500 W (PowerBoost[®]) 	divide into o heate PanB 17 po Resid Panel Cooki and S Powe	wer levels ual heat indicator	riddle non- rs n Timer	CIT36XWB CIT36XWB CIT36XWBB
<u>CIT36XWB</u>	36" Darl	Gray Glass, Stainless Steel Frame	Э	5,299	5,849	
CIT36XWBB	36" Darl	Gray Glass, Frameless Design		5,299	5,849	
CIT30XWBB	30" Darł	Gray Glass, Frameless Design		4,799	5,299	CIT30XWBB

GLASS CERAMIC INDUCTION COOKTOPS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.


Model Number	Descriptio	on		UMRP	MSRP	
						Masterpiece [®] Series
Liberty™ Induc • Home Connec (Wi-Fi Enable) • Three extra-la cooking surfac lored cooking • Number of coo Five	ot [™] d) rge Liberty™ ces allow for tai- zones	 Cooktop-Hood Sync Automatic pan recogniti HeatShift[™] has three pineat zones MoveMode[™] allows eastransfer settings Illuminated touch control 	on • Contri reset • Autor • Time \$\$ Maxii • Powe	ower levels rol panel lock matic switch off r for all zones mum wattage: 10, er/Amps: 208–240		CIT367XG
Left Full Zone 15"×9" @ 3,300 W/3,700 W (PowerBoost)	LR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost) LF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)	Center Full Zone 11¼"×9½" @ 3,300 W/3,600 W (PowerBoost)	RR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost) RF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)	Z//50 A Right Full Zone 15"×9" @ 3,300 W/3,700 W (PowerBoost)		CIT367XGS
<u>CIT367XG</u>	36" Tita	nium Gray Glass, Frameles	S	3,799	4,199	
<u>CIT367XGS</u>		nium Gray Glass, s Steel Frame		3,799	4,199	Q
CIT367XM	36" Silve Framele	er Mirrored Glass, ess		4,299	4,749	
<u>CIT367XMS</u>		er Mirrored Glass, s Steel Frame		4,299	4,749	СІТЗ67ХМ



CIT367XMS

 \mathbf{O}

GLASS CERAMIC INDUCTION COOKTOPS



CIT304TM

ELECTRIC AND INDUCTION ACCESSORIES

his price list superse	edes all previous price lists. Model Number	Prices listed herein do not include applicable state or Description		UMRP	MSRP					
Accessorie	S					Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty Induction	Induction
	ded accessory for nduction Cooktop d in oven induction,	 Silvinox surface treatment prevents discoloration 7-Ply material 18/10 stainless steel 	 Additional copp aluminum mate for fast and eve 10-year guaran 	erials us en heatir						
	TEPPAN1321	13"×21" Recommended accessory for Freedom [®] Induction Cooktop		499	549			•		
	TEPPAN1314	13"×14" Recommended accessory for Freedom [®] Induction Cooktop		399	439			•		
	TEPPAN1013	10"×13" Recommended accessory for Liberty™ and Freedom [®] Inductio	n Cooktops	299	329			•	•	
	TEPPAN1016	10" × 16" Recommended accessory for Liberty™ and Freedom [®] Inductio	n Cooktops	399	439			•	•	
 Heavy-duty with a thick base 	um Non-Stick Indu cast aluminum ferromagnetic with two cast-in s	 Outstanding corrosion and abrasion resistance Ridged surface adds grilled sear marks, while draining away excess fat 	 Ovenproof up t dishwasher-saf 17" x 9" grilling PFOA-free 	e						
	NEW TGRILLPA	<u>NX</u> 17" x 9"		269	299			•	•	
 Optimized for CookSmart[®] 	el Chef's Pan or cooking with delement induction, electric	 Stainless steel with aluminum core Non-stick Teflon[®] Platinum material (CHEFSPAN08) 	Encapsulated aThree layers	aluminur	n base					
0	CHEFSPAN08	10" Chef's Pan for 8" and 9" Eler	ments	199	219	•	•	•	•	•
Ø	CHEFSPAN13	16" Chef's Pan for 13" Element		399	439	•	•	•	•	•
Perfect for s	el Roasting Pan searing, braising, at, poultry and	 Ideally suited for Liberty[™] induction cooking zones Made of 18/10 stainless steel 	 Dishwasher sat Oven-safe up to (350° with lid) 		:					
	TROASTERT	10"×16" Roasting Pan with Glas	s Lid	199	219				•	

ELECTRIC AND INDUCTION ACCESSORIES

This price list supe Model	rsedes all previous price lists. F	Prices listed herein do not include applicable state or lo	le state or local taxes.						
Number	Description	1	UMRP	MSRP					
Accessor					Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty Induction	Induction
	ooking Temperature		regulto. The concer is	roquirod					
way to pre you wish.	u to select the best epare every food as The cooking sensor the temperature	of the pot continuously. This allows the power to be main- tained with greater precision to provide exceptional cooking	results. The sensor is a to use the Freedom [®] ir Cooking Sensor mode	nduction					
	TCOOKSENSW	Wireless Cooking Sensor	199	219			•		

Thermador[®] **PROFESSIONAL**

		30"	36"	48"	60"
DUAL FUEL RANGES	Pro Grand [®]		PH36GWS PRD364WIGU PRD364WLGU PRD364WDGU	PRD486WIGU PRD486WLGU PRD486WDGU PRD486WDGU PRD486WCGU PRD484WCGU	PRD606WEG Gridle Gridle
D	Pro Harmony [®]	PRD305WHU PRD304WHU 5-burner	PRD366WHU PRD364WDHU PRD364WLHU Griddle PRD364WLHU Grill	PRD486WDHU Griddle PRD486WLHU Grill PRD486WLHU Grill and Griddle	
STEAM RANGES	Pro Grand [®]			PRD48WLSGU PRD48WLSGU PRD48WLSGU PRD48WLSGU PRD48WCSGU PRD48WCSGU Grill Grill and Griddle	PRD606WESG Griddle PRD606WCSG Grill and Griddle
ALL- GAS RANGES	Pro Grand [®]		PRG366WG PRG364WDG PRG364WLG Grill	PRG486WLG Grill	
٩	Pro Harmony [®]	PRG305WH PRG304WH 5-burner 4-burner	PRG366WH PRG364WDH PRG364WLH Gridle Grill	PRG486WDH Grill	
RANGETOPS	Professional	PCG305W 5-burner	PCG366W 6-burner PCG364WD Griddle PCG364WL Grill	PCG486WD Griddle PCG486WL Grill	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

All Pro Grand[®] Series Dual Fuel Ranges Include the Following Features:

- Commercial-Depth (27")
- Patented Pedestal Star[®] Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-13)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow[®] Simmer burners (two far-left pair and two far-right pair)
- L.P. kit ordered separately for converting burners for L.P. gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

- All Ovens
- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Three Full Access[®] telescopic racks with integrated easy-grip handles
- Fast Preheat

Main Oven

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1 ½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- · Hidden bake element
- Note
- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-2)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

Induction Models

MSRP

UMRP

- Thermador 3,600 W Liberty Induction with two zones
- Features 9 power levels, XHI PowerBoost, Bridge, HeatShift, Timer and a safety shutoff
- Indoor Pro Electric Grill
- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating
- · Fusion non-stick surface

Griddle:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- 48" Range Full-featured Secondary Oven
- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- · Temperature probe for Roast
- 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

* According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model		s. Prices listed herein do not include applicable st			
Number	Descript	lion	UMRP	MSRP	
					36" Dual-Fuel Range
 Four Pedestal Star[®] E (Four with ExtraLow[®] Liberty Induction 		 Teppan-yaki accessory TEPPAN1016 sold separate 	əly		
LR: BTU 15,000 high*/375 XL	_0	RR: BTU 15,000 high*/375 XLO	Induction 3,600 W 230 V		
LF: BTU 22,000 XHI*/375 XL	.0	RF: BTU 18,000 high*/375 XLO	3,300 W 208 V		
PRD364WIGU	Porcel	ainless Steel with ain Surface and escopic Oven Racks	10,599	11,699	
 Six Pedestal Star[®] Bu (Four with ExtraLow[®] 					
LR: BTU 15,000 high*/375 XL		CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/375 XLO		arar ©iiong
LF: BTU 22,000 XHI*/375 XL	.0	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/375 XLO		
PRD366WGU	Porcel	ainless Steel with ain Surface and escopic Oven Racks	9,699	10,699	
 Four Pedestal Star[®] E (Four with ExtraLow[®] fusion non-stick surfa Indoor Pro Electric G) and ace	 Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW 			
LR: BTU 15,000 high*/375 XL	0	Electric Grill 1,630 W	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XL	.0	(6-pass 2x)	RF: BTU 18,000 high*/375 XLO		-
PRD364WLGU	Porcel	ainless Steel with ain Surface and escopic Oven Racks	10,199	11,249	PRD364WLGU
 Four Pedestal Star[®] E (Four with ExtraLow[®] 		 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILL 	FW		
LR: BTU 15,000 high*/375 XL	_0	Electric Griddle	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XL	.0	(6-pass)	RF: BTU 18,000 high*/375 XLO		
PRD364WDGU	Porcel	ainless Steel with ain Surface and escopic Oven Racks	10,199	11,249	
* 15.000 BTU NG burners con		00 BTU LP; 18,000 BTU NG convert to 15,000	BTU LP; 22,000 BTU NG convert to 18	,000 BTU LP	

the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA. The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

DISHWASHERS


INDEX

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description		UMRP	MSRP	
					48" Dual-Fuel Ranges
 Six Pedestal Star[®] Bu Cooktop (Four with E with Liberty Induction 	xtraLow [®]) TEPPAN	yaki accessory I1016 sold separately			
LR: BTU 15,000 high*/375 XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/375 XLO	Induction 3.600 W 230 V		
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*3,000 low	RF: BTU 18,000 high*/375 XLO	3,300 W 208 V		
PRD486WIGU	48" Stainless Steel wi Porcelain Surface and All Telescopic Oven F	b	13,899	15,299	
 Six Pedestal Star[®] Bu Cooktop (Four with Est and fusion non-stick st Electric Griddle 	xtraLow [®]) Griddle, surface with option	k surface Electric convertible to Grill onal accessory ILLW or PA12GRILFW			
LR: BTU 15,000 high*/375 XLO	CR: BTU 15,000 high*/3,000 low	Electric Griddle 1,630 W	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/3,000 low	(6-pass)	RF: BTU 18,000 high*/375 XLO		
PRD486WDGU	48" Stainless Steel wi Porcelain Surface and All Telescopic Oven F	d	13,349	14,699	
 Six Pedestal Star[®] Bu Cooktop (Four with Ei and fusion non-stick Indoor Pro Electric G 	xtraLow [®]) convertib surface with option	ro Electric Grill, ble to Griddle onal accessory DLEW			
LR: BTU 15,000 high*/375 XLO LF: BTU 22,000 XHI*/375 XLO	CR: BTU 15,000 high*/3,000 low CF: BTU 18,000 high*/3,000 low	Electric Grill 1,630 W (6-pass 2x)	RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO		إكالا
PRD486WLGU	48" Stainless Steel wi Porcelain Surface and All Telescopic Oven F	d	13,349	14,699	PRD486WLGU

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.



* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

SERIES

PROFESSIONAL

PRO GRAND[®] SERIES—STEAM RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

- Number
- Description

All Pro Grand[®] Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star[®] Burners with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Steam and convection oven
- Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-13)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with Four ExtraLow[®] Simmer burners (two far-left pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift, Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Indoor Pro Electric Grill (convertible to griddle with griddle accessory),

- L.P. conversion kit ordered separately for converting burners for L.P. gas
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified
- CSA certified
- Indoor Pro Electric Grill Model: 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating

Oven features:

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose[®] hinges for ultra-smooth closing
- Large oven includes three Full Access[®] telescopic racks with integrated easy-grip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1 1/2 hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion and preheat status with audible alert
- Steam Oven features:
- 27 Easy Cook[®] programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed
- Steam Clean function
- Warming drawer features:
- Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-2)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.


* According to AHAM Standards

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

UMRP MSRP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—STEAM RANGES



* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS


COOKTOPS

S

SERII

PROFESSIONAL

PRO GRAND[®] SERIES—STEAM RANGES



* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—ALL-GAS RANGES

		anges Include the Following Features:	All Pro Grand [®]					
MSRP	UMRP	1	Model Number					
		This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.						
	evious price lists. Prices listed herein do not include applicable state or local taxes.							

- Commercial-depth (27")
- Featuring Patented Pedestal Star[®] Burner with QuickClean Base™ (Four with ExtraLow[®] Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-13)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow Simmer burners (two far-left pair and two far-right pair)

Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- · Electric Griddle (convertible to grill with grill accessory),

Indoor Pro Electric Grill model:

1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating

- Indoor Pro Electric Grill (convertible to griddle with griddle accessory)
- · NEW Gas ranges are now field convertible from natural gas to liquid propane-kits sold separately
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

Oven features:

- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access[®] telescopic racks with integrated easy-grip handles
- Large oven:
- · Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/L.P.)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- 6 conventional cooking modes
- · Two rapid, self-clean cycles: 3 hr heavysoil clean and 11/2 hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume*
- · Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/L.P.)
- · Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Note

- · It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-2)
- · For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

36" All-Gas Range

Six Pedestal Star[®] Burners (Four with ExtraLow[®])

LR: BTU	-	CR: BTU	RR: BTU		<u>1111 © 1000</u>
15,000 high**/3	375 XLO	15,000 high**/3,000 low	15,000 high**/375 XLO		the second s
LF: BTU 22,000 XHI**/3	-	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/375 XLO	-	
PRG366WG	36" St	ainless Steel with Porcelain	8,099	8,949	17mm

Surface and All Telescopic Oven Racks





PRG366WG



**15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden


REFRIGERATION

BUILT-IN COFFEE MACHINE

S

PRO GRAND[®] SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO GRAND[®] SERIES—ALL-GAS RANGES AND ACCESSORIES

								~	007	F 4 4		100	1.16				əs.	taxe	local	le state or	applicabl	do not include	ts. Prices listed herein a		ues all pievi	lodel
									SRF	M		1RP	UN										lion	Descripti		umber
ıge	Ran	is I	Ga	AII-	3" /	48																				
	2 00					54 101	21													ı	Grill, dle with	ro Electric le to Gride	 Fusion no Indoor Pro convertibl optional F 	irners	6	Six Pedesta (Four with E
													ίlο		BTl า*/3		ا 000	15,		II	ectric Gri ,630 W		CR: BTU high*/3,000 low			LR: BT 15,000 high*/3
		(real)											ίlΟ		BTL า*/3		ا 000	18,)	pass 2x		CF: BTU high*/3,000 low			LF: BT 22,000 XHI*/3
				G	6WL	G48	PR)	749	2,7	1	649	1,5	1									ainless Steel wit			RG486WLG
		Ð	6	5	Z															KS	en Rac	copic Ove	e and All Telesc	Surface		
s	Gas	All			n	eam	Ste						el	Fue	Jal	Dı									es	Accessori
48"	-	36"			60	_		48)"	60		3" 	48		_	5"	36								
PRG486WDG	PRG364WLG	PRG364WDG	PRG366WG	PRD606WCSG	PRD606WESG	PRD48WCSGU	PRD48WLSGU	PRD48WDSGL	PRD48WISGU	PRD606WCG	PRD606WEG	PRD484WCGU	PRD486WLGU	PRD486WDGU	PRD486WIGU	PRD364WDGU	PRD364WLGU	PRD366WGU	PRD364WIGU						Model	
		<u>н</u>	ЪР	ΡF	Ч	д	Ч	đ	ЪР	Ч	Ц	Ц	E.	E.	Ľ	۲.	Ч	ΡF	Ч	MSRP	UMRP		Description		Number	
•		•		•	•	•		•		•	•	•		•		•				359	319	Tray	12" Grill Plate Accessory w/ (for Griddle M	<u> - ILLVV</u>	<u>PA12G</u>	
																				ease")	igh-rele		usion) surface co and durable ove	•		
•	•			•		•	•			•		•	•				•			359	319 lules)		12" Griddle Pla Accessory (for Briquette	<u>DLEW</u>	PAGRI	
	•			•		•	•			•		•	•				•			359	319	Tray	12" Griddle Pla Accessory w/ (for Grill Modu	<u>DLFW</u>	PAGRI	
) Fusion coated e to the "high-rel			
•		•		•	•	•		•		•	•	•		•		•				359	319	Tray	12" Grill Plate Accessory w/ (for Griddle M	RILFW	PA12G	
) Fusion coated e to the "high-rel			
									•						•				•	439	399		Teppan-yaki p for Induction n	<u>N1016</u>	<u>TEPPA</u>	

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

VENTILATION

PRO GRAND[®] SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es						0"	D	ual	Fu								ean		0.1			II G		
							6" □	5		5	8" ⊃	D	60			48 ⊃			60 ග		-	36'		48	
					PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGL	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGL	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	Model Number	Description	UMRP	MSRP	ЧЧ	ЧЧ	РВ	ЧЧ	РВ	Ц Ц	Ч	РВ	Ч	РВ	РВ	ШШ	РВ	ЧЧ	БЧ	ЧЦ	Ч	ЧЧ	РВ	Ч	РВ
	PABRICKBKW	Flat Ceramic Briquettes with Basket	199 t	219			•				•	•		•			•						•		•
	PABRICKW	Flat Ceramic Briquettes (no Basket)	99	109			•				•	•		•			•	•		•			•		•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PAGRIDDLE	Griddle sits on top of Grates o two Burners, high-relea coating		219 face	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
T	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•		•		•		•		•		•		•	
T	PA12LCVRN	12" Cover Professional Indoor G	299 rill	329			•				•	•		•			•	•		•			•		•
10 11	PA24CVRR	24" Cover for Griddle	299	329									•						•						
10 11	PA24CVRW	24" Cover for Grill/Griddle Comb Models	259 ination	289								•		•				•		•					
\bigcirc	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

PRO GRAND[®] SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	S							D	ual	Fu								am					l Ga		
						3	6"			48	8"		60)"		48	3"	_	60)"		36"	_	48	3"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
I =	PAALTKITGW	High Altitude Kit, NG Pro Grand Range 5.4K ft to 10.2K ft	89 es,	99	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	-	ude kit, please see the C e List in the Sales Share		&	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel	199 Ranges	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
	PALPKITGGW	LP Conversion Kit Pro Grand Gas Rang	199 es	219																	•	•	•	•	•
	PAKNOBLUWG	Metallic Blue Pro Grand Knob Kit	259	289	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Π	<u>CS1XLPH</u>	Cooking Pan Perforated, half size,	199 1 %" dee	219 p											•	•	•	•	•	•					
Π	<u>CS1XLH</u>	Cooking Pan half size, 1%" deep	199	219											•	•	•	•	•	•					
	<u>CS2XLPH</u>	Cooking Pan Perforated, full size, 1	199 %" deep	219 ว											•	•	•	•	•	•					
	<u>CS2LH</u>	Baking Pan full size, 1 ¼" deep	199	219											•	•	•	•	•	•					
	<u>CS2XLH</u>	Cooking Pan full size, 1 %" deep	199	219											•	•	•	•	•	•					
	<u>CSRACKH</u>	Wire Rack	199	219											•	•	•	•	•	•					
	PA36WTKG	Toe Kick for 36" Pro Grand [®] Ra	109 ange	119	•	•	•	•													•	•	•		

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

BUILT-IN OVENS

PRO GRAND[®] SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es							Dı	ual	Fue	el						Ste	am	ı			A	ll G	as	
						36	6"			48	3"		60	"		48	8"		60)"		36'		48	3"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	PA48WTKG	Toe Kick for 48" Pro Grand [®] R	109 ange	119					•	•	•	•			•	•	•	•						•	•
	PA60WTKG	Toe Kick for 60" Pro Grand [®] R	139 ange	159									•	•					•	•					
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fue Ranges	479 el Pro G	529 irand®	•	•	•	•													•	•	•		
	PA48WLBG	7" Low Back, for 48" Pro Grand [®] G	509 as Ran	599 ges					•	•	•	•												•	•
, WARE <u>Manual</u> Manua ,	PA48WLBSG	7" Low Back, for 48" Pro Grand [®] D Ranges	509 ual-fuel	599											•	•	•	•							
	PA60WLBG	7" Low Backguard for 60" for Pro Grand	559 Rang	649 e									•	•					•	•					

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

This price list supersedes all previous price lists. Prices listed h Model Number Description		UMRP MSRP
All Pro Harmony [®] Series Dual Fuel Rar	nges Include the Following Features:	
 Cabinet-Depth (24") Four pedestal burner range: each front burner has output of 18,000 BTU (NG) 	 Indoor Pro Electric Grill model: 1,630 W electric element, 2-zone thermo- statically controlled, ceramic briquettes, 	 Hidden Thermal Bake (2,000 W), Broil (4,000 W), Third element rear 2,750 W convection
 Continuous porcelain, easy-to-clean cooking surface Patented Pedestal Star[®] Burner with 	 fusion non-stick surface coating For L.P.: Natural to L.P. Gas Field Conversion Kit must be ordered 	 Convection Broil and two rapid, self-clean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1 ½ hr light-soil clean
QuickClean Base™ Metal knobs (also available in Metallic	separately.Island trim includedTwo year worranty.	Secondary oven features: 18" auxiliary oven on 48" range only
Blue, PAKNOBLUWH, sold separately. See page 5-24	Two-year warrantyStar-K certified	 Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
 All burners with electronic ignition/ re-ignition 	Main oven features: Thermador Connected Experience with 	 2,600 W broil and 1,400 W bake elements,

• Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners

Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Home Connect[™] enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Full Access[®] telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- 2.4 cu. ft. overall volume*

Note

· Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

					30" Dual-Fuel Range
 Five Pedestal Star[®] Burners (Two with ExtraLow[®]); overall output of 59,000 BTU and suit- able for use with the Thermade OTR (see page 3-12) 		u. ft.			
LR: BTU 8,000 high**/375 XLO	Center: BTU	RR: BTU 8,000 high**			
LF: BTU 18,000 high**/375 XLO	10,000 high**	RF: BTU 15,000 high**			PRD305WHU
	ainless Steel with lain Surface and One Telescop	bic Oven Rack	6,749	7,449	×\$
 Four Pedestal Star[®] Burners (Two with ExtraLow[®]) 	 30" range features 4.4 ct overall volume* 	л. ft.			
LR: BTU 15,000 high**/375 XLO	RR: BTU 15,000 high**/3,000 low				
LF: BTU 18,000 high**/375 XLO	RF: BTU 18,000 high**/3,000 low	_			
	ainless Steel with lain Surface and One Telescop	ic Oven Rack	6,199	6,849	PRD304WHU
*According to AHAM Standards ** 8,000 BTU NG burners convert to 6,000 12,000 BTU LP; 18,000 BTU NG conve) BTU LP; 10,000 BTU NG burners conver rt to 15,000 BTU LP; 22,000 BTU NG conv		IG burners o	convert to	× ()
NOTE: Models PCG305xx, PRD305xx other models: when using the includ combustible surface, a Thermador® purchased congrately. A root cleared	ed Island Trim a minimum 6" (152 mi Low Backguard is required for a 0" r	m) rear clearance is required ear clearance to the combust	to a comb tible surfac	ustible surf e. A Therm	ace. When installing against a ador Low Backguard must be

against a ot co must be ed separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using purcha the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

BUILT-IN OVENS

lodel umber Descrip	otion	UMRP MS	RP
			36" Dual-Fuel Rai
Six Pedestal Star [®] Burners (Two with ExtraLow [®])	 Oven features 4.9 cu. ft. overall volume* 	 Thermador Connected Experience with Home Connect[™] 	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low	
	tainless Steel with Iain Surface and All Telescopic C	8,399 9,24 Iven Racks	49 PRD366WHU
Four Pedestal Star [®] Burners (Two with ExtraLow [®]) Oven features 4.9 cu. ft. overall volume*	 Thermador Connected Experience with Home Connect[™] 	 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRIL 	FW
LR: BTU 15,000 high**/375 XLO	Electric Griddle	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	(6-pass)	RF: BTU 18,000 high**/3,000 low	(Constant)
	tainless Steel with Iain Surface and All Telescopic O	8,949 9,84 Iven Racks	49 PRD364WDHU
Thermador Connected Experience with Home Connect™	 Four Pedestal Star[®] Burner (Two with ExtraLow[®]) Oven features 4.9 cu. ft. overall volume* 	s • Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW	0000 = 0000
LR: BTU 15,000 high**/375 XLO	Electric Grill	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	1,630 W (6-pass 2x)	RF: BTU 18,000 high**/3,000 low	PRD364WLHU
RD364WLHU 36" Si	tainless Steel with	8,949 9,84	

* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

This price list supersedes all previo Model Number	bus price lists. Prices listed herein	do not include applicable state o	r local taxes. UMRP MSRP	
				48" Dual-Fuel Range
Thermador Connected Experience with Home Connect™	e (Two with	stal Star [®] Burners h ExtraLow [®]) n features 4.4 cu. ft. plume*	 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW 	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle 1,630 W	RR: BTU 15,000 high**/3,000 low	-
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	(6-pass)	RF: BTU 18,000 high**/3,000 low	PRD486WDHU
PRD486WDHU	48" Stainless Steel wi Porcelain Surface and		12,199 13,449 Racks	
Thermador Connected Experience with Home Connect™	e (Two with	stal Star [®] Burners h ExtraLow [®]) n features 4.4 cu. ft. plume*	• Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	1,630 W (6-pass 2x)	RF: BTU 18,000 high**/3,000 low	
RD486WLHU	48" Stainless Steel wi Porcelain Surface and		12,199 13,449 Racks	
Thermador Connected Experience with Home Connect™ Four Pedestal Star [®] B (Two with ExtraLow [®])	e overall vo • Fusion no urners Indoor Pr convertib	on-stick surface to Electric Grill, le to Griddle onal accessory	 Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW 	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill	Griddle	PRD484WCHU
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	1,630 W (6-pass 2x)	1,630 W (6-pass)	
PRD484WCHU	48" Stainless Steel w Porcelain Surface and		12,599 13,899 Racks	

* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

REFRIGERATION

PRO HARMONY[®] SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

UMRP

All Pro Harmony[®] Series All Gas Ranges Include the Following Features:

- Cabinet-Depth (24")
- · Four pedestal burner ; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, PAKNOBLUWH, sold separately. See page 5-24)
- · Precision simmering capabilities as low as 375 BTU with two ExtraLow[®] simmer burners

Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

· Griddle is interchangeable with grill accessory for convenient indoor grilling

Indoor Pro Electric Grill model:

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating
- NEW Gas ranges are now field convertible from natural gas to liquid propane-Conversion Kit must be ordered separately
- · Island trim included
- Two-year warranty
- Star-K certified

Ovens feature:

· Thermador Connected Experience with Home Connect[™] enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'

- 17,500 BTU high-intensity infrared broiler
- Full Access[®] telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- · Gas convection oven


MSRP

- 20,500 BTU bake burner
- Convection Bake, Thermal Bake (20,500 BTU)
- Secondary oven features:
- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

Note

· Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

30" All-Gas Range



* According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models; when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PRO HARMONY[®] SERIES—ALL-GAS RANGES

Model	e lists. Prices listed herein do not include applicable s cription	state or local taxes. UMRP MSRP	
			36" All-Gas Ran
Thermador Connected Experience with Home Connect™	 Six Pedestal Star[®] Burners (Two with ExtraLow[®]) 	 36" range features 5.1 cu. ft. overall volume* 	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low	
	Stainless Steel with Porcelain Surf All Telescopic Oven Racks	ace 6,299 6,949	PRG366WH
Thermador Connected Experience with Home Connect™	 Four Pedestal Star[®] Burner (Two with ExtraLow[®]) each front burner has output of 18,000 BTU (NG) 	 S • 36" range features 5.1 cu. ft. overall volume* Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW 	
LR: BTU 15,000 high**/375 XLO	Electric Griddle	RR: BTU 15,000 high**/3,000 low	Lines I
LF: BTU 18,000 high**/375 XLO	(6-pass)	RF: BTU 18,000 high**/3,000 low	PRG364WDH
	Stainless Steel with Porcelain Surf	ace 7,149 7,899	
Thermador Connected Experience with Home Connect™	 Four Pedestal Star[®] Burner (Two with ExtraLow[®]) each front burner has output of 18,000 BTU (NG) 	 S 36" range features 5.1 cu. ft. overall volume* Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW 	
LR: BTU 15,000 high**/375 XLO LF: BTU 18,000 high**/375 XLO	Electric Grill 1,630 W (6-pass 2x)	RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low	PRG364WLH
	Stainless Steel with Porcelain Surf	ace 7,149 7,899	

* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

PRO HARMONY[®] SERIES—ALL-GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

RANGETOPS

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

This price list supercodes all provious price lis	ts. Prices listed herein do not include applicable	a stata ar logal taxas	
Model Number Descrip		UMR	RP MSRP
 All Professional Series Range Continuous porcelain, easy-to cooking surface Patented Pedestal Star[®] Burne QuickClean Base™ Each burner has electronic ignition; Metal knobs (also available in Metallic Blue, PKNOBLUWR, separately. See page 5-24) 	panel. er with Precision simma as 375 BTU wit burners Two-year warra Star-K certified	ng illuminates the control A ering capabilities as low h two ExtraLow [®] simmer	 Note It is strongly recommended that this appliance be installed in conjunction with a Thermador[®] vent hood. (see Thermador[®] Professional Hoods, page 6-2) For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately (PALPKITHW for all units; PALPKITHW5 for five Pedestal Star[®] Burner units). No High Altitude conversion kit needed for Rangetops.
 Five Pedestal Star[®] Burners (Two with ExtraLow[®]). overall output of 59,000 BTU. Suitable for use with Thermador OTR (see page 3-12) 	 For Liquid Propane mode Natural to L.P. Gas Field Conversion Kit must be o separately (PALPKITHWS five Pedestal Star[®] Burne units). No High Altitude co sion kit needed for Range 	rdered 5 for r pnver-	30" Professional Gas Rangetop
LR: BTU 8,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO	Center: BTU 10,000 high*	RR: BTU 8,000 high* RF: BTU 15,000 high*	_
	ainless Steel with ain Surface	3,19	99 3,549
 Six Pedestal Star[®] Burners (Two with ExtraLow[®]). 	• 15 Amps		36" Professional Gas Rangetop
LR: BTU 15,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO	CR: BTU 15,000 high*/3,000 low CF: BTU 18,000 high*/3,000 low	RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low	
	ainless Steel with ain Surface	3,79	99 4,199

* 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

RANGETOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description UMRP MSRP 36" Professional Gas Rangetop Four Pedestal Star[®] Burners Non-stick surface Electric 20 Amps (Two with ExtraLow[®]) Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. LR: BTU RR: BTU 15,000 high*/375 XLO 15,000 high*/3,000 low Electric Griddle I F. BTU 1,630 W BE. BUI 18,000 high*/375 XLO 18,000 high*/3,000 low PCG364WD 36" Stainless Steel with 4.099 4,549 Porcelain Surface and Griddle Four Pedestal Star[®] Burners · Fusion non-stick surface Indoor Griddle with optional accessory PAGRIDDLEW. (Two with ExtraLow[®]) Pro Electric Grill with ceramic briquettes, convertible to 20 Amps LR: BTU RR: BTU PCG364WI Pro Indoor Electric Grill 15,000 high*/375 XLO 15,000 high*/3,000 low 1,630 W LF: BTU RF: BTU (6-pass 2x) 18,000 high*/375 XLO 18,000 high*/3,000 low PCG364WL 36" Stainless Steel with 4,099 4,549 Porcelain Surface and Pro Grill 48" Professional Gas Rangetop Six Pedestal Star[®] Burners Non-stick surface Electric 20 Amps (Two with ExtraLow®) Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. PCG486WD LR: BTU CR: BTU RR: BTU 15,000 high*/375 XLO 15,000 high*/3,000 low 15,000 high*/3,000 low Electric Griddle 1,630 W LF: BTU CF: BTU RF: BTU 18,000 high*/375 XLO 18,000 high*/3,000 low 18,000 high*/3,000 low PCG486WD 48" Stainless Steel with 5,199 4,699 Porcelain Surface and Griddle Six Pedestal Star® Burners Fusion non-stick surface Indoor Griddle with optional accessory (Two with ExtraLow®) Pro Electric Grill with ceramic PAGRIDDLEW. briquettes, convertible to 20 Amps LR: BTU CR: BTU RR: BTU Pro Indoor Electric Grill 15,000 high*/375 XLO 15,000 high*/3,000 low 15,000 high*/3,000 low 1 630 W LF: BTU CF: BTU RF: BTU (6-pass 2x) 18,000 high*/375 XLO 18,000 high*/3,000 low 18,000 high*/3,000 low 48" Stainless Steel with 5,199 PCG486WL 4,699 Porcelain Surface and Pro Grill

* 8,000 BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	S									ony ang						larr s R		ny ges			Ra	ing	etoj	ps	
					3	0"		36"			48"		3()"	;	36"	1	48	3"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) usion) surface coating (" to clean and durable or	319 high-	359				•		•		•		_	_	•	_	•		_	•			•	
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Mod	319 dules)	359					•		•	•					•		•			•			•
		12" Griddle Plate Accessory w/ Tray (for Grill Modules) Fusion coated accesso to the "high-release" ac							•		•	•					•		•			•			•
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) Fusion coated accessor to the "high-release" ac						•		•		•				•		•			•			•	
	PABRICKBKW	Flat Ceramic Briquettes with Baske	199 t	219					•		•	•					•		•			•			•
	PABRICKW	Flat Ceramic Briquettes (no Basket)	99	109					•		•	•					•		•			•			•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PAGRIDDLE	Griddle sits on top of Grates over two Bu high-release surface co		219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
T	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•				•		•			•			•	
T	PA12LCVRN	12" Professional Indoor Grill Cover	299	329					•		•	•					•		•			•			•
1 1	PA24CVRW	24" Cover for Grill/ Griddle Combination N	259 Aodels	289								•													

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

BUILT-IN COFFEE MACHINE

VENTILATION

PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessories					Pro Harmony Dual Fuel Ranges						Pro Harmony All Gas Ranges							Rangetops							
					3	30" 36"				48"			30)"	;	36"	1	48"		30"		36"	1	48	
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	DCGABRINI
	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PAALTKITHW	High Altitude Kit, NG Pro Harmony Ra 5.4K ft to 10.2K ft	89 nges,	99	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
	0	ude kit, please see the (e List in the Sales Shar		s &	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
	PALPKITHW	LP Conversion Kit Pro Harmony Dual Fit & Rangetops (4 & 6 I		159 Iges		•	•	•	•	•	•	•									•	•	•	•	•
	PALPKITHW5	LP Conversion Kit Pro Harmony Dual Fr & Rangetops (5 Burn		159 Iges	•															•					
-	PALPKITGW	LP Conversion Kit Pro Harmony Gas Ra (4 & 6 Burner)	199 anges	219										•	•	•	•	•	•						
¥:/	PALPKITGW5	LP Conversion Kit Pro Gas Ranges (5 Burner)	199	219									•												
	PAKNOBLUWH	Metallic Blue Knob Ki for Pro Harmony Rar		289	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
	PAKNOBLUWR	Metallic Blue Knob Ki Pro Rangetop	t 239	269																•	•	•	•	•	•
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pi Range	419 o Harm	469 nony	•	•							•	•											
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pr Range	479 o Harm	529 nony			•	•	•						•	•	•								

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es				Pro Harmony Dual Fuel Ranges				l	Pro Harmony All Gas Ranges				5		Ra	ang	etoj	os					
					3	0"		36"		2	8"		30"		36"		4	8"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU		PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pi Range	509 o Harm	599 tony						•	•	•					•	•						
	PA30WLBC	10" Low Backguard for 30"Rangetop	209	229															•					
	PA36WLBC	10" Low Backguard for 36" Rangetop	269	299																•	•	•		
	PA48WLBC	10" Low Backguard for 48" Rangetop	319	359																			•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

COOKTOPS

Thermador® **VENTILATION**

		30"	36"	42"	48"	60"/54"
WALL	Pro Grand [®]					
Ň			PH36GWS	PH42GWS	PH48GWS	PH54GWS PH60GWS
	Pro Harmony [®]					
		PH30HWS	PH36HWS		PH48HWS	
	Masterpiece®					
		HMDW30WS	HMDW36WS			
	Low-Profile					
		HMWB30WS	HMWB36WS HMWB361WS		HMWB481WS	
ALL	Professional					
CHIMNEY WALL			HPCN36WS		HPCN48WS	
NEY	Masterpiece®					
Σ		HDDB30WS	HDDB36WS			
ΰ	Masterpiece®					
		HDCB30WS	HDCB36WS			
ND	Pro Grand [®]					
ISLAND				HPIN42WS		HPIN54WS
	Masterpiece®		1			
			HMIB36WS	HMIB42WS		
OM ERT	Professional					
CUSTC			VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS
= C	Masterpiece®	• • <u>•</u>	• • <u>•</u>		• <u>1911</u> 11 •	VCIN60GWS
			-			
		VCI230DS	VCI236DS		VCI248DS	
DOWN- DRAFT	Masterpiece®	II.				
DOU		UCVM30XS	UCVM36XS UCVP36XS			
The informat	l ion contained in this docur	l nent is BSH Home Appliances ten consent of BSH Home Apr	Corporation's proprietary and o	 confidential information. The re orbiddon	l lease or disclosure	I

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

COOKTOPS

This price list supersedes all previous price lists. Prices listed he Model Number Description	rein do not include applicable state or local taxes.	JMRP MSRP
 All Wall Hoods Include the Following Fe Beautiful illumination with multi-level, LED lights Dishwasher-safe commercial-style stainless steel baffle filters Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels 	 Automatic mode detects temperatures to adjust fan speed automatically 10-min delay shut off whisk away lingering odors Check filter reminder light illuminates after 40 hours of operation 	 Accessory options available Built-in remote control panel, sold separate (see page 6-4)
 All Professional Wall Hoods Include the Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers Vertical or horizontal ducting discharge possible 	 se Additional Features: 6" tall and 20"–54" tall telescopic duct cover accessory options available, sold separate (see page 6-4) Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-3). Integral Remote VTN630W¹ VTR630W¹ VTN1090R VTR1030W Inline VTR1330W VTI610W¹ VTI1010W 	 Make-up air damper relay switch (120 Mmax) Transition to 10" round and backdraft damper included Accessory options available Duct cover accessory options (see page 6-4) Remote blower roof plates (see page 6-5) 25-ft remote & inline blower extension cable (see page 6-5)

Pro Grand[®] Wall Hood

 Equipped with the The Connected Experienc Home Connect™ Adds distinct flair to yo with bold, stainless st 	ermador hoods with design that echoes the thoughtful details of your Thermador kitchen our kitchen • Crafted to complete the ultimat	 Pro-style 27" depth, 18" tall Two infrared,175 W, Keep-Hot lamps (included) 	PH36GWS
PH36GWS	36" Pro Grand [®] Wall Hood, Optional Blow	er 2,299 2,549	Q
PH42GWS	42" Pro Grand [®] Wall Hood, Optional Blow	er 2,399 2,649	
PH48GWS	48" Pro Grand [®] Wall Hood, Optional Blow	er 2,699 2,999	
PH54GWS	54" Pro Grand [®] Wall Hood, Optional Blow	er 2,899 3,199	
PH60GWS	60" Pro Grand [®] Wall Hood, Optional Blow	er ¹ 3,649 4,049	
 Pro Harmony[®] Wall H Adds distinct flair to you with bold, stainless st hoods with design that the thoughtful details Thermador kitchen 	eel wall • A perfect companion to Pro Harmony [®] Professional at echoes Ranges	Commercial-style stainless steel baffle filters	PH36HWS

PH36HWS36" Pro Harmony® Wall Hood, Optional Blower2,0992,349PH48HWS48" Pro Harmony® Wall Hood, Optional Blower2,2992,549

30" Pro Harmony® Wall Hood, Optional Blower

1 The 600 CFM blower options are not available with the 60" hood

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PH30HWS

1,999

2,199

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

⁻ his price list supe Node l	ersedes all previous price lists.	Prices listed herein do not include applicable state or	local taxes.								
Number	Descriptio	n		UMRP MS	RP						
Professio	onal Series Blow	ers				Profes	ssior	nal	Mas	terpi	ece
					Wall	Wall Chimney Wall Island Custom Insert			Custom Insert	#07000	Downdram
		Model			SWxxxHc	HPCNxxWS	HPINxxWS	VCIN××GWS	VCI2xxDS	UCVMxxRS	UCVP36XS
	Number	Description	UMRP	MSRP	습	Ī	Ī	×	×	Š	Ď
 Integral Blo Integrated of installa 	d into ventilation hood	at the time									
	VTN630W	600 CFM Integral Blower	609	699	•	•	•	•			
<u>() ()</u>	<u>VTN1090R</u>	1,000 CFM Blower	799	899	•	•	•	•			
solution for custom ho website for Blower ca the duct li	sed as integral or VCI2xxDS Series ood inserts. See or additional details an be mounted along ine between the nd the exterior wall	• 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-21)	PHxxxWS, HPC HPINxxWS, VC VCI2xxDS, UCV UCVP36XS Ser	INxxGWS, /MxxRS, and							
	<u>VTI610W</u>	600 CFM Inline Blower, 6" duct size	609	699	•	•	•	•	•	•	•
-	<u>VTI1010W</u>	1,000 CFM Inline Blower, 10" duct size	799	899	•	•	•	•	•	•	•
Remote Blo		• 25 ft. cable (EXTNCB25W)	 For use with The 	ormodor							
 For extern Roof mou (RFPLTxx mount ap) 	hal roof or wall mount unting plate kP) required for roof plications—sold y (see page 6-21)	available for remote blower applications—sold separately (see page 6-21)	PHxxxWS, HPC HPINxxWS, VC VCI2xxDS, UCV UCVP36XS Ser	NxxWS, INxxGWS, /MxxRS, and							
 For extern Roof mou (RFPLTxx mount ap) 	Inting plate (P) required for roof plications—sold	available for remote blower applications—sold separately	PHxxxWS, HPC HPINxxWS, VC VCI2xxDS, UC\ UCVP36XS Ser	NxxWS, INxxGWS, /MxxRS, and	•	•	•	•	•	•	•
 For extern Roof mou (RFPLTxx mount ap separately 	Inting plate (P) required for roof plications—sold y (see page 6-21)	available for remote blower applications—sold separately (see page 6-21)	PHxxxWS, HPC HPINxxWS, VC VCI2xxDS, UCV UCVP36XS Ser	NxxWS, INxxGWS, /MxxRS, and ies hoods	•	•	•	•	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosur of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden. INDEX

VENTILATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Profession	al and Master	rpiece [®] Accessories				Pro	Gra	and		F Har	Pro mo			Mas	ster	pie	се
						V	Val	I		V	Vall		Dra	wer	Lo	w F	Profil
	Model Number	Description	UMRP	MSRP	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS	PH30HWS	PH36HWS	PH48HWS	HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS
Optional Stai	inless Steel Duc	1	UMRP	IVISRP		6						<u>ш</u>	<u>+ </u>	<u> </u>	<u> </u>	-	<u> </u>
•	6" and 20"-54" te	elescoping • Can be used with Ph															
heights	r	and Pro Harmony [®] S	Series Wall I	Hoods					_								
	<u>DC306W</u>	6" Tall Duct Cover for Pro Wall Hoods, 30" Wide	469	519						•			•		•		
	<u>DC366W</u>	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	489	539	•						•			•		•	•
	<u>DC426W</u>	6" Tall Duct Cover for Pro Wall Hoods, 42" Wide	499	549		•											
	<u>DC486W</u>	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499	549			•					•					
	DC36TW	20"×54" Tall Duct Cover for Pro Wall Hoods, 36" Wide	659	749	•					•				•		•	•
	DC48TW	20"×54" Tall Duct Cover for Pro Wall Hoods, 48" Wide	719	799			•					•					
 Built-In Remo Ability to ve on cabinetry control hood nient locatio Built-in slee 	rtically install y or wall to d in a conve- on	PHxxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, HMCBxxWS, HDDBxxWS, HPINxxWS,	d to hood e length: 30) ft.		<u> </u>											
remote touc panel		HMIBxxWS, VCINxxGWS, and HMDWxxWS Series hoods															
[REMCPW	Built-In Remote Control Accessory	319	359	•	•	•	•	•	•	•	•	•	•	•	•	•
	Accessories	- 1	0 1410 (00"														
 For non-duo Wall Hoods 	cted operation of	Thermador • Available for HMWB Wall Hoods with 600		,													
	CHFILT3036	Replacement charcoal filters for recirculating wall hoods	109	119											•	•	

This price list superse Model	edes all previous price lists.	Prices listed herein do not include applicable state or l	local taxes.									
Number	Descriptio	n	UMRP	MSRP								
Blower and	d Duct Accesso	ories				Pro	Gra	and			Pro rmo	
						١	Vall			١	Nall	1
					PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS	PH30HWS	PH36HWS	PH48HWS
	line Blower Exten											
	sion cable for use ood and inline or ver	 Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36XS and VCINxxGWS series hoods 	 For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W VTR1330W 	Ι,								
		Cannot join two cables togeth- er for longer length.										
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139	•	•	•	•	•	•	•	•
Roof Plates	plate required for ro	pof-mount application of remote blowe	ers.									
	RFPLT600P	Roof mounting plate for VTR630W and VTR630W	129	149	•	•	•	•	•	•	•	•
	RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W, VTR103	159 30W, VTR1330W	179	•	•	•	•	•	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

INDEX

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

WALL HOODS		
This price list supersedes all p Model Number	revious price lists. Prices listed herein do not include applicable state Description	or local taxes. UMRP MSRP
All Masterpiece [®] Wa	all Hoods Include these Additional Features:	
Experience by Hon A perfect complement 		nology™ • Integral blower included
		Masterpiece [®] Series
 Drawer Under Cabir A masterful blend c performance with a canopy design When the slide-out is pushed back, it s HMDW30WS 	of luxury and a slide-outagainst surrounding cabine- try, and when pulled forward increases capture areacanopy• Fan can be activated in the	 600 CFM integral blower included Transition to 8" round and backdraft damper included 1,899 2,099
HMDW36WS	36" Masterpiece [®] , Under Cabinet 36" Masterpiece [®] , Under Cabinet Drawer Wall Hood, 600 CFM	1,999 2,199
 Low-Profile Wall Ho Chiseled design that depth, 11" tall Approved for use w Professional Series and Rangetops 	at is 24" • 16" tall and 28"–65" tall telescopic duct cover accessory options available,	Transition to 10" round and backdraft damper included <i>HMWB30WS</i>
HMWB30WS	30" Low-Profile Wall Hood, 600 CFM	1,799 1,999
HMWB36WS	36" Low-Profile Wall Hood, 600 CFM	1,899 2,099
HMWB361WS	36" Low-Profile Wall Hood, 1000 CFM	1,999 2,199
HMWB481WS	48" Low-Profile Wall Hood, 1000 CFM	2,099 2,349

lodel lumber	sedes all previous price lists. F Descriptior	Prices listed herein do not include applicable state or loca	u taxes. UMRP	MSRP						
Masterpie	ce [®] Series Acces	ssories			Masterpiece					
					Dra	wer	_ow	Pro	ofil	
					HMDW30WS	HMDW36WS	HMWB30WS	HMWB361WS		
Recirculatio	on Accessories					·	- -	- -	- -	
When duc kit brings t kitchen Replace c	ting is not feasible, filtered air back into harcoal filter every s depending on	 Charcoal filter replacement accessory available (see below) Installation Note: RECHMWB30 and RECHMWB36 are brushed stainless steel, and adds 4" 	height to the appliance Approved for use with HMWB30WS and HMWB36WS Low-Prof Series Wall Hoods with CFM blowers only	ile						
	RECHMWB30	Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide	699	799			•			
	RECHMWB36	Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide	749	849			•		+	
	RECHMDW30	Recirculation Kit for Masterpiece® H Under Cabinet Drawer Hood, 30" W		149	•				+	
	RECHMDW36	Recirculation Kit for Masterpiece [®] H Under Cabinet Drawer Hood, 36" W	IMDW 129	149		•			+	
	CHFHMDW30	Replacement Charcoal Filters For Masterpiece [®] HMDW Under Cabinet Drawer Hood, 30" W	99	109	•					
	CHFHMDW36	Replacement Charcoal Filters For Masterpiece [®] HMDW Under Cabinet Drawer Hood, 36" W	99 Vide	109		•				
	CHFILT3036	Replacement charcoal filters for recirculating wall hoods	109	119	•		• •			
Optional St	ainless Steel Duct (Cover								
-	n 16" and 20"-54"	Can be used with Low-Profile HMWBxxWS Series Wall Hoods								
	DCT3016W	16" Tall Duct Cover for Low-Profile 30" Wide	Wall Hood, 649	749			•		T	
	DCT3616W	16" Tall Duct Cover for Low-Profile 36" Wide	Wall Hood, 659	749			•	•	' 	
	DCT4816W	16" Tall Duct Cover for Low-Profile 48" Wide	Wall Hood, 679	749						
	DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	749	849			•			
	DC36MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	759	849			•	•	'	
	DC48MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	779	899			1		T	

I he information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

VENTILATION

INDEX

CHIMNEY WALL HOODS

This price list supersedes all previous price lists. Prices listed he	rein do not include applicable state or local taxes.								
Model Number Description		UMRP MSRP							
All Chimney Wall Hoods include the follo	wing features:								
 Beautiful illumination with multi-level, LED lights Dishwasher-safe filters Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels 	 Automatic mode detects temperatures to adjust fan speed automatically 10-min delay shut off whisk away lingering odors 	after 40 hours of • Vertical ducting of	1						
All Professional Chimney Wall Hoods inc	lude these Additional features:								
 Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops 	 Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops 	required to comp	 Blower options sold separate and required to complete install. Works wi the following blowers, sold separately 						
Sculpted brushed stainless steel	 Powerfully Quiet[®] optional blower 	(see page 6-3).	Domoto						
Creates a focal point in the room with a more contemporary-style feel	system accepts integral, inline, and remote blowers	Integral VTN630W VTN1090R	Remote VTR630W VTR1030W						
Make-up air damper relay switch (120 V max)	• 6" tall, 18"- 35" tall telescopic, and 42"- 59" tall telescopic duct cover accessory	Inline VTI610W	VTR1330W						
Transition to 10" round and backdraft damper included	options available, sold separate (see page 6-10)	VTI1010W Accessory options	availahla						
Duct cover accessory options available, sold separate (see page 6-10)	Built-in remote control panel accessory available, sold separate (see page 6-5)	 Remote blower r page 6-5) 							
Pro-style 24" depth, 18" tall		 25-ft remote & in cable (see page 	line blower extension 6-5)						

Professional Series

Pro Grand [®]	Chimney	Wall	Hood	
------------------------	---------	------	------	--

Pro Grand [®] Chimney	Vall Hood			
HPCN36WS	36" Professional [®] Chimney Wall Hood, Optional Blower	2,699	2,999	
HPCN48WS	48" Professional [®] Chimney Wall Hood, Optional BlowerPro	3,199	3,549	HPCN36WS

CHIMNEY WALL HOODS

This price list supersedes all prev Model Number	ious price lists. Prices listed her Description	ein do not include applicable state or local taxes.	UMRP	MSRP	
 All Masterpiece[®] Chim Equipped with the Th Experience by Home A perfect complemen Thermador Masterpie Brushed stainless ste Serves as the focal p can add a modern fee Cooktop Hood-Sync 	to the sleek connect [™] to the sleek ce [®] Series cooktops cel ooint of the room and el	 Iude these Additional features: 600 CFM integral blower Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings Built-in remote control panel accessory available, sold separate (see below) Transition to 8" round and backdraft damper included Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings available, sold separate (see page 6-11) 	, s • F fr • V • E	old separa lybrid mes rame rertical du Built-in ren	e to recirculation, accessory ate (see page 6-11 sh filters with stainless steel cting direction note control panel accessory sold separate (see page 6-5)
 Drawer Chimney Wall A masterful blend of I performance with uni out canopy design th be pushed back for ir head room or pulled for increased capture 	luxury and • Can b que slide- at can • Noise ncreased forward	e activated whether in en or closed position Control Deluxe™			Masterpiece® Series
HDDB30WS	30" Masterpiece [®] E 600 CFM	Drawer Chimney Wall Hood,	2,499	2,749	Q
HDDB36WS	36" Masterpiece [®] E 600 CFM	Drawer Chimney Wall Hood,	2,699	2,999	
 Pyramid Chimney Wa Streamlined, contemplow-profile design wit pyramid canopy height 	oorary, • Noise h 5"	Control Technology™			
HMCB30WS	30" Masterpiece [®] F 600 CFM	Pyramid Chimney Wall Hood,	2,099	2,349	HMCB30WS
HMCB36WS	36" Masterpiece [®] F 600 CFM	Pyramid Chimney Wall Hood,	2,199	2,449	Q

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

CHIMNEY WALL HOODS

This price list superse Model Number	Model	rices listed herein do not include applicable state or local taxes. Description	UMRP N	ISRP						
Accessorie	es				P	ro	N	lastei	piec	e
					W	all	Dra	wer	W	all
					HPCN36WS	HPCN48WS	HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS
Remote & In	line Blower Extens									
	sion cable for use od and inline or ver		, VTI1010W, V, VTR1030W,							
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139	•	٠				
	6" tall, 18"–35" tall and 42"–59" tall neights	 Can be used with HPCNxxWS Professional Series Chimney Wall Hoods 								
	CHMHP366W	6" Tall Duct Cover for Professional [®] Chimney Wall Hood, 36" Wide	499	549	•					
	CHMHP486W	6" Tall Duct Cover for Professional [®] Chimney Wall Hood, 48" Wide	509	599		•				
	CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 36" Wide	649	749	•					
	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 48" Wide	659	749		•				
	CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 36" Wide	719	799	•					
	CHMHP48XTW	42"×59" Tall Telescoping Duct Cover for Professional [®] Chimney Wall Hood, 48" Wide	739	849		•				

* Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

lodel lumber	Description	n	UMRP	MSRP						
Accessor	ies				P	ro	N	laste	rpiec	e
					W	all	Dra	wer	W	/all
					HPCN36WS	HPCN48WS	HDDB30WS	HDDB36WS	HMCB30WS	
• Stainless	all Hood Extension steel telescopic extension for 9-ft to eilings	Kits					-			
	CHXTHDDW	9'–12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece [®] Chimney Drawer Hood	579	649			•	•		
(335) (335)	<u>CHXTHMCB</u>	9'–12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece [®] Pyramid Chimney Hoo	579 d	649					•	
When duc	all Hood Recirculations is not feasible, filtered air back into	ion Accessories Replace charcoal filter every 3–6 months depending on usage Charcoal filter accessory average 					1	1		
	RECHDDB	Recirculation Kit for Masterpiece [®] HDDBxxWS Drawer Chimney Wall Hood	159	179			•	•		
	RECHMCB	Recirculation Kit for Masterpiece [®] HMCBxxWS Chimney Wall Hood	159	179					•	
	<u>CHFHMCD</u>	Replacement Charcoal Filters For Masterpiece [®] HMCB, HDDB, HMIB Recirculation Kit	109	119			•	•	•	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

ISLAND HOODS

Model	Prices listed herein do not include applicable stat	e or local taxes.		
Number Descriptio	'n	UMRP MSRP		
 All Island Hoods include the fol Equipped with the Thermador C Experience by Home Connect[™] Beautiful illumination with multi- LED lights 	• Recessed sleek, sr panel that provides	precise performance eed levels etects temperatures to utomatically	r reminder light illuminates ours of operation cting direction note control panel accessory sold separate (see page 6-4	
 Box Island Hoods A stunning, meticulously crafted piece that could be a conversation starter while 	 Powerfully Quiet[®] optional blower system accepts integral, inline, and remote 	 Blower options and required to 	o complete	Professional Serie
 entertaining in the kitchen Designed and engineered to match in design and performance with Thermador Professional Series ranges and range tops Sculpted brushed stainless steel 	 blowers Transition to 10" round and backdraft damper included For ceiling applications of 8' to 9' height May require fabrication for custom height 	blowers, sold s page 6-3). Integral VTN630W	Remote VTR630W VTR1030W VTR1330W	HPIN42WS

• 25-ft remote & inline blower

extension cable (see page

6-5)

- Dishwasher-safe commercialstyle stainless steel baffle filters
- Make-up air damper relay switch (120 V max)

HPIN42WS	42" Professional [®] Island Hood, Optional Blower	3,399	3,749
HPIN54WS	54" Professional [®] Island Hood, Optional Blower	3,999	4,399

ISLAND HOODS

This price list supersedes a Model Number	<i>all previous price lists.</i> Descriptio	Prices listed herein do not include applicable state or	r local taxes. UMRP	MSRP	
 Number Low-Profile Island Sleek and slim, f meticulously scu floating stainless hoods catch the obstructing view A perfect comple Thermador Mast Series cooktops Brushed stainless 	d Hood these ulpted, s steel island eye without 's ement to terpiece [®]	 Cooktop Hood-Sync Enabled Noise Control Deluxe[™] 600 CFM integral blower Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings Transition to 8" round and backdraft damper included 	 Convertible to recircula accessory sold separa (see page 6-14) Accessory options availa Duct cover extension k accessory for 9-ft to 12 ceilings (see page 6-14) 	ation, te <i>ble</i> kit 2-ft tall	Masterpiece® Series
HMIB36WS	36" Mas 600 CFN	terpiece [®] Box Island Hood, //	2,999	3,299	
HMIB42WS	42" Mas 600 CFM	terpiece [®] Box Island Hood, ⁄I	3,099	3,449	

ISLAND HOODS

	edes all previous price lists.	Prices listed herein do not include applicable state or loca	I taxes.					
Model Number	Descriptio	n	UMR	P MSRP				
Accessorie	es				P	ro	Maste	rpiece
					B	ох	Low I	Profile
					S	S	Ś	S
					42W	54W	36W	42W
					HPIN42WS	HPIN54WS	HMIB36WS	HMIB42WS
					エ	I	I	I
	line Blower Extens			10				
	sion cable for use bod and inline or wer	 Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods 	For use with blower VTI610W, VTI1010 VTR630W, VTR103 VTR1330W	W,				
		Cannot join two cables together for longer length.						
0	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	11	9 139	•	•		
Low-Profile	sland Hood Exten	sion Kit						
	teel telescopic tension for 9-ft to ilings	 Compatible with HMIBxxWS Masterpiece[®] Island Hood 						
	CHXTHMIB	9'–12' Ceilings Chimney Extension H HMIBxxWS Masterpiece [®] Island Hod		9 799			•	•
Low-Profile	sland Hood Recire	culation Accessories						
	ng is not feasible,	Compatible with HMIBxxWS						
kit brings fil kitchen	ters air back into	Masterpiece [®] Island Hood						
Replace ch	arcoal filter every s depending on	 Charcoal filter replacement accessory available (see below) 						•
	RECHMIB	Recirculation Kit for Masterpiece [®] HMIBxxWS Island Hood	15	9 179			•	•
	CHFHMCD	Replacement Charcoal Filters For Masterpiece [®] HMCB, HDDB,	10	9 119			•	•
		HMIB Recirculation Kit						

CUSTOM INSERTS

	vious price lists. Prices listed l	herein do not include applicable state o	r local taxes.			
Model Number	Description			UMRP	MSRP	
All Custom Inserts inVertical ducting	clude the following	features: • Blower options sold s required to complete the following blowers, (see page 6-3).	install. Works w	rith V y V II V	ntegral /TN630W /TN1090R nline /TI610W ¹ , /TI610W	Remote VTR630W VTR1030W VTR1330W
 Custom Insert Hoods Equipped with the Th Connected Experien Home Connect™ Revel in creative free custom inserts, whet choose to blend ther your surrounding cal create a statement p bold materials Crafted to complete ultimate cooking sys Thermador Professio ranges and rangetop Brushed stainless steel to filters 	hermador ce by edom with her you n in with binetry or iece with the the the the the the the the the t	utiful illumination with i-level, LED lights essed sleek, smooth touch rol panel that provides ise performance selection 4-speed levels matic mode detects peratures to adjust fan ed automatically nin delay shut off whisk y lingering odors ck filter reminder light inates after 40 hours of ation e-up air damper relay ch (120 V max)	 inline, and Includes of to complete installation Transition backdraft Built-in renaccessory separate (Accessory of Remote (see pa 25-ft ren 	stem accept remote blo ustom hood te custom ir to 10" roun damper incl mote contro available, s see page 6 ptions avail blower roo	s integral, wers d trim isert d and uded l panel sold -16 <i>able</i> f plates e blower	Professional Series
VCIN36GWS		Custom Insert, Optional I		1,799	1,999	
VCIN42GWS		Custom Insert, Optional I		1,899	2,099	
VCIN48GWS		Custom Insert, Optional I		1,999	2,199	
VCIN54GWS		Custom Insert, Optional E		2,099	2,349	
VCIN60GWS	60" Professional®	Custom Insert, Optional I	Blower ¹	2,199	2,449	

30" Custom Insert

VCI236DS

VCI248DS

 Approved for use with 	0
Professional Series F and Rangetops	anges • Electro
0 1	 Delaye
Optional baffle filters fessional performance	• Filtor (
VCI230DS	30" Custom Insert

logen lights

36" Custom Insert

48" Custom Insert

- ectronic controls
- layed shut off
- ter change light
- · Wired remote control optional (VCI2REMFS, see page 6-16)
- · Protect cabinetry with Lir accessory², sold separat (see page 6-16)

ner tely		
	VCI230DS	
1,249		



Masterpiece® Series

1,099	1,249	
1,199	1,349	
1,299	1,449	

1 The 600 CFM blower options are not available with the 60" hood

Cabinet cutouts and dimensions must be prepared based on the Liner Accessory and Insert Hood (as opposed to only the Insert Hood) when using a 2 Liner in combination with an Insert Hood.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PROFESSIONAL SERIES

INDEX

CUSTOM INSERTS

i his price list supers Nodel	edes all previous price lists. F	Prices listed herein do not include applicable state or l	ocal taxes.									
Number	Description	l	UMRP	MSRP								
Accessorie	es						Pro			Mas	terp	iec
					VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS	VCI230DS	VCI236DS	VCIDARDS
Remote & In	line Blower Extens	ion Cable										
	sion cable for use bod and inline or wer	 Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods Cannot join two cables together for longer length. 	 For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W 									
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139	•	•	•	•	•			
Remote Con	trol											
	design remote Masterpiece [®] Series erts	Can be installed on wall, cabinet, or countertop	Wired to hoodCable length: 13 ft.									
000 00 mm	VCI2REMFS	Remote Control Accessory for VCI2xxDS series	299	329						•	•	•
Baffle Filters	5											
Stainless stLow profile		Dishwasher safe	Use only with Masterpie Series Custom Inserts	ece®								
	BAFFLT30	30" Baffle Filter for VCI230DS	199	219								
	BAFFLT48	48" Baffle Filter for VCI248DS	299	329						•	•	•
stainless staUse only with	tom cabinetry with eel liners ith Masterpiece [®] tom Inserts*	 Installation Note: Cabinet cut- outs and dimensions must be prepared based on the Liner Accessory and Insert Hood (as opposed to only the Insert 	e combination with an Insert Hood.									
	LINER30	Liner for 30" VCI230DS	299	329								
	LINER36	Liner for 36" VCI236DS	299	329						•	•	•
	1											1

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

Model Number	Description			UMRP	MSRP	
All Downdrafts inclu Designed for install Thermador [®] cooktop Professional Series All models feature s connections includin and rear as well as Stainless steel Sleek, removable fr that act as a splatte Dishwasher safe m Three speeds	ation with all ps except six possible discharge ng front, side, down, recirculation ront filter panel design er shield	 Filter maintenance Automatic mode Recirculation poss induction cooktops Separately (UCVR 6-18) Required To Comple Blower Options, Separately (Separately) 	reminder light ible with electric and a, Accessory Sold ECIRC see page	 D. cc ex pa cc C C<!--</th--><th>owndraft omplete th khaust dir age 6-20] VTSIDE6 VTSIDE1 VDUCT2 essory op as cookto oquired fo JCV30ST, electrical ised to re ownward eparately 5-ft remot</th><th>CVTRECT2 CVTFRONT6 CVTFRONT8 CVTFRONT10 tions available op seal kit sold separately, r installation with gas cooktop UCV36ST [see page 6-18) I panel extension cable locate electrical box) for front discharge installations, sold (EXTNCE5 [see page 6-21]) e & inline blower extension separately (EXTNCB25W se</th>	owndraft omplete th khaust dir age 6-20] VTSIDE6 VTSIDE1 VDUCT2 essory op as cookto oquired fo JCV30ST, electrical ised to re ownward eparately 5-ft remot	CVTRECT2 CVTFRONT6 CVTFRONT8 CVTFRONT10 tions available op seal kit sold separately, r installation with gas cooktop UCV36ST [see page 6-18) I panel extension cable locate electrical box) for front discharge installations, sold (EXTNCE5 [see page 6-21]) e & inline blower extension separately (EXTNCB25W se
Downdraft Ventilatio	on System					Masterpiece [®] Series
VEW UCVM30XS	<u>30" Masterpiece</u> [®] [15" Snorkel, Optio			1,599	1,799	UCVM30XS
NEW UCVM36XS	36" Masterpiece [®] [15" Snorkel, Optio			1,799	1,999	UCVM36XS
NEW UCVP36XS	36" Masterpiece [®] [2	2,099	2,349	
	18" Snorkel, Optio LED Task Bar Ligh					

Model Number	Description		UMRP	MSRP			
Componen	ts				UCVM30XS	UCVM36XS	UCVP36XS
 For use with 36" UCVM3 UCVP36XS only Works in wa applications When ductii kit brings filt 	s ng is not feasible, tered air back into r passing through	 To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Gas Cooktops Module ships with one heavy duty charcoal filter and two metal grill vent plates Mounts to cabinet base, recesses into toe kick/socket area 	 Fits in toe-kick/socket of 4" or taller Module and grill vent can be placed so air of hit feet Blower and downdraft separately Replacement charcoa available, sold separately 	plate loes not sold I filters			
	UCVRECIRC	Recirculation kit for downdraft UCVM30XS, UCVM36XS, UCVP downdrafts only. VTD600P Blowe required, sold separately. Replace every 3-6 months depending on u	er e filters	699	•	•	•
- Sala	UCVFILTER	Charcoal filter replacement For use with UCVRECIRC recircu	109 ulation kit (above)	119	•	•	•
	n 30" UCVM30XS, 6XS, 36" UCVP36XS	 Required for installation with gas cooktops 	 Includes trim bracket, and 2 metal grills 	seal,			
	UCV30ST	30" gas cooktop seal kit For UCVM30XS, UCVM36XS, UCVP36XS downdrafts	129	149	•	•	•
	UCV36ST	36" gas cooktop seal kit For UCVM30XS, UCVM36XS, UCVP36XS downdrafts	129	149	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

DISHWASHERS

INDEX

lumber	Description		UM	IRP	MSRP			
Componen	ts					UCVM30XS	UCVM36XS	UCVP36XS
ntegrated BI	ower							
0.0	<u>VTD600P</u>	600 CFM, 8" duct size flexible integrated blower Use with UCVM30XS, UCVM36XS,		399 drafts	799 s only	•	•	•
nline Blower	′S							
custom hoo website for Blower can the duct line	ed as integral VCI2xxDS Series id inserts. See additional details be mounted along between the the exterior wall	 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-21) 	For use with Ther PHxxxWS, HPCN HPINxxWS, VCIN VCI2xxDS, UCVM UCVP36XS Serie hoods	xxWS xxGV 1xxRS	S, VS, S, and			
	<u>VTI610W</u>	600 CFM Inline Blower, 6" duct size	6	609	699	•	•	•
	<u>VTI1010W</u>	1,000 CFM Inline Blower, 10" duct s	size 7	' 99	899	•	•	•
Remote Blow	/ers							
 Roof mount (RFPLTxxP) mount appli 	I roof or wall mount ing plate) required for roof ications—sold (see page 6-21)	 25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-21) 	For use with Ther PHxxxWS, HPCN HPINxxWS, VCIN VCI2xxDS, UCVM UCVP36XS Serie	xxWS xxGV 1xxRS	S, VS, S, and			
C	<u>VTR630W</u>	600 CFM Remote Blower, 6" duct si	ize 7	' 29	849	•	•	•
0	<u>VTR1030W</u>	1,000 CFM Remote Blower, 10" duc	ot size 7	769	849	•	•	•
BE	<u>VTR1330W</u>	1,300 CFM Blower, 10" duct size	ç	979	1,099	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

UMRP MSRP

UCVM30XS UCVM36XS UCVP36XS

Components

Downdraft Transitions

Transition(s) may be required to complete the installation of 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdrafts depending on the discharge connection chosen in combination with the downdraft blower selected (see installation manual) • For use with inline and remote blowers

	CVTSIDE6	6" side/rear transition 19 Rectangular 1 %"×19" transition to 6" round for side and rear exhaust applications	99	219	•	•	•
-0	CVTSIDE8	8" side/rear transition 19 Rectangular 1 1/2"×19" transition to 8" round for side and rear exhaust applications	99	219	•	•	•
-6	CVTSIDE10	10" side/rear transition 19 Rectangular 1 1/2"×19" transition to 10" round for side and rear exhaust applications	99	219	•	•	•
0	CVTFRONT6	6" round front plate S Front rough-in plate for front downward exhaust applica	99 ations	109	•	•	•
0	CVTFRONT8	8" round front plate	99 ations	109	•	•	•
	CVTFRONT10	10" round front plate	99 ations	109	•	•	•
	CVDUCT2	2' rectangular duct 19 Rectangular duct that is 2' long × 1 %" deep × 19" wide (CVDUCT2) required to a CVTRECT2 to downdraft housing. Ability to use as an a exhaust through a cabinet or wall. To modify length, du cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be us nect CVTRECT2 to round ductwork	extens ict may	ion to / be	•	•	•
	CVTRECT2	Transition for rectangular duct Required to attach CVDUCT2 2' rectangular duct to downdraft housing	99	109	•	•	•

REFRIGERATION


BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION



BUILT-IN DISHWASHERS

REFRIGERATION


BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

/ENTILATION



BUILT-IN DISHWASHERS

Model Number	Description			UMRP	MSRP	
						Sapphire [®] Series
 42 dBA Adjustable Chef's Too Drawer™ (third rack) 16 place settings Flexible folding tines Extra-Tall-Item Sprink 		 Stainless steel control panel Time remaining PowerBeam[®] indicator Sapphire Glow[™] Interior Light Crystal Protect[®] System Water Softener 	 Push to Ope Additional Wa. Quick; 1 ho Additional Ope Sanitize; Sa - with Zeolit Thermador 	sh Cycles: ur tions: uve Time; S e ™, an ex	clusive	DWHD770WFP
DWHD770WFP DWHD770WFM DWHD770WPR	24" Maste	ssional Stainless Steel Sapphire [®] erpiece [®] Stainless Steel Sapphire [®] om Panel Sapphire [®] (Requires Cust	tom Panel)	2,299 2,299 2,299	2,549 2,549 2,549	DWHD770WFM DWHD770WPR

Star Sapphire[®] Series

 44 dBA Premium Smooth Glid Entertainer's Drawer (third rack) 16 place settings Flexible folding tines Extra-Tall-Item Sprinkl Time remaining Power indicator 	rainbow of colors through the Connected Experience • Crystal Protect [®] System • 18 wine glass capacity • Push to Open	 Additional Wasi StarSpeed[®]-, wash Glass Star 60 (1 ho Additional Option Sanitize Save Time StarDry[™] - wan exclusive solution 	20 min. h ur wash) ons: vith Zeolit	е™,	DWHD870WFP
DWHD870WFP	24" Professional Stainless Steel Star Sapp	ohire®	2,799	3,099	DWHD870WPR
DWHD870WFM	24" Masterpiece® Stainless Steel Star Sap	phire®	2,799	3,099	
DWHD870WPR	24" Custom Panel Star Sapphire® (Require	s Custom Panel)	2,799	3,099	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

UMRP MSRP

NEVER HAND WASH AGAIN

The First Dishwasher Designed Specifically for Glassware

Crafted with a tine-less configuration to maximize capacity for wine glasses, beer steins and more, this glass dishwasher securely washes your most delicate stems while accommodating every entertaining occasion.



• 1 Hour, Auto, Hand Wash,

• Brilliant dry, Extra dry, Half

load, Intensive Zone, Remote

Normal, Quick, Rinse,

TurboSpeed 20 min

Start. Sanitation

Six Options:

- 44 dBA
- All new bottom rack-4 wave • tines for customization of glassware and the ultimate in capacity, and all new bottom mat providing the ultimate in glassware security
- · Premium Smooth Glide Racks
- Two efficient cutlery baskets
- 8 place settings
- Glassware inserts
- Flexible folding tines (upper)
- Sapphire Glow[™] Interior Light
- · Push to Open

DWHD771WFP 24" Professional Stainless Steel Glass Care Center 2,649 2,399 24" Masterpiece® Stainless Steel Glass Care Center 2,399 2,649 DWHD771WFM DWHD771WPR 24" Custom Panel Glass Care Center 2,399 2,649 (Requires Custom Panel)

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

DWHD771WFP

DWHD771WFM

DWHD771WPR

INDEX

VENTILATION

ACCESSORIES

This price list superse Model	edes all previous price lists. I	Prices listed herein do not include applicable state or local taxes.							
Number	Descriptior	1	UMRP	MSRP					
Accessorie	es				Emerald Series	Topaz® Series	Sapphire [®] Series	Star Sapphire® Series	Glass Care Center
h	SMZPC002UC	Dishwasher 3-prong Power Cord (rear connection)	See Bosch Pri	ce List*	•	•	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Pri	ce List*	•	•	•	•	•
\bigcirc	SMZSH002UC	Dishwasher Water Supply Hose	See Bosch Pri	ce List*	•	•	•	•	•
	<u>SGZ1010UC</u>	Dishwasher Drain Hose Extension	See Bosch Pri	ce List*	•	٠	•	٠	•
	<u>SGZ9091UC</u>	Dishwasher Salt for dishwashers (4.4 lbs. pack)	See Bosch Pri	ce List*		•	•	•	•
	<u>SMZ5000</u>	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small Item Basket.	See Bosch Pri	ce List*	•	•	•	•	
	<u>SMZ5400</u>	MyWay™ Rack Large Silverware Insert Accessory DWHD870* models only	See Bosch Pri	ce List*				•	
	<u>SMZ5002UC</u>	Fine Silverware Carafe with Clip for Emerald [®] dishwashers (clips onto lower rac	See Bosch Pr k)	ice List*	•				

NOTE: Above accessories can be used in all dishwasher models unless otherwise noted.

* Pricing for the Thermador[®] dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.

INDEX

REFRIGERATION

BUILT-IN COFFEE MACHINE

BUILT-IN OVENS

COOKTOPS

PROFESSIONAL SERIES

VENTILATION

This price list supersedes all previous price lists. F ate or local taxes.

3DHFGALBIN1	-16
3DPRODRAIL1	-16
24HFGALBIN1	-16
24PRODRAIL1	-16
30HFGALBIN1	-16
30PRODRAIL1	-16
36HFGALBIN1	-16
36PRODRAIL1	-16

В

BAFFLT30	3-16
BAFFLT48	ô-16

C	
CEM305TB	4-4
CEM366TB	4-4
CET305TB	4-4
CET366TB	4-4
CHEFSPAN08	4-8
CHEFSPAN13	4-8
CHFHMCD	6-11, 6-14
CHFHMDW30	6-7
CHFHMDW36	6-7
CHFILISL	6-14
CHFILT3036	6-4, 6-7
CHMHP36TW	6-10
CHMHP36XTW	6-10
CHMHP48TW	6-10
CHMHP48XTW	6-10
CHMHP366W	6-10
CHMHP486W	6-10
CHXTHDDW	6-11
CHXTHMCB	6-11
CHXTHMIB	6-14
CIT30XWBB	4-5
CIT36XWB	4-5
CIT36XWBB	4-5
CIT304TB	4-7
CIT304TM	4-7
CIT365TB	4-7
CIT367XG	4-6
CIT367XGS	4-6
CIT367XM	
CIT367XMS	
CS1XLH	5-13
CS1XLPH	5-13
CS2LH	5-13
CS2XLH	5-13
CS2XLPH	5-13
CSRACKH	
CVDUCT2	6-20
CVTFRONT6	6-20
CVTFRONT8	6-20
CVTFRONT10	6-20

Prices listed herein do not include applicable stat
CVTRECT26-20
CVTSIDE66-20
CVTSIDE86-20
CVTSIDE106-20
_
D
DC30MTW6-7
DC36MTW6-7
DC36TW6-4
DC48MTW6-7
DC48TW6-4
DC306W6-4
DC366W6-4
DC426W6-4
DC486W6-4
DCT3016W6-7
DCT3616W6-7
DCT4816W6-7
DWHD650WFM7-1
DWHD650WFP7-1
DWHD650WPR7-1
DWHD660WFM7-1
DWHD660WFP
DWHD660WPR7-1
DWHD770WFM7-2 DWHD770WFP7-2
DWHD770WPR7-2
DWHD771WFM7-3
DWHD771WFP7-3 DWHD771WPR7-3
DWHD870WFM7-2
DWHD870WFP7-2 DWHD870WPR7-2
DWHD870WPR7-2
E
EXTNCB25W 6-5, 6-10, 6-14,
6-16, 6-21
EXTNCE56-21
F
F FRAMEKIT101-16
FRAIVIERTI 10 1-16
н

11	
HDDB30WS	6-9
HDDB36WS	6-9
HEATRKIT20	1-16
HMCB30WS	6-9
HMCB36WS	6-9
HMDW30WS	6-6
HMDW36WS	6-6
HMIB36WS	6-13
HMIB42WS	6-13
HMWB30WS	6-6
HMWB36WS	6-6
HMWB361WS	6-6

HPCN48WS HPIN42WS HPIN54WS	6-12
I ICEBUCKETL	1-17
L	
LINER30	6-16
LINER36	6-16
LINER48	6-16
LPRODBIN10	1-16
M MB30WP	3-11
MB30WS	
MC30WP	
MC30WS	
MD24WS	
MD30WS	
ME301WS	3-2
ME302WS	3-3
MED301LWS	3-2
MED301RWS	3-2
MED301WS	3-2
MED302LWS	3-3
MED302RWS	3-3
MED302WS	
MEDMC301WS	3-4
MEDMCW31WS	3-4
	0 5

HMWB481WS6-6

HPCN36WS6-8

MED302RWS	3-3
MED302WS	3-3
MEDMC301WS	3-4
MEDMCW31WS	3-4
MEDS301WS	3-5
MEDS302WS	3-5
MEM301WS	3-4
MS20HNDL201-	18
MS22HNDL201-	18
MS30HNDL20 1-	-11
MS36HNDL20 1-	-11

MU30WSU3-12

Ρ

PA12CHPBLK	5-12, 5-23
PA12GRILFW	5-11, 5-23
PA12GRILLW	5-11, 5-23
PA12LCVRN	5-12, 5-23
PA12LCVRW	5-12, 5-23
PA24CVRR	5-12
PA24CVRW	5-12, 5-23
PA30WLBC	5-25
PA30WLBH	5-24
PA36WLBC	5-25
PA36WLBG	5-14
PA36WLBH	5-24
PA36WTKG	5-13

PA48WLBC5-25
PA48WLBG5-14
PA48WLBH5-25
PA48WLBSG5-14
PA48WTKG5-14
PA60WLBG5-14
PA60WTKG5-14
PAALTKITGW5-13
PAALTKITHW5-24
PABRICKBKW 5-12, 5-23
PABRICKW 5-12, 5-23
PAGRIDDLE 5-12, 5-23
PAGRIDDLEW5-11, 5-23
PAGRIDLFW5-11, 5-23
PAKNOBLUWG5-13
PAKNOBLUWH5-24
PAKNOBLUWR5-24
PALPKITDGW5-13
PALPKITGGW5-13
PALPKITGW5-24
PALPKITGW55-24
PALPKITHW5-24
PALPKITHW55-24
PCG305W5-21
PCG364WD5-22
PCG364WL5-22
PCG366W5-21
PCG486WD5-22
PCG486WL5-22
PH30HWS6-2
PH36GWS6-2
PH36HWS6-2
PH42GWS6-2
PH48GWS6-2
PH48HWS6-2
PH54GWS6-2
PH60GWS6-2
PO301W3-6
PO302W
POD301LW
POD301RW3-6
POD301W
POD302LW
POD302RW
POD302W

INDEX

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PODMC301W......3-8 PODS301W......3-10

PODS302W......3-10 POM301W......3-8 PR20HNDL20.....1-18

PR22HNDL20.....1-18

PR30HNDL20..... 1-11

PR36HNDL20..... 1-11

INDEX

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRD48WCSGU5-8
PRD48WDSGU 5-7
PRD48WISGU5-7
PRD48WLSGU5-7
PRD304WHU5-15
PRD305WHU5-15
PRD364WDGU5-3
PRD364WDHU5-16
PRD364WIGU5-3
PRD364WLGU5-3
PRD364WLHU5-16
PRD366WGU5-3
PRD366WHU5-16
PRD484WCGU5-5
PRD484WCHU5-17
PRD486WDGU5-4
PRD486WDHU5-17
PRD486WIGU 5-4
PRD486WLGU5-4
PRD486WLHU5-17
PRD606WCG5-5
PRD606WCSG5-8
PRD606WEG5-5
PRD606WESG5-8
PRG304WH5-18
PRG305WH5-18
PRG364WDG5-10
PRG364WDH5-19
PRG364WLG5-10
PRG364WLH5-19
PRG366WG5-9
PRG366WH5-19
PRG486WDG5-10
PRG486WDH5-20
PRG486WLG 5-11
PRG486WLH5-20
PWOKRINGHC5-12, 5-24

R

RECHDDB	6-11
RECHMCB	6-11
RECHMDW30	6-7
RECHMDW36	6-7
RECHMIB	6-14
RECHMWB30	6-7
RECHMWB36	6-7
REMCPW	6-4
REPLFLTR10	1-17
RFPLT600P	6-5, 6-21
RFPLT1000P	6-5, 6-21
S	
SCRNFLTR10	1-17

SDCLNRCK30	3-14
SDS30WC	3-13
SGRIDDLEW	4-3
SGS305TS	4-1
SGS365TS	4-1
SGSP305TS	4-2
SGSP365TS	4-2
SGSX305TS	4-1
SGSX365TS	4-1
SGSXP305TS	4-2
SGSXP365TS	4-2
SGZ1010UC	7-4
SGZ9091UC	7-4
SKNOBLUW	4-3
SLPKITW	4-3
SMZ5000	7-4
SMZ5002UC	7-4
SMZ5400	7-4
SMZPC002UC	7-4
SMZPCJB1UC	7-4
SMZSH002UC	7-4
SNPKITPEDW	4-3
SPRODBIN10	1-16
SWOKRINGW	4-3

Т

1	ICMTK30RS2-1
T18ID900LP1-6	TCOOKSENSW4-9
T18ID900RP1-6	TEPPAN10134-8
T18IF900SP1-4	TEPPAN10164-8, 5-11
T18IF901SP1-4	TEPPAN13144-8
T18IW900SP1-9	TEPPAN13214-8
T18WINERK1 1-17	TFL18ID8001-6
T23IR900SP1-2	TFL18ID9051-6
T24ID900LP1-6	TFL18IR8001-5
T24ID900RP1-6	TFL18IR9051-5
T24IF900SP1-4	TFL18IW8001-10
T24IR900SP1-2	TFL18IW9051-10
T24IR902SP1-2	TFL23IR9001-3
T24IW900SP1-9	TFL23IR9051-3
T24IW901SP1-9	TFL24ID8001-6
T24UC900DP1-15	TFL24ID9051-6
T24UC910DS1-15	TFL24IR8001-3, 1-5
T24UC920DS1-15	TFL24IR9051-3, 1-5, 1-6
T24UR900DP1-15	TFL24IW8001-10
T24UR900LP 1-15	TFL24IW9051-10
T24UR900RP1-15	TFL30IB8001-8
T24UR910DS1-15	TFL30IB9051-8
T24UR910LS1-15	TFL30IR8001-3, 1-5
T24UR910RS1-15	TFL30IR9051-3, 1-5
T24UR920DS1-15	TFL36IB8001-8
T24UR920LS1-15	TFL36IB9051-8
T24UR920RS1-15	TFL36IR9001-3, 1-5
T24UW900LP1-15	TFL36IR9051-3, 1-5
T24UW900RP1-15	TFL36IT8001-8

T24UW910LS 1-15 T24UW910RS.....1-15 T24UW920LS 1-15 T24UW920RS.....1-15 T24WINERK1 1-17 T30BB910SS.....1-14 T30BB920SS.....1-14 T30IB900SP 1-7 T30IF900SP.....1-5 T30IR900SP1-2 T30IR901SP 1-3 T30IR902SP1-3 T36BB910SS.....1-14 T36BB920SS.....1-14 T36BT910NS.....1-14 T36BT920NS.....1-14 T36IB900SP 1-7 T36IB902SP 1-7 T36IF900SP.....1-5 T36IR900SP1-3 T36IT900NP1-8 T36IT901NP1-8 T36IT902NP1-8 TCM24PS 2-1 TCM24TS2-1 TCMTK30RS 2-1 COOKSENSW......4-9 EPPAN1013.....4-8 EPPAN1016......4-8, 5-11 EPPAN1314.....4-8 EPPAN1321.....4-8 FL18ID800.....1-6 FL18ID905.....1-6 FL18IR800.....1-5 FL18IR905.....1-5 FL18IW800.....1-10 FL18IW905.....1-10 FL23IR900.....1-3 FL23IR905.....1-3 FL24ID800.....1-6 FL24ID905.....1-6 FL24IR800.....1-3, 1-5 FL24IR905.....1-3, 1-5, 1-6 FL24IW800.....1-10 FL24IW905.....1-10 FL30IB800.....1-8

TFL36IT905	1-8
TGRILLPANX	4-8
TROASTERT	4-8

U

•	
UCTRFLTR10	1-18
UCV30ST	6-18
UCV36ST	6-18
UCVFILTER	6-18
UCVM30XS	6-17
UCVM36XS	6-17
UCVP36XS	6-17
UCVRECIRC	6-18

V

v	
VCI2REMFS	6-16
VCI230DS	6-15
VCI236DS	6-15
VCI248DS	6-15
VCIN36GWS	6-15
VCIN42GWS	6-15
VCIN48GWS	6-15
VCIN54GWS	6-15
VCIN60GWS	6-15
VTD600P	6-19
VTI610W	6-3, 6-19
VTI1010W	6-3, 6-19
VTN630W	6-3
VTN1090R	6-3
VTR630W	6-3, 6-19
VTR1030W	6-3, 6-19
VTR1330W	6-3, 6-19

W

WD30W	3-13
WD30WC	3-13
WKNOBKT3W	3-14

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

SD30WC3-13



BSH Home Appliances Corporation 1901 Main Street, Suite 600, Irvine, CA 92614 Phone: (949) 440-7100 (800) 735-4328 Sales and Service Thermador.com

©2020 BSH Home Appliances Corporation. All rights reserved.

19-BSH-0779.1 11/26/2019