

PRICELIST

Consumer UMRP





Table of CONTENTS

Consumer UMRP Price List Effective Q2 2020

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

REFRIGERATION		PROFESSIONAL SERIES RANGES AND RAN	GETOPS
Freedom [®] Collection	1-1	Overview	5-1
Fresh Food Columns		Rangetops	5-2
Freezer Columns	1-4	Accessories	5-4
Bottom Freezers	1-6	Accessories	5-4
Wine Preservation Columns	1-8	Pro Harmony® Series	5-7
Handles	1-9	Dual-Fuel Ranges	5-7
Quick Reference Guide	1-11	All-Gas Ranges	5-10
Preassembled Collection	1-12	Pro Grand [®] Series	5-13
Bottom Freezer Refrigerators	1-12	Dual-Fuel Ranges	5-13
Under-Counter Collection	1-13	Steam Ranges	
Glass Door Refrigeration Units	1-13	All-Gas Ranges	
Drawer Refrigeration/Freezer Units	1-13	Accessories	5-22
Glass Door Wine Preservation Units	1-13	VENITH ATION	
Accessories		VENTILATION	
Freedom® Accessories	1-14	Ventilation Lineup	
Freedom® Wine Preservation Accessories		Wall Hoods	
Under-Counter Accessories		Masterpiece® Series	
		Professional Series	
BUILT-IN COFFEE MACHINE		Professional and Masterpiece® Accessories	
Built-In Coffee Machine		Chimney Wall Hoods	
Accessories	2-1	Masterpiece® Series	
BUILT-IN OVENS		Professional Series	6-10
Ovens Lineup	3-1	Accessories	
Masterpiece Series		Island Hoods	
30" Masterpiece [®] Ovens		Masterpiece® Series	
Accessories		Professional Series	6-14
Professional Series		Accessories	6-15
30" Professional Series Ovens		Custom Inserts	6-16
Microwave Ovens		Accessories	
Microwave Ovens		Downdraft	
Speed Ovens		Masterpiece® Series	6-18
MicroDrawer® Microwave Oven		Components	6-19
Over-the-Range Microwave Hood		Accessories	6-22
Warming Drawers		DISHWASHERS	
Accessories		Built-In Dishwashers	7 1
	5-14	Glass Care Center	
COOKTOPS		Accessories	
Gas Cooktops		Accessories	/-4
Glass Ceramic Induction Cooktops		INDEX	
Electric and Induction Accessories	4-8		

CONDITIONS OF SALE

Returned Goods

No merchandise may be returned without prior approval. Please contact your sales representative for return authorization.


All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight and billing terms, refer to current program in effect.

F.O.B. Origin

Refrigeration FREEDOM® COLLECTION

Thermador's ingenious Freedom Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".

To order, please follow this 3-step process:



To enhance the Freedom Collection, please see our accessories section on page 1-14.

UMRP Number Description **MSRP**

Fresh Food Columns

All 23.5"/24"/30"/36" Fresh Food Columns include the following features:

- · Fully Flush
- Freedom[®] hinge
- · All-LED sidewall filtered theater lighting
- · Cold Air System
- ThermaFresh system
- · Carbon air filter

- SuperCool function
- Gallon & Half gallon door bins
- Full-extension SoftClose® drawers
- SoftClose® delicate produce bins
- TFT Control
- · Full-length cantilever racks

- · Sabbath/Economy/Vacation modes
- · Door open alarm
- ENERGY STAR® certified
- Extremely quiet
- · Reversible door swing
- · Open door assist

Step 1: Fresh Food Columns















T23IR900SP

T24IR900SP

T24IR902SP

T30IR900SP

T30IR901SP

○ Home Connect

○ Home Connect



T23IR900SP	23.5" Fresh Food Column	4,999	5,499
T24IR900SP	24" Fresh Food Column w/Produce Bins	5,999	6,599
NEW T24IR902SP	24" Fresh Food Column w/Half Gallon Bins	5,999	6,599
T30IR900SP	30" Fresh Food Column	6,599	7,299
T30IR901SP	30" Fresh Food Column w/Produce Bin with Home Connect™	6,599	7,299
NEW T30IR902SP	30" Fresh Food Column w/Half Gallon Bins with Home Connect™	6,599	7,299
T36IR900SP	36" Fresh Food Column	7,299	8,049

Model Number Description UMRP MSRP

Fresh Food Columns

Step 2: Panels

All Thermador® Fresh Food Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL23IR900	23.5" Stainless Steel Panel	580	649		
TFL24IR800	24" Stainless Steel Panel	525	599		
TFL30IR800	30" Stainless Steel Panel	580	649		
TFL36IR900	36" Stainless Steel Panel	1,050	1,199		
Flat Stainless Steel Door Panels with No Holes					
TFL23IR905	23" Single Door No Hole Flat Panel	525	599		
TFL24IR905	24" Single Door No Hole Flat Panel	525	599		
TFL30IR905	30" Single Door No Hole Flat Panel*	580	649		
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199		

Step 3: Handles

For stainless steel handle options, please see page 1-9.

^{*} Units compatible with 30" columns, but should be installed to units with SoftClose® Doors.

Number Description UMRP MSRP

Freezer Columns

All 18"/24"/30"/36" Freezer Columns Include the Following Features:

- · Fully Flush
- Freedom® hinge
- · All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- SuperFreeze® function

- · Height-adjustable glass shelves
- TFT Control
- Full-length cantilever racks
- · Filtered internal diamond ice maker
- Sabbath/Economy/Vacation modes
- · Door open alarm
- · Open door assist
- ENERGY STAR® certified
- Extremely quiet
- Side-by-side kit included

Step 1: Freezer Columns with Internal Ice Maker

- Ice drawer with ice bin
- · Reversible door swing







T18IF900SP T18IF901SP	18" Freezer Column (Internal Ice Maker) 18" Freezer Column (Internal Ice Maker) with Home Connect™	5,499 5,499	6,049 6,049
<u>T24IF900SP</u>	24" Freezer Column (Internal Ice Maker)	5,999	6,599
T30IF900SP	30" Freezer Column (Internal Ice Maker)	6,599	7,299
<u>T36IF900SP</u>	36" Freezer Column (Internal Ice Maker)	7,299	8,049

Number Description **UMRP MSRP**

Freezer Columns

Step 1: Freezer Columns with External Ice and Water Dispenser

18" Freezer Column

•	External Filtered Ice and
	Water Dispenser
•	FreeFlow diamond

ice system

T18ID900LP

· Proximity sensor on dispenser

· Available in right-hand or left-hand door swing (not reversible) · Capacitive touch control dispenser





6,599

5,999

T18ID900LP T24ID900LP

	(External Ice and Water Dispenser, Left Hinge)		
T18ID900RP	18" Freezer Column (External Ice and Water Dispenser, Right Hinge)	5,999	6,599
T24ID900LP	24" Freezer Column (External Ice and Water Dispenser, Left Hinge)	6,599	7,299
T24ID900RP	24" Freezer Column	6,599	7,299



Step 2: Panels

All Thermador® Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

(External Ice and Water Dispenser, Right Hinge)

Flat Stainless Steel Door Panels for Flush Installations

TFL18IR800	18" Stainless Steel Panel	475	529
TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529
TFL24IR800	24" Stainless Steel Panel	525	599
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199

Flat Stainless Steel Door Panels with No Holes

TFL18IR905	18" Single Door No Hole Flat Panel*	475	529
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	475	529
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

Step 3: Handles

For stainless steel handle options, please see page 1-9.

^{*} Units compatible with 18" columns, but should be installed to units with SoftClose Doors.

Number Description UMRP MSRP

Bottom Freezers

All 30"/36" Bottom Freezer and 36" French Door Bottom Freezer Columns Include the Following Features:

- · Fully Flush
- Freedom® hinge
- TFT control
- SoftClose® delicate produce bins
- · All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- Full-length cantilever racks
- · Full-width multi use drawer

- · Internal filtered diamond ice maker
- SuperCool function
- SuperFreeze[®] function
- · Gallon & Half gallon door bins
- · Carbon air filter
- · Sabbath/Economy/Vacation modes
- · Door open alarm
- ENERGY STAR® certified

- Extremely quiet
- Refrigerator door swing reversible (T30IB900SP and T36IB900SP)
- · Two evaporators
- Two compressors
- Open door assist
- · Filtered internal diamond ice maker



Step 1: Bottom Freezers

T30IB900SP	30" Bottom Freezer	7,199	7,949
T36IB900SP	36" Bottom Freezer w/Produce Bins	7,699	8,499
NEW <u>T36IB902SP</u>	36" Bottom Freezer w/Half Gallon Bins	7,699	8,499
T36IT900NP	36" French Door Bottom Freezer	7,999	8,799
<u>T36IT901NP</u>	36" French Door Bottom Freezer w/Produce Bins with Home Connect $^{\text{TM}}$	7,999	8,799
NEW T36IT902NP	36" French Door Bottom Freezer w/Half Gallon Bins with Home Connect $^{\text{TM}}$	7,999	8,799

Model
Number Description UMRP MSRP

Bottom Freezers

Step 2: Panels

All Thermador® Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL30IB800	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
<u>TFL36IB800</u>	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
<u>TFL36IT800</u>	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949
Flat Stainless Steel D	oor Panels with No Holes		
Flat Stainless Steel D	30" Stainless Steel Panel Set (Bottom Freezer)	580	649

840

949

Step 3: Handles

TFL36IT905

For stainless steel handle options, please see page 1-9.

36" Stainless Steel Panel Set

(French Door Bottom Freezer)

Number Description UMRP MSRP

Wine Preservation Columns

All 18"/24" Wine Preservation Columns Include the Following Features:

- · Fully Flush
- Portable aluminum and wenge wood wine presenter
- Full-extension completely enclosed exotic wood shelves
- Fully adjustable temperature zones:
 18" column–two; 24"–three
- · Independent humidity control
- TFT control
- Freedom[®] hinge
- · Adjustable LED lighting
- Diamond shaped dowels for vibration control
- · Glass door with UV protection
- Sabbath/Economy/Vacation modes
- · Door open alarm
- Bottle capacity: 18" column–52 bottles;
 24" column–92 bottles (750 ml)
- · Open door assist

Step 1: Wine Preservation Columns







T18IW900SP

T24IW800SP

T24IW801SP



<u>T18IW900SP</u>	18" Wine Preservation Column 2 - Zone Temperature Control	5,599	6,199
T24IW900SP	24" Wine Preservation Column 3 - Zone Temperature Control	5,999	6,599

3 - Zone Temperature Control

5,999 6,599

Step 2: Panels

All Thermador® Wine Preservation Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL18IW800	18" Stainless Steel Panel	475	529
TFL24IW800	24" Stainless Steel Panel	525	599

Flat Stainless Steel Door Panels with No Holes

TFL18IW905	18" Wine No Hole Flat Panel	475	529
TFL24IW905	24" Wine No Hole Flat Panel*	525	599

Step 3: Handles

For stainless steel handle options, please see page 1-9.

Model Number UMRP Description MSRP

Handles

When selectingOne 36" hanOne 30" hanTwo 36" hanThree 36" ha	dle for each column dle and one 36" han dles for each 36" Bo andles for each 36" F	ss steel handles for the Freedom Collecti dle for 30" Bottom Freezers ttom Freezer French Door Bottom Freezer elect the same style.	on, please order the following]:	ALE Freezer Columns	ALL Freezer with IWD ¹ Columns	Bottom Freezers/French Door Bottom Freezers	•		T36 T900NP*/ T36 T901NP*/ T36 T902NP*	T36IT901NP4	ALL Wine Preservation Columns
	MS30HNDL20	30" Masterpiece [®] Handle	160 17	9				1				
	MS36HNDL20	36" Masterpiece [®] Handle	160 17	9 1	1	1		1	2	3	3	1
	PR30HNDL20	30" Professional Handle	160 17	9				1				
	PR36HNDL20	36" Professional Handle	160 17	9 1	1	1		1	2	3	3	1

IWD = Ice and Water Dispenser

Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

Suggested Combinations




Column

Column

T18ID900LP/T23IR900SP

For

Predetermined Spaces /



18" 24" Freezer Fresh Food

Column



Column



For Predetermined Spaces / Replacement Installation

18" Freezer Column 30" Fresh Food Column



Freezer Fresh Food

T24IF900SP/T24IR900SP

T24ID900LP/T24IR900SF

Fresh Food Column


IWD*

Column

Column

Column

T18IF900SP/T30IR900SP



24" Freezer Column

Fresh Food Column

T24IF900SP/T30IR900SP





T30IB900SP/T24IW900SP











T36IB900SP/T24IW900SP

These suggestions are just an example of the extensive range of combinations possible with the Freedom Collection.

T18ID900LP/T24IR900SP

Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

A HEATRKIT20 is recommended for use with any installation in areas that are subject to extreme humidity.

*IWD = Ice and Water Dispenser



Step 1: Colum	ns and	Bottom Freezers	Step 2: Panels			Step 3: Handles	
Freedom [®] Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece [®]	Professional
FRESH FOOD C	OLUMNS						
T23IR900SP	23.5"	Reversible	Panel Ready	TFL23IR900	TFL23IR905		
T24IR900SP T24IR902SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle	Order one 36" handle
T30IR900SP T30IR901SP T30IR902SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	per column Masterpiece MS36HNDL20	per column Professional PR36HNDL20
T36IR900SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER COLU	IMNS						
T18IF900SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905		
T18IF901SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905	Order one 36" handle	Order one 36" handle
T24IF900SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	per column Masterpiece	per column Professional
T30IF900SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	MS36HNDL20	PR36HNDL20
T36IF900SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER WITH	IWD1 CO	LUMNS					
T18ID900LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905		
T18ID900RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column
T24ID900LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece	Professional
T24ID900RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905	MS36HNDL20	PR36HNDL20
BOTTOM FREEZ	ZERS/FRE	NCH DOOR BOTTON	I FREEZERS	-			<u> </u>
T30IB900SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	Order one 30" handle and one 36" handle per column ²	Order one 30" handle and one 36" handle per column ²
T36IB900SP ³ T36IB902SP ³	36"	Reversible	Panel Ready	TFL36IB800	TFL36IB905	Order two 36" handles per column ³	Order two 36" handles per column ³
T36IT900NP ⁴ T36IT901NP ⁴ T36IT902NP ⁴	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	Order three 36" handles per column ⁴	Order three 36" handles per column ⁴
WINE PRESERV	ATION C	OLUMNS					
T18IW900SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle	Order one 36" handle
T24IW900SP	24"	Reversible	Panel Ready	TFL24IVV800 TFL24IVV905 Ma		per column Masterpiece	per column Professional
T24IW901SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	MS36HNDL20	PR36HNDL20

NOTE: Handleless panels should not be installed on units without the SoftClose[®] capability. If you are uncertain if you have a refrigeration unit with SoftClose[®] capability, please contact our customer team by calling 1-800-735-4328.

- 1 IWD = Ice and Water Dispenser
- 2 Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20
- 3 Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20
- 4 Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

Number Description UMRP MSRP

Refrigeration PREASSEMBELED COLLECTION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece® Handles.

All 30"/36" Bottom Freezer and French Door Bottom Freezers Include the Following Features:

- · Fully Flush
- TFT Control
- · Installs framed or flush
- Freedom[®] hinge
- · All-LED filtered sidewall theater lighting
- · Soft closing full-extension drawers
- Delicate produce bins
- · Full-length cantilever racks

- · Open door assist
- ThermaFresh system
- Internal filtered diamond ice maker
- · SuperCool function
- SuperFreeze[®] function
- Gallon door bins
- Carbon air filter
- Sabbath/Economy/Vacation modes

- · Door open alarm
- ENERGY STAR® certified
- · Extremely quiet
- Refrigerator door swing reversible (T30BB and T36BB)
- · Two evaporators
- · Two compressors

Bottom Freezers

T30BB910SS	30" Bottom Freezer, two-door, Masterpiece® Handles	8,499	9,349
T36BB910SS	36" Bottom Freezer, two-door, Masterpiece® Handles	8,799	9,699
T30BB920SS	30" Bottom Freezer, two-door, Professional Handles	8,499	9,349
T36BB920SS	36" Bottom Freezer, two-door, Professional Handles	8,799	9,699



T30BB920SS



French Door Bottom Freezers

<u>T36BT910NS</u>	36" French Door Bottom Freezer, three-door,	9,299	10,249
	Masterpiece® Handles		

T36BT920NS 36" French Door Bottom Freezer, three-door, 9,299 10,249

Professional Handles



T36BT920NS



All Under-Counter Units Include the Following Features:

- · Built-in flush design
- LED lighting
- · Electronic touch controls for precise temperature management
- · Venting grille for full integration
- Fully flush at 24" depth
- · Professional Handle, Masterpiece Handle or custom panel options
- · Star K Certified
- ENERGY STAR® certified

Glass Door Refrigeration Units

• 5 cu. ft.	 Customizable shelving 	 Customizable cooling Fridge, Pantry and 	0
T24UR900LP	24" Refrigerator, Custom Panel, Left Swing	2,299	9 2,549
T24UR900RP	24" Refrigerator, Custom Panel, Right Swing	2,299	9 2,549
T24UR910LS	24" Refrigerator, Masterpiece Handle, Left Sv	wing 2,649	9 2,949
T24UR910RS	24" Refrigerator, Masterpiece Handle, Right S	Swing 2,649	9 2,949
T24UR920LS	24" Refrigerator, Professional Handle, Left Sv	wing 2,649	9 2,949
T24UR920RS	24" Refrigerator, Professional Handle, Right S	Swing 2,649	9 2,949



T24UR920LS

Drawer Refrigeration/Freezer Units

- 5 cu. ft.
- SoftClose[®] drawers
- Drawer open alarm
- · Customizable shelving and drawer dividers
- · Customizable cooling modes: Fridge, Pantry and Bar
- · Quick Chill
- · Removable drawer mat for easy cleaning





T24UR900DP	24" Refrigerator, Custom Panel	2,949	3,249
T24UR910DS	24" Refrigerator, Masterpiece Handle	3,299	3,649
T24UR920DS	24" Refrigerator, Professional Handle	3,299	3,649
T24UC900DP	24" Refrigerator/Freezer, Custom Panel, ice maker	3,449	3,799
T24UC910DS	24" Refrigerator/Freezer, Masterpiece Handle, ice maker	3,599	3,999
T24UC920DS	24" Refrigerator/Freezer, Professional Handle, ice maker	3,599	3,999

Glass Door Wine Preservation Units

Under-Counter Wine Preservation Units

- · 42-bottle capacity
- · Full-extension wenge wood diamond wine racks
- Tinted UV-resistant tempered glass door

T24UW900LP	24" Wine Pres., Custom Panel, Left Swing	3,049	3,399
T24UW900RP	24" Wine Pres., Custom Panel, Right Swing	3,049	3,399
T24UW910LS	24" Wine Pres., Masterpiece Handle, Left Swing	3,399	3,749
T24UW910RS	24" Wine Pres., Masterpiece Handle, Right Swing	3,399	3,749
T24UW920LS	24" Wine Pres., Professional Handle, Left Swing	3,399	3,749
T24UW920RS	24" Wine Pres., Professional Handle, Right Swing	3,399	3,749





Freedom [®]	Accessories				Freedom®							F	oled	 _ _				
	Model Number	Description	UMRP	MSRP	T23IR900SP	T24IR90xSP	T30IR90xSP	T36IR900SP	T30IB900SP	T36IB90xSP	T36IT900NP/902	T36IT901NP	T30BB920SS	T36BB920SS	T30BB910SS	T36BB910SS	T36BT920NS	T36BT910NS
	Installation Acces	tallation Accessories																
	FRAMEKIT10	Freedom Frame Kit (use for a framed installation)	105	119	•	•	•	•	•	•	•	•						
"	HEATRKIT20	Freedom Heater Kit 599 699 (Use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is recommended for use with any installation in areas that are subject to humidity, or located next to an outside wall.)				•	•	•	•	•								
	Interior Accessor	ies for Refrigerators																
	24HFGALBIN	24" Half-Gallon Bin	170	189	•	•												
	30HFGALBIN	30" Half-Gallon Bin	180	199			•		•				•		•			
	36HFGALBIN	36" Half-Gallon Bin	190	209				•		•	•			•		•		
P	24PRODRAIL	24" Produce Railing	105	119	•	•												
	30PRODRAIL	30" Produce Railing	115	129			•		•				•		•			
	36PRODRAIL	36" Produce Railing	135	149				•		•	•			•		•		
	3DHFGALBIN	Three Door Half-Gallon Bin	160	179								•					•	•
	3DPRODRAIL	3-Door Produce Railing	85	99								•					•	•
	LPRODBIN10	Large Produce Bin	295	329	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	SPRODBIN10	Small Produce Bin	265	299	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Freedom [®] A	Accessories							Fre	ed	om	9			P	rea	ass	em	ble	∍d
	Model Number	Description	UMRP	MSRP	T18IF900SP	T18IF901SP	T24IF900SP	T36IF900SP	T18ID900LP/RP		T301B900SP	1361B900SP	T36IT900INF	T30BB920SS	T36BB920SS	T30BB910SS	T36BB910SS	T36BT920NS	T36BT910NS
	Interior Accessor	ies for Freezers Ice Bucket	85	99	•	•	• •	•	•	•	•	•	•	•	•	•	•	•	•
THE	Filter Accessories REPLFLTR10	Freedom [®] Replacement Water	Filter 75	89	•	•	• •	•	•	•	•	•		•	•	•	•	•	•
The state of the s	SCRNFLTR10	Freedom [®] Screen Filter (Filter bypass when no filter ne	55 cessary)	69	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Freedom [®]	Wine Preservat	ion Accessories					
	Model Number	Description	UMRP	MSRP	T18IW900SP	T24IW900SP	T24IW901SP
	Interior Accessor	ies for Wine Columns					
Illian.	T18WINERK1	18" Wine Shelf ¹ providing a 62 bottle capacity	229	259	•		
	T24WINERK1	24" Wine Shelf ² providing a 99 bottle capacity	299	329		•	•

- 1 Presenter shelf cannot be used with the accessory.
- 2 Presenter shelf cannot be used with the accessory.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

Under-Cou	inter Accessori	es			T24UC920DS	T24UC910DS	T24UC900DP	T24UW920LS/RS	T24UW910LS/RS	T24UW900LP/RS	T24UR920DS	T24UR910DS	T24UR900DP	T24UW920LS/RS	T24UW910LS/RS	T24UW900LP/RP
	MS20HNDL20	20" Under-Counter Masterpiece Handle	150	169	•	•	•				•	•	•			
-	MS22HNDL20	22" Under-Counter Masterpiece Handle	150	169				•	•	•				•	•	•
	PR20HNDL20	20" Under-Counter Professional Handle	150	169	•	•	•				•	•	•			
	PR22HNDL20	22" Under-Counter Professional Handle	150	169				•	•	•				•	•	•
The state of the s	UCTRFLTR10	Under-Counter Filter	75	89	•	•	•									

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Built-In Coffee Machines Include the Following Features:

- Equipped with the Thermador Connected Experience by Home Connect™
- Perfect for frequent selections, coffee customization settings store up to 8 personalized beverages with names so family members and house guests can program their favorite drinks from single shot espresso, to tea, to extra-large cappuccinos
- Easy to read color TFT display illustrates beverage selection, including size and temperature control

- · Store up to 8 different beverages
- · 1 lb. Bean container
- Height-adjustable dispenser with dual spouts for brewing 2 cups at a time
- Beverages can be adjusted in small increments
- One Touch Function for coffee and milk/froth
- · Fully automatic rinse program
- 2-disk grinding units made of high performance ceramic disks

- Adjustable grinding settings for very fine to coarse
- Powder drawer
- · Built-In water filter
- Sensor alerts when coffee beans and water level is low
- · 10-cup water container
- Removable stainless steel milk container
- 120 Volts. (V)

Built-In Coffee Machine

 Includes direct plumb for water and drain connection with AquaStop[®] plus protection

TCM24TS Thermador Built-In Coffee Machine

3,699 4,099







TCM24PS

Thermador Built-In Coffee Machine

Plumbed

3,999 4,399



TCM24PS



Accessories	TCM24TS	TCM24PS
TCMTK30RS 30" Stainless Steel Trim Kit 399 439	•	•

For coffee accessories, please see the Cleaners & Accessories Price List in the Sales SharePoint.

Thermador

WALL OVENS

DELUXE

Rotisserie Max Broil 3 Telescopic Racks (Single Ovens) 4 Telescopic Racks (Double Ovens) 6 Telescopic Racks (Combo Steam Ovens)





Professional: POD301W POD301LW* POD301RW*



Masterpiece: MED301WS MED301LWS* MED301RWS*

DOUBLE 30"



Professional: POD302W POD302LW* POD302RW*



Masterpiece: MED302WS MED302LWS* MED302RWS*

COMBO 30"



With Steam and Convection Oven:

Professional: PODS302W* Masterpiece: MEDS302WS



With Speed Oven::

Professional: PODMC301W* Masterpiece: MEDMC301WS TRIPLE 30"



With Speed Oven:

Professional: PODMCW31W* Masterpiece: MEDMCW31WS

SELECT

1 Telescopic Racks (Single Ovens) 2 Telescopic Racks (Double Ovens)



Professional:

PO301W



Masterpiece: ME301WS



Professional: PO302W



Masterpiece: ME302WS



With Microwave: Professional:

POM301W



Masterpiece: MEM301WS

SPECIALTY

3 Telescopic Racks (Steam Ovens)



Steam and Convection Oven:

Professional: PODS301W



Masterpiece: MEDS301WS



Speed Oven::

Professional: MC30WP



Masterpiece: MC30WS

^{*} Not pictured.

Number Description **UMRP MSRP**

All Masterpiece® Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose[®] doors
- 4.5 cu. ft. overall oven capacity
- 13 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake. Convection Broil. Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- · Two-hour self clean
- Fast preheat for seven different cooking modes
- · Meat probe

- · Sabbath Mode
- · Two halogen lights
- · Star-K certified
- 208–240 V

Microwave/Speed Ovens

- · 1.6 cu. ft. overall capacity
- · 10 power levels
- · Sensor cooking
- · Sensor reheat

30" Masterpiece® Ovens

30" Masterpiece Single Oven-Select

- One Full Access® telescopic rack and two standard racks
- · Meat probe

ME301WS 30" Single Oven, 1 Telescopic Rack 3,899 4,299



ME301WS







30" Masterpiece Single Oven-Deluxe

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- · Commercial-style rotisserie with 12-pound capacity
- Three Full Access® telescopic racks



MED301WS



Left Side Opening Door,

30" Single Oven, 3 Telescopic Racks, MED301RWS

Right Side Opening Door

· Multi-point meat probe

4,469

4,799 5,299

4,799 5,299



MED301LWS





Number Description **UMRP MSRP**

30" Masterpiece® Ovens

30" Masterpiece Double Oven-Select

30" Double Oven, 2 Telescopic Racks, **ME302WS** 5,899 6,499

Meat probe (U/L)



ME302WS



30" Masterpiece Double Oven-Deluxe


 Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil (U)

MED302WS

MED302LWS

- · Commercial-style rotisserie with 12-pound capacity (U)
- Three Full Access® telescopic racks (U); One Full Access® telescopic rack and two standard racks (L)

• Multi-point meat probe (U); Meat probe (L)



Left Side Opening Door

MED302RWS 30" Double Oven, 4 Telescopic Racks, 7,499 8,249

Right Side Opening Door



MED302WS



MED302LWS



Number Description **UMRP MSRP**

30" Masterpiece® Ovens

30" Masterpiece Combination Oven with Microwave

• One Full Access® telescopic rack and two standard racks (L) Microwave features:

- · Touch control display
- Meat probe (L) · 1.6 cu. ft. overall capacity
 - 13" turntable
 - · 950 W microwave power

MEM301WS 30" Combination Oven with Microwave,

1 Telescopic Rack







5,299



5,849



30" Masterpiece Combination Oven with Speed Oven

- · Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access® telescopic racks
- Multi-point meat probe (L)
- · Commercial-style rotisserie with 12-pound capacity

MEDMC301WS 30" Combination Oven with Speed Oven,

3 Telescopic Racks

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1000 W microwave power

6,599 7,299







30" Masterpiece Triple Combination Oven with Speed Oven and Warming Drawer

- · Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- · Commercial-style rotisserie with 12-pound capacity
- Three Full Access[®] telescopic racks (L)
- Multi-point meat probe (L)

- Speed Oven features:
- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1000 W microwave power
- Warming Drawer features:
- · 2.5 cu. ft. overall capacity
- Touch control
- SoftClose[®] drawer
- · 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

9,349 8,499





30" Triple Combo Oven with Speed Oven, MEDMCW31WS 3 Telescopic Racks

Number Description UMRP MSRP

All Masterpiece® Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- Large steam cavity 2.8 cu. ft.
- · TFT Touch control display
- · Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- · Easy Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- · Star-K certified
- 208-240 volts

Masterpiece® Steam and Convection Ovens

30" Masterpiece Steam and Convection Oven

MEDS301WS

30" Steam and Convection Oven with 3 Telescopic Racks

4,899 5,399



MEDS301WS







30" Masterpiece Steam and Convection Oven-Deluxe

- Lower oven: Thermador Connected Experience with Home Connect™
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection

Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast

- Two-hour self clean
- Fast preheat for seven different cooking modes
- Three Full Access[®] telescopic racks
- · Multi-point meat probe
- · Three halogen lights
- Sabbath Mode
- Star-K certified
- 208-240 V

7,999 8,799



MEDS302WS





MEDS302WS 30" Deluxe, Steam and Convection
Double Oven with 6 Telescopic Racks

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Professional Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- · Restaurant-style stainless steel knobs
- TFT Touch control display
- · Silver glass on stainless steel
- SoftClose[®] doors
- · 4.5 cu. ft. overall oven capacity
- 13 Cooking modes: True Convection,
- Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- · Two-hour self clean
- Fast preheat for seven different cooking modes
- · Two halogen lights

- Sabbath Mode
- · Star-K certified
- 208-240 V

Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- Sensor cooking
- · Sensor reheat

30" Professional Series Ovens

30" Professional Single Oven—Select

 One Full Access[®] telescopic rack and two standard racks

Meat probe

PO301W 30" Single Oven, 1 Telescopic Rack

4,299 4,749

PO301W







30" Professional Single Oven-Deluxe

 Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil

POD301LW

- Commercial-style rotisserie with 12-pound capacity
- Three Full Access[®] telescopic racks
- · Multi-point meat probe

4,999

5,099

5,099

5,499

5,649

5,649



POD301W

POD301W 30" Single Oven, 3 Telescopic Racks

30" Single Oven, Left Side Opening Door,

3 Telescopic Racks

POD301RW 30" Single Oven, Right Side Opening Door,

3 Telescopic Racks









POD301LW







Number Description **UMRP** MSRP

30" Professional Series Ovens

30" Professional Double Oven-Select

• One Full Access® telescopic · Meat probe rack and two standard racks

30" Double Oven, 2 Telescopic Rack 6,499 **PO302W** 7,149



PO302W







30" Professional Double Oven—Deluxe

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil (U)
- Three Full Access® telescopic racks (U)
- One Full Access® telescopic rack and two standard racks (L)
- Multi-point meat probe(U)
- · Meat probe (L)

POD302W	30" Double Oven, 4 Telescopic Racks	7,499	8,249
POD302LW	30" Double Oven, 4 Telescopic Racks, Left Side Opening Door	8,099	8,949
POD302RW	30" Double Oven, 4 Telescopic Racks,	8,099	8,949

Right Side Opening Door



POD302W



POD302LW



Number Description UMRP MSRP

30" Professional Series Ovens

30" Professional Combination Oven with Microwave

 One Full Access[®] telescopic rack and two standard racks (L) Microwave features:

Touch control display

· Meat probe (L)

• 13" turntable

POM301W

30" Combination Oven with Microwave,

1 Telescopic Rack

• 950 W microwave power

5,799



POM301W





30" Professional Combination Oven with Speed Oven

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access[®] telescopic racks
- Multi-point meat probe

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1,000 W microwave power

PODMC301W

30" Combination Oven with Speed Oven,

3 Telescopic Racks

7,099 7,849



PODMC301W







Number Description UMRP MSRP

30" Professional Series Ovens

30" Professional Triple Combination Oven with Speed Oven and Warming Drawer

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access® telescopic racks
- · Multi-point meat probe

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1,000 W microwave power

Warming Drawer features:

- SoftClose[®] drawer
- Touch control
- 2.5 cu. ft. overall capacity
- · 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

9,099 10,049



PODMCW31W







PODMCW31W

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

Number Description UMRP MSRP

All Professional Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- · Restaurant-style stainless steel knobs
- · Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Steam Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- · Sabbath Mode
- Star-K certified
- 208-240 V

30" Professional Series Built-In Steam and Convection Oven

Professional Series Steam and Convection Oven

PODS301W 30" Steam and Convection Oven with

3 Telescopic Racks











Professional Combination Oven with Steam and Convection Oven—Deluxe

- Lower oven: Thermador Connected Experience with Home Connect™
- · 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection

PODS302W

- Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean

30" Deluxe, Steam and Convection

Double Oven with 6 Telescopic Racks

- Fast preheat for seven different cooking modes
- Three Full Access[®] telescopic racks
- Multi-point meat probe
- · Three halogen lights
- Sabbath Mode
- · Star-K certified
- 208–240 V


8,499 9,349



PODS302W







30" Masterpiece Microwave,

30" Professional Microwave,

Stainless Steel, 120 V

Stainless Steel, 120 V

Number Description **UMRP**

All Masterpiece® Series Built-in Microwave and Speed Ovens Include the Following Features:

· Silver glass on stainless steel

• 10 power levels

· Sensor reheat

MSRP

· 1.6 cu. ft. overall capacity

· Sensor cooking

Microwave Ovens

Built-In Microwaves

MB30WS

MB30WP

· Touch Control Display • 141/8" ceramic turntable

• 950 W Microwave power

• Plugs into 120 V, 60 Hz/, AC

3-prong grounded outlet

1,499 1,649

> 1,699 1,899



Speed Ovens

MB30WS

Built-In Speed Ovens

- · Full color TFT display
- 1,000 W Microwave power
- 36 Cook Smart™ Programs 12¾" ceramic turntable
 - · Convection Bake

MC30WS 30" Masterpiece Speed Oven,

Stainless Steel, 208-240 V

MC30WP 30" Professional Speed Oven,

Stainless Steel, 208-240 V

Broil

• 208 or 240 V, 4 wire fixed

connection

2.299 2.549

2,499 2,749



MC30WS



MC30WP



Number Description **UMRP MSRP**

MicroDrawer® Microwave Oven

Built-In MicroDrawer® Microwave

- · Blue digital display with scrolling text
- · 1.2 cu. ft. cavity
- Fits a 7" mug or 20 oz. cup
- 950 W microwave power
- · Auto-Cooking modes (including Melt, Soften, Keep Warm)
- · Sensor cooking
- · Hidden vent
- · Touch open and close
- · Perfect flush installation



MD24WS



MD30WS

MD24WS 24" Microwave Drawer

MD30WS 30" Microwave Drawer

1,899

1,999

1,699

1,799

Over-the-Range Microwave Hood

Over-the Range Microwave Hood

- Design match for use in combination with 30" Pro Harmony® 5-burner gas range
- · Exclusive stainless steel handle
- · LCD display

- · 2.1 cu. ft. cavity
- 14 3/16" glass turntable
- 1,100 W microwave power
- Triple microwave distribution system
- · 10 cooking modes
- Sensor cooking
- Plugs into standard 120 V. 3-prong outlet
- · Four-speed vent with up to 385 CFM

MU30WSU

899 999

MU30WSU Over-the-Range Microwave Hood, Stainless Steel

Number Description UMRP MSRP

Warming Drawers

Standard Warming Drawers

- Our warming drawer is the perfect combination of uncompromising performance, unique convenience features and elegant design
- SoftClose® door (WD30W only)
- 2.2 cu. ft. overall capacity
- · Touch Control Display
- Four heating modes: Low, Medium, High, Proof
- 450 W heating element
- Timer
- Plugs into a standard 120 volt, 3-prong outlet



WD30WC

WD30W	30" Warming Drawer, Custom Panel Ready	1,799	1,999
WD30WC	30" Warming Drawer, Push to Open	1,599	1,799

Storage Drawers

 Our storage drawers are the perfect combination of uncompromising performance, unique convenience features and elegant design 2.4 or 0.8 cu. ft. overall capacity





SD30WC	30" Storage Drawer (2.4 cu. ft.)	949	1,049
SDS30WC	30" Storage Drawer, Short Height (0.8 cu. ft.)	649	749

(Install Under Steam Oven)

ouci			
umber	Description	UMRP	MSRP

Accessorie	es				PO301W	POD301W	POD301LW	PO302W	POD302W	POD302LW	POD302RW	POM301W	PODMC301W	PODMCW31W	PODS301W	PODS302W
	SDCLNRCK30	Self-Clean Standard Rack, 30"	199	219	•	•	•	•		•	•	•	•	•	•	•
	For the telescop List in the Sales	ic rack, please see the Cleaners & SharePoint.	Accessories	s Price	•	•	•	• •	•	•	•	•	•	•		
	WKNOBKT3W	Blue Metal Knob Kit for Professional Oven (2 pc.)	49	59	•	•	•	•	•	•	•	•			•	•

Number Description UMRP MSRP

All Masterpiece® Series Star® Burner Gas Cooktops Include the Following Features:

- Patented Star® Burner provides superior flame coverage for faster and more even pan heating
- 16K BTU max
- · Blue indicator burner ON light
- · Chiseled stainless steel design
- Stainless steel control panel offers a sleek, modern design
- High-quality, robust, metal knobs
- LP gas conversion kit not included; order separately
- · Sabbath compliant
- Two-year warranty

Masterpiece® Series

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/1,750 low

C: BTU 16,000 high/1,900 low RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low

00000

SGS305TS

30" Star® Burner, Stainless Steel, Five Burners

1,499 1,649

SGS305TS

 ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/204 XLO

C: BTU 16,000 high/583 XLO RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSX305TS

SGSX305TS

30" Star® Burner, Stainless Steel, Five Burners, Extral ow® Select

1,799 1,999

ExtraLow® Select

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/1,750 low

C: BTU 16,000 high/1,900 low RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGS365TS

36" Star® Burner, Stainless Steel, Five Burners

1,699 1,899

SGS365TS

 ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LH: BTU 12,000 high/1,750 low LF: BTU 9,100 high/204 XLO

C: BTU 16,000 high/583 XLO RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSX365TS

SGSX365TS

36" Star® Burner, Stainless Steel, Five Burners,

1,999 2,199

ExtraLow® Select

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP

All Masterpiece® Series Pedestal Star® Burner Gas Cooktops Include the Following Features:

- Raised Pedestal Star® Burner provides superior flame coverage and allows for easier cleanup under each burner
- 18K BTU max

- QuickClean Base contains liquid spills
- · Sleek glass control panel
- · High-quality, robust, metal knobs
- L.P. conversion kit not included; order separately
- · Sabbath compliant

MSRP

· Two-year warranty

Masterpiece® Series

 Blue indicator light for each burner

LR: BTU 10,000 high/1,750 low	
LF: BTU 8,000 high/1,750 low	

C: BTU 18,000 high/1,900 low RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSP305TS

SGSP305TS

30" Pedestal Star® Burner, Stainless Steel,

1,799 1,999

Five Burners

 Progressive Illuminated light ring around each knob

LR: BTU

10,000 high/1,750 low

LF: BTU

 ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles





SGSXP305TS

8,000 high/204 XLO

SGSXP305TS

30" Pedestal Star® Burner, Stainless Steel,

2,099 2,349

Five Burners, ExtraLow® Select

 Blue indicator light for each burner

LR: BTU 12,000 high/1,750 low	
LF: BTU	
9,100 high/1,750 low	

C: BTU 18,000 high/1,900 low RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSP365TS


SGSP365TS

36" Pedestal Star® Burner, Stainless Steel, Five Burners

1,999 2,199

rive buille

- Progressive Illuminated light ring around each knob
- ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSXP365TS

SGSXP365TS

36" Pedestal Star® Burner, Stainless Steel,

2,399 2,649

Five Burners, ExtraLow® Select

Model Number

Description

UMRP MSRP

Accessories						
					Star [®] Burner	Pedestal Star®
		Griddle -burner Star® and Pedestal Star® Burner Series sign allows for even heat distribution and fast ng		<u> </u>	•	•
	SKNOBLUW Fits 30" and 36" Peinstall	Blue Knob Kit, Pedestal Star [®] Burner Cooktops edestal Star [®] Burners Series models • Set of fiv	109 e knobs • Blue me	119 etallic finish • Easy to		•
W	SLPKITW	LP Gas Conversion Kit for Star [®] Burner Series Cooktops	99	109	•	
	SNPKITPEDW	LP Gas Conversion Kit for Pedestal Star® Burner Series Cooktops	99	109		•
0		Wok Ring ration on Star® Burner and Pedestal Star® Burn cooktop sizes, allowing the user to cook with tasher safe			•	•

Number Description UMRP MSRP

All Masterpiece® Series Glass Ceramic Electric Cooktops Include the Following Features:

Triple element

• Maximum wattage: 4,000 W

Masterpiece® Series

Touch Control

- With the help of CookSmart[®], the temperature is reached and maintained automatically without boilover
- Touch controls with blue illumination are easy to use and
- offer a sleek, modern design

 Keep Warm
- rtoop wan
- Child Lock
- Shut-Off Timer for every element

•	Kitchen	timer

- Number of cooking zones: Eight
- Power/Amps: 208–240 V, 60 Hz//30 A



CET305TB

LR: 5"/7" @	RR: 6"/8"/11" @
700 W (1,700 W)	1,050 W/2,200 W/3,080 W
LF: 6" @	RF: 6" @
1,700 W (4,000 W Bridge)	1,200 W

CET305TB

30" Frameless Design

1,699 1,899

Touch Control/Bridge

- With the help of CookSmart[®], the temperature is reached and maintained automatically without boilover
- Bridge element with dual element
- Touch controls with blue illumination are easy to use and offer a sleek, modern design
- PowerBoost[®]
- Child Lock

- Shut-Off Timer for every element
- · Kitchen timer
- Number of cooking zones: 10
- Power/Amps: 208–240 V, 60 Hz//40/50 A



CET366TB

LR: 5"/7" @ 700 W/1,700 W	
LF: 7" @ 1,700 W (4,000 W Bridge)	

C: 6"/8"/11" @
1,050 W/2,200 W/3,080 W

RR: 6" @ 1,200 W
RF: 6"/8" @ 1,200 W/2,100 W

CET366TB

36" Stainless Steel Frame

1,899 2,099

Manual Controls/Stainless Steel Knobs

- Dual zone bridge element accommodates oblong cookware
- High quality, robust, die-cast metal knobs
- Variable 9-stage power settings

LR: 5"/7" @	RR: 6"/8"/11" @
700 W,1,700 W	1,050 W,2,200 W/3,080 W
LF: 7" @	RF: 6"
,700 W (4,000 W Bridge)	1,200 W

- Number of cooking zones: 10
- Power/Amps: 208–240 V, 60 Hz//30 A



CEM305TB

CEM305TB 30" Frameless Design

Manual Controls/Stainless Steel Knobs/Bridge

• Dual zone bridge element

• High quality.

 Dual zone bridge elemen accommodates oblong cookware

> LR: 5"/7" @ 700 W,1,700 W

> > I F· 7" @

1,700 W (4,000 W Bridge)

High quality, robust, die-cast metal knobs

Variable 9-stage power settings

• Number of cooking zones: 10

1,399

1,549

Power/Amps: 208–240 V, 60 Hz//40/50 A

C: 6"/8"/11" @ 1,200 W 1,050 W,2,200 W/3,080 W RF: 6"/8" @ 1,000 W/2,200 W



CEM366TB

CEM366TB

36" Stainless Steel Frame

1,599 1,799

Number Description UMRP MSRP

All Masterpiece[®] Series Freedom[®] and Liberty™ Induction Cooktops Include the Following Features:

PowerBoost[®]

• 17 power levels

Masterpiece® Series

Freedom® Induction - 13"×21" Cooking Position with 5,500 W

- Entire surface of the cooktop can be used as one large cooking area
- Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone[™] mode allows changing a preset power level simply by moving a pot or pan on the cooktop
- Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow[™] LED
 embedded surface lights along
 sides of cooktop provide visual
 feedback when a pot is moved
 or whether a pot is heated or
 not (36" models only)
- TeppanyakiPro™ mode divides a teppanyaki griddle into on heated or one nonheated area
- PanBoost™
- · 17 power levels
- Residual heat indicators
- Panel Lock
- Cooking Timer, Kitchen Timer and Stopwatch Timer
- Power/Amps: 208/240 V, 60 Hz, 30 A



CIT30XWBB






CIT36XWB





CIT36XWBB





CIT30XWBB30" Dark Gray Glass, Frameless Design4,7995,299CIT36XWB36" Dark Gray Glass, Stainless Steel Frame5,2995,849CIT36XWBB36" Dark Gray Glass, Frameless Design5,2995,849

Number Description UMRP MSRP

Masterpiece® Series

Liberty™ Induction

- Home Connect[™] (Wi-Fi Enabled)
- Three extra-large Liberty[™] cooking surfaces allow for tailored cooking zones
- Number of cooking zones: Five

•	Cookto	p-Hood	Sync
---	--------	--------	------

- · Automatic pan recognition
- HeatShift[™] has three preset heat zones
- MoveMode™ allows easy transfer settings
- · Illuminated touch controls

• 17 power levels

- Control panel lock
- · Automatic switch off
- · Timer for all zones
- Maximum wattage: 10,800 W
- Power/Amps: 208–240 V, 60 Hz//50 A



CIT367XG





CIT367XGS

Left Full Zone 15"×9" @	LR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)
3,300 W/3,700 W (PowerBoost)	LF: 7½"×9" @ 2,200 W/3,600 _® W (PowerBoost)

CIT367XG

Center Full Zone 111/4"×91/2" @ 3,300 W/3,600₈W (PowerBoost)

36" Titanium Gray Glass, Frameless

RR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)
RF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)

Right Full Zone 15"×9" @ 3,300 W/3,700 W (PowerBoost)

3,799

4,299

4,299

3,799 4,199

4,199



CIT367XGS	36" Titanium Gray Glass,
	Stainless Steel Frame

<u>CIT367XM</u> 36" Silver Mirrored Glass,

Frameless

<u>CIT367XMS</u> 36" Silver Mirrored Glass,

Stainless Steel Frame



CIT367XM





CIT367XMS



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP

All Masterpiece® Series Glass Ceramic Induction Cooktops Include the Following Features:

- Pan Recognition
- Touch control panel with blue light illumination offers 17 power settings
- · Speed Heating-induction cooktops heat
- 50% faster than traditional gas cooktops
- PowerBoost[®]
- · Anti-Overflow System
- Two-Level Heat Indicator

· Child safety lock

MSRP

- · Element Shut Off Timer and kitchen timer
- Power/Amps: 240 V, 60 Hz//50 A

Masterpiece® Series

11" Element with 3,700 W

 Large and powerful 11" element with 3,700 W

LR: 9" @	RR: 11" @
2,200 W/3,700 W (PowerBoost)	2,400 W/3,700 W (PowerBoost)
LF: 6" @	RF: 6" @
1,400 W/2,200 W (PowerBoost)	1,400 W/2,200 W (PowerBoost)

 CIT304TB
 30" Frameless Design
 2,699
 2,999

 CIT304TM
 30" Silver Mirrored Finish
 3,199
 3,549



CIT304TB



CIT304TM

13" Element with 5,500 W

- Large 13" round heating element
- Industry-exclusive triple zone—accommodates multiple-size pans with three diameter sizes
- The most powerful (5,500 W) in its class



CIT365TB

LR: 7" @ 1,800 W/3,100 W (PowerBoost)
LF: 7" @ 1,800 W/3,100 W (PowerBoost)

C: 9"/11"/13" @ 2,200 W/3,700 W (PowerBoost) 2,600 W/4,400 W (PowerBoost) 3,300 W/5,500 W (PowerBoost)

RF: 9" @ 2,200 W/3,700 W (PowerBoost)

RR: 6" @

1,400 W/2,200 W (PowerBoost)

CIT365TB 36" Frameless Design

3,199 3,549

	edes all previous price lists. I Model		rodi taxoo.							
	Number	Description		UMRP	MSRP					
Accessorie	es					Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty Induction	1 1 1 1
	Teppanyaki									
Freedom® Ir	ded accessory for nduction Cooktop	Silvinox surface treatment prevents discoloration	 Additional cop aluminum mat for fast and ev 	erials us						
Can be use		7-Ply material18/10 stainless steel	10-year guara		iig					
 Works with electric and 		• 18/10 stainless steel	. o you. gua.a							
	TEPPAN1321	13"×21" Recommended accessory for Freedom® Induction Cooktop		499	549			•		
	TEPPAN1314	13"×14" Recommended accessory for Freedom® Induction Cooktop		399	439			•		
	TEPPAN1013	10"×13" Recommended accessory for Liberty™ and Freedom [®] Induction	n Cooktops	299	329			•	•	
	TEPPAN1016	10"×16" Recommended accessory for Liberty™ and Freedom [®] Induction	n Cooktops	399	439			•	•	
Heavy-duty with a thick base	um Non-Stick Indu cast aluminum ferromagnetic with two cast-in	Outstanding corrosion and abrasion resistance Ridged surface adds grilled sear marks, while draining away excess fat	Ovenproof up dishwasher-sa17" x 9" grillingPFOA-free	ıfe						
	TGRILLPANX	17" x 9"		269	299			•	•	
Optimized for CookSmart®	rel Chef's Pan or cooking with element induction, electric	 Stainless steel with aluminum core Non-stick Teflon® Platinum material (CHEFSPAN08) 	EncapsulatedThree layers	aluminur	m base					
0	CHEFSPAN08	10" Chef's Pan for 8" and 9" Eler	ments	199	219	•	•	•	•	
	CHEFSPAN13	16" Chef's Pan for 13" Element		399	439	•	•	•	•	
Perfect for s	el Roasting Pan searing, braising, at, poultry and	 Ideally suited for Liberty[™] induction cooking zones Made of 18/10 stainless steel 	 Dishwasher sa Oven-safe up (350° with lid) 		=					

ELECTRIC AND INDUCTION ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description **UMRP** MSRP **Accessories** Freedom Induction Electric Cooktops Liberty Induction Gas Cooktops Induction **Wireless Cooking Temperature Sensor** of the pot continuously. This Allows you to select the best results. The sensor is required to use the Freedom® induction way to prepare every food as allows the power to be mainyou wish. The cooking sensor tained with greater precision Cooking Sensor mode measures the temperature to provide exceptional cooking TCOOKSENSW Wireless Cooking Sensor 199 219

$\underline{\underline{Thermador}^{\circ}}$

PROFESSIONAL

		30"	36"	48"	60"
DUAL FUEL RANGES	Pro Grand [®]		PRD366WGU 6-burner Induction PRD364WLGU Grill PRD364WDGU Griddle	PRD486WIGU Induction PRD486WLGU Grill PRD486WDGU Griddle PRD484WCGU Grill and Griddle	PRD606WEG Griddle PRD606WCG Grill and Griddle
DUAL FU	Pro Harmony®	PRD305WHU 5-burner 4-burner	PRD366WHU 6-burner PRD364WDHU Griddle PRD364WLHU Grill	PRD486WDHU Griddle PRD486WLHU Grill PRD484WCHU Grill and Griddle	
STEAM RANGES	Pro Grand [®]			PRD48WISGU induction PRD48WDSGU Griddle PRD48WLSGU Grill PRD48WCSGU Grill and Griddle	PRD606WESG Griddle PRD606WCSG Grill and Griddle
GAS RANGES	Pro Grand [®]		PRG366WG 6-burner PRG364WDG Griddle PRG364WLG Grill	PRG486WDG Griddle PRG486WLG Grill	
ALL- GAS	Pro Harmony®	PRG305WH 5-burner PRG304WH 4-burner	PRG366WH 6-burner PRG364WDH Griddle PRG364WLH Grill	PRG486WDH Griddle PRG486WLH Grill	
RANGETOPS	Professional	PCG305W 5-burner	PCG366W 6-burner PCG364WD Griddle PCG364WL Grill	PCG486WD Griddle PCG486WL Grill	

Number Description UMRP MSRP

All Professional Series Rangetops Include the Following Features:

- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Each burner has electronic ignition/ re-ignition;
- Metal knobs (also available in Metallic Blue, PKNOBLUWR, sold separately. See page 5-5)
- LED downlighting illuminates the control panel.
- Precision simmering capabilities as low as 375 BTU with two ExtraLow[®] simmer burners
- Two-year warranty
- Star-K certified
- 15 Amps

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador® vent hood. (see Thermador® Professional Hoods, page 6-4)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately (PALPKITHW for all units; PALPKITHW5 for five Pedestal Star® Burner units). No High Altitude conversion kit needed for Rangetops.

30" Professional Gas Rangetop

- Five Pedestal Star® Burners (Two with ExtraLow®). overall output of 59,000 BTU.
- Suitable for use with Thermador OTR (see page 3-12)

 For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately (PALPKITHW5 for five Pedestal Star® Burner units). No High Altitude conversion kit needed for Rangetops.

15 Amps



PCG305W



LR: BTU 8,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO RR: BTU 8,000 high* 10,000 high* RF: BTU 15,000 high*

PCG305W 30" Stainless Steel with Porcelain Surface 3,199 3,549

36" Professional Gas Rangetop

 Six Pedestal Star[®] Burners (Two with ExtraLow[®]).

15 Amps

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high*/375 XLO	18,000 high*/3,000 low	18,000 high*/3,000 low

00000

PCG366N



PCG366W 36" Stainless Steel with Porcelain Surface

3,799 4,199

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 8,000} BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description UMRP MSRP

36" Professional Gas Rangetop

 Four Pedestal Star® Burners (Two with ExtraLow®)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps



LR: BTU 15,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO

Electric Griddle 1,630 W RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low

PCG364WD

36" Stainless Steel with Porcelain Surface and Griddle

4,099 4,549

 Four Pedestal Star[®] Burners (Two with ExtraLow[®]) Fusion non-stick surface Indoor Pro Electric Grill with ceramic briguettes, convertible to Griddle with optional accessory PAGRIDDLEW.

• 20 Amps



LR: BTU 15,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO

Pro Indoor Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG364WL

36" Stainless Steel with Porcelain Surface and Pro Grill 4,099 4,549

48" Professional Gas Rangetop

 Six Pedestal Star[®] Burners (Two with ExtraLow[®]) Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps



LR: BTU 15,000 high*/375 XLO 15,000 high*/3,000 low

LF: BTU CF: BTU 18,000 high*/375 XLO 18,000 high*/3,000 low

Electric Griddle 1,630 W RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG486WD

48" Stainless Steel with Porcelain Surface and Griddle 4,699 5,199

 Six Pedestal Star® Burners (Two with ExtraLow®)

 Fusion non-stick surface Indoor Pro Electric Grill with ceramic briquettes, convertible to Griddle with optional accessory PAGRIDDLEW.

20 Amps



LR: BTU 15,000 high*/375 XLO 15,000 high*/3,000 low

LF: BTU CF: BTU 18,000 high*/375 XLO 18,000 high*/3,000 low

Pro Indoor Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG486WL

48" Stainless Steel with Porcelain Surface and Pro Grill 4,699 5,199

* 8,000 BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Accessorie	essories								arm el R						o H Gas						Ra	ınge	etop	os	
					3	0"		36	"		48"		30)"	;	36"		48	3"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
		12" Griddle Plate Accessory w/ Tray (for Grill Modules) Fusion coated accessor to the "high-release" ac							•		•	•					•		•			•			•
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) usion) surface coating (to clean and durable o		359 e.				•		•		•				•		•			•			•	
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) Fusion coated accesso to the "high-release" ad						•		•		•				•		•			•			•	
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Mo	319 dules)	359					•		•	•					•		•			•			•
	<u>PABRICKW</u>	Flat Ceramic Briquettes (no Basket	99	109					•		•	•					•		•			•			•
	<u>PABRICKBKW</u>	Flat Ceramic Briquettes with Baske	199 t	219					•		•	•					•		•			•			•
	PAGRIDDLE	Griddle sits on top of Grates over two Bu high-release surface co		219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0 0	PA24CVRW	24" Cover for Grill/ Griddle Combination I	259 Models	289								•													
1	PA12LCVRN	12" Professional Indoor Grill Cover	299	329					•		•	•					•		•			•			•
1	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•				•		•			•			•	

Accessories						Pro Harmony Dual Fuel Ranges All Gas Ranges									Rangetops										
					3	0"		36'			48"		30)"	3	36"		48	3"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	РВСЗ66WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
0	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
=	PAALTKITHW	High Altitude Kit, NG Pro Harmony Rai 5.4K ft to 10.2K ft	89 nges,	99	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
	_	ude kit, please see the C e List in the Sales Share		s &	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
**/	PALPKITHW	LP Conversion Kit Pro Harmony Dual Fu & Rangetops (4 & 6 B		-		•	•	•	•	•	•	•									•	•	•	•	•
*	PALPKITGW	LP Conversion Kit Pro Harmony Gas Ra (4 & 6 Burner)	199 inges	219										•	•	•	•	•	•						
	PALPKITGW5	LP Conversion Kit Pro Gas Ranges (5 Burner)	199	219									•												
	PALPKITHW5	LP Conversion Kit Pro Harmony Dual Fu & Rangetops (5 Burn		159 nges	•															•					
The state of the s	PAKNOBLUWH	Metallic Blue Knob Ki for Pro Harmony Ran		289	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
	PAKNOBLUWR	Metallic Blue Knob Ki Pro Rangetop	t 239	269																•	•	•	•	•	•
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pr Range	419 o Harn	469 nony	•	•							•	•											
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pr Range		529 nony			•	•	•						•	•	•								

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Accessorio	es								ırmo	•				ro I I Ga			-			Ra	ınge	etop	os	
					3	0"		36"		4	48"		30"		36'	"	48	3"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel P Range	509 ro Harn	599 nony						•	•	•					•	•						
	PA30WLBC	10" Low Backguard for 30"Rangetop	209	229															•					
	PA36WLBC	10" Low Backguard for 36" Rangetop	269	299																•	•	•		
	PA48WLBC	10" Low Backguard for 48" Rangetop	319	359																			•	•

Number Description UMRP **MSRP**

All Pro Harmony® Series Dual Fuel Ranges Include the Following Features:

- Cabinet-Depth (24")
- · Four pedestal burner range: each front burner has output of 18,000 BTU (NG)
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, PAKNOBLUWH, sold separately. See page 5-5
- All burners with electronic ignition/ re-ignition
- · Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners

Griddle model:

· 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

Indoor Pro Electric Grill model:

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating
- · For L.P.: Natural to L.P. Gas Field Conversion Kit must be ordered separately.
- Island trim included
- Two-year warranty
- · Star-K certified

Main oven features:

- Thermador Connected Experience with Home Connect™ enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Full Access[®] telescopic racks with

- integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- · Hidden Thermal Bake (2,000 W), Broil (4,000 W),
- Third element rear 2.750 W convection
- Convection Broil and two rapid, self-clean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 11/2 hr light-soil clean

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements.
- · 2.4 cu. ft. overall volume*

Note

6,199

6,849

7,449

Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

30" Dual-Fuel Range

 Four Pedestal Star Burners (Two with ExtraLow")

18,000 high**/375 XLO

LR: BTU RR: BTU 15,000 high**/3,000 low 15,000 high**/375 XLO LF: BTU RF: BTU

PRD304WHU

30" Stainless Steel with

Porcelain Surface and One Telescopic Oven Rack

• 30" range features 4.4 cu. ft.

overall volume*

18,000 high**/3,000 low



PRD304WHU



Five Pedestal Star Burners (Two with ExtraLow); overall output of 59,000 BTU and suitable for use with the Thermador OTR (see page 3-12)

LR: BTU 8,000 high**/375 XLO LF: BTU 18,000 high**/375 XLO • 30" range features 4.4 cu. ft. overall volume*

> RR: BTU 8,000 high** Center: BTU 10,000 high* RF: BTU 15,000 high**



PRD305WHU

PRD305WHU

30" Stainless Steel with

Porcelain Surface and One Telescopic Oven Rack *According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden

6 749

Number Description **UMRP MSRP**

36" Dual-Fuel Range

•	Six Pedestal Star®	Burners
	(Two with ExtraLor	w [®])

- Oven features 4.9 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect™

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low	18,000 high**/3,000 low



9,249

9.849

PRD366WHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks



Oven features 4.9 cu. ft. overall volume*

LR: BTU 15,000 high**/375 XLO	
LF: BTU	
18.000 high**/375 XLO	

 Thermador Connected Experience with Home Connect[™]

> Electric Griddle 1,630 W (6-pass)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

8.949

8,399

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

PRD364WDHU

PRD364WDHU

PRD366WHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks



 Thermador Connected Experience with Home Connect[™]

LR: BTU

15,000 high**/375 XLO

18,000 high**/375 XLO


- Four Pedestal Star[®] Burners (Two with ExtraLow)
- · Oven features 4.9 cu. ft. overall volume*

Electric Grill

1,630 W

(6-pass 2x)

· Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**





PRD364WLHU

PRD364WLHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

8.949 9.849







NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description UMRP **MSRP**

48" Dual-Fuel Range

- Thermador Connected Experience with Home Connect™
- Six Pedestal Star Burners (Two with ExtraLow)
- · Main oven features 4.4 cu. ft. overall volume*


LR: BTU	CR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	CF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low

Electric Griddle 1,630 W (6-pass)

> Electric Grill 1,630 W

(6-pass 2x)

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW





PRD486WDHU

PRD486WDHU

Connect[™]

PRD486WLHU

48" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

12,199 13,449


12,199 13,449

Thermador Connected Experience with Home

- Six Pedestal Star® Burners (Two with ExtraLow)
- Main oven features 4.4 cu. ft. overall volume*

•	I usion non-suck surface
	Indoor Pro Electric Grill,
	convertible to Griddle
	with optional accessory
	PAGRIDDLEW

Fusion non-etick surface





PRD486WLHU







LR: BTU	CR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	CF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low

48" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

- Thermador Connected Experience with Home Connect™
- Four Pedestal Star Burners (Two with ExtraLow")
- · Main oven features 4.4 cu. ft. overall volume*
- · Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**

· Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill	Griddle
LF: BTU	CF: BTU	1,630 W	1,630 W
18,000 high**/375 XLO	18,000 high**/3,000 low	(6-pass 2x)	(6-pass)



PRD484WCHU

12,599 13,899

PRD484WCHU 48" Stainless Steel with

1

Porcelain Surface and All Telescopic Oven Racks

* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

All Pro Harmony® Series All Gas Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, PAKNOBLUWH, sold separately. See page 5-5)
- Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners

Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum Griddle is interchangeable with grill accessory for convenient indoor grilling

Indoor Pro Electric Grill model:

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating
- NEW Gas ranges are now field convertible from natural gas to liquid propane—Conversion Kit must be ordered separately
- · Island trim included
- Two-year warranty
- · Star-K certified

Ovens feature:

 Thermador Connected Experience with Home Connect™ enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'

- 17,500 BTU high-intensity infrared broiler
- Full Access[®] telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- · Gas convection oven
- · 20,500 BTU bake burner
- Convection Bake, Thermal Bake (20,500 BTU)

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

Note

 Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador[®] Professional hoods)

30" All-Gas Range

 Four Pedestal Star Burners (Two with ExtraLow) each front burner has output of 18,000 BTU (NG)

30" Stainless Steel with Porcelain Surface

LR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	RF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low

 30" range features 4.6 cu. ft. overall volume*



4,849 5,349

49 —



 Five Pedestal Star Burners (Two with ExtraLow); overall output of 59,000 BTU

> LR: BTU 8,000 high**/375 XLO LF: BTU 18,000 high**/375 XLO

and suitable for use with the Thermador OTR (see page 3-12.

 30" range features 4.6 cu. ft. overall volume*

RR: BTU 8,000 high** RF: BTU 15,000 high**



PRG305WH

PRG304WH

30" Stainless Steel with Porcelain Surface

Center: BTU 10,000 high**

5,499 6,049



* According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number Description UMRP **MSRP**

36" All-Gas Range

•	Thermador Connected
	Experience with Home
	Connect™

- Six Pedestal Star Burners (Two with ExtraLow)
- 36" range features 5.1 cu. ft. overall volume*

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low	18,000 high**/3,000 low



PRG366WH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

6,299 6,949

PRG366WH







Thermador Connected Experience with Home Connect™

 Four Pedestal Star Burners (Two with ExtraLow) each front burner has output of 18,000 BTU (NG)

• 36" range features 5.1 cu. ft. overall volume*

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



PRG364WDH

LR: BTU 15,000 high**/375 XLO LF: BTU 18,000 high**/375 XLO

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

PRG364WDH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

7.899 7.149







Thermador Connected Experience with Home Connect[™]

 Four Pedestal Star Burners (Two with ExtraLow) each front burner has output of 18,000 BTU (NG)

- 36" range features 5.1 cu. ft. overall volume*
- · Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**



PRG364WLH

LR: BTU 15,000 high**/375 XLO LF: BTU 18,000 high**/375 XLO

Electric Grill 1.630 W (6-pass 2x)

15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

RR: BTU





PRG364WLH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

7,149 7,899

* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

48" All-Gas Range

- Thermador Connected Experience with Home Connect™
- Six Pedestal Star Burners (Two with ExtraLow) and
- Main oven features 4.6 cu. ft. overall volume*

LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Elec
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	(

Electric Griddle 1,630 W (6-pass) Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high**/3,000 low
RF: BTU 18,000 high**/3,000 low

10,399 11,449 PRG4



PRG486WDH

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

 Thermador Connected Experience with Home Connect™

- Six Pedestal Star Burners (Two with ExtraLow) and
- Main oven features 4.6 cu. ft. overall volume*

LR: BTU	CR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	CF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low

low Electric Grill 1,630 W (6-pass 2x)

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

RR: BTU 15,000 high**/3,000 low
RF: BTU 18,000 high**/3,000 low



PRG486WLH



PRG486WLH

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

10,399 11,449



** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

All Pro Grand® Series Dual Fuel Ranges Include the Following Features:

- · Commercial-Depth (27")
- Patented Pedestal Star[®] Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-24)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- L.P. kit ordered separately for converting burners for L.P. gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- · Two-year warranty
- · Star-K certified

All Ovens

- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Three Full Access[®] telescopic racks with integrated easy-grip handles
- · Fast Preheat

Main Oven

- Thermador Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- · Hidden bake element

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-4)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

Induction Models

- Thermador 3,600 W Liberty Induction with two zones
- Features 9 power levels, XHI
 PowerBoost, Bridge, HeatShift, Timer
 and a safety shutoff

Indoor Pro Electric Grill

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating
- · Fusion non-stick surface

Griddle:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

48" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- · Temperature probe for Roast
- · 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

Number Description UMRP MSRP

36" Dual-Fuel Ranges

 Six Pedestal Star® Burners (Four with ExtraLow®)

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low	18,000 high*/375 XLO

PRD366WGU 36" Stainless Steel with 9,699 10,699

Porcelain Surface and All Telescopic Oven Racks



PRD366WGU

 Four Pedestal Star® Burners (Four with ExtraLow®) and fusion non-stick surface Indoor Pro Electric Grill, Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

LR: BTU
15,000 high*/375 XLO

LF: BTU
22,000 XHI*/375 XLO

Elec
1,6-p

PRD364WLGU 36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

10,199 11,249 PRD364WLGU



 Four Pedestal Star[®] Burners (Four with ExtraLow[®]) and Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU
15,000 high*/375 XLO

LF: BTU
22,000 XHI*/375 XLO

Electric Griddle
1,630 W
(6-pass)

RR: BTU
15,000 high*/375 XLO

RF: BTU
18,000 high*/375 XLO



PRD364WDGU

PRD364WIGU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 10,199 11,249



 Four Pedestal Star® Burners (Four with ExtraLow®) with Liberty Induction Teppan-yaki accessory TEPPAN1016 sold separately

LR: BTU RR: BTU
15,000 high*/375 XLO 15,000 high*/375 XLO

LF: BTU RF: BTU
22,000 XHI*/375 XLO 18,000 high*/375 XLO

Induction 3,600 W 230 V 3,300 W 208 V



10,599 11,699

Porcelain Surface and

Porcelain Surface and All Telescopic Oven Racks

36" Stainless Steel with

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

48" Dual-Fuel Ranges

 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Electric Griddle Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass)

RR: BTU	
15,000 high*/375 XLO	
RF: BTU	
18,000 high*/375 XLO	

PRD486WDGU

PRD486WDGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 13,349 14,699



 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Indoor Pro Electric Grill Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRD486WLGU

PRD484WCGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 13,349 14,699



 Four Pedestal Star® Cooktop (Four with ExtraLow®) with fusion non-stick surface Indoor Pro Electric Grill, and Griddle Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/375 XLO
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/375 XLO

Electric Grill 1,630 W (6-pass 2x) Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

> Electric Griddle 1,630 W (6-pass)



48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 13,649 15,049



* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model
Number Description UMRP MSRP

48" Dual-Fuel Ranges

 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) with Liberty Induction Teppan-yaki accessory TEPPAN1016 sold separately

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/375 XLO	18,000 high*3,000 low	18,000 high*/375 XLO

Induction 3,600 W 230 V 3,300 W 208 V

PRD486WIGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 13,899 15,299



60" Dual-Fuel Ranges

The Ultimate Entertainer's Center™

- Six Pedestal Star Burners (Four with ExtraLow) with Indoor Pro Electric Grill and 12" Griddle
- Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

Electric Grill Electric Griddle
1,630 W 1,630 W

(6-pass)

PA12GRILLW or PA12GRILFW
riddle N 15,000 high*/375 XLO
RF: BTU

18,000 high*/375 XLO

17,449 19,199

Non-stick surface Electric

with optional accessory

Griddle, convertible to Grill



PRD606WCG





22,000 XHI*/375 XLO

PRD606WCG

LR: BTU

12,500 high*/375 XLO

LF: BTU

60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

CR: BTU

12,500 high*/3,000 low

CF: BTU

18,000 high*/3,000 low

The Ultimate Entertainer's Center™

 Six Pedestal Star Burners (Four with ExtraLow) with 24" Dual Zone Griddle Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

(6-pass 2x)

	i
LR: BTU	CR: BTU
12,500 high*/375 XLO	12,500 high*/3,000 low
LF: BTU	CF: BTU
22.000 XHI*/375 XLO	18.000 high*/3.000 low

24" Electric Griddle 1,630 W (Left & Right) (3,260 W total) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

17,449 19,199



PRD606WEG



PRD606WEG 60" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

All Pro Grand® Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star[®] Burners with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- · Steam and convection oven
- · Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-24)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with Four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift, Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Indoor Pro Electric Grill (convertible to griddle with griddle accessory),

- L.P. conversion kit ordered separately for converting burners for L.P. gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- · Star-K certified
- · CSA certified
- Indoor Pro Electric Grill Model: 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating

Oven features:

- Thermador Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose[®] hinges for ultra-smooth closing
- Large oven includes three Full Access[®] telescopic racks with integrated easy-grip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion and preheat status with audible alert

Steam Oven features:

- 27 Easy Cook® programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- · 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed
- · Steam Clean function

Warming drawer features:

- · Open sides for convenient accessibility
- · Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-4)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

Number Description **UMRP MSRP**

48" Dual-Fuel Steam Range

The Ultimate Culinary Center™

 Six Pedestal Star® Burners (Four with ExtraLow®)

· Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO PRD48WDSGU

15,449 16,999





PRD48WDSGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

The Ultimate Culinary Center™

 Six Pedestal Star® Burners (Four with ExtraLow®)

· Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Grill 1,630 W (6-pass 2x)

15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

RR: BTU

15,449 16,999

PRD48WLSGU



PRD48WLSGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

The Ultimate Culinary Center™

 Six Pedestal Star® Burners (Four with ExtraLow®))

· Liberty Induction.

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low	18,000 high*/375 XLO

PRD48WISGU 48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

Teppan-yaki accessory TEPPAN1016 sold separately

Induction 3,600 W 230 V 3,300 W 208 V

16,399 18,049









NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description **UMRP** MSRP

48" Dual-Fuel Steam Range

The Ultimate Culinary Center™

- Four Pedestal Star® Burners (Four with ExtraLow®)
- · Indoor Pro Electric Grill and Griddle

LR: BTU	CR: BTU	Electric Grill
15,000 high*/375 XLO	15,000 high*/375 XLO	1.630 W
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/375 XLO	(6-pass 2x)

PRD48WCSGU 48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

· 24" stainless steel cover PA24CVRW for Grill/Griddle sold separately

> Electric Griddle 1,630 W (6-pass)



16,099 17,749

PRD48WCSGU



60" Dual-Fuel Steam Range

The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- 24" Dual Zone Griddle LR: BTU

12,500 high*/375 XLO

LF: BTU


22,000 XHI*/375 XLO

• 5.7 cu. ft. main oven cavity accommodates commercial size full sheet pan •

24" Electric Griddle 12,500 high*/3,000 low 1,630 W (Left & Right) (3,260 W total)

accessory PA24CVRR for 24" Griddle sold separately

· 24" stainless steel cover





PRD606WESG

PRD606WESG

60" Stainless Steel with Porcelain Surface and

CR: BTU

CF: BTU

18,000 high*/3,000 low

All Telescopic Oven Racks (main oven)

19,949 21,949



The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- Indoor Pro Electric Grill and 12" Griddle
- 5.7 cu. ft. main oven cavity accommodates commercial
- size full sheet pan

· 24" stainless steel cover PA24CVRW for Grill/Griddle sold separately



LR: BTU

CR: BTU 12,500 high*/375 XLO 12,500 high*/3,000 low LF: BTU CF: BTU 22,000 XHI*/375 XLO 18,000 high*/3,000 low

Electric Grill 1.630 W (6-pass 2x)

Electric Griddle 1.630 W (6-pass)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

PRD606WCSG



PRD606WCSG 60" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

19,949 21,949

* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18.000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

MSRP

UMRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description

·

All Pro Grand® Series All Gas Ranges Include the Following Features:

- · Commercial-depth (27")
- Featuring Patented Pedestal Star[®] Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-24)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)

Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Electric Griddle (convertible to grill with grill accessory),

Indoor Pro Electric Grill model:

 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating

- Indoor Pro Electric Grill (convertible to griddle with griddle accessory)
- NEW Gas ranges are now field convertible from natural gas to liquid propane—kits sold separately
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- · Star-K certified

Oven features:

- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access[®] telescopic racks with integrated easy-grip handles

Large oven:

- Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/L.P.)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- · 6 conventional cooking modes
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume*
- Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/L.P.)
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-4)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

36" All-Gas Range

 Four Pedestal Star Burners (Four with ExtraLow)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high*/375 XLO LF: BTU 22,000 XHI*/375 XLO

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

PRG364WDG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 8,749 9,649



PRG364WDG



*According to AHAM Standards

**15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

36" All-Gas Range

 Four Pedestal Star[®] Burners (Four with ExtraLow[®])

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional PAGRIDDLEW

LR: BTU 15,000 high*/375 XLO LF: BTU 22,000 XHI*/375 XLO Electric Grill 1,630 W (6-pass 2x)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

PRG364WLG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 8,749 9,649

PRG364WLG



 Six Pedestal Star[®] Burners (Four with ExtraLow[®])

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI**/375 XLO	18,000 high**/3,000 low	18,000 high**/375 XLO

PRG366WG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 8,099 8,949



PRG366WG



48" All-Gas Range

 Six Pedestal Star Burners (Four with ExtraLow)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRG486WDG

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 11,549 12,749

PRG486WDG







NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

PRO GRAND® SERIES—ALL-GAS RANGES AND ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

48" All-Gas Range

 Six Pedestal Star[®] Burners (Four with ExtraLow[®])

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional PAGRIDDLEW

LR: BTU 15,000 high*/375 XLO	CR: BTU 15,000 high*/3,000 low	Ele
LF: BTU	CF: BTU	1,
22,000 XHI*/375 XLO	18,000 high*/3,000 low	(6- ₁

RR: BTU
15,000 high*/375 XLO
1,630 W
(6-pass 2x)

RF: BTU
18,000 high*/375 XLO



PRG486WLG

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 11,549 12,749 PRG486WLG



Accessorie	cessories Dual Fuel				Steam					All Ga			ias												
					36" 48" 60"			48" 60")"	36"			48"								
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	, ·	12" Grill Plate Accessory w/ Tray (for Griddle Models) Fusion coated access to the "high-release" a						•		•		•	•	•		•		•	•	•		•		•	
		12" Grill Plate Accessory w/ Tray (for Griddle Models) usion) surface coating (" and durable over time.	319 high-rel	359 ease")				•		•		•	•	•		•		•	•	•		•		•	
	, ,	12" Griddle Plate Accessory w/ Tray (for Grill Modules)) Fusion coated accesses to the "high-release" a					•				•	•		•			•	•		•			•		•
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Mo	319 odules)	359			•				•	•		•			•	•		•			•		•
	TEPPAN1016	Teppan-yaki pan for Induction models	399	439	•				•						•										

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number Description UMRP MSRP

Accessories								D	ual	Fue	el						Ste	eam	1		L	Al	I G	as	
						36	3"			48	3"		60	"		48	3"		60)"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	PABRICKW	Flat Ceramic Briquettes (no Basket	99 t)	109			•				•	•		•			•	•		•			•		•
Ī	PABRICKBKW	Flat Ceramic Briquettes with Baske	199 et	219			•				•	•		•			•						•		•
	PAGRIDDLE	Griddle sits on top of Grates of two Burners, high-rele coating		219 face	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA24CVRR	24" Cover for Griddle	299	329									•						•						
	PA24CVRW	24" Cover for Grill/Griddle Comb Models	259 oination	289								•		•				•		•					
	PA12LCVRN	12" Cover Professional Indoor G	299 Grill	329			•				•	•		•			•	•		•			•		•
	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•		•		•		•		•		•		•	
	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Model Number Description UMRP MSRP

Accessorie	ccessories							D	ual	Fu	el						Ste	ean	1			Al	I G	as	Ш
						36	3"			48	3"		60)"		48	8"		60)"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
=	PAALTKITGW	High Altitude Kit, NG Pro Grand Range 5.4K ft to 10.2K ft	89 es,	99	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	_	ude kit, please see the o e List in the Sales Shar		&	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
**/	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel	199 Ranges	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
*/	PALPKITGGW	LP Conversion Kit Pro Grand Gas Rang	199 jes	219																	•	•	•	•	•
The state of the s	PAKNOBLUWG	Metallic Blue Pro Grand Knob Kit	259	289	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	CS1XLPH	Cooking Pan Perforated, half size,	199 1%" dee	219 ep											•	•	•	•	•	•					
	CS1XLH	Cooking Pan half size, 1%" deep	199	219											•	•	•	•	•	•					
	CS2XLPH	Cooking Pan Perforated, full size,	199 1%" dee	219 p											•	•	•	•	•	•					
	CS2LH	Baking Pan full size, 1 ½" deep	199	219											•	•	•	•	•	•					
	CS2XLH	Cooking Pan full size, 1 %" deep	199	219											•	•	•	•	•	•					
	CSRACKH	Wire Rack	199	219											•	•	•	•	•	•					

Number Description UMRP MSRP

Accessorie	es							Di	ual	Fue	el					Ste	am	1			Al	l Ga	as	
						30	3"			48	3"		60"		48	3"		60)"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	PA36WTKG	Toe Kick for 36" Pro Grand [®] R	109 ange	119	•	•	•	•												•	•	•		
	PA48WTKG	Toe Kick for 48" Pro Grand [®] R	109 ange	119					•	•	•	•		•	•	•	•						•	•
	PA60WTKG	Toe Kick for 60" Pro Grand [®] R	139 ange	159								•	•					•	•					
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fue Ranges		529 rand [®]	•	•	•	•												•	•	•		
	PA48WLBG	7" Low Back, for 48" Pro Grand [®] G	509 as Ran	599 ges					•	•	•	•		•	•	•	•						•	•
	PA60WLBG	7" Low Backguard for 60" for Pro Grand	559 ® Rang	649 e								•	•					•	•					

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Thermador® VENTILATION

		30"	36"	42"	48"	60"/54"
WALL	Pro Grand [®]					
Š			PH36GWS	PH42GWS	PH48GWS	PH54GWS PH60GWS
	Pro Harmony [®]	-aucum	-auran		aurain .	
		PH30HWS	PH36HWS		PH48HWS	
	Masterpiece [®]	HMDW30WS	HMDW36WS			
	Low-Profile					
		HMWB30WS	HMWB36WS HMWB361WS		HMWB481WS	
CHIMNEY WALL	Professional		HPCN36WS		HPCN48WS	
MNEY	Masterpiece [®]	HDDBankie				
품	Masterpiece [®]	HDDB30WS	HDDB36WS			
		HDCB30WS	HDCB36WS			
ISLAND	Pro Grand [®]			HPIN42WS		HPIN54WS
	Masterpiece [®]		HMIB36WS	HMIB42WS		
CUSTOM INSERT	Professional		VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS VCIN60GWS
O	Masterpiece [®]	• ***** •	• ***** •		977.34	
	Masterpiece [®]	VCI230DS	VCI236DS		VCI248DS	
DOWN- DRAFT		UCVM30XS	UCVM36XS UCVP36XS			
	!	1		·	1	ı

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All Wall Hoods Include the Following Features:

- Beautiful illumination with multi-level, LED lights
- Dishwasher-safe commercial-style stainless steel baffle filters
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation

Accessory options available

 Built-in remote control panel, sold separate (see page 6-7)

All Masterpiece® Wall Hoods Include these Additional Features:

- Equipped with the Thermador Connected Experience by Home Connect™
- A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- · Brushed stainless steel
- Noise Control Technology™
- Cooktop Hood-Sync Enabled
- · Vertical ducting direction
- · Integral blower included
- Convertible to recirculation, accessory sold separate (see page 6-3)

Masterpiece® Series

Drawer Under Cabinet Wall Hood

- A masterful blend of luxury and performance with a slide-out canopy design
- When the slide-out canopy is pushed back, it sits flush
- against surrounding cabinetry, and when pulled forward increases capture area
- Fan can be activated in the closed or open position
- 600 CFM integral blower included
- Transition to 6" round and backdraft damper included



HMDW36WS

HMDW30WS 30" Masterpiece®, Under Cabinet

Drawer Wall Hood, 600 CFM

36" Masterpiece®, Under Cabinet Drawer Wall Hood, 600 CFM

1,899 2,099

1,999 2,199

Low-Profile Wall Hood

HMDW36WS

- Chiseled design that is 24" depth, 11" tall
- Approved for use with Professional Series Ranges and Rangetops
- 16" tall and 28"-65" tall telescopic duct cover accessory options available, sold separate (see page 6-3)
- Transition to 10" round and backdraft damper included



HMWB30WS

HMWB30WS	30" Low-Profile Wall Hood, 600 CFM	1,799	1,999
----------	------------------------------------	-------	-------

HMWB36WS	36" Low-Profile Wall Hood, 600 CFM	1,899	2,099

HMWB361WS	36" Low-Profile Wall Hood, 1000 CFM	1,999 2,199
-----------	-------------------------------------	-------------

<u>HMWB481WS</u> 48" Low-Profile Wall Hood, 1000 CFM 2,099 2,349

Number Description UMRP MSRP

Masterpiece® Series Accessories

	Mas	terp	oiec	е	
Dra	wer	Lo	w F	Prof	ile
HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS

Recirculation Accessories

- When ducting is not feasible, kit brings filtered air back into kitchen
- Replace charcoal filter every 3-6 months depending on usage
- Charcoal filter replacement accessory available (see below)
- Installation Note: RECHMWB30 and RECHMWB36 are brushed stainless steel, and adds 4"

height to the appliance.
Approved for use with
HMWB30WS and
HMWB36WS Low-Profile
Series Wall Hoods with 600
CFM blowers only

	•							
RECHMWB30	Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide	699	799			•		
RECHMWB36	Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide	749	849				•	
RECHMDW30	Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	129	149	•				
RECHMDW36	Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	129	149		•			
CHFHMDW30	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	99	109	•				
CHFHMDW36	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	99	109		•			
CHFILT3036	Replacement charcoal filters for recirculating wall hoods	109	119	•		•	•	

Optional Stainless Steel Duct Cover

•	Available in 16" and 20"-54"
	telescoping heights

 Can be used with Low-Profile HMWBxxWS Series Wall Hoods

<u>DCT3016W</u>	16" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	649	749		•			
<u>DCT3616W</u>	16" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	659	749			•	•	
DCT4816W	16" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	679	749					•
DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	749	849		•			
DC36MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	759	849			•	•	
DC48MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	779	899					•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Professional Wall Hoods Include these Additional Features:

- Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers
- Vertical or horizontal ducting discharge possible
- 6" tall and 20"-54" tall telescopic duct cover accessory options available, sold separate (see page 6-6)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-5).

Integral
VTN630W¹
VTN1090R
Inline
VTI610W¹
VTI1010W

Remote VTR630W¹ VTR1030W VTR1330W

- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included

Accessory options available

- Duct cover accessory options (see page 6-6)
- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

Professional Series

Pro Harmony® Wall Hood

- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- A perfect companion to Pro Harmony[®] Professional Ranges
- Pro-style 24" depth, 18" tall

 Commercial-style stainless steel baffle filters



PH36HWS

PH30HWS	30" Pro Harmony® Wall Hood, Optional Blower	1,999	2,199
PH36HWS	36" Pro Harmony® Wall Hood, Optional Blower	2,099	2,349
PH48HWS	48" Pro Harmony® Wall Hood, Optional Blower	2,299	2,549

Pro Grand[®] Wall Hood

PH48GWS

- Equipped with the Thermador Connected Experience by Home Connect[™]
- Adds distinct flair to your kitchen with bold, stainless steel wall
- hoods with design that echoes the thoughtful details of your Thermador kitchen
- Crafted to complete the ultimate cooking system with Pro Grand[®]

Professional Ranges

- Pro-style 27" depth, 18" tall
- Two infrared,175 W, Keep-Hot lamps (included)

2,699

2,999



PH36GWS



PH36GWS	36" Pro Grand® Wall Hood, Optional Blower	2,299	2,549

PH42GWS	42" Pro Grand [®] Wall Hood, Optional Blower	2,399	2,649

PH54GWS	54" Pro Grand® Wall Hood, Optional Blower	2,899	3,199

48" Pro Grand® Wall Hood, Optional Blower

PH60GWS	60" Pro Grand [®] Wall Hood, Optional Blower ¹	3,649	4,049

¹ The 600 CFM blower options are not available with the 60" hood

Number Description UMRP MSRP

Professional Series Blowe	rs			Mas	terpi	ece	F	Profes	ssior	nal
				Custom Insert	#077000	Downdran	Wall	Chimney Wall	Island	Custom Insert
Number	Model Description	UMRP	MSRP	VCI2xxDS	UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	HPINxxWS	VCINxxGWS

Integral Blowers

 Integrated into ventilation hood at the time of installation

VTN630W	600 CFM Integral Blower	609	699		•	•	•	•	
<u>VTN1090R</u>	1,000 CFM Blower	799	899		•	•	•	•	

Inline Blowers

- May be used as integral solution for VCI2xxDS Series custom hood inserts. See website for additional details
- Blower can be mounted along the duct line between the kitchen and the exterior wall
- 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-22)
- For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods

<u>VTI610W</u>	600 CFM Inline Blower, 6" duct size	609	699	•	•	•	•	•	•	•
VTI1010W	1,000 CFM Inline Blower, 10" duct size	799	899	•	•	•	•	•	•	•

Remote Blowers

- For external roof or wall mount
- Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-22)
- 25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-22)
- For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods

	1 3 /										
B	<u>VTR630W</u>	600 CFM Remote Blower, 6" duct size	729	849	•	•	•	•	•	•	•
	<u>VTR1030W</u>	1,000 CFM Remote Blower, 10" duct size	769	849	•	•	•	•	•	•	•
3	<u>VTR1330W</u>	1,300 CFM Blower, 10" duct size	979	1,099	•	•	•	•	•	•	•

Number Description UMRP MSRP

Professional Accessories

	Pro	ny		Pro	Gra	and	
,	Wal	I		,	Wal	ı	
PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS

Optional Stainless Steel Duct Cover

- Available in 6" and 20"–54" telescoping heights
- Can be used with PHxxxWS Pro Grand[®] and Pro Harmony[®] Series Wall Hoods

neignis		and Fro Harmony Series Wall Hoods									
	DC306W	6" Tall Duct Cover for Pro Wall Hoods, 30" Wide	469	519	•						
1	<u>DC366W</u>	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	489	539		•		•			
	<u>DC426W</u>	6" Tall Duct Cover for Pro Wall Hoods, 42" Wide	499	549					•		
	<u>DC486W</u>	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499	549			•			•	
	NEW DC3089W	8' - 9' Ceilings Telescoping Duct Cover, 30" wide	499	549	•						
	NEW DC3689W	8' - 9' Ceilings Telescoping Duct Cover, 36" wide	509	599		•		•			
	NEW DC4289W	8' - 9' Ceilings Telescoping Duct Cover, 42" wide	519	599					•		
	NEW DC4889W	8' - 9' Ceilings Telescoping Duct Cover, 48" wide	529	599			•			•	
	NEW DC361012W	/ 10' - 12' Ceilings Telescoping Duct Cover, 36" wide	659	749	•			•			

Number Description UMRP MSRP

Profession	al Accessories			На	Pro rmc Wall	ny		_	Gra Wall		
				PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
	NEW DC481012W 10' - 12' Cielings Telescoping Duct Cover, 48" wide	719	799			•			•		

Built-In Remote Control

- Ability to vertically install on cabinetry or wall to control hood in a convenient location
- Built-in sleek, smooth remote touch control panel
- Compatible with PHxxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, HMCBxxWS, HDDBxxWS, HPINxxWS, HMIBxxWS, VCINxxGWS, and HMDWxxWS Series hoods
- · Wired to hood
- · Cable length: 30 ft.

	REMCPW	Built-In Remote Control Accessory	319 359	•	•	•	•	•	•	•	•	ı
--	--------	-----------------------------------	---------	---	---	---	---	---	---	---	---	---

Recirculation Accessories

For non-ducted operation of Thermador[®]
 Wall Hoods

Available for HMWB3xWS (30" and 36")
 Wall Hoods with 600 CFM blowers only



CHFILT3036 Re

Replacement charcoal filters for recirculating wall hoods

109 119


Number Description UMRP MSRP

Blower and Duct Accessories

	Pro	ny	ſ	Pro	Gr	anc	ł
,	Wal	I		١	Nal	I	
PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS

Remote & Inline Blower Extension Cable

- 25-ft. extension cable for use between hood and inline or remote blower
- Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36XS and VCINxxGWS series hoods
- Cannot join two cables together for longer length.
- For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W



Roof Plates

NOTE: Roof plate required for roof-mount application of remote blowers.

RFPLT600P	Roof mounting plate for VTR630W and VTR630W	129	149	•	•	•	•	•	•	•	•
RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W, VTR1030W, VTR1330W	159	179	•	•	•	•	•	•	•	•

CHIMNEY WALL HOODS This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description **UMRP** MSRP All Chimney Wall Hoods include the following features: Beautiful illumination with multi-level. · Check filter reminder light illuminates · Automatic mode detects LED lights after 40 hours of operation temperatures to adjust fan speed automatically · Dishwasher-safe filters · Vertical ducting direction 10-min delay shut off whisk away Built-in remote control panel accessory Recessed sleek, smooth touch control lingering odors panel that provides precise performance available, selection with 4-speed levels All Masterpiece® Chimney Wall Hoods include these Additional features: Equipped with the Thermador Connected · 600 CFM integral blower Convertible to recirculation, accessory Experience by Home Connect™ sold separate (see page 6-12 Adjustable telescopic chimney heights to A perfect complement to the sleek fit up to 9-ft tall ceilings Hybrid mesh filters with stainless steel Thermador Masterpiece® Series cooktops frame · Built-in remote control panel accessory Brushed stainless steel available, sold separate (see below) · Vertical ducting direction · Transition to 8" round and backdraft Serves as the focal point of the room and Built-in remote control panel accessory can add a modern feel damper included available, sold separate (see page 6-8) Cooktop Hood-Sync Enabled Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings available, sold separate (see page 6-12) Masterpiece® Series **Pyramid Chimney Wall Hood** · Streamlined, contemporary, Noise Control Technology™ low-profile design with 5" pyramid canopy height 30" Masterpiece® Pyramid Chimney Wall Hood, HMCB30WS 2,099 2,349 HMCB30WS 600 CFM HMCB36WS 2,199 2,449

36" Masterpiece® Pyramid Chimney Wall Hood,

600 CFM

Drawer Chimney Wall Hood

· A masterful blend of luxury and performance with unique slideout canopy design that can be pushed back for increased head room or pulled forward for increased capture area

HDDB30WS

- · Can be activated whether in the open or closed position
- Noise Control Deluxe™



HDDB30WS

30" Masterpiece® Drawer Chimney Wall Hood, 2.499 2.749 600 CFM

36" Masterpiece® Drawer Chimney Wall Hood, 2,699 2,999 HDDB36WS

600 CFM



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Professional Chimney Wall Hoods include these Additional features:

- Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops
- · Sculpted brushed stainless steel
- Creates a focal point in the room with a more contemporary-style feel
- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included
- Duct cover accessory options available, sold separate (see page 6-11)
- Pro-style 24" depth, 18" tall

- Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops
- Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers
- 6" tall, 18"– 35" tall telescopic, and 42"– 59" tall telescopic duct cover accessory options available, sold separate (see page 6-11)
- Built-in remote control panel accessory available, sold separate (see page 6-8)

 Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-5).

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

Professional Series

Pro Grand® Chimney Wall Hood

<u>HPCN36WS</u> 36" Professional® Chimney Wall Hood, 2,699 2,999
Optional Blower



<u>HPCN48WS</u> 48" Professional® Chimney Wall Hood, 3,199 3,549 HPCN36WS

Optional BlowerPro

Accessories	Ma	Masterpiece Drawer Wall		Pı	ro
	Draw	r V	Wall		all
		HMCB30WS	HMCB36WS	HPCN36WS	HPCN48WS

Remote & Inline Blower Extension Cable

- 25-ft. extension cable for use between hood and inline or remote blower
- Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36XS and VCINxxGWS series hoods
- Cannot join two cables together for longer length.
- For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W

EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139			•	•
NEW EXTNSET4	3-pc extension set for Inline and remote blowers; For older generation blowers when paired with new generation blowers	159	179			•	•

Duct Cover

- Available in 6" tall, 18"–35" tall telescopic, and 42"–59" tall telescopic heights
- Can be used with HPCNxxWS Professional Series Chimney Wall Hoods

CHMHP366W	6" Tall Duct Cover for Professional [®] Chimney Wall Hood, 36" Wide	499	549			•	
CHMHP486W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 48" Wide	509	599				•
CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	649	749			•	
CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	659	749				•
CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	719	799			•	

^{*} Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

Number Description UMRP MSRP

Accessories	Accessories				e	e Pro		
		Drawer		Wall		W	all	
		HDDB30WS HDDB36WS		HMCB30WS	HMCB36WS	HPCN36WS	HPCN48WS	
CHMHP48XTW 42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wid	739 849 e						•	

Chimney Wall Hood Extension Kits

 Stainless steel telescopic chimney extension for 9-ft to 12-ft tall ceilings

	CHXTHDDW	9'-12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece® Chimney Drawer Hood	579	649	•	•			
(335) 1022) 8022) 657) 33 ⁷ /h* (860)	<u>CHXTHMCB</u>	9'-12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece® Pyramid Chimney Hood	579	649			•	•	

Chimney Wall Hood Recirculation Accessories

- When ducting is not feasible, kit brings filtered air back into kitchen
- Replace charcoal filter every 3–6 months depending on usage
- Charcoal filter replacement accessory available (see below)

-	RECHDDB	Recirculation Kit for Masterpiece® HDDBxxWS Drawer Chimney Wall Hood	159	179	•	•			
	RECHMCB	Recirculation Kit for Masterpiece® HMCBxxWS Chimney Wall Hood	159	179			•	•	
	CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109	119	•	•	•	•	

All Island Hoods include the following features:

- Equipped with the Thermador Connected Experience by Home Connect™
- · Beautiful illumination with multi-level, LED lights
- · Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min delay shut off whisk away lingering odors
- · Check filter reminder light illuminates after 40 hours of operation
- · Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-7)

Masterpiece® Series

Low-Profile Island Hood

- Sleek and slim, these meticulously sculpted, floating stainless steel island hoods catch the eye without obstructing views
- · A perfect complement to Thermador Masterpiece® Series cooktops
- Brushed stainless steel

- · Cooktop Hood-Sync Enabled
- Noise Control Deluxe™
- 600 CFM integral blower
- · Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings
- Transition to 8" round and backdraft damper included

· Convertible to recirculation, accessory sold separate (see page 6-15)

Accessory options available

· Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings (see page 6-15)



HMIB36WS



HMIB36WS 36" Masterpiece® Box Island Hood,	2,999	3,299
--	-------	-------

42" Masterpiece® Box Island Hood, HMIB42WS 3,099

600 CFM

600 CFM

3,449

Number Description UMRP MSRP

Professional Series

Box Island Hoods

- A stunning, meticulously crafted piece that could be a conversation starter while entertaining in the kitchen
- Designed and engineered to match in design and performance with Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Unique angled box canopy island hood design
- Dishwasher-safe commercialstyle stainless steel baffle filters
- Make-up air damper relay switch (120 V max)

- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Transition to 10" round and backdraft damper included
- For ceiling applications of 8' to 9' height
- May require fabrication for custom height

 Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-5).

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)



HPIN42WS



HPIN42WS 42" Professional® Island Hood,

Optional Blower

HPIN54WS 54" Professional® Island Hood,

Optional Blower

3,399 3,749


3,999 4,399

Number Description UMRP MSRP

Accessories	Masterpiece	Pro	
	Low Profile	Box	
	HMIB36WS	IPIN42WS	

Remote & Inline Blower Extension Cable

- 25-ft. extension cable for use between hood and inline or remote blower
- Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods
- Cannot join two cables together for longer length.
- For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W



Low-Profile Island Hood Extension Kit

- Stainless steel telescopic chimney extension for 9-ft to 12-ft tall ceilings
- Compatible with HMIBxxWS Masterpiece[®] Island Hood

	CHXTHMIB	9'-12' Ceilings Chimney Extension Kit for HMIBxxWS Masterpiece [®] Island Hood	699	799	•	•	
Low-Profile I	sland Hood Recir	culation Accessories					
When ducting is not feasible, kit brings filters air back into		 Compatible with HMIBxxWS Masterpiece[®] Island Hood 					
kitchen		Charcoal filter replacement			•	•	
•	arcoal filter every depending on	accessory available (see below)					
usage	, adpointing on	50.011)					
	RECHMIB	Recirculation Kit for Masterpiece®	159	179			
		HMIBxxWS Island Hood					
	CHFHMCD	Replacement Charcoal Filters	109	119			
		For Masterpiece® HMCB, HDDB,			•	•	
		HMIB Recirculation Kit					
	CHFILISL	Charcoal filter for Island Hoods	99	109			

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP

All Custom Inserts include the following features:

· Vertical ducting

 Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-5). Integral VTN630W VTN1090R Inline VTI610W¹, VTI1010W

MSRP

Remote VTR630W VTR1030W VTR1330W

Masterpiece® Series

30" Custom Insert

- Approved for use with Professional Series Ranges and Rangetops
- Optional baffle filters for professional performance
- Halogen lights
- · Electronic controls
- · Delayed shut off
- · Filter change light
- Protect cabinetry with Liner accessory², sold separately (see page 6-17)



VCI230DS

VCI230DS	30" Custom Insert	1,099	1,249
VCI236DS	36" Custom Insert	1,199	1,349
VCI248DS	48" Custom Insert	1,299	1,449

Custom Insert Hoods

- Equipped with the Thermador Connected Experience by Home Connect™
- Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials
- Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops
- · Brushed stainless steel
- Dishwasher-safe commercialstyle stainless steel baffle filters

- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Make-up air damper relay switch (120 V max)

- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Includes custom hood trim to complete custom insert installation
- Transition to 10" round and backdraft damper included
- Built-in remote control panel accessory available, sold separate (see page 6-16

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

Professional Series



VCIN48GWS



- 36" Professional® Custom Insert, Optional Blower VCIN36GWS 1,799 1,999 42" Professional® Custom Insert, Optional Blower VCIN42GWS 1,899 2,099 VCIN48GWS 48" Professional® Custom Insert, Optional Blower 1,999 2,199 VCIN54GWS 54" Professional® Custom Insert, Optional Blower 2,099 2,349 VCIN60GWS 60" Professional® Custom Insert, Optional Blower2 2.199 2.449
- 1 Cabinet cutouts and dimensions must be prepared based on the Liner Accessory and Insert Hood (as opposed to only the Insert Hood) when using a Liner in combination with an Insert Hood.
- 2 The 600 CFM blower options are not available with the 60" hood

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Accessorie	es				Mas	terp	iece			Pro		
					VCI230DS	VCI236DS	VCI248DS	VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS
Remote & Inl	ine Blower Extensi	on Cable				,						_
	sion cable for use od and inline or ver	 Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods 	 For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W 									
		Cannot join two cables together for longer length.										
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139				•	•	•	•	•
	NEW EXTNSET4	3-pc extension set for Inline and remote blowers; For older general blowers when paired with new ge		179	•	•	•	•	•	•	•	•
Baffle Filters												
Stainless steLow profile		Dishwasher safe	 Use only with Masterpie Series Custom Inserts 	ce®								
	BAFFLT30	30" Baffle Filter for VCI230DS	199	219								
	BAFFLT48	48" Baffle Filter for VCI248DS	299	329	•	•	•					
Liners					•	,						
stainless ste	th Masterpiece®	 Installation Note: Cabinet cut- outs and dimensions must be prepared based on the Liner Accessory and Insert Hood (as opposed to only the Insert 	Hood) when using a Lin combination with an Inst									
	LINER30	Liner for 30" VCI230DS	299	329								
	LINER36	Liner for 36" VCI236DS	299	329	•	•	•					
	LINER48	Liner for 48" VCI248DS	299	329								

All Downdrafts include the following features:

- Designed for installation with all Thermador® cooktops except Professional Series
- All models feature six possible discharge connections including front, side, down, and rear as well as recirculation
- · Stainless steel
- Sleek, removable front filter panel design that act as a splatter shield
- Dishwasher safe mesh filters
- · Three speeds
- Convenient 10-minute time-delay shut-off feature

- · Filter maintenance reminder light
- · Automatic mode
- Recirculation possible with electric and induction cooktops, Accessory Sold Separately (UCVRECIRC see page 6-19)

Required To Complete The Installation:

 Blower Options, Sold Separately. Works with the following blowers, sold separately (see page 6-5).

Integral
VTD600P
see page 6-20
Inline
VTI610W
VTI1010W

Remote VTR630W VTR1030W VTR1330W Downdraft transitions may be required to complete the installation depending on exhaust direction & blower chosen: [see

Accessory options available

CVDUCT2

MSRP

- Gas cooktop seal kit sold separately, required for installation with gas cooktops (UCV30ST, UCV36ST [see page 6-19)
- 5' electrical panel extension cable (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-22])
- 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-22)

Masterpiece® Series

CVTFRONT10

Downdraft Ventilation System

UCVM30XS 30" Masterpiece® Downdraft

15" Snorkel, Optional Blower

1,599 1,799

2.099



UCVM36XS 36" Masterpiece® Downdraft

15" Snorkel, Optional Blower

1,799 1,999 ____

2,349



UCVP36XS 36" Masterpiece® Downdraft, Deluxe

18" Snorkel, Optional Blower

LED Task Bar Lights

NOTE: Transition required and sold separately for all remote and inline blower installations.



UCVP36XS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Components				UCVM30XS	UCVM36XS	UCVP36XS
Downdraft Recirculation Kit				,		
 For use with 30" UCVM30XS, 36" UCVM36XS, and 36" UCVP36XS downdraft models only Works in wall or island 	 To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Gas Cooktops 	 Fits in toe-kick/socket he of 4" or taller Module and grill vent plate can be placed so air doe hit feet 	te			
applications • Module ships with one heavy duty charcoal filter and two metal grill vent plates • Module ships with one heavy separately • Replacement charcoal filters						
kitchen after passing through a charcoal filter	 Mounts to cabinet base, recesses into toe kick/socket area 	available, sold separately				
UCVRECIRC	Recirculation kit for downdraft UCVM30XS, UCVM36XS, UCVP3 downdrafts only. VTD600P Blowe required, sold separately. Replace every 3-6 months depending on u	r e filters	699	•	•	•
UCVFILTER	Charcoal filter replacement For use with UCVRECIRC recircu	109 ulation kit (above)	119	•	•	•
Gas Cooktop Seal Kit • For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only	Required for installation with gas cooktops	Includes trim bracket, sea and 2 metal grills	al,			
UCV30ST	30" gas cooktop seal kit For UCVM30XS, UCVM36XS, UCVP36XS downdrafts	129	149	•	•	•
UCV36ST	36" gas cooktop seal kit For UCVM30XS, UCVM36XS, UCVP36XS downdrafts	129	149	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description **UMRP MSRP** Components **JCVM36XS** JCVM30XS **JCVP36XS** Integrated Blower VTD600P 600 CFM, 8" duct size 699 799 flexible integrated blower Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only

Inline Blowers

- May be used as integral solution for VCl2xxDS Series custom hood inserts. See website for additional details
- Blower can be mounted along the duct line between the kitchen and the exterior wall
- 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-22)
- For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series ventilation hoods

<u>VTI610W</u>	600 CFM Inline Blower, 6" duct size	609	699	•	•	•
 <u>VTI1010W</u>	1,000 CFM Inline Blower, 10" duct size	799	899	•	•	•

Remote Blowers

- · For external roof or wall mount
- Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-22)
- 25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-22)
- For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods

	VTR630W	600 CFM Remote Blower, 6" duct size	729	849	•	•	•
9	<u>VTR1030W</u>	1,000 CFM Remote Blower, 10" duct size	769	849	•	•	•
	<u>VTR1330W</u>	1,300 CFM Blower, 10" duct size	979	1,099	•	•	•

Model Number Description UMRP MSRP

Components	JCVM30XS	JCVM36XS	JCVP36XS	
	\supset	\supset	\supset	1

Downdraft Transitions

Transition(s) may be required to complete the installation of 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdrafts depending on the discharge connection chosen in combination with the downdraft blower selected (see installation manual) • For use with inline and remote blowers

	CVTSIDE6	6" side/rear transition Rectangular 1 %"×19" transition to 6" round for side and rear exhaust applications	199	219	•	•	•
0	CVTSIDE8	8" side/rear transition Rectangular 1 %"×19" transition to 8" round for side and rear exhaust applications	199	219	•	•	•
6	CVTSIDE10	10" side/rear transition Rectangular 1 %"×19" transition to 10" round for side and rear exhaust applications	199	219	•	•	•
0	CVTFRONT6	6" round front plate Front rough-in plate for front downward exhaust applie	99 cations	109	•	•	•
0	CVTFRONT8	8" round front plate Front rough-in plate for front downward exhaust applied	99 cations	109	•	•	•
	CVTFRONT10	10" round front plate Front rough-in plate for front downward exhaust applie	99 cations	109	•	•	•
	CVDUCT2	2' rectangular duct Rectangular duct that is 2' long × 1 %" deep × 19" wide (CVDUCT2) required to CVTRECT2 to downdraft housing. Ability to use as an exhaust through a cabinet or wall. To modify length, d cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be u nect CVTRECT2 to round ductwork	n extens luct may	ion to y be	•	•	•
	CVTRECT2	Transition for rectangular duct Required to attach CVDUCT2 2' rectangular duct to downdraft housing	99	109	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description **UMRP MSRP Accessories** Integrated Downdraft Remote **JCVM36XS UCVM30XS JCVP36XS** VTR1030W VTR1330W VTI1010W VTD600P VTR630W VTI610W **Remote & Inline Blower Extension Cable** · 25-ft, extension cable for use · Supports PHxxxWS, · For use with blowers between hood and inline or HPCNxxWS, HPINxxWS, VTI610W, VTI1010W, UCVMxxXS, UCVP36XS and remote blower VTR630W, VTR1030W, VCINxxGWS series hoods VTR1330W

1	0	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139	•	•	•	•	•	•	•	•
)	NEW EXTNSET4	3-pc extension set for Inline and remote blowers; For older generation blowers when paired with new generation blowers	159	179	•	•	•	•	•			


Electrical Panel Extension Cable

- For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only
- Cable connects a remotely located electrical panel to the downdraft during remote and inline blower motor installation applications
- Cable provides ability to connect electrical panel to the downdraft from a remote location with 5-feet during installation applications with downward duct discharge so the electrical panel is out of the way

· Cannot join two cables together


for longer length.

- Extends electrical panel cable an additional 5'
- Ability to connect two cables together to make a 10' cable
- Not to be used to connect the downdraft with inline and remote blowers



Roof Plates

NOTE: Roof plate required for roof-mount application of remote blowers.



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Dishwashers include the following features:

- Superior washing and drying performance guaranteed
- · Concealed controls
- Black-shimmer racks with 3-Step adjustment
- · A highly flexible racking system
- 18/10 Stainless steel TallTub
- ENERGY STAR® certified
- Powerfully Quiet® operation
- Sens-a-Wash[®]
- · Advanced Triple Filtration System

- Hidden Heating Element
- · Leak Sensor and Auto Shut off
- Connected Experience
- TFT Capacitive Touch Controls

Wash Cycles:

- Normal
- Auto
- Pots and Pans
- Hand Wash
- Rinse

Options:

- PowerBoost[®]
- 24-hour Delay Start
- Half Load

1,549

1,549

1,549

1,999

1,999

1,999

1,399

1,799

1,799

1,799

· Remote Start (Connected)

Emerald Series

- 48 dBA
- Chef's Tool Drawer™ (third rack)
- 16 place settings
- Extra-Tall-Item Sprinkler

Blue PowerBeam[®] "on" indicator

 New Capacitive touch control panel Additional Wash Cycles:

Quick (30 minute Wash)
 Additional Options:

• Extra Dry



DWHD650WFM



DWHD650WFP



DWHD650WPR

DWHD650WFM24" Masterpiece® Stainless Steel Emerald®1,399DWHD650WFP24" Professional Stainless Steel Emerald®1,399

DWHD650WPR 24" Custom Panel Emerald®
(Requires Custom Panel)

(Requires Custom Panel)

Topaz® Series

- 44 dBA
- Premium Smooth Glide Racks
- Chef's Tool Drawer[™] (third rack)
- · 16 place settings

DWHD660WPR

- Extra-Tall-Item Sprinkler
- Stainless steel control panel
- Time remaining PowerBeam[®] indicator
- Crystal Protect[®] System
- · Water softener

Additional Wash Cycles:

Quick

Additional Options:

Extra Dry; Sanitize



DWHD660WFM



DWHD660WFP



DWHD660WPR

<u>DWHD660WFM</u>
24" Masterpiece® Stainless Steel Topaz®

<u>DWHD660WFP</u>
24" Professional Stainless Steel Topaz®

24" Custom Panel Topaz®

(Requires Custom Panel)

Number Description **UMRP MSRP**

Sapphire® Series

•	42	d	В	Α

- Adjustable Chef's Tool Drawer™ (third rack)
- 16 place settings

DWHD770WFP

- · Flexible folding tines
- Extra-Tall-Item Sprinkler
- · Stainless steel control panel
- Time remaining PowerBeam® indicator
- Sapphire Glow™ Interior Light
- Crystal Protect[®] System
- Water Softener

· Push to Open

Additional Wash Cycles:

· Quick; 1 hour

Additional Options:

Sanitize; Save Time; StarDry™ - with Zeolite ™, an exclusive Thermador drying solution

2,299

2,299

2,299

2,549

2,549

2,549



DWHD770WFM



DWHD770WFP



DWHD770WPR

DWHD770WFM 24" Masterpiece® Stainless Steel Sapphire®

24" Professional Stainless Steel Sapphire®

DWHD770WPR

24" Custom Panel Sapphire® (Requires Custom Panel)

44 dBA

- Premium Smooth Glide Racks
- Entertainer's Drawer (third rack)
- · 16 place settings
- · Flexible folding tines
- · Extra-Tall-Item Sprinkler
- Time remaining PowerBeam® indicator

All new StarGlow[™] interior light with the option of a rainbow of colors through the Connected Experience

- Crystal Protect[®] System
- 18 wine glass capacity
- · Push to Open

Additional Wash Cycles:

- StarSpeed®-20 min. hot water wash
- Glass
- Star 60 (1 hour wash)

Additional Options:

- Sanitize
- Save Time
- StarDry™ with Zeolite ™

Star Sapphire® Series

DWHD870WFM



DWHD870WFP



DWHD870WPR

DWHD870WFM	24" Masterpiece® Stainless Steel Star Sapphire®	2,799	3,099
DWHD870WFP	24" Professional Stainless Steel Star Sapphire®	2,799	3,099


DWHD870WPR 24" Custom Panel Star Sapphire® (Requires Custom Panel) 2,799 3,099

Number Description UMRP MSRP

NEVER HAND WASH AGAIN

The First Dishwasher Designed Specifically for Glassware

Crafted with a tine-less configuration to maximize capacity for wine glasses, beer steins and more, this glass dishwasher securely washes your most delicate stems while accommodating every entertaining occasion.



The Only Dishwasher Designed Around the Art of Entertaining















Glass Care Center

Home Connect

DWHD771WFM

- 44 dBA
- All new bottom rack—4 wave tines for customization of glassware and the ultimate in capacity, and all new bottom mat providing the ultimate in glassware security
- · Premium Smooth Glide Racks
- Two efficient cutlery baskets
- · 8 place settings
- · Glassware inserts
- Flexible folding tines (upper)
- Sapphire Glow™ Interior Light
- · Push to Open

Seven Cycles:

 1 Hour, Auto, Hand Wash, Normal, Quick, Rinse, TurboSpeed 20 min

Six Options:

 Brilliant dry, Extra dry, Half load, Intensive Zone, Remote Start. Sanitation

2,399







DWHD771WPR



2,649

DWHD771WFP 24" Professional Stainless Steel Glass Care Center 2,399 2,649

DWHD771WPR 24" Custom Panel Glass Care Center 2,399 2,649 (Requires Custom Panel)

24" Masterpiece® Stainless Steel Glass Care Center

 Model
 Number
 Description
 UMRP
 MSRP

Accessorie	es			Emerald Series	Topaz [®] Series	Sapphire® Series	Star Sapphire® Series	Glass Care Center
	<u>SGZ1010UC</u>	Dishwasher Drain Hose Extension	See Bosch Price List*	•	•	•	•	•
Star	SGZ9091UC	Dishwasher Salt for dishwashers (4.4 lbs. pack)	See Bosch Price List*		•	•	•	•
o M	SMZ5000	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small Item Basket.	See Bosch Price List*	•	•	•	•	
	<u>SMZ5002UC</u>	Fine Silverware Carafe with Clip for Emerald dishwashers (clips onto lower rac	See Bosch Price List* k)	•				
	SMZ5400	MyWay™ Rack Large Silverware Insert Accessory DWHD870* models only	See Bosch Price List*				•	
	SMZPC002UC	Dishwasher 3-prong Power Cord (rear connection)	See Bosch Price List*	•	•	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Price List*	•	•	•	•	•
	SMZSH002UC	Dishwasher Water Supply Hose	See Bosch Price List*	•	•	•	•	•

NOTE: Above accessories can be used in all dishwasher models unless otherwise noted.

^{*} Pricing for the Thermador® dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.

	CVTFRONT106-21	HMDW30WS6-2	PA24CVRW5-4_5-23
3DHFGALBIN1-14	CVTRECT2 6-21	HMDW36WS6-2	PA30WLBC5-6
3DPRODRAIL1-14	CVTSIDE66-21	HMIB36WS6-13	PA30WLBH5-5
24HFGALBIN1-14	CVTSIDE86-21	HMIB42WS6-13	
24PRODRAIL1-14	CVTSIDE106-21	HMWB30WS6-2	PA36WLBG5-25
30HFGALBIN1-14		HMWB36WS6-2	
30PRODRAIL1-14	D	HMWB361WS6-2	
36HFGALBIN1-14	DC30MTW6-3	HMWB481WS6-2	
36PRODRAIL1-14	DC36MTW6-3	HPCN36WS6-10	
OU TODINE	DC48MTW6-3	HPCN48WS6-10	
В	DC306W6-6	HPIN42WS6-14	
BAFFLT306-17	DC366W6-6	HPIN54WS6-14	
BAFFLT486-17	DC426W6-6	111 1140 + 440	PA60WTKG5-25
5, 1, 1, 2, 10,	DC486W6-6	1	PAALTKITGW5-24
С	DC3089W6-6	ICEBUCKETL1-15	
CEM305TB4-4	DC3689W6-6		PABRICKBKW 5-4_5-23
CEM366TB4-4	DC4289W6-6	L	PABRICKW 5-4, 5-23
CET305TB4-4	DC4889W6-6	LINER306-17	
CET366TB4-4	DC361012W6-6	LINER366-17	PAGRIDDLE 5-4, 5-23
CHEFSPAN084-8	DC481012W6-7	LINER486-17	PAGRIDDLEW5-4, 5-22
CHEFSPAN134-8	DCT3016W6-3	LPRODBIN101-14	PAGRIDLEW5-4, 5-22
CHFHMCD6-12, 6-15	DCT3616W6-3	21 110000111101111111111111111111111111	PAKNOBLOWG5-24
CHFHMDW306-12_6-13	DCT3816W6-3	M	PAKNOBLUWH5-5
CHFHMDW366-3	DC14816W6-3 DWHD650WFM7-1	MB30WP 3-11	PAKNOBLUWR5-5
		MB30WS3-11	PALPKITDGW5-24
CHFILISL6-15	DWHD650WFP7-1	MC30WP3-11	PALPKITGGW5-24
CHFILT30366-3,_6-7	DWHD650WPR7-1	MC30WS3-11	PALPKITGW5-5
CHMHP36TW	DWHD660WFM7-1	MD24WS3-12	PALPKIIGWS 5-5
CHMHP36XTW 6-11	DWHD660WFP7-1	MD30WS3-12	PALPKITHW5-5
CHMHP48TW 6-11	DWHD660WPR7-1	ME301WS3-2	PALPKITHW55-5
CHMHP48XTW6-12	DWHD770WFM7-2	ME302WS3-3	PCG305W 5-2
CHMHP366W6-11	DWHD770WFP7-2	MED301LWS3-2	PCG364WD 5-3
CHMHP486W6-11	DWHD770WPR7-2	MED301RWS3-2	PCG364WI 5-3
CHXTHDDW6-12	DWHD771WFM7-3		DC (2366\M) 5_9
CHXTHMCB6-12	DWHD771WFP7-3	MED301WS3-2	PCG486WD 5-3
CHXTHMIB6-15	DWHD771WPR7-3	MED302LWS3-3	PCG/86/MI 5-3
CIT30XWBB4-5	DWHD870WFM7-2	MED302RWS3-3	DH30HWG 6-4
CIT36XWB4-5	DWHD870WFP7-2	MED302WS3-3	PH36GWS 6-4
CIT36XWBB4-5	DWHD870WPR7-2	MEDMC301WS3-4	DH36HWS 6-4
CIT304TB4-7		MEDMCW31WS3-4	PH42(3WS 6-4
CIT304TM4-7	E	MEDS301WS3-5	PH48GWS 6-4
CIT365TB4-7	EXTNCB25W 6-8_6-11_6-15,	MEDS302WS3-5	PH48HWS 6-4
CIT367XG4-6	6-17 <u>.</u> 6-22	MEM301WS3-4	PH54GWS 6-4
CIT367XGS4-6	EXTNCE56-22	MS20HNDL201-16	PH60GWS6-4
CIT367XM4-6	EXTNSET46-8,_6-11,_6-15,_6-17,	MS22HNDL201-16	PO301W3-6
CIT367XMS4-6	6-22	MS30HNDL201-9	PO302W3-7
CS1XLH5-24	F	MS36HNDL201-9	POD301LW3-6
CS1XLPH5-24	·	MU30WSU3-12	POD301RW3-6
CS2LH5-24	FRAMEKIT101-14		POD301W3-6
CS2XLH5-24	н	Р	
CS2XLPH5-24		PA12CHPBLK 5-4,_5-23	DODGOODW 0.7
CSRACKH5-24	HDDB30WS6-9	PA12GRILFW5-4 <u>,</u> 5-22	DOD200M 2.7
CVDUCT2 6-21	HDDB36WS6-9	PA12GRILLW5-4 <u>.</u> 5-22	POD302W3-7
CVTFRONT66-21	HEATRKIT201-14	PA12LCVRN 5-4_5-23	PODMC301W3-8
CVTFRONT86-21	HMCB30WS6-9	PA12LCVRW 5-4_5-23	PODMCW31W3-9
OVIFNOIVIO5-21	HMCB36WS6-9	PA24CVRR5-23	PODS301W3-10

PODS302W3-1	DEDITEODD 6.0.6.00	T24UR910RS1-13	TFL30IR9051-3, 1-5
PODS302W3-1	-	T24UR920DS1-13	-
PR20HNDL201-1		T24UR920LS1-13	TFL36IB800 1-7 TFL36IB905 1-7
PR22HNDL201-1	_	T24UR920RS1-13	TFL36IR9001-3, 1-5
PR30HNDL201-1	•	T24UW900LP1-13	TFL36IR9051-3, 1-5
PR36HNDL201-		T24UW900RP1-13	TFL36IT800 1-7
PRD48WCSGU5-1	,	T24UW910LS1-13	TFL36IT905 1-7
PRD48WDSGU5-1		T24UW910RS1-13	TGRILLPANX4-8
PRD48WISGU5-1	,	T24UW920LS1-13	TROASTERT4-8
PRD48WLSGU5-1	,	T24UW920RS1-13	THOASTERT4-8
PRD304WHU5-1	,	T24WINERK11-15	U
PRD305WHU5-		T30BB910SS1-12	UCTRFLTR101-16
PRD364WDGU5-1		T30BB920SS1-12	UCV30ST6-19
	•		UCV36ST6-19
PRD364WDHU5-	,	T30IB900SP1-6 T30IF900SP1-4	UCVFILTER6-19
PRD364WIGU5-1	•		UCVM30XS6-18
PRD364WLGU5-1	•	T30IR900SP1-2	UCVM36XS6-18
PRD364WLHU5-	•	T30IR901SP1-2	UCVP36XS6-18
PRD366WGU5-1	T	T30IR902SP1-2	UCVRECIRC6-19
PRD366WHU5-	,	T36BB910SS1-12	004110111011101111111111111111111111111
PRD484WCGU5-1	,	T36BB920SS1-12	V
PRD484WCHU5-	9 -	T36BT910NS1-12	VCI230DS6-16
PRD486WDGU5-1	,	T36BT920NS1-12	VCI236DS6-16
PRD486WDHU5-		T36IB900SP1-6	VCI248DS6-16
PRD486WIGU5-1	,	T36IB902SP1-6	VCIN36GWS6-16
PRD486WLGU5-1	,	T36IF900SP1-4	VCIN42GWS6-16
PRD486WLHU5-	9	T36IR900SP1-2	VCIN48GWS6-16
PRD606WCG5-1	,	T36IT900NP1-6	VCIN54GWS6-16
PRD606WCSG5-1	•	T36IT901NP1-6	VCIN60GWS6-16
PRD606WEG5-1	,	T36IT902NP1-6	VTD600P6-20
PRD606WESG5-1	,	TCM24PS2-1	VTI610W6-5, 6-20
PRG304WH5-1	T	TCM24TS2-1	VTI1010W
PRG305WH5-1) -	TCMTK30RS2-1	VTN630W6-5
PRG364WDG5-2	T10 D000DD	TCOOKSENSW4-9	VTN1090R6-5
PRG364WDH5-1	T T T T T T T T T T T T T T T T T T T	TEPPAN10134-8	VTR630W
PRG364WLG5-2	T10/50010D	TEPPAN10164-8,_5-22	VTR1030W
PRG364WLH5-1	T19 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	TEPPAN13144-8	VTR1330W
PRG366WG5-2	T10MINEDK1 1.15	TEPPAN13214-8	V 1111030VV 0-3, 0-20
PRG366WH 5-1	TOOLDOOOD	TFL18ID8001-5	W
PRG486WDG5-2	TO AID COOL D	TFL18ID9051-5	WD30W3-13
PRG486WDH5-1	Z TO UDO 00 DD	TFL18IR8001-5	WD30WC3-13
PRG486WLG5-2	Z TO 4150000D	TFL18IR9051-5	WKNOBKT3W3-14
PRG486WLH5-1	Z T04ID000CD 1.0	TFL18IW8001-8	
PWOKRINGHC 5-5, 5-2	T24IR902SP1-2	TFL18IW9051-8	
R	T24IW900SP1-8	TFL23IR9001-3	
	To (111/00 / OD	TFL23IR9051-3	
RECHDDB6-1	_	TFL24ID8001-5	
RECHMCB6-1	_	TFL24ID9051-5	
RECHMDW306-		TFL24IR8001-3 <u>.</u> 1-5	
RECHMDW366-		TFL24IR9051-3,_1-5	
RECHMIB6-1		TFL24IW8001-8	
RECHMWB306-		TFL24IW9051-8	
RECHMWB366-		TFL30IB8001-7	
REMCPW6-		TFL30IB9051-7	
REPLFLTR101-1	724011310101-13	TFL30IR8001-3,_1-5	



BSH Home Appliances Corporation

1901 Main Street, Suite 600, Irvine, CA 92614

Phone: (949) 440-7100

(800) 735-4328 Sales and Service

Thermador.com

19-BSH-0779.1 3/5/2020

©2020 BSH Home Appliances Corporation. All rights reserved.