

Consumer UMRP





Table of CONTENTS

Consumer UMRP Price List Effective Q4 2020

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

REFRIGERATION

Freezer Columns 1-4 Wine Preservation Columns 1-8 Handles 1-9 Quick Reference Guide...... 1-11 Preassembled Collection......1-12 Bottom Freezer Refrigerators...... 1-12 Under-Counter Collection 1-13 Glass Door Refrigeration Units...... 1-13 Drawer Refrigeration/Freezer Units 1-13 Glass Door Wine Preservation Units...... 1-13 Accessories1-14 Freedom® Accessories—Refrigerators...... 1-14 Freedom® Accessories—Freezers 1-15 Under-Counter Accessories 1-16

NEW REFRIGERATION

Freedom Collection	1n-1
Fresh Food Columns	1n-2
Freezer Columns	1n-4
Bottom Freezers	1n-6
Wine Preservation Columns	1n-8
Handles	1n-9
Quick Reference Guide	1n-11
Preassembled Collection	1n-12
Bottom Freezer Refrigerators	1n-12
Accessories	1n-13
Freedom® Accessories—Refrigerators	1n-13
Freedom® Accessories—Freezers	1n-14
Freedom® Accessories— Wine Preservation	1n-14



Table of CONTENTS

Consumer UMRP Price List Effective Q4 2020

BUILT-IN COFFEE MACHINE	
Built-In Coffee Machine	2-1
Accessories	2-1
BUILT-IN OVENS	
Ovens Lineup	3-1
Masterpiece Series	3-2
30" Masterpiece [®] Ovens	3-2
Accessories	
Professional Series	
30" Professional Series Ovens	
Microwave Ovens	3-12
Microwave Ovens	3-12
Speed Ovens	3-12
MicroDrawer® Microwave Oven	3-13
Over-the-Range Microwave Hood	3-13
Warming Drawers	
Accessories	3-15
COOKTOPS	
Gas Cooktops	4-1
Glass Ceramic Induction Cooktops	
Electric and Induction Accessories	
PROFESSIONAL SERIES RANGES AND	RANGETOPS
Overview	
Rangetops	
Pro Harmony [®] Series	
Dual-Fuel Ranges	
All-Gas Ranges	
Accessories	
Pro Grand [®] Series	
Dual-Fuel Ranges	
Steam Ranges	
All-Gas Ranges	
Accessories	

VENTILATION

Ventilation Lineup	6-1
Wall Hoods	6-2
Masterpiece® Series	6-2
Accessories—Masterpiece® Series	6-3
Professional Series	6-4
Accessories—Professional	6-6
Chimney Wall Hoods	6-9
Masterpiece® Series	6-9
Professional Series	6-10
Accessories	6-11
Island Hoods	6-13
Masterpiece® Series	6-13
Professional Series	
Accessories	6-15
Custom Inserts	6-16
Accessories	6-17
Downdraft	6-18
Masterpiece® Series	6-18
Components	
Accessories	
DISHWASHERS	
Built-In Dishwashers	7-1
Glass Care Center	
Accessories	
INDEX	
Index	8-1

CONDITIONS OF SALE

Returned Goods

No merchandise may be returned without prior approval. Please contact your sales representative for return authorization.

All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight and billing terms, refer to current program in effect.

F.O.B. Origin

Refrigeration FREEDOM® COLLECTION

Thermador's ingenious Freedom Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".

To order, please follow this 4-step process:

Step 1
Select a Panel-Ready
Column

Step 2
Select a Stainless
Steel Panel or Use a
Custom Panel

Step 3
Select a Stainless
Steel Handle or Use a
Custom Handle

Step 4
Select Optional
Accessories







Freedom® Heater Kit
For columns that are less
than 6" apart but not side
by side, or for nontraditional
side-by-side combinations,
without freezer column. See
page 1n-13.



FRAMEKIT10

Freedom® Frame Kit For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. See page 1n-13.

To enhance the Freedom Collection, please see our accessories section on page 1n-13.

Number Description UMRP MSRP

Fresh Food Columns

All 23.5"/24"/30"/36" Fresh Food Columns include the following features:

- Fully Flush
- Freedom[®] hinge
- · All-LED sidewall filtered theater lighting
- · Cold Air System
- ThermaFresh system
- · Carbon air filter

- SuperCool function
- Gallon & Half gallon door bins
- Full-extension SoftClose[®] drawers
- SoftClose® delicate produce bins
- TFT Control
- Full-length cantilever racks

- · Sabbath/Economy/Vacation modes
- Door open alarm
- ENERGY STAR® certified
- Extremely quiet
- · Reversible door swing
- · Open door assist

Step 1: Fresh Food Columns











○ Home Connect





T23IR900SP

T24IR900SP

T24IR902SP

T30IR900SP

T30IR901SP

iior iouina

Home Connect

Brugge

T23IR900SP	23.5" Fresh Food Column	4,999	5,499	
T24IR900SP	24" Fresh Food Column w/Produce Bins	5,999	6,599	
T24IR902SP	24" Fresh Food Column w/Half Gallon Bins	5,999	6,599	
T30IR900SP	30" Fresh Food Column	6,599	7,299	
T30IR901SP	30" Fresh Food Column w/Produce Bin with Home Connect™	6,599	7,299	
T30IR902SP	30" Fresh Food Column w/Half Gallon Bins with Home Connect™	6,599	7,299	
T36IR900SP	36" Fresh Food Column	7,299	8,049	
All SKUs Discontinue in December				

Number Description UMRP MSRP

Fresh Food Columns

Step 2: Panels

All Thermador® Fresh Food Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL23IR900	23.5" Stainless Steel Panel	580	649
TFL24IR800	24" Stainless Steel Panel	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199
Flat Stainless Steel Door Panels with No Holes			
TFL23IR905	23" Single Door No Hole Flat Panel	525	599
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel*1	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

Step 3: Handles

For stainless steel handle options, please see page 1-9.

Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit 105 119


(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. **Note**: Included with all pre-

assembled bottom freezers)

HEATRKIT20 Freedom Heater Kit 599 699

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)

HEATRKIT20



¹ Units compatible with 30" columns, but should be installed to units with SoftClose Doors.

Number Description **UMRP MSRP**

Freezer Columns

All 18"/24"/30"/36" Freezer Columns Include the Following Features:

- · Fully Flush
- Freedom® hinge
- · All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- SuperFreeze® function

- · Height-adjustable glass shelves
- TFT Control
- · Full-length cantilever racks
- · Filtered internal diamond ice maker
- Sabbath/Economy/Vacation modes
- · Door open alarm
- · Open door assist
- ENERGY STAR® certified
- Extremely quiet
- · Side-by-side kit included

Step 1: Freezer Columns with Internal Ice Maker

- · Ice drawer with ice bin
- · Reversible door swing







T18IF900SP	18" Freezer Column (Internal Ice Maker)	5,499	6,049
T18IF901SP	18" Freezer Column (Internal Ice Maker) with Home Connect™	5,499	6,049
<u>T24IF900SP</u>	24" Freezer Column (Internal Ice Maker)	5,999	6,599
T30IF900SP	30" Freezer Column (Internal Ice Maker)	6,599	7,299
T36IF900SP	36" Freezer Column (Internal Ice Maker)	7,299	8,049

All SKUs Discontinue in December

Step 1: Freezer Columns with External Ice and Water Dispenser

•	External Filtered Ice and
	Water Dispenser

 FreeFlow diamond ice system

T18ID900LP

T18ID900RP

- · Proximity sensor on dispenser
- Capacitive touch control dispenser
- · Available in right-hand or left-hand door swing (not reversible)

disperiori		
18" Freezer Column	5,999	6,599
(External Ice and Water Dispenser, Left Hinge)		
18" Freezer Column	5,999	6,599

(External Ice and Water Dispenser, Right Hinge)

T24ID900LP 24" Freezer Column 6,599 7,299 (External Ice and Water Dispenser, Left Hinge)

T24ID900RP 24" Freezer Column 6,599 7,299 (External Ice and Water Dispenser, Right Hinge)



T18ID900LP T24ID900LP



All SKUs Discontinue in December

Model
Number Description UMRP MSRP

Freezer Columns

Step 2: Panels

All Thermador® Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL18IR800	18" Stainless Steel Panel	475	529
TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529
TFL24IR800	24" Stainless Steel Panel	525	599
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199

Flat Stainless Steel Door Panels with No Holes

TFL18IR905	18" Single Door No Hole Flat Panel ¹	475	529
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	475	529
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

Step 3: Handles

For stainless steel handle options, please see page 1-9.

Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit 105

(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. **Note**: Included

with all pre-assembled bottom freezers)

HEATRKIT20 Freedom Heater Kit 599 699

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%),

or located next to an outside wall.)



FRAMEKIT10

119



HEATRKIT20

¹ Units compatible with 18" columns, but should be installed to units with SoftClose Doors.

Number Description UMRP MSRP

Bottom Freezers

All 30"/36" Bottom Freezer and 36" French Door Bottom Freezer Columns Include the Following Features:

- · Fully Flush
- Freedom® hinge
- TFT control
- SoftClose® delicate produce bins
- · All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- Full-length cantilever racks
- · Full-width multi use drawer

- · Internal filtered diamond ice maker
- · SuperCool function
- SuperFreeze® function
- · Gallon & Half gallon door bins
- · Carbon air filter
- · Sabbath/Economy/Vacation modes
- · Door open alarm
- ENERGY STAR® certified

- Extremely quiet
- Refrigerator door swing reversible (T30IB900SP and T36IB900SP)
- · Two evaporators
- Two compressors
- Open door assist
- · Filtered internal diamond ice maker



Step 1: Bottom Freezers

T30IB900SP	30" Bottom Freezer	7,199	7,949
T36IB900SP	36" Bottom Freezer w/Produce Bins	7,699	8,499
T36IB902SP	36" Bottom Freezer w/Half Gallon Bins	7,699	8,499
T36IT900NP	36" French Door Bottom Freezer	7,999	8,799
<u>T36IT901NP</u>	36" French Door Bottom Freezer w/Produce Bins with Home Connect™	7,999	8,799
<u>T36IT902NP</u>	36" French Door Bottom Freezer w/Half Gallon Bins with Home Connect™	7,999	8,799

All SKUs Discontinue in December

Number Description **UMRP MSRP**

Bottom Freezers

Step 2: Panels

All Thermador® Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

<u>TFL30IB800</u>	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB800	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
TFL36IT800	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949

Flat Stainless Steel Door Panels with No Holes

TFL30IB905	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB905	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
<u>TFL36IT905</u>	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949

Step 3: Handles

For stainless steel handle options, please see page 1-9.

Step 4: Optional Accessories

105 FRAMEKIT10 Freedom Frame Kit 119

> (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-

assembled bottom freezers)

Freedom Heater Kit 599 699 **HEATRKIT20**

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or

located next to an outside wall.)



FRAMEKIT10



HEATRKIT20

Number Description **UMRP MSRP**

Wine Preservation Columns

All 18"/24" Wine Preservation Columns Include the Following Features:

- Fully Flush
- · Portable aluminum and wenge wood wine presenter
- · Full-extension completely enclosed exotic wood shelves
- · Fully adjustable temperature zones: 18" column-two; 24"-three
- · Independent humidity control
- TFT control
- Freedom[®] hinge
- · Adjustable LED lighting
- Diamond shaped dowels for vibration control
- · Glass door with UV protection
- · Sabbath/Economy/Vacation modes
- Door open alarm
- Bottle capacity: 18" column-52 bottles; 24" column-92 bottles (750 ml)
- · Open door assist

Step 1: Wine Preservation Columns







T18IW900SP

5,999

5,999

T24IW900SP

6,199

6,599

6,599

T18IW900SP	18" Wine Preservation Column	5,599
		,

2 - Zone Temperature Control

24" Wine Preservation Column 3 - Zone Temperature Control

T24IW901SP 24" Wine Preservation Column with Home Connect™

3 - Zone Temperature Control

Home Connect

All SKUs Discontinue in December

Step 2: Panels

T24IW900SP

All Thermador® Wine Preservation Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

Flat Otaliana Otali D			
TFL24IW800	24" Stainless Steel Panel	525	599
TFL18IW800	18" Stainless Steel Panel	475	529

Flat Stainless Steel Door Panels with No Holes

TFL18IW905	18" Wine No Hole Flat Panel	475	529
TFL24IW905	24" Wine No Hole Flat Panel ¹	525	599

Step 3: Handles

For stainless steel handle options, please see page 1-9.

¹ Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

Number Description **UMRP MSRP**

Wine Preservation Columns

Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit 105 119

> (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-

assembled bottom freezers)



FRAMEKIT10

Freedom Heater Kit **HEATRKIT20**

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)

Handles


HEATRKIT20

Step 3: Stainless Steel Handles

When selecting Thermador stainless steel handles for the Freedom Collection, please order the following:

- One 36" handle for each column

dles for each 36" Bo andles for each 36" F	ottom Freezer French Door Bottom Freezer			ALL Fresh Food Columns	ALL Freezer Columns	ALL Freezer with IWD1 Columns		736IB902SP ³	100 100 1	ALL Wine Preservation Columns
MS30HNDL20	30" Masterpiece® Handle	160) 179				1			
MS36HNDL20	36" Masterpiece [®] Handle	160) 179	1	1	1	1	2 3	3 3	1
PR30HNDL20	30" Professional Handle	160	0 179				1			
	MS30HNDL20		MS30HNDL20 36" Masterpiece® Handle 160 MS36HNDL20 36" Masterpiece® Handle 160	MS30HNDL20 36" Masterpiece® Handle 160 179 MS36HNDL20 36" Masterpiece® Handle 160 179	MS30HNDL20 36" Masterpiece® Handle 160 179 MS36HNDL20 36" Masterpiece® Handle 160 179 MS36HNDL20 36" Masterpiece® Handle 160 179 1	MS30HNDL20 36" Masterpiece® Handle 160 179 1 1	MS30HNDL20 36" Masterpiece Handle 160 179 I 1 1	MS30HNDL20 36" Masterpiece® Handle 160 179 1 1 1 1 1	MS30HNDL20 36" Masterpiece® Handle 160 179 1 1 1 2 3	MS30HNDL20 36" Masterpiece® Handle 160 179 1 1 1 1 2 3 3



² Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

PR36HNDL20

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

36" Professional Handle

160

179

1 1 1 1 2

3 3 1

³ Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

⁴ Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

Suggested Combinations



Column

Column





Column




T18IF900SP/T30IR900SP





60"





18" Freezer Column

30" Fresh Food

Column








T18ID900LP/T23IR900SP







These suggestions are just an example of the extensive range of combinations possible with the Freedom Collection.


Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

A HEATRKIT20 is recommended for use with any installation in areas that are subject to extreme humidity.





^{*}IWD = Ice and Water Dispenser



Step 1: Colum	nns and	Bottom Freezers	Step 2: Panels			Step 3: Handles	
Freedom Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece [®]	Professional
FRESH FOOD C	OLUMNS						
T23IR900SP	23.5"	Reversible	Panel Ready	TFL23IR900	TFL23IR905		
T24IR900SP T24IR902SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle	Order one 36" handle
T30IR900SP T30IR901SP T30IR902SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	per column Masterpiece MS36HNDL20	per column Professional PR36HNDL20
T36IR900SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER COLU	JMNS						
T18IF900SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905		
T18IF901SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905	Order one 36" handle	Order one 36" handle
T24IF900SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	per column Masterpiece	per column Professional
T30IF900SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	MS36HNDL20	PR36HNDL20
T36IF900SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER WITH	I IWD1 CO	LUMNS					
T18ID900LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905		
T18ID900RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column
T24ID900LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece	Professional
T24ID900RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905	MS36HNDL20	PR36HNDL20
BOTTOM FREE	ZERS/FRI	ENCH DOOR BOTTON	/ // FREEZERS		ı		J
T30IB900SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	Order one 30" handle and one 36" handle per column ²	Order one 30" handle and one 36" handle per column ²
T36IB900SP ³ T36IB902SP ³	36"	Reversible	Panel Ready	TFL36IB800	TFL36IB905	Order two 36" handles per column ³	Order two 36" handles per column ³
T36IT900NP ⁴ T36IT901NP ⁴ T36IT902NP ⁴	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	Order three 36" handles per column ⁴	Order three 36" handles per column ⁴
WINE PRESERV	/ATION C	OLUMNS					
T18IW900SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle	Order one 36" handle
T24IW900SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	per column Masterpiece	per column Professional
T24IW901SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	MS36HNDL20	PR36HNDL20

NOTE: Handleless panels should not be installed on units without the SoftClose[®] capability. If you are uncertain if you have a refrigeration unit with SoftClose[®] capability, please contact our customer team by calling 1-800-735-4328.

¹ IWD = Ice and Water Dispenser

² Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

³ Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

⁴ Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

Number Description UMRP MSRP

Refrigeration PREASSEMBELED COLLECTION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece® Handles.

All 30"/36" Bottom Freezer and French Door Bottom Freezers Include the Following Features:

- · Fully Flush
- TFT Control
- · Installs framed or flush
- Freedom[®] hinge
- · All-LED filtered sidewall theater lighting
- · Soft closing full-extension drawers
- · Delicate produce bins
- · Full-length cantilever racks

- · Open door assist
- ThermaFresh system
- Internal filtered diamond ice maker
- SuperCool function
- SuperFreeze[®] function
- · Gallon door bins
- Carbon air filter
- Sabbath/Economy/Vacation modes

- · Door open alarm
- ENERGY STAR® certified
- · Extremely quiet
- Refrigerator door swing reversible (T30BB and T36BB)
- · Two evaporators
- · Two compressors

9,349

8,499

Bottom Freezers

T30BB910SS

T36BB910SS	36" Bottom Freezer, two-door, Masterpiece® Handles	8,799	9,699
T30BB920SS	30" Bottom Freezer, two-door, Professional Handles	8,499	9,349
T36BB920SS	36" Bottom Freezer, two-door, Professional Handles	8,799	9,699

30" Bottom Freezer, two-door, Masterpiece® Handles

All SKUs Discontinue in December



T30BB920SS



French Door Bottom Freezers

Masterpiece® Handles

T36BT920NS 36" French Door Bottom Freezer, three-door, 9,299 10,249

Professional Handles

All SKUs Discontinue in December



T36BT920NS



Number Description **UMRP MSRP**

All Under-Counter Units Include the Following Features:

- · Built-in flush design
- LED lighting
- Electronic touch controls for precise temperature management
- · Venting grille for full integration
- · Fully flush at 24" depth
- · Professional Handle, Masterpiece Handle or custom panel options
- · Star K Certified
- ENERGY STAR® certified

Glass Door Refrigeration Units

• 5 cu. ft.	Customizable shelving	Customizable cooling mode Fridge, Pantry and Bar	es:
T24UR900LP	24" Refrigerator, Custom Panel, Left Swing	2,299 2,54	49
T24UR900RP	24" Refrigerator, Custom Panel, Right Swing	2,299 2,54	49
<u>T24UR910LS</u>	24" Refrigerator, Masterpiece Handle, Left Sv	ving 2,649 2,94	49
T24UR910RS	24" Refrigerator, Masterpiece Handle, Right S	Swing 2,649 2,94	49
T24UR920LS	24" Refrigerator, Professional Handle, Left Sv	ving 2,649 2,94	49



T24UR920LS

All SKUs Discontinue in December

Drawer Refrigeration/Freezer Units

•	5	cu.	π.	

T24UR900DP

T24UR910DS

T24UR920DS

T24UC900DP

T24UC910DS T24UC920DS

T24UR920RS

SoftClose® drawers

Drawer open alarm

· Customizable shelving and drawer dividers

24" Refrigerator, Professional Handle, Right Swing

· Customizable cooling modes: Fridge, Pantry and Bar

- Quick Chill
- Removable drawer mat for easy cleaning

2,649

2,949

24" Refrigerator, Custom Panel	2,949	3,249	
24" Refrigerator, Masterpiece Handle	3,299	3,649	
24" Refrigerator, Professional Handle	3,299	3,649	
24" Refrigerator/Freezer, Custom Panel, ice maker	3,449	3,799	
24" Refrigerator/Freezer, Masterpiece Handle, ice maker	3,599	3,999	

3,599

3,999



T24UR920DS/ T24UC920DS

All SKUs Discontinue in December

Glass Door Wine Preservation Units

Under-Counter Wine Preservation Units

- 42-bottle capacity
- Tinted UV-resistant tempered glass door

24" Refrigerator/Freezer, Professional Handle, ice maker

 Full-extension wenge wood diamond wine racks

T24UW900LP	24" Wine Pres., Custom Panel, Left Swing	3,049	3,399
<u>T24UW900RP</u>	24" Wine Pres., Custom Panel, Right Swing	3,049	3,399
<u>T24UW910LS</u>	24" Wine Pres., Masterpiece Handle, Left Swing	3,399	3,749
<u>T24UW910RS</u>	24" Wine Pres., Masterpiece Handle, Right Swing	3,399	3,749
<u>T24UW920LS</u>	24" Wine Pres., Professional Handle, Left Swing	3,399	3,749
<u>T24UW920RS</u>	24" Wine Pres., Professional Handle, Right Swing	3,399	3,749



T24UW920LS



All SKUs Discontinue in December

Model Number Description UMRP MSRP

Freedom [®] A	Accessories—F	Refrigerators					Fre	eedo	m®				Pre- assembled		
	Model				T231R900SP	T24IR90xSP	T30IR90xSP	T36IR900SP	T301B900SP	T36IB90xSP	T36IT90xNP	T30BB9x0SS	T36BB9x0SS	T36BT9x0NS	
	Number	Description	UMRP	MSRP	T2	12	Ĕ	Ĕ	Ĕ	Ĕ	T3	T3	2	드	
	Installation Acce														
	FRAMEKIT10	Freedom Frame Kit (For use with any custom column for (610 mm) deep cutouts. With two in placement between the interior cuto ance helps overcome the challenge returns. Note : Included with all pre- freezers)	netal side trims out wall and th e of unfinished	s whose le appli- cabinet	•	•	•	•	•	•	•				
	HEATRKIT20	Freedom Heater Kit (For use when columns are less the by side, or for nontraditional side-by without freezer column. This kit is a be ordered for use with any installated subject to high humidity (>65%), or outside wall.)	y-side combina also recommer ation in areas t	ations, nded to hat are	•	•	•	•	•	•					
	Interior Accessor	ries for Refrigerators													
	24HFGALBIN	24" Half-Gallon Bin	170	189	•	•									
7	30HFGALBIN	30" Half-Gallon Bin	180	199			•		•			•			
	36HFGALBIN	36" Half-Gallon Bin	190	209				•		•			•		
	24PRODRAIL	24" Produce Railing	105	119	•	•									
	30PRODRAIL	30" Produce Railing	115	129			•		•			•			
	36PRODRAIL	36" Produce Railing	135	149				•		•			•		
	3DHFGALBIN	Three Door Half-Gallon Bin	160	179							•			•	
	3DPRODRAIL	3-Door Produce Railing	85	99							•			•	
	LPRODBIN10	Large Produce Bin	295	329	•	•	•	•	•	•	•	•	•	•	
	SPRODBIN10	Small Produce Bin	265	299	•	•	•	•	•	•	•	•	•	•	

Model Number Description UMRP MSRP

Freedom [®]	eedom [®] Accessories—Freezers							Fre	edo	m®				ass	Pre- assembled	
	Model Number	Description	UMRP	MSRP	T18IF90xSP	T24IF900SP	T301F900SP	T36IF900SP	T18ID900LP/RP	T24ID900LP/RP	T301B900SP	T36IB90xSP	T36IT90xNP	T30BB9x0SS	T36BB9x0SS	T36BT9x0NS
	Interior Accessor	ies for Freezers Ice Bucket	85	99	•	•	•	•	•	•	•	•	•	•	•	•
100	Filter Accessories REPLFLTR10 Discontinues in Dece	Freedom® Replacement Water Filter	75	89	•	•	•	•	•	•	•	•	•	•	•	•
B con	SCRNFLTR10	Freedom [®] Screen Filter (Filter bypass when no filter necess	55 ary)	69	•	•	•	•	•	•	•	•	•	•	•	•

Freedom [®] A	Accessories— Model Number	Wine Preservation Description	UMRP	MSRP	T18IW900SP	T24IW900SP	T24IW901SP
	Interior Accessor T18WINERK1	ries for Wine Columns 18" Wine Shelf¹ providing a 62 bottle capacity	229	259	•		
	T24WINERK1	24" Wine Shelf ² providing a 99 bottle capacity	299	329		•	•

¹ Presenter shelf cannot be used with the accessory.

² Presenter shelf cannot be used with the accessory.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Model Number

Model Number Description Description MSRP UMRP MSRP **UMRP**

Under-Cou	nter Accessori	es			T24UC920DS	T24UC910DS	T24UC900DP	T24UW920LS/RS	T24UW910LS/RS	T24UW900LP/RS	T24UR920DS	T24UR910DS	T24UR900DP	T24UW920LS/RS	T24UW910LS/RS	T24UW900LP/RP
	MS20HNDL20	20" Under-Counter	150	169	•	•	•				•	•	•			
-	MS22HNDL20	22" Under-Counter	150	169				•	•	•				•	•	•
-	PR20HNDL20	20" Under-Counter	150	169	•	•	•				•	•	•			
-	PR22HNDL20	22" Under-Counter Professional Handle	150	169				•	•	•				•	•	•
	UCTRFLTR10	Under-Counter Filter	75	89	•	•	•									

Refrigeration

NEXT GENERATION OF COOLING

Thermador's Freedom Collection takes refrigeration to whole new level with the new premium grade stainless steel interior and best in class lighting that will maker your kitchen design stand out like no other. Featuring fully connected portfolio composed of built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".



Fresh Food Columns

All 23.5"/24"/30"/36" Fresh Food Columns include the following features:

- · Fully Flush
- Freedom[®] hinge
- · All-LED sidewall filtered theater lighting
- · Cold Air System
- ThermaFresh system
- · Carbon air filter

- · SuperCool function
- Stainless steel interior
- Full-extension SoftClose® drawers
- TFT Control
- · Full-length cantilever racks
- Sabbath/Economy/Vacation modes
- · Door open alarm
- Extremely quiet
- · Reversible door swing
- Open door assist
- Home Connect

Step 1: Fresh Food Columns











T23IR905SP

T24IR905SP

T30IR905SP

23.5" Fresh Food Column NEW T23IR905SP 5,799 6,399

NEW T24IR905SP 24" Fresh Food Column w/Produce Bins 5,999 6,599

NEW T30IR905SP 30" Fresh Food Column 6,599 7,299

36" Fresh Food Column 7.299 8,049 NEW T36IR905SP

Available December

Model
Number Description UMRP MSRP

Fresh Food Columns

Step 2: Panels

All Thermador® Fresh Food Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL23IR900	23.5" Stainless Steel Panel	580	649
TFL24IR800	24" Stainless Steel Panel	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199
Flat Stainless Steel	Door Panels with No Holes		
TFL23IR905	23" Single Door No Hole Flat Panel	525	599
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel*1	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

Step 3: Handles

For stainless steel handle options, please see page 1n-9

Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit 105 119


(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. **Note**: Included with all pre-

assembled bottom freezers)

HEATRKIT20 Freedom Heater Kit 599 699

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)

HEATRKIT20



¹ Units compatible with 30" columns, but should be installed to units with SoftClose Doors.

Number Description **UMRP MSRP**

Freezer Columns

All 18"/24"/30"/36" Freezer Columns Include the Following Features:

- · Fully Flush
- Freedom® hinge
- · All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- SuperFreeze® function
- · Height-adjustable glass shelves
- TFT Control
- Stainless steel interior
- · Full-length cantilever racks
- Filtered internal diamond ice maker
- Sabbath/Economy/Vacation modes
- · Door open alarm

- · Open door assist
- Extremely quiet
- Side-by-side kit included
- Home Connect

Step 1: Freezer Columns with Internal Ice Maker

- · Ice drawer with ice bin
- · Reversible door swing









T18IF905SP

T24IF905SP

T30IF905SP

T36IF905SP

NEW T18IF905SP	18" Freezer Column (Internal Ice Maker)	5,499	6,049
NEW T24IF905SP	24" Freezer Column (Internal Ice Maker)	5,999	6,599
NEW T30IF905SP	30" Freezer Column (Internal Ice Maker)	6,599	7,299
NEW T36IF905SP	36" Freezer Column (Internal Ice Maker)	7,299	8,049

Step 1: Freezer Columns with External Ice and Water Dispenser

•	External Filtered Ice and
	Water Dispenser

- FreeFlow diamond ice system
- · Proximity sensor on dispenser
- · Capacitive touch control dispenser
- · Available in right-hand or left-hand door swing (not reversible)
- Stainless steel interior

6,599

6,599

7,299

7,299

NEW T18ID905LP	18" Freezer Column (External Ice and Water Dispenser, Left Hinge	5,999	6,599
NEW T18ID905RP	18" Freezer Column (External Ice and Water Dispenser, Right Hinç	5,999 ge)	6,599





T18ID905LP

T24ID905LP

NEW T24ID905LP 24" Freezer Column

(External Ice and Water Dispenser, Left Hinge)

NEW T24ID905RP 24" Freezer Column

(External Ice and Water Dispenser, Right Hinge)

Available December

Model
Number Description UMRP MSRP

Freezer Columns

Step 2: Panels

All Thermador® Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL18IR800	18" Stainless Steel Panel	475	529
TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529
TFL24IR800	24" Stainless Steel Panel	525	599
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199

Flat Stainless Steel Door Panels with No Holes

TFL18IR905	18" Single Door No Hole Flat Panel ¹	475	529
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	475	529
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

Step 3: Handles

For stainless steel handle options, please see page 1n-9.

Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit 105

(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. **Note**: Included

with all pre-assembled bottom freezers)

HEATRKIT20 Freedom Heater Kit 599 699

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%),

or located next to an outside wall.)





119



HEATRKIT20

¹ Units compatible with 18" columns, but should be installed to units with SoftClose Doors.

Number Description UMRP MSRP

Bottom Freezers

All 30"/36" Bottom Freezer and 36" French Door Bottom Freezer Columns Include the Following Features:

- Fully Flush
- Freedom[®] hinge
- TFT control
- · All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- · Full-length cantilever racks
- · Full-width multi use drawer
- Internal filtered diamond ice maker

- · SuperCool function
- SuperFreeze[®] function
- · Stainless steel interior
- · Carbon air filter
- Sabbath/Economy/Vacation modes
- · Door open alarm
- Extremely quiet

- Refrigerator door swing reversible (T30IB905SP and T36IB905SP)
- · Two evaporators
- Two compressors
- Open door assist
- Filtered internal diamond ice maker
- ⚠ Home Connect



T30IB905SP

T36IB905SP

T36IT905NP

Step 1: Bottom Freezers

NEW T30IB905SP	30" Bottom Freezer	7,199	7,949
NEW T36IB905SP	36" Bottom Freezer	7,699	8,499
NEW T36IT905NP	36" French Door Bottom Freezer	7,999	8,799
Available December			

Model Number Desc

Description UMRP MSRP

Bottom Freezers

Step 2: Panels

All Thermador® Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL30IB800	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB800	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
TFL36IT800	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949

Flat Stainless Steel Door Panels with No Holes

TFL30IB905	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB905	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
<u>TFL36IT905</u>	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949

Step 3: Handles

For stainless steel handle options, please see page 1n-9.

Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit 105 119

(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. **Note**: Included with all pre-

assembled bottom freezers)

HEATRKIT20 Freedom Heater Kit 599 699

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or

located next to an outside wall.)



FRAMEKIT10



HEATRKIT20

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Wine Preservation Columns

All 18"/24" Wine Preservation Columns Include the Following Features:

- · Fully Flush
- Portable aluminum and wenge wood wine presenter
- Full-extension completely enclosed exotic wood shelves
- Fully adjustable temperature zones:
 18" column–two; 24"–three
- · Independent humidity control
- TFT control
- Freedom[®] hinge
- · Adjustable LED lighting
- Diamond shaped dowels for vibration control
- · Glass door with UV protection

- Sabbath/Economy/Vacation modes
- · Door open alarm
- Bottle capacity: 18" column–52 bottles;
 24" column–92 bottles (750 ml)
- Open door assist
- Mome Connect

Step 1: Wine Preservation Columns



T18IW905SP

T24IW905SP

NEW T18IW905SP	18" Wine Preservation Column	5,599	6,199

2 - Zone Temperature Control

NEW T24IW905SP 24" Wine Preservation Column 5,999 6,599

3 - Zone Temperature Control

Available December

Step 2: Panels

All Thermador® Wine Preservation Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

<u>IFL18IW800</u>	18" Stainless Steel Panel	475	529						
TFL24IW800	24" Stainless Steel Panel	525	599						
Flat Stainless Steel Door Panels with No Holes									
riat Stainless Steel Do	DOI Failels with NO Holes								

Step 3: Handles

TFL24IW905

For stainless steel handle options, please see page 1n-9.

24" Wine No Hole Flat Panel1

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

525

599

¹ Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

Number Description **UMRP**

Wine Preservation Columns

MSRP

Step 4: Optional Accessories

FRAMEKIT10 Freedom Frame Kit 105 119

> (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-

assembled bottom freezers)

FRAMEKIT10

Freedom Heater Kit **HEATRKIT20**

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)

Handles

HEATRKIT20

Step 3: Stainless Steel Handles

 When selecting Thermador stainless steel handles for the Freedom Collection, please order the following: One 36" handle for each column One 30" handle and one 36" handle for 30" Bottom Freezers Two 36" handles for each 36" Bottom Freezer Three 36" handles for each 36" French Door Bottom Freezer To ensure consistency, always select the same style. 							ALL Freezer with IWD1 Columns	Bottom Freezer T30IB905SP ²	Bottom Freezer T36IB905SP3	Bottom Freezer T36IT905NP⁴	ALL Wine Preservation Columns
****	MS30HNDL20	30" Masterpiece [®] Handle	160	179				1			
	MS36HNDL20	36" Masterpiece [®] Handle	160	179	1	1	1	1	2	3	1
ľ	PR30HNDL20	30" Professional Handle	160	179				1			
	PR36HNDL20	36" Professional Handle	160	179	1	1	1	1	2	3	1

¹ IWD = Ice and Water Dispenser

² Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

³ Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

⁴ Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

Number Description **UMRP MSRP**

Suggested Combinations









30" Fresh Food

Column

18" Freezer Column





60"














For Predetermined Spaces /







Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

These suggestions are just an example of the extensive range of

combinations possible with the Freedom Collection.

A HEATRKIT20 is recommended for use with any installation in areas that are subject to extreme humidity.








^{*}IWD = Ice and Water Dispenser

Number Description UMRP MSRP









Step 1: Colum	nns and I	Bottom Freezers	Step 2: Panels			Step 3: Handles			
Freedom Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece [®]	Professional		
FRESH FOOD C	OLUMNS								
T23IR905SP	23.5"	Reversible	Panel Ready	TFL23IR900	TFL23IR905				
T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle		
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece MS36HNDL20	Professional PR36HNDL20		
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905				
FREEZER COLU	JMNS								
T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905	Order one 36" handle	Order one 36" handle		
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	per column Masterpiece	per column Professional		
T30IF905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	MS36HNDL20	PR36HNDL20		
FREEZER WITH	IWD ¹ CO	LUMNS							
T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905				
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column		
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece MS36HNDL20	Professional PR36HNDL20		
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905				
BOTTOM FREE	ZERS/FRE	NCH DOOR BOTTO	M FREEZERS						
T30IB905SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	Order one 30" handle and one 36" handle per column ²	Order one 30" handle and one 36" handle per column ²		
T36IB905SP ³	36"	Reversible	Panel Ready	TFL36IB800	TFL36IB905	Order two 36" handles per column ³	Order two 36" handles per column ³		
T36IT905NP ⁴	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	Order three 36" handles per column ⁴	Order three 36" handles per column ⁴		
WINE PRESERV	ATION C	OLUMNS							
T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW800 TFL18IW905 Order one per c		Order one 36" handle per column		
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	Masterpiece MS36HNDL20	Professional PR36HNDL20		

NOTE: Handleless panels should not be installed on units without the SoftClose[®] capability. If you are uncertain if you have a refrigeration unit with SoftClose[®] capability, please contact our customer team by calling 1-800-735-4328.

¹ IWD = Ice and Water Dispenser

² Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

³ Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

⁴ Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

Number Description UMRP MSRP

Refrigeration PREASSEMBELED COLLECTION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece® Handles.

All 30"/36" Bottom Freezer and French Door Bottom Freezers Include the Following Features:

- · Fully Flush
- TFT Control
- · Installs framed or flush
- Freedom[®] hinge
- · All-LED filtered sidewall theater lighting
- · Soft closing full-extension drawers
- · Full-length cantilever racks
- Open door assist

- ThermaFresh system
- Internal filtered diamond ice maker
- SuperCool function
- SuperFreeze[®] function
- · Gallon door bins
- · Carbon air filter
- Sabbath/Economy/Vacation modes
- · Door open alarm

- ENERGY STAR® certified
- · Extremely quiet
- Refrigerator door swing reversible (T30BB and T36BB)
- · Two evaporators
- Two compressors
- Home Connect

Bottom Freezers

NEW T30BB915SS	30" Bottom Freezer, two-door, Masterpiece Handles	8,499	9,349
NEW T36BB915SS	36" Bottom Freezer, two-door, Masterpiece® Handles	8,799	9,699
NEW T30BB925SS	30" Bottom Freezer, two-door, Professional Handles	8,499	9,349
NEW T36BB925SS	36" Bottom Freezer, two-door, Professional Handles	8,799	9,699





T30BB925SS



French Door Bottom Freezers

NEW 13	6B1915NS	36" French Doo	r Bottom Freezer,	three-door,	9,299	10,249

Masterpiece® Handles

NEW T36BT925NS 36" French Door Bottom Freezer, three-door, 9,299 10,249

Professional Handles

Available December



T36BT925NS



Freedom [®] A	Accessories—F	Refrigerators					Fre	eedo	m®				Pre- semb	
	Model				T231R905SP	T24IR905SP	T30IR905SP	T36IR905SP	T30IB905SP	T36IB905SP	T36IT905NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS
	Number	Description .	UMRP	MSRP	12	1	ř	ř	P	ř	ĭ	1	ř	P
	Installation Acce		40=											
	FRAMEKIT10	(For use with any custom column for (610 mm) deep cutouts. With two in placement between the interior cutous ance helps overcome the challenge	,					•	•	•	•			
	HEATRKIT20	by side, or for nontraditional side-b without freezer column. This kit is a be ordered for use with any installa	Freedom Heater Kit 599 699 (For use when columns are less than 6" apart but not sid by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an				•	•	•	•				
	Interior Accessor	ries for Refrigerators												
	24HFGALBIN	24" Half-Gallon Bin	170	189	•	•								
	30HFGALBIN	30" Half-Gallon Bin	180	199			•		•			•		
	36HFGALBIN	36" Half-Gallon Bin	190	209				•		•			•	
	24PRODRAIL	24" Produce Railing	105	119	•	•								
	30PRODRAIL	30" Produce Railing	115	129			•		•			•		
	36PRODRAIL	36" Produce Railing	135	149				•		•			•	
	3DHFGALBIN	Three Door Half-Gallon Bin	160	179							•			•
	3DPRODRAIL	3-Door Produce Railing	85	99							•			•
	LPRODBIN10	Large Produce Bin	295	329	•	•	•	•	•	•	•	•	•	•
	SPRODBIN10	Small Produce Bin	265	299	•	•	•	•	•	•	•	•	•	•

Freedom [®]	eedom [®] Accessories—Freezers				Freedom®							Pre- assemble				
	Model Number De	escription	UMRP	MSRP	T18IF905SP	T24IF905SP	T30IF905SP	T36IF905SP	T18ID905LP/RP	T24ID905LP/RP	T30IB905SP	T36IB905SP	T36IT905NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS
	Interior Accessories ICEBUCKETL Ice	for Freezers e Bucket	85	99	•	•	•	•	•	•	•	•	•	•	•	•
Î	Filter Accessories NEW REPLFLTR55 Available December	Freedom [®] Replacement Water Filter	46	59	•	•	•	•	•	•	•	•	•	•	•	•

Freedom [®]	Accessories—	Wine Preservation				
	Model Number	Description	UMRP	MSRP	T18IW905SP	T24IW905SP
		· · · · · · · · · · · · · · · · · · ·	Olvii ii	WOTH		-
	Interior Accessor	ies for Wine Columns				
	T18WINERK1	18" Wine Shelf ¹ providing a 62 bottle capacity	229	259	•	
	T24WINERK1	24" Wine Shelf ² providing a 99 bottle capacity	299	329		•

Presenter shelf cannot be used with the accessory.
 Presenter shelf cannot be used with the accessory.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Built-In Coffee Machines Include the Following Features:

- Equipped with the Thermador Connected Experience by Home Connect™
- Perfect for frequent selections, coffee customization settings store up to 8 personalized beverages with names so family members and house guests can program their favorite drinks from single shot espresso, to tea, to extra-large cappuccinos
- Easy to read color TFT display illustrates beverage selection, including size and temperature control

- · Store up to 8 different beverages
- 1 lb. Bean container
- Height-adjustable dispenser with dual spouts for brewing 2 cups at a time
- Beverages can be adjusted in small increments
- One Touch Function for coffee and milk/froth
- · Fully automatic rinse program
- 2-disk grinding units made of high performance ceramic disks

- Adjustable grinding settings for very fine to coarse
- · Powder drawer
- · Built-In water filter
- Sensor alerts when coffee beans and water level is low
- · 10-cup water container
- Removable stainless steel milk container
- 120 Volts. (V)

Built-In Coffee Machine

 Includes direct plumb for water and drain connection with AquaStop[®] plus protection

TCM24TS Thermador Built-In Coffee Machine

3,699 4,099







TCM24PS

Thermador Built-In Coffee Machine

Plumbed

3,999 4,399



TCM24PS



Accessories		TCM24TS	TCM24PS
TCMTK30RS 30" Stainless Steel Trim Kit 39	99 439	•	•

For coffee accessories, please see the Cleaners & Accessories Price List in the Sales SharePoint.

Thermador

WALL OVENS

DELUXE

Rotisserie Max Broil

- 3 Telescopic Racks (Single Ovens)
- 4 Telescopic Racks (Double Ovens)
- 6 Telescopic Racks (Combo Steam Ovens)





Professional: POD301W POD301LW* POD301RW*



Masterpiece: MED301WS MED301LWS* MED301RWS*

DOUBLE 30"



Professional: POD302W POD302LW* POD302RW*



Masterpiece: MED302WS MED302LWS* MED302RWS*

COMBO 30"



With Steam and Convection Oven:

Professional: PODS302W* Masterpiece: MEDS302WS





With Speed Oven:

Professional: PODMCW31W*

TRIPLE 30"

Masterpiece: MEDMCW31WS

SELECT

- 1 Telescopic Rack (Single Ovens)
- 2 Telescopic Racks (Double Ovens)



Professional: PO301W



Masterpiece: ME301WS





Masterpiece:



With Microwave: Professional:



SPECIALTY

3 Telescopic Racks (Steam Ovens)





Steam and Convection Oven:

Professional: PODS301W

Masterpiece: MEDS301WS





Speed Oven::

Professional: MC30WP

Masterpiece: MC30WS



ME302WS



Masterpiece: MEM301WS

STANDARD

- 1 Telescopic Rack (Single Ovens)
- 1 Telescopic Rack (Double Ovens)



Masterpiece: ME301YP



Masterpiece: ME302YP

^{*} Not pictured.

Number Description UMRP MSRP

All Masterpiece® Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- SoftClose[®] doors

Cooking Modes

NEW ME301YP

 True Convection, Bake, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza

- Two-hour self clean
- · Sabbath Mode
- Two halogen lights
- · Star-K certified
- 208–240 V

Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- · Sensor cooking
- · Sensor reheat

30" Masterpiece® Ovens

30" Masterpiece Single Oven with Professional Handle

- One Full Access[®] telescopic rack and two standard racks
- · Silver glass

30" Single Oven, 1 Telescopic Rack

- 4.6 cu. ft. overall oven capacity

Variable Broil Low, Fast Preheat

2,899 3,199



· Three Additional Cooking

modes: Variable Broil Hi,



4.299



ME301YP

30" Masterpiece Single Oven-Select

- One Full Access[®] telescopic rack and two standard racks
- TFT Touch control display
- · Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast
- Fast preheat for seven different cooking modes

3.899

· Meat probe



ME301WS

ME301WS 30" Single Oven, 1 Telescopic Rack



30" Masterpiece Single Oven—Deluxe

- Three Full Access[®] telescopic racks
- · TFT Touch control display
- · Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat for seven different cooking modes
- Commercial-style rotisserie with 12-pound capacity
- · Multi-point meat probe



MED301WS

 4,469
 4,949

 4,799
 5,299

4,799 5,299



MED301LWS

MED301WS 30" Single Oven, 3 Telescopic Racks

MED301LWS 30" Single Oven, 3 Telescopic Racks,

Left Side Opening Door,

MED301RWS 30" Single Oven, 3 Telescopic Racks,

Right Side Opening Door







Number Description **UMRP MSRP**

30" Masterpiece Double Oven with Professional Handle

- One Full Access® telescopic rack (U)
- · Silver glass

NEW ME302YP

- · 4.6 cu. ft. overall oven capacity (U/L)
- · Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat (U)

30" Double Oven, 1 Telescopic Rack (U)

· Six Cooking modes in Lower Oven: Bake, Variable Broil Hi, Variable Broil Low, Roast, Warm, Sabbath, Fast Preheat (L)

> 4,399 4,849









30" Masterpiece Double Oven-Select

- Two Full Access[®] telescopic racks (U/L)
- TFT Touch control display

ME302WS

- · Silver glass on stainless steel
- · 4.5 cu. ft. overall oven capacity (U/L)
- · Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (U/L)

30" Double Oven, 2 Telescopic Racks, Meat probe (U/L)

- Fast preheat for seven different cooking modes (U/L)
- Meat probe (U/L)





5,899



6,499



Number Description **UMRP MSRP**

30" Masterpiece Double Oven-Deluxe

- Three Full Access® telescopic racks (U); One Full Access® telescopic rack and two standard racks (L)
- TFT Touch control display
- · Silver glass on stainless steel
- · 4.5 cu. ft. overall oven capacity (U/L)
- · Nine Additional Cooking modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate, Rotisserie (U)
- · Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (L)
- · Fast preheat for seven different cooking modes
- · Commercial-style rotisserie with 12-pound capacity (U)
- Multi-point meat probe (U); Meat probe (L)



MED302WS

7,499 8,249

7,699

6,999

7,499 8,249





30" Double Oven, 4 Telescopic Racks MED302WS

MED302LWS 30" Double Oven, 4 Telescopic Racks,

Left Side Opening Door

MED302RWS 30" Double Oven, 4 Telescopic Racks,

Right Side Opening Door

Number Description UMRP MSRP

30" Masterpiece® Ovens

30" Masterpiece Combination Oven with Microwave

- One Full Access® telescopic rack and two standard racks (L)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast

MEM301WS

- Fast preheat for seven different cooking modes
- Meat probe (L)

30" Combination Oven with Microwave,

Microwave features:

- · Touch control display
- · 1.6 cu. ft. overall capacity
- 13" turntable
- · 950 W microwave power

5,299 5,849









30" Masterpiece Combination Oven with Speed Oven

1 Telescopic Rack

- Three Full Access[®] telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast

MEDMC301WS

- Fast preheat for seven different cooking modes
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1000 W microwave power



6,599 7,299





MEDMC301WS

30" Masterpiece Triple Combination Oven with Speed Oven and Warming Drawer

3 Telescopic Racks

- Three Full Access[®] telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat for seven different cooking modes
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

Speed Oven features:

30" Combination Oven with Speed Oven,

- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1000 W microwave power

Warming Drawer features:

- 2.5 cu. ft. overall capacity
- · Touch control
- SoftClose[®] drawer
- · 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer



8,499 9,349





MEDMCW31WS 30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

Number Description UMRP MSRP

All Masterpiece® Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- Large steam cavity 2.8 cu. ft.
- · TFT Touch control display
- · Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- · Easy Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- · Star-K certified
- 208-240 volts

Masterpiece® Steam and Convection Ovens

30" Masterpiece Steam and Convection Oven

MEDS301WS

30" Steam and Convection Oven with 3 Telescopic Racks

4,899 5,399









MEDS301WS

30" Masterpiece Steam and Convection Oven-Deluxe

- Lower oven: Thermador Connected Experience with Home Connect™
- · 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection

Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast

- Two-hour self clean
- Fast preheat for seven different cooking modes
- Three Full Access[®] telescopic racks
- · Multi-point meat probe
- · Three halogen lights
- Sabbath Mode
- Star-K certified
- 208–240 V

7.999 8.799









MEDS302WS

MEDS302WS 30" Deluxe, Steam and Convection
Double Oven with 6 Telescopic Racks

Accessories

| Solution | Solutio

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Professional Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- · Restaurant-style stainless steel knobs
- TFT Touch control display
- · Silver glass on stainless steel
- SoftClose[®] doors
- · 4.5 cu. ft. overall oven capacity
- · 13 Cooking modes: True Convection,
- Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean
- Fast preheat for seven different cooking modes
- · Two halogen lights

- Sabbath Mode
- · Star-K certified
- 208-240 V

Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- · 10 power levels
- · Sensor cooking
- · Sensor reheat

30" Professional Series Ovens

30" Professional Single Oven-Select

 One Full Access[®] telescopic rack and two standard racks Meat probe

PO301W 30" Single Oven, 1 Telescopic Rack



PO301W







30" Professional Single Oven-Deluxe

 Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil

POD301LW

- Commercial-style rotisserie with 12-pound capacity
- Three Full Access[®] telescopic racks

· Multi-point meat probe



POD301W

POD301W 30" Single Oven, 3 Telescopic Racks

30" Single Oven, Left Side Opening Door,

3 Telescopic Racks

POD301RW 30" Single Oven, Right Side Opening Door,

3 Telescopic Racks

5,099 5,649 PC

5,649

5,499

4,999

5,099











POD301LW







Number Description **UMRP MSRP**

30" Professional Series Ovens

30" Professional Double Oven-Select

• One Full Access® telescopic rack and two standard racks

· Meat probe

(U/L)

PO302W 30" Double Oven, 1 Telescopic Rack (U/L) 6,499 7,149



PO302W







30" Professional Double Oven-Deluxe

- Three Full Access® telescopic racks (U)
- One Full Access® telescopic rack and two standard racks (L)

POD302W

POD302LW

- · Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil (U)
- Multi-point meat probe(U)
 - · Meat probe (L)
- 30" Double Oven, 4 Telescopic Racks 7.499 30" Double Oven, 4 Telescopic Racks, 8,099 8,949

Left Side Opening Door

30" Double Oven, 4 Telescopic Racks, POD302RW

Right Side Opening Door

- 8,249
 - 8,099 8,949



POD302W



POD302LW



Number Description UMRP MSRP

30" Professional Series Ovens

30" Professional Combination Oven with Microwave

 One Full Access® telescopic rack and two standard racks (L) Microwave features:

Touch control display

· Meat probe (L)

• 13" turntable

POM301W 30" Combination Oven with Microwave,

1 Telescopic Rack

• 950 W microwave power

5,799

6,399

POM301W





30" Professional Combination Oven with Speed Oven

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access[®] telescopic racks
- Multi-point meat probe

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1,000 W microwave power

PODMC301W 30" Combination Oven with Speed Oven,

3 Telescopic Racks

7,099 7,849



PODMC301W







Number Description UMRP MSRP

30" Professional Series Ovens

30" Professional Triple Combination Oven with Speed Oven and Warming Drawer

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access® telescopic racks
- · Multi-point meat probe

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1,000 W microwave power

Warming Drawer features:

- SoftClose[®] drawer
- Touch control
- 2.5 cu. ft. overall capacity
- · 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

9,099 10,049



PODMCW31W







PODMCW31W

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

Number Description UMRP MSRP

All Professional Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- · Restaurant-style stainless steel knobs
- · Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Steam Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- · LED lights
- · Sabbath Mode
- Star-K certified
- 208-240 V

30" Professional Series Built-In Steam and Convection Oven

4,899

Professional Series Steam and Convection Oven

PODS301W 30" Steam and Convection Oven with

3 Telescopic Racks



PODS301W





Professional Combination Oven with Steam and Convection Oven—Deluxe

- Lower oven: Thermador Connected Experience with Home Connect™
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection

PODS302W

- Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean

30" Deluxe, Steam and Convection

Double Oven with 6 Telescopic Racks

- Fast preheat for seven different cooking modes
- Three Full Access[®] telescopic racks
- Multi-point meat probe
- · Three halogen lights
- Sabbath Mode
- · Star-K certified
- 208–240 V

8,499 9,349



PODS302W



¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

Triis price list superseues all previous price lists. Prices listed herein do not linclude applicable state of local taxes. Model

30" Masterpiece Microwave,

30" Professional Microwave,

Stainless Steel, 120 V

Stainless Steel, 120 V

Number Description UMRP MSRP

All Masterpiece® Series Built-in Microwave and Speed Ovens Include the Following Features:

· Silver glass on stainless steel

• 10 power levels

· Sensor reheat

· 1.6 cu. ft. overall capacity

· Sensor cooking

Microwave Ovens

Built-In Microwaves

MB30WS

MB30WP

Touch Control Display
141/8" ceramic turntable

• 950 W Microwave power

Plugs into 120 V, 60 Hz/, AC
 3-propg grounded outlet

3-prong grounded outlet

1,499 1,649

1,699 1,899



MB30WF

MB30WS



Speed Ovens

Built-In Speed Ovens

Full color TFT display
12³/₄" ceramic turntable

• 1,000 W Microwave power

36 Cook Smart™ Programs

Convection Bake

MC30WS 30" Masterpiece Speed Oven,

Stainless Steel, 208-240 V

MC30WP 30" Professional Speed Oven,

Stainless Steel, 208-240 V

Broil

• 208 or 240 V, 4 wire fixed

connection

2,299 2,549

2,499 2,749



MC30WS



MC30WP



¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

UMRP Number Description **MSRP**

MicroDrawer® Microwave Oven

Built-In MicroDrawer® Microwave

- · Blue digital display with scrolling text
- · 1.2 cu. ft. cavity
- Fits a 7" mug or 20 oz. cup
- 950 W microwave power
- · Auto-Cooking modes (including Melt, Soften, Keep Warm)
- · Sensor cooking
- · Hidden vent
- · Touch open and close
- · Perfect flush installation

1,699

1,899



MD24WS



MD30WS

Over-the-Range Microwave Hood

MU30WSU

MD24WS 24" Microwave Drawer

MD30WS 30" Microwave Drawer

1,999 1,799

Over-the Range Microwave Hood

- Design match for use in combination with 30" Pro Harmony® 5-burner gas range
- · Exclusive stainless steel handle
- · LCD display

- · 2.1 cu. ft. cavity
- 14 3/16" glass turntable
- 1,100 W microwave power
- Triple microwave distribution system
- · 10 cooking modes
- Sensor cooking
- Plugs into standard 120 V. 3-prong outlet
- · Four-speed vent with up to 385 CFM

899 999

Stainless Steel

MU30WSU Over-the-Range Microwave Hood,

Number Description UMRP MSRP

Warming Drawers

Standard Warming Drawers

- Our warming drawer is the perfect combination of uncompromising performance, unique convenience features and elegant design
- SoftClose® door (WD30W only)
- 2.2 cu. ft. overall capacity
- · Touch Control Display
- Four heating modes: Low, Medium, High, Proof
- 450 W heating element
- Timer
- Plugs into a standard 120 volt, 3-prong outlet



WD30WC

WD30W 30" Warming Drawer, Custom Panel Ready 1,799 1,999
WD30WC 30" Warming Drawer, Push to Open 1,599 1,799

Storage Drawers

 Our storage drawers are the perfect combination of uncompromising performance, unique convenience features and elegant design 2.4 or 0.8 cu. ft. overall capacity



SD30WC



SDS30WC

 SD30WC
 30" Storage Drawer (2.4 cu. ft.)
 949
 1,049

 SDS30WC
 30" Storage Drawer, Short Height (0.8 cu. ft.)
 649
 749

(Install Under Steam Oven)

UMRP Description MSRP

Accessories							POD301LW	POD301RW	PO302W	POD302W	POD302LW	POD302RW	POM301W	PODMC301W	PODMCW31W	PODS301W	PODS302W
	SDCLNRCK30	Self-Clean Standard Rack, 30"	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•
	For the telescopic List in the Sales	c rack, please see the Cleaners & SharePoint.	Accessorie	s Price	•	•	•	•	•	•	•	•	•	•	•		
	WKNOBKT3W	Blue Metal Knob Kit for Professional Oven (2 pc.)	49	59	•	•	•	•	•	•	•	•	•			•	•
	NEW TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•	•	•	•								•	

Number Description UMRP MSRP

All Masterpiece® Series Star® Burner Gas Cooktops Include the Following Features:

- Patented Star® Burner provides superior flame coverage for faster and more even pan heating
- 16K BTU max
- · Blue indicator burner ON light
- · Chiseled stainless steel design
- Stainless steel control panel offers a sleek, modern design
- High-quality, robust, metal knobs
- LP gas conversion kit not included; order separately
- · Sabbath compliant
- Two-year warranty

Masterpiece® Series

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/1,750 low

C: BTU 16,000 high/1,900 low RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGS305TS

30" Star® Burner, Stainless Steel, Five Burners

1,499 1,649

SGS305TS

 ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/204 XLO

C: BTU 16,000 high/583 XLO RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSX305TS

SGSX305TS

30" Star® Burner, Stainless Steel, Five Burners, Extral ow® Select

1,799 1,999

ExtraLow® Select

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/1,750 low

C: BTU 16,000 high/1,900 low RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGS365TS

36" Star® Burner, Stainless Steel, Five Burners

1,699 1,899

SGS365TS

 ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/204 XLO

C: BTU 16,000 high/583 XLO RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSX365TS

SGSX365TS

36" Star® Burner, Stainless Steel, Five Burners,

1,999 2,199

ExtraLow® Select

Number Description **UMRP** MSRP

All Masterpiece® Series Pedestal Star® Burner Gas Cooktops Include the Following Features:

- Raised Pedestal Star® Burner provides superior flame coverage and allows for easier cleanup under each burner
- 18K BTU max

- QuickClean Base contains liquid spills
- · Sleek glass control panel
- · High-quality, robust, metal knobs
- · L.P. conversion kit not included; order separately
- · Sabbath compliant
- Two-year warranty

Masterpiece® Series

· Blue indicator light for each burner

LR: BTU 10,000 high/1,750 low	
LF: BTU 8,000 high/1,750 low	

C: BTU 18,000 high/1,900 low

RR: BTU 8,000 high/1,750 low RF: BTU

10,000 high/1,750 low



SGSP305TS

SGSP305TS


30" Pedestal Star® Burner, Stainless Steel, Five Burners

1,799

1,999

· Progressive Illuminated light ring around each knob

 ExtraLow[®] Select feature. which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSXP305TS

SGSXP305TS

30" Pedestal Star® Burner, Stainless Steel,

2,099 2,349

Five Burners, ExtraLow® Select

· Blue indicator light for each burner

LR: BTU 12,000 high/1,750 low	
LF: BTU	
9 100 high/1 750 low	

C: BTU 18,000 high/1,900 low

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSP365TS

36" Pedestal Star® Burner, Stainless Steel, Five Burners

1,999 2,199

Progressive Illuminated light ring around each knob

 ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



LR: BTU 12,000 high/1,750 low

LF: BTU 9,100 high/204 XLO

C: BTU 18,000 high/583 XLO

9,100 high/1,750 low RF: BTU 12,000 high/1,750 low

RR: BTU

SGSXP365TS

36" Pedestal Star® Burner, Stainless Steel,

2,399 2,649

Five Burners, ExtraLow® Select

Model Number

Description

UMRP MSRP

Accessories						
					Star [®] Burner	Pedestal Star®
		Griddle burner Star [®] and Pedestal Star [®] Burner Series sign allows for even heat distribution and fast p ng		_	•	•
	SKNOBLUW Fits 30" and 36" Peinstall	Blue Knob Kit, Pedestal Star [®] Burner Cooktops edestal Star [®] Burners Series models • Set of five	109 e knobs • Blue me	119 etallic finish • Easy to		•
W	SLPKITW	LP Gas Conversion Kit for Star® Burner Series Cooktops	99	109	•	
	SNPKITPEDW	LP Gas Conversion Kit for Pedestal Star® Burner Series Cooktops	99	109		•
0		Wok Ring ation on Star® Burner and Pedestal Star® Burno cooktop sizes, allowing the user to cook with u asher safe			•	•

Number Description **UMRP** MSRP

offer a sleek, modern design

All Masterpiece® Series Glass Ceramic Electric Cooktops Include the Following Features:

· Triple element

• Maximum wattage: 4,000 W

Masterpiece® Series

Touch Control

- With the help of CookSmart[®] the temperature is reached and maintained automatically without boilover
- Touch controls with blue illumination are easy to use and
- Keep Warm
- Child Lock
- · Shut-Off Timer for every element
- · Kitchen timer
- Number of cooking zones: Eight
- Power/Amps: 208-240 V, 60 Hz//30 A



CET305TB

LR: 5"/7" @	RR: 6"/8"/11" @
700 W (1,700 W)	1,050 W/2,200 W/3,080 W
LF: 6" @	RF: 6" @
1,700 W (4,000 W Bridge)	1,200 W

CET305TB

30" Frameless Design

1,699 1,899

Touch Control/Bridge

- With the help of CookSmart[®] the temperature is reached and maintained automatically without boilover
- Bridge element with dual element
- · Touch controls with blue illumination are easy to use and offer a sleek, modern design
- PowerBoost[®]
- Child Lock

- · Shut-Off Timer for every element
- · Kitchen timer
- Number of cooking zones: 10
- Power/Amps: 208-240 V, 60 Hz//40/50 A



CET366TB

LR: 5"/7" @ 700 W/1,700 W						
	LF: 7" @ 1,700 W (4,000 W Bridge)					

C: 6"/8"/11" @ 1,050 W/2,200 W/3,080 W

RR: 6" @ 1,200 W RF: 6"/8" @ 1,200 W/2,100 W

CET366TB

36" Stainless Steel Frame

1,899 2,099

Manual Controls/Stainless Steel Knobs

· Dual zone bridge element accommodates oblong cookware

- · High quality, robust, die-cast metal knobs
- Variable 9-stage power settings

LR: 5"/7" @	RR: 6"/8"/11" @
700 W,1,700 W	1,050 W,2,200 W/3,080 W
LF: 7" @	RF: 6"
1,700 W (4,000 W Bridge)	1,200 W

- · Number of cooking zones: 10
- Power/Amps: 208-240 V, 60 Hz//30 A



CEM305TB

CEM305TB

CEM366TB

30" Frameless Design

1,399 1,549

Manual Controls/Stainless Steel Knobs/Bridge

- Dual zone bridge element accommodates oblong cookware
- High quality, robust, die-cast metal knobs
- Variable 9-stage power settings
- · Number of cooking zones: 10
- Power/Amps: 208-240 V, 60 Hz//40/50 A





CEM366TB

LR: 5"/7" @ 700 W,1,700 W I F· 7" @ 1,700 W (4,000 W Bridge)

36" Stainless Steel Frame

C: 6"/8"/11" @ 1,050 W,2,200 W/3,080 W

> 1,599 1,799

Number Description UMRP MSRP

All Masterpiece[®] Series Freedom[®] and Liberty™ Induction Cooktops Include the Following Features:

• PowerBoost®

• 17 power levels

Masterpiece® Series

Freedom® Induction - 13"×21" Cooking Position with 5,500 W

- Entire surface of the cooktop can be used as one large cooking area
- Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone[™] mode allows changing a preset power level simply by moving a pot or pan on the cooktop
- Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow[™] LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only)
- TeppanyakiPro™ mode divides a teppanyaki griddle into on heated or one nonheated area
- PanBoost™
- · 17 power levels
- · Residual heat indicators
- Panel Lock
- Cooking Timer, Kitchen Timer and Stopwatch Timer
- Power/Amps: 208/240 V, 60 Hz, 30 A



CIT30XWBB






CIT36XWB





CIT36XWBB





CIT30XWBB30" Dark Gray Glass, Frameless Design4,7995,299CIT36XWB36" Dark Gray Glass, Stainless Steel Frame5,2995,849CIT36XWBB36" Dark Gray Glass, Frameless Design5,2995,849

Number Description UMRP MSRP

Masterpiece® Series

Liberty™ Induction

- Home Connect[™] (Wi-Fi Enabled)
- Three extra-large Liberty[™] cooking surfaces allow for tailored cooking zones
- Number of cooking zones: Five

•	Cooktop-Hood	Sync
---	--------------	------

- Automatic pan recognition
- HeatShift[™] has three preset heat zones
- MoveMode[™] allows easy transfer settings
- · Illuminated touch controls

• 1	7	power	leve	s
-----	---	-------	------	---

- · Control panel lock
- · Automatic switch off
- · Timer for all zones
- Maximum wattage: 10,800 W
- Power/Amps: 208–240 V, 60 Hz//50 A



CIT367XG





CIT367XGS

Left Full Zone 15"×9" @	LR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)
3,300 W/3,700 ₈ W (PowerBoost)	LF: 7½"×9" @ 2,200 W/3,600 ₈ W (PowerBoost)

Center Full Zone 111/4"×91/2" @ 3,300 W/3,600 W (PowerBoost)

RR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)
RF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)

Right Full Zone 15"×9" @ 3,300 W/3,700 W (PowerBoost)

4,299

4,299

4,199 4,199

4,749

4,749

<u>C11367XG</u>	36" Litanium Gray Glass, Frameless	3,799
CIT367XGS	36" Titanium Gray Glass,	3,799
	Stainless Steel Frame	

<u>CIT367XM</u> 36" Silver Mirrored Glass,

Frameless

<u>CIT367XMS</u> 36" Silver Mirrored Glass,

Stainless Steel Frame



CIT367XM





CIT367XMS



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Masterpiece® Series Glass Ceramic Induction Cooktops Include the Following Features:

- · Pan Recognition
- Touch control panel with blue light illumination offers 17 power settings
- · Speed Heating-induction cooktops heat
- 50% faster than traditional gas cooktops
- PowerBoost[®]
- · Anti-Overflow System
- · Two-Level Heat Indicator

- · Child safety lock
- · Element Shut Off Timer and kitchen timer
- Power/Amps: 240 V, 60 Hz//50 A

Masterpiece® Series

11" Element with 3,700 W

 Large and powerful 11" element with 3,700 W

LR: 9" @	RR: 11" @
2,200 W/3,700 W (PowerBoost)	2,400 W/3,700 W (PowerBoost)
LF: 6" @	RF: 6" @
1,400 W/2,200 W (PowerBoost)	1,400 W/2,200 W (PowerBoost)

 CIT304TB
 30" Frameless Design
 2,699
 2,999

 CIT304TM
 30" Silver Mirrored Finish
 3,199
 3,549



CIT304TB



CIT304TM

13" Element with 5,500 W

- Large 13" round heating element
- Industry-exclusive triple zone—accommodates multiple-size pans with three diameter sizes
- The most powerful (5,500 W) in its class



CIT365TB

LR: 7" @ 1,800 W/3,100 W (PowerBoost)	
LF: 7" @ 1,800 W/3,100 W (PowerBoost)	

RF: 9" @ 2,200 W/3,700 W (PowerBoost)

CIT365TB 36" Frameless Design

3,199 3,549

	Model Number	Description		UMRP	MSRP					
Accessorie	es					Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty Induction	notion loa
	ded accessory for induction Cooktop d in oven induction,	 Silvinox surface treatment prevents discoloration 7-Ply material 18/10 stainless steel 	 Additional cop aluminum mat for fast and ex 10-year guara 	erials us en heati						
	TEPPAN1321	13"×21" Recommended accessory for Freedom® Induction Cooktop		499	549			•		
	TEPPAN1314	13"×14" Recommended accessory for Freedom® Induction Cooktop		399	439			•		
	TEPPAN1013	10"×13" Recommended accessory for Liberty™ and Freedom® Induction	n Cooktops	299	329			•	•	
	TEPPAN1016	10"×16" Recommended accessory for Liberty™ and Freedom [®] Induction	n Cooktops	399	439			•	•	
 Heavy-duty with a thick base 	um Non-Stick Indu cast aluminum ferromagnetic with two cast-in	Outstanding corrosion and abrasion resistance Ridged surface adds grilled sear marks, while draining away excess fat	Ovenproof up dishwasher-sa17" x 9" grillinPFOA-free	ıfe						
	TGRILLPANX	17" x 9"		269	299			•	•	
 Optimized for CookSmart[®] 	el Chef's Pan or cooking with delement induction, electric	 Stainless steel with aluminum core Non-stick Teflon® Platinum material (CHEFSPAN08) 	 Encapsulated Three layers	aluminur	m base					
0	CHEFSPAN08	10" Chef's Pan for 8" and 9" Eler	nents	199	219	•	•	•	•	•
	CHEFSPAN13	16" Chef's Pan for 13" Element		399	439	•	•	•	•	•
• Perfect for s	el Roasting Pan searing, braising, at, poultry and	 Ideally suited for Liberty[™] induction cooking zones Made of 18/10 stainless steel 	 Dishwasher sa Oven-safe up (350° with lid) 		=					
C Par	TROASTERT	10"×16" Roasting Pan with Glas	s Lid	199	219				•	

ELECTRIC AND INDUCTION ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description **UMRP** MSRP **Accessories** Freedom Induction Electric Cooktops Liberty Induction Gas Cooktops Induction **Wireless Cooking Temperature Sensor** of the pot continuously. This Allows you to select the best results. The sensor is required to use the Freedom® induction way to prepare every food as allows the power to be mainyou wish. The cooking sensor tained with greater precision Cooking Sensor mode measures the temperature to provide exceptional cooking TCOOKSENSW Wireless Cooking Sensor 199 219

$Thermador^{\circ}$

PROFESSIONAL

		30"	36"		48"		60"	
	Pro Grand [®]		nna Gilliann			ากก		0 00 00
3ES						4	عاليا	
FUEL RANGES			PRD366WGU PRD364WIGU PRD364WLGU PRD364WDGU	6-burner Induction Grill Griddle	PRD486WIGU PRD486WLGU PRD486WDGU PRD484WCGU	Induction Grill Griddle Grill and Griddle	PRD606WEG PRD606WCG	Griddle Grill and Griddle
DUAL FUI	Pro Harmony®	200 22 20	2000 🖂 20000	1		1		
		PRD305WHU 5-bu PRD304WHU 4-bu		6-burner Griddle Grill	PRD486WDHU PRD486WLHU PRD484WCHU	Griddle Grill Grill and Griddle		
STEAM RANGES	Pro Grand [®]				PRD48WISGU PRD48WDSGU	induction Griddle	PRD606WESG PRD606WCSG	Griddle Grill and Griddle
S	Pro Grand [®]				PRD48WLSGU PRD48WCSGU	Grill Grill and Griddle		
iES	Pro Grand		2000 55000		majeja	2 22		
RANGES			PRG366WG PRG364WDG PRG364WLG	6-burner Griddle Grill	PRG486WDG PRG486WLG	Griddle Grill		
ALL- GAS	Pro Harmony®	PRG305WH 5-bu	PRG366WH	6-burner	PRG486WDH			
		PRG304WH 4-bu		Griddle Grill	PRG486WLH	Grill		
RANGETOPS	Professional	PCG305W 5-bu	PCG366W PCG364WD PCG364WL	6-burner Griddle Grill	PCG486WD PCG486WL	Griddle Grill		

Number Description UMRP MSRP

All Professional Series Rangetops Include the Following Features:

- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Each burner has electronic ignition/ re-ignition;
- Metal knobs (also available in Metallic Blue, PKNOBLUWR, sold separately. See page 5-12)
- LED downlighting illuminates the control panel.
- Precision simmering capabilities as low as 375 BTU with two ExtraLow[®] simmer burners
- Two-year warranty
- · Star-K certified
- 15 Amps

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador® vent hood. (see Thermador® Professional Hoods, page 6-4)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately (PALPKITHW for all units; PALPKITHW5 for five Pedestal Star® Burner units). No High Altitude conversion kit needed for Rangetops.

30" Professional Gas Rangetop

- Five Pedestal Star® Burners (Two with ExtraLow®). overall output of 59,000 BTU.
- Suitable for use with Thermador OTR (see page 3-13)

 For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately (PALPKITHW5 for five Pedestal Star® Burner units). No High Altitude conversion kit needed for Rangetops.

15 Amps



PCG305W



LR: BTU 8,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO RR: BTU 8,000 high* 10,000 high* RF: BTU 15,000 high*

PCG305W 30" Stainless Steel with Porcelain Surface 3,199 3,549

36" Professional Gas Rangetop

 Six Pedestal Star[®] Burners (Two with ExtraLow[®]).

15 Amps

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high*/375 XLO	18,000 high*/3,000 low	18,000 high*/3,000 low



PCG366N



PCG366W 36" Stainless Steel with Porcelain Surface

3,799 4,199

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 8,000} BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description UMRP MSRP

36" Professional Gas Rangetop

 Four Pedestal Star® Burners (Two with ExtraLow®)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps



LR: BTU 15,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO

Electric Griddle 1,630 W RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low

*** (9**

PCG364WD

36" Stainless Steel with Porcelain Surface and Griddle

4,099 4,549

 Four Pedestal Star[®] Burners (Two with ExtraLow[®]) Fusion non-stick surface Indoor Pro Electric Grill with ceramic briquettes, convertible to Griddle with optional accessory PAGRIDDLEW.

• 20 Amps

89999

LR: BTU 15,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO

Pro Indoor Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG364WL

36" Stainless Steel with Porcelain Surface and Pro Grill 4,099 4,549

48" Professional Gas Rangetop

 Six Pedestal Star[®] Burners (Two with ExtraLow[®]) Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps



LR: BTU 15,000 high*/375 XLO 15,000 high*/3,000 low

LF: BTU CF: BTU 18,000 high*/375 XLO 18,000 high*/3,000 low

Electric Griddle 1,630 W RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG486WD

48" Stainless Steel with Porcelain Surface and Griddle 4,699 5,199

 Six Pedestal Star[®] Burners (Two with ExtraLow[®])

 Fusion non-stick surface Indoor Pro Electric Grill with ceramic briquettes, convertible to Griddle with optional accessory PAGRIDDLEW.

20 Amps



LR: BTU 15,000 high*/375 XLO 15,000 high*/3,000 low

LF: BTU CF: BTU 18,000 high*/375 XLO 18,000 high*/3,000 low

Pro Indoor Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG486WL 48" Stainless Steel with
Porcelain Surface and Pro Grill

4,699 5,199

* 8,000 BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

All Pro Harmony® Series Dual Fuel Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner range: each front burner has output of 18,000 BTU (NG)
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-11
- All burners with electronic ignition/ re-ignition
- Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners

Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum Indoor Pro Electric Grill model:

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating
- For L.P.: Natural to L.P. Gas Field Conversion Kit must be ordered separately.
- · Island trim included
- Two-year warranty
- · Star-K certified

Main oven features:

- Thermador Connected Experience with Home Connect™ enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Full Access[®] telescopic racks with

- integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- Hidden Thermal Bake (2,000 W), Broil (4,000 W),
- Third element rear 2,750 W convection
- Convection Broil and two rapid, self-clean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1½ hr light-soil clean

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

Note

 Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador[®] Professional hoods)

30" Dual-Fuel Range

 Four Pedestal Star Burners (Two with ExtraLow)

 30" range features 4.4 cu. ft. overall volume*

LR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	RF: BTU
18.000 high**/375 XLO	18.000 high**/3.000 low

PRD304WHU

30" Stainless Steel with

Porcelain Surface and One Telescopic Oven Rack



PRD304WHU



 Five Pedestal Star Burners (Two with ExtraLow); overall output of 59,000 BTU and suit-

OTR (see page 3-13)

able for use with the Thermador
• 30" range features 4.4 cu. ft.

OTR (see page 3-13)

overall volume*

6,199



LR: BTU 8,000 high**/375 XLO

LF: BTU

18,000 high**/375 XLO

Center: BTU 10,000 high* RR: BTU 8,000 high** RF: BTU 15,000 high**

PRD305WHU

30" Stainless Steel with

Porcelain Surface and One Telescopic Oven Rack

6,749 7,449



PRD305WHU

*According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{** 8,000} BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description UMRP MSRP

36" Dual-Fuel Range

•	Six Pedestal Star® Burners
	(Two with ExtraLow®)

- Oven features 4.9 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect™

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low	18,000 high**/3,000 low



9,249

PRD366WHU

PR

PRD366WHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

- Four Pedestal Star Burners (Two with ExtraLow)
- Oven features 4.9 cu. ft. overall volume*

LR: BTU 15,000 high**/375 XLO	
LF: BTU	
18,000 high**/375 XLO	

 Thermador Connected Experience with Home Connect™

> Electric Griddle 1,630 W (6-pass)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

8.949

8,399

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low



PRD364WDHU

PRD364WDHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

9,849



 Thermador Connected Experience with Home Connect™

LR: BTU

15,000 high**/375 XLO

18,000 high**/375 XLO

- Four Pedestal Star Burners (Two with ExtraLow)
- Oven features 4.9 cu. ft. overall volume*
- Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW





PRD364WLHU

PRD364WLHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

8,949 9,849







NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description UMRP **MSRP**

48" Dual-Fuel Range


- Thermador Connected Experience with Home Connect™
- Six Pedestal Star Burners (Two with ExtraLow)
- · Main oven features 4.4 cu. ft. overall volume*

LR: BTU	CR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	CF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low

Electric Griddle 1,630 W (6-pass)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

12,199 13,449





PRD486WDHU



PRD486WDHU

48" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

Thermador Connected Experience with Home Connect[™]

- Six Pedestal Star® Burners (Two with ExtraLow)
- Main oven features 4.4 cu. ft. overall volume*

LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill
LF: BTU	CF: BTU	1,630 W
18,000 high**/375 XLO	18,000 high**/3,000 low	(6-pass 2x)

· Fusion non-stick surface Indoor Pro Electric Grill. convertible to Griddle with optional accessory **PAGRIDDLEW**

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low



PRD486WLHU





PRD486WLHU

48" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

Thermador Connected Experience with Home Connect™

LR: BTU

15,000 high**/375 XLO

LF: BTU 18,000 high**/375 XLO

- Four Pedestal Star Burners (Two with ExtraLow")
- Main oven features 4.4 cu. ft. overall volume*
- · Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**

· Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



12,199 13,449



Griddle 1,630 W (6-pass)





PRD484WCHU

48" Stainless Steel with

CR: BTU

15,000 high**/3,000 low

CF: BTU

18,000 high**/3,000 low

12,599 13,899

Porcelain Surface and All Telescopic Oven Racks

Electric Grill

1,630 W

(6-pass 2x)

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description UMRP **MSRP**

All Pro Harmony® Series All Gas Ranges Include the Following Features:

- Cabinet-Depth (24")
- · Four pedestal burner; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page
- · Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners

Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

· Griddle is interchangeable with grill accessory for convenient indoor grilling

Indoor Pro Electric Grill model:

- · 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating
- NEW Gas ranges are now field convertible from natural gas to liquid propane—Conversion Kit must be ordered separately
- · Island trim included
- Two-year warranty
- Star-K certified

Ovens feature:

· Thermador Connected Experience with Home Connect™ enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'

- · 17,500 BTU high-intensity infrared broiler
- Full Access[®] telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- · Gas convection oven
- 20,500 BTU bake burner
- · Convection Bake, Thermal Bake (20,500 BTU)

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

Note

· Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

30" All-Gas Range

 Four Pedestal Star Burners (Two with ExtraLow®) each

front burner has output of 18,000 BTU (NG)

LR: BTU RR: BTU 15,000 high**/375 XLO 15,000 high**/3,000 low LF: BTU RF: BTU 18,000 high**/375 XLO 18,000 high**/3,000 low • 30" range features 4.6 cu. ft. overall volume*



4,849 5,349

PRG304WH

30" Stainless Steel with Porcelain Surface



Five Pedestal Star Burners (Two with ExtraLow); overall output of 59,000 BTU

18,000 high**/375 XLO

LR: BTU 8,000 high**/375 XLO LF: BTU

and suitable for use with the Thermador OTR (see page

overall volume*

RR: BTU

8,000 high**

• 30" range features 4.6 cu. ft.



10,000 high* RF: BTU 15.000 high*

PRG305WH

30" Stainless Steel with Porcelain Surface

Center: BTU

5,499 6,049



* According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners co 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models; when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

36" All-Gas Range

•	Thermador Connected
	Experience with Home
	Connect™

 Six Pedestal Star Burners (Two with ExtraLow) • 36" range features 5.1 cu. ft. overall volume*

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low	18,000 high**/3,000 low



PRG366WH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

6,299 6,949

PRG366WH





 Thermador Connected Experience with Home Connect™ Four Pedestal Star Burners (Two with ExtraLow) each front burner has output of 18,000 BTU (NG) 36" range features 5.1 cu. ft. overall volume*

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



LR: BTU 15,000 high**/375 XLO

LF: BTU 18,000 high**/375 XLO Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

PRG364WDH

PRG364WDH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

7,149 7,899







 Thermador Connected Experience with Home Connect™ Four Pedestal Star Burners (Two with ExtraLow) each front burner has output of 18,000 BTU (NG) 36" range features 5.1 cu. ft. overall volume*

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW



LR: BTU 15,000 high**/375 XLO

LF: BTU 18,000 high**/375 XLO Electric Grill 1,630 W (6-pass 2x)

15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

RR: BTU

PRG364WLH





PRG364WLH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

7,149 7,899

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description **UMRP MSRP**

48" All-Gas Range

- Thermador Connected Experience with Home Connect™
- Six Pedestal Star® Burners (Two with ExtraLow) and
- · Main oven features 4.6 cu. ft. overall volume*

LR: BTU	CR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	CF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low

Electric Griddle 1.630 W (6-pass)

> Electric Grill 1,630 W (6-pass 2x)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high**/3,000 low
RF: BTU 18,000 high**/3,000 low

10,399 11,449



PRG486WDH



PRG486WDH

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

Thermador Connected Experience with Home Connect™

- Six Pedestal Star Burners (Two with ExtraLow) and
- Main oven features 4.6 cu. ft. overall volume*

LR: BTU	CR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	CF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low

Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

· Fusion non-stick surface

RR: BTU	
15,000 high**/3,000 low	
RF: BTU	
18.000 high**/3.000 low	



PRG486WLH



48" Stainless Steel with Porcelain Surface PRG486WLH and All Telescopic Oven Racks

10,399 11,449



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA

^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Accessorie	essories								arm el R						o H Gas			-	3		Ra	ang	eto _l	tops		
			3	0" 36"					48"		30)"	3	36"		4	8"	30"		36"		48	3"			
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL	
		12" Griddle Plate Accessory w/ Tray (for Grill Modules) Fusion coated accessor to the "high-release" ac							•		•	•					•		•			•			•	
	release") is easy	12" Grill Plate Accessory w/ Tray (for Griddle Modules) usion) surface coating (' to clean and durable o	ver tim					•		•		•				•		•			•			•		
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) Fusion coated accesso to the "high-release" ac						•		•		•				•		•			•			•		
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Mo	319 dules)	359					•		•	•					•		•			•			•	
	<u>PABRICKW</u>	Flat Ceramic Briquettes (no Basket	99	109					•		•	•					•		•			•			•	
	PABRICKBKW	Flat Ceramic Briquettes with Baske	199 t	219					•		•	•					•		•			•			•	
	PAGRIDDLE	Griddle sits on top of Grates over two Bu high-release surface co		219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
0 0	PA24CVRW	24" Cover for Grill/ Griddle Combination I	259 Models	289								•														
1	PA12LCVRN	12" Professional Indoor Grill Cover	299	329					•		•	•					•		•			•			•	
1	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•				•		•			•			•		

Accessorie	Accessories								Pro Harmony Dual Fuel Ranges								mor ang		Rangetops						
					3	0"	36" 48				48"		30	0"	;	36"		48	3"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
		Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1 =	PAALTKITHW	High Altitude Kit, NG Pro Harmony Rar 5.4K ft to 10.2K ft	89 nges,	99	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
	_	ude kit, please see the C e List in the Sales Share		s &	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
/	PALPKITHW	LP Conversion Kit Pro Harmony Dual Fu & Rangetops (4 & 6 B				•	•	•	•	•	•	•									•	•	•	•	•
*/	PALPKITGW	LP Conversion Kit Pro Harmony Gas Ra (4 & 6 Burner)	199 .nges	219										•	•	•	•	•	•						
*/	PALPKITGW5	LP Conversion Kit Pro Gas Ranges (5 Burner)	199	219									•												
	PALPKITHW5	LP Conversion Kit Pro Harmony Dual Fu & Rangetops (5 Burne		159 nges	•															•					
	NEW PARKB3X	(HY Blue Knob Kit 30"/36" Gas Harm	249 ony	279									•	•	•										
	NEW PARKB30	HY Blue Knob Kit 30" DF Harmony	249	279	•	•																			
	NEW PARKB36	DHY Blue Knob Kit 36" G/DF Harmo	249 ony	279				•								•									
	NEW PARKB36	HY Blue Knob Kit 36" DF GR Harmo	249 ony	279			•																		

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Accessorie	Accessories									ony ang					o F Ga			ny ges			Ra	ınge	etop	ops		
				30" 36" 48"						30" 36" 48"							30"	36"			48"					
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL	
	NEW PARKB36	SLHY Blue Knob Kit 36" Grill Harmon	249 y	279					•								•									
	NEW PARKB48	3CHY Blue Knob Kit 48" DF Harmony	299	329						•	•	•														
	NEW PARKB48	BDHY Blue Knob Kit 48" Gas Harmon	299 y	329														•	•							
	PAKNOBLUWR	Metallic Blue Knob Ki Pro Rangetop	t 239	269																•	•	•	•	•	•	
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmony Range	419	469	•	•							•	•												
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmony Range	479	529			•	•	•						•	•	•									
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harmony Range	509	599						•	•	•						•	•							
	PA30WLBC	10" Low Backguard for 30"Rangetop	209	229																•						
	PA36WLBC	10" Low Backguard for 36" Rangetop	269	299																	•	•	•			
	PA48WLBC	10" Low Backguard for 48" Rangetop	319	359																				•	•	

Number Description UMRP MSRP

All Pro Grand® Series Dual Fuel Ranges Include the Following Features:

- · Commercial-Depth (27")
- Patented Pedestal Star[®] Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- L.P. kit ordered separately for converting burners for L.P. gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

All Ovens

- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Three Full Access[®] telescopic racks with integrated easy-grip handles
- · Fast Preheat

Main Oven

- Thermador Connected Experience with Home ConnectTM enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- · Hidden bake element

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-4)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

Induction Models

- Thermador 3,600 W Liberty Induction with two zones
- Features 9 power levels, XHI
 PowerBoost, Bridge, HeatShift, Timer
 and a safety shutoff

Indoor Pro Electric Grill

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating
- · Fusion non-stick surface

Griddle:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

48" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- · 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

Number Description UMRP **MSRP**

36" Dual-Fuel Ranges

 Six Pedestal Star[®] Burners (Four with ExtraLow®)

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low	18,000 high*/375 XLO

PRD366WGU 36" Stainless Steel with 9,699 10,699

Porcelain Surface and All Telescopic Oven Racks

36" Stainless Steel with

PRD366WGU

Four Pedestal Star® Burners (Four with ExtraLow®) and fusion non-stick surface Indoor Pro Electric Grill,

PRD364WLGU

PRD364WDGU

PRD364WIGU

· Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**

LR: BTU Electric Grill 15,000 high*/375 XLO 1,630 W LF: BTU (6-pass 2x) 22,000 XHI*/375 XLO

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



Porcelain Surface and All Telescopic Oven Racks

Four Pedestal Star® Burners

(Four with ExtraLow®) and

· Non-stick surface Electric Griddle, convertible to Grill

with optional accessory

PA12GRILLW or PA12GRILFW RR: BTU LR: BTU Electric Griddle 15,000 high*/375 XLO 15,000 high*/375 XLO 1,630 W LF: BTU

RF: BTU (6-pass) 22,000 XHI*/375 XLO 18,000 high*/375 XLO

> 10,199 11,249 PRD364WDGU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

10,199 11,249



Four Pedestal Star® Burners (Four with ExtraLow®) with Liberty Induction

· Teppan-yaki accessory TEPPAN1016 sold separately

LR: BTU RR: BTU 15,000 high*/375 XLO 15,000 high*/375 XLO RF: BTU I F. BTU 22,000 XHI*/375 XLO 18,000 high*/375 XLO

Induction 3.600 W 230 V 3,300 W 208 V

10.599 11.699



PRD364WIGU

Porcelain Surface and All Telescopic Oven Racks

36" Stainless Steel with

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.













Number Description UMRP MSRP

48" Dual-Fuel Ranges

 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Electric Griddle Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass)

RR: BTU	
15,000 high*/375 XLO	
RF: BTU	
18,000 high*/375 XLO	



PRD486WDGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 13,349 14,699



 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Indoor Pro Electric Grill Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRD486WLGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 13,349 14,699



 Four Pedestal Star® Cooktop (Four with ExtraLow®) with fusion non-stick surface Indoor Pro Electric Grill, and Griddle

 Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/375 XLO
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/375 XLO

Electric Grill 1,630 W (6-pass 2x) Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

> Electric Griddle 1,630 W (6-pass)



PRD484WCGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 13,649 15,049



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number Description UMRP **MSRP**

48" Dual-Fuel Ranges

 Six Pedestal Star[®] Burner Cooktop (Four with ExtraLow®) with Liberty Induction

· Teppan-yaki accessory TEPPAN1016 sold separately

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/375 XLO	18,000 high*3,000 low	18,000 high*/375 XLO

Induction 3,600 W 230 V 3.300 W 208 V

PRD486WIGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 13,899 15,299

PRD486WIGU







60" Dual-Fuel Ranges

The Ultimate Entertainer's Center™

 Six Pedestal Star Burners (Four with ExtraLow) with Indoor Pro Electric Grill and 12" Griddle

LR: BTU

 Indoor Pro Electric Grill. convertible to Griddle with optional accessory **PAGRIDDLEW**

Electric Griddle Electric Grill 1,630 W

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



12,500 high*/3,000 low 12,500 high*/375 XLO LF: BTU CF: BTU 22,000 XHI*/375 XLO 18,000 high*/3,000 low

1,630 W (6-pass 2x)

(6-pass)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

17,449 19,199





PRD606WCG

60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

CR: BTU

The Ultimate Entertainer's Center™

 Six Pedestal Star Burners (Four with ExtraLow") with 24" **Dual Zone Griddle**

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU CR: BTU 12,500 high*/375 XLO 12,500 high*/3,000 low LF: BTU CF: BTU 22,000 XHI*/375 XLO 18,000 high*/3,000 low

24" Electric Griddle 1,630 W (Left & Right) (3,260 W total)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRD606WEG

60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 17,449 19,199

* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

All Pro Grand® Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star[®] Burners with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- · Steam and convection oven
- · Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with Four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift, Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Indoor Pro Electric Grill (convertible to griddle with griddle accessory),

- L.P. conversion kit ordered separately for converting burners for L.P. gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- · Star-K certified
- · CSA certified
- Indoor Pro Electric Grill Model: 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating

Oven features:

- Thermador Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose[®] hinges for ultra-smooth closing
- Large oven includes three Full Access[®] telescopic racks with integrated easy-grip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion and preheat status with audible alert

Steam Oven features:

- 27 Easy Cook[®] programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- · 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- · Non-plumbed
- · Steam Clean function

Warming drawer features:

- · Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-4)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

Number Description UMRP MSRP

48" Dual-Fuel Steam Range

The Ultimate Culinary Center™

 Six Pedestal Star[®] Burners (Four with ExtraLow[®])

 Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRD48WDSGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

15,449 16,999 PRD48WDSGU



The Ultimate Culinary Center™

 Six Pedestal Star® Burners (Four with ExtraLow®) Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRD48WLSGU

PRD48WLSGU

PRD48WISGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

15,449 16,999



The Ultimate Culinary Center™

 Six Pedestal Star[®] Burners (Four with ExtraLow[®]))

Liberty Induction.

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low	18,000 high*/375 XLO

 Teppan-yaki accessory TEPPAN1016 sold separately

> Induction 3,600 W 230 V 3,300 W 208 V



16,399 18,049

PRD48WISGU



48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description **UMRP** MSRP

48" Dual-Fuel Steam Range

The Ultimate Culinary Center™

- Four Pedestal Star® Burners (Four with ExtraLow®)
- · Indoor Pro Electric Grill and Griddle

24" Electric Griddle

1,630 W (Left & Right)

(3,260 W total)

LR: BTU	CR: BTU	Electric Grill
15,000 high*/375 XLO	15,000 high*/375 XLO	1.630 W
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/375 XLO	(6-pass 2x)

· 24" stainless steel cover PA24CVRW for Grill/Griddle sold separately

> Electric Griddle 1,630 W (6-pass)



16,099 17,749

PRD48WCSGU





48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

60" Dual-Fuel Steam Range

The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- 24" Dual Zone Griddle

LR: BTU

12,500 high*/375 XLO


LF: BTU

22,000 XHI*/375 XLO

• 5.7 cu. ft. main oven cavity accommodates commercial size full sheet pan •

accessory PA24CVRR for 24" Griddle sold separately

· 24" stainless steel cover





PRD606WESG

PRD606WESG

PRD48WCSGU

60" Stainless Steel with Porcelain Surface and

CR: BTU

12,500 high*/3,000 low

CF: BTU

18,000 high*/3,000 low

All Telescopic Oven Racks (main oven)

19,949 21,949



The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- Indoor Pro Electric Grill and 12" Griddle
- 5.7 cu. ft. main oven cavity accommodates commercial
- size full sheet pan
- · 24" stainless steel cover PA24CVRW for Grill/Griddle sold separately



PRD606WCSG

LR: BTU CR: BTU 12,500 high*/375 XLO 12,500 high*/3,000 low LF: BTU CF: BTU 22,000 XHI*/375 XLO 18,000 high*/3,000 low

Electric Grill 1.630 W (6-pass 2x)

Electric Griddle 1.630 W (6-pass)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRD606WCSG 60" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

19,949 21,949

* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

All Pro Grand® Series All Gas Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Patented Pedestal Star® Burner with QuickClean Base™ (Four with ExtraLow® Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24.
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow Simmer burners (two far-left pair and two far-right pair)

Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- · Electric Griddle (convertible to grill with grill accessory),

Indoor Pro Electric Grill model:

1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating

- · Indoor Pro Electric Grill (convertible to griddle with griddle accessory)
- · NEW Gas ranges are now field convertible from natural gas to liquid propane-kits sold separately
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- · Star-K certified

Oven features:

- SoftClose® hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access telescopic racks with integrated easy-grip handles

Large oven:

- Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/L.P.)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- · 6 conventional cooking modes
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 11/2 hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible

Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume*
- Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/L.P.)
- · Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Note

- · It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador® Professional Hoods, page 6-4)
- · For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

36" All-Gas Range

 Four Pedestal Star Burners (Four with ExtraLow")

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high*/375 XLO LF: BTU 22,000 XHI*/375 XLO

Electric Griddle 1.630 W (6-pass)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks



PRG364WDG



PRG364WDG

**15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden

8,749

9.649

^{*}According to AHAM Standards

Number Description UMRP MSRP

36" All-Gas Range

 Four Pedestal Star Burners (Four with ExtraLow)

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional PAGRIDDLEW

LR: BTU 15,000 high*/375 XLO LF: BTU 22,000 XHI*/375 XLO Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO nnn © Honn

PRG364WLG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 8,749 9,649

PRG364WLG



 Six Pedestal Star[®] Burners (Four with ExtraLow[®])

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI**/375 XLO	18,000 high**/3,000 low	18,000 high**/375 XLO

PRG366WG 36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

8,099 8,949



PRG366WG



48" All-Gas Range

 Six Pedestal Star[®] Burners (Four with ExtraLow[®])

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRG486WDG

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 11,549 12,749

PRG486WDG







NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

PRO GRAND® SERIES—ALL-GAS RANGES AND ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Number Description UMRP MSRP

48" All-Gas Range

 Six Pedestal Star[®] Burners (Four with ExtraLow[®])

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional PAGRIDDLEW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/3,000 low

Electric Grill 1,630 W (6-pass 2x) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRG486WLG

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 11,549 12,749 ^F



Accessorie	es							D	ual	Fu	el						Ste	eam	1			Al	I G	as	
						3	6"			48	8"		60)"		4	8"		60)"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	, ·	12" Grill Plate Accessory w/ Tray (for Griddle Models)) Fusion coated access						•		•		•	•	•		•		•	•	•		•		•	
Minney	PA12GRILLW	to the "high-release" a 12" Grill Plate Accessory w/ Tray	319	ries. 359																					
	,	(for Griddle Models) usion) surface coating (" and durable over time.	high-rel	ease")				•		•		•	•	•		•		•	•	•		•		•	
	PAGRIDLFW	12" Griddle Plate Accessory w/ Tray (for Grill Modules)	319	359			•				•	•		•			•	•		•			•		•
		Fusion coated access to the "high-release" a																							
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Mo	319 odules)	359			•				•	•		•			•	•		•			•		•
	TEPPAN1016	Teppan-yaki pan for Induction models	399	439	•				•						•										

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number Description

Accessorie	es							D	ual	Fu	el						Ste	eam	1			Al	I G	as	
						3	6"			48	8"		60)"	L,	48	3"		60)"		36"	_	48	3"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	PABRICKW	Flat Ceramic Briquettes (no Basket	99 t)	109			•				•	•		•			•	•		•			•		•
	PABRICKBKW	Flat Ceramic Briquettes with Baske	199 et	219			•				•	•		•			•						•		•
	PAGRIDDLE	Griddle sits on top of Grates two Burners, high-rele coating		219 face	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
10 0	PA24CVRR	24" Cover for Griddle	299	329									•						•						
0	PA24CVRW	24" Cover for Grill/Griddle Comb Models	259 oination	289								•		•				•		•					
~	PA12LCVRN	12" Cover Professional Indoor G	299 Grill	329			•				•	•		•			•	•		•			•		•
	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•		•		•		•		•		•		•	
	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Number

Description

Accessorie	es							D	ual	Fu							Ste	an					II G	_	
						36	3"			48	3"		60	_		48	3"		6)"		36'		48	3"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
1 =	PAALTKITGW	High Altitude Kit, NG Pro Grand Rang 5.4K ft to 10.2K ft	89 es,	99	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	_	tude kit, please see the be List in the Sales Sha		s &	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
/	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fue	199 I Ranges	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
/	PALPKITGGW	LP Conversion Kit Pro Grand Gas Ran	199 ges	219																	•	•	•	•	•
	NEW PARKB36	6IGY Blue Knob Kit 36" Grill/Ind Gra	249 and	279	•		•																		
	NEW PARKB36	6GY Blue Knob Kit 36 " Gas Grand	249	279																	•				
	NEW PARKB36	6CGY Blue Knob Kit 36 " Combi Gra	279 nd	309		•		•														•	•		
	NEW PARKB48	BCGY Blue Knob Kit 48 " Combi Gra	384 nd	429					•	•	•	•			•			•							
	NEW PARKB48	3SGY Blue Knob Kit 48 " Combi Stea	379 am Gran	419 d												•	•							•	•
	NEW PARKB60	OCGY Blue Knob Kit 60 " Combi Gra	349 nd	389									•	•											
	NEW PARKB60	OSGY Blue Knob Kit 60 " Combi Stea	349 am Gran	389 d															•	•					

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number Description

Accessorie	es							D	ual	Fu	el					Ste	eam	1			Al	l G	as	
						36	3"			48	3"		60"		48	8"		60)"		36"		48	,"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	CSRACKH	Wire Rack	199	219											•	•	•	•	•					
	PA36WTKG	Toe Kick for 36" Pro Grand [®] Ra	109 ange	119	•	•	•	•												•	•	•		
	PA48WTKG	Toe Kick for 48" Pro Grand [®] Ra	109 ange	119					•	•	•	•			•	•	•						•	•
	PA60WTKG	Toe Kick for 60" Pro Grand [®] Ra	139 ange	159									•					•	•					
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fue Ranges	479 I Pro G	529 irand [®]	•	•	•	•												•	•	•		
	PA48WLBG	7" Low Back, for 48" Pro Grand [®] G	509 as Ran	599 ges					•	•	•	•			•	•	•						•	•
	PA60WLBG	7" Low Backguard for 60" for Pro Grand	559 Rang	649 e									• •					•	•					

Thermador® VENTILATION

		30"	36"	42"	48"	60"/54"
WALL	Pro Grand [®]		PH36GWS	PH42GWS	PH48GWS	PH54GWS PH60GWS
	Pro Harmony®	PH30HWS	PH36HWS		PH48HWS	
	Masterpiece [®]	HMDW30WS	HMDW36WS			
	Low-Profile	HMWB30WS	HMWB36WS HMWB361WS		HMWB481WS	
WALL	Professional		HPCN36WS		HPCN48WS	
CHIMNEY WALL	Masterpiece®	HDDB30WS	HDDB36WS			
๋ 	Masterpiece [®]	HDCB30WS	HDCB36WS			
ISLAND	Pro Grand [®]			HPIN42WS		HPIN54WS
	Masterpiece [®]		HMIB36WS	HMIB42WS		
CUSTOM INSERT	Professional		VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS VCIN60GWS
O	Masterpiece [®]	VCI230DS	VCI236DS		VCI248DS	
DOWN- DRAFT	Masterpiece [®]	UCVM30XS	UCVM36XS UCVP36XS			
	i tion contained in this docui	nent is BSH Home Appliances	•	onfidential information. The re	lease or disclosure	i.

All Wall Hoods Include the Following Features:

- Beautiful illumination with multi-level, LED lights
- Dishwasher-safe commercial-style stainless steel baffle filters
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- · Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- · Check filter reminder light illuminates after 40 hours of operation

Accessory options available

· Built-in remote control panel, sold separate (see page 6-7)

All Masterpiece® Wall Hoods Include these Additional Features:

- · Equipped with the Thermador Connected Experience by Home Connect™
- · A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- · Brushed stainless steel
- Noise Control Technology™
- · Cooktop Hood-Sync Enabled
- · Vertical ducting direction
- · Integral blower included

2,199

2,199

2,349

Convertible to recirculation, accessory sold separate (see page 6-3)

Masterpiece® Series

Drawer Under Cabinet Wall Hood

- · A masterful blend of luxury and performance with a slide-out canopy design
- When the slide-out canopy is pushed back, it sits flush
- against surrounding cabinetry, and when pulled forward increases capture area
- · Fan can be activated in the closed or open position
- · 600 CFM integral blower included
- Transition to 6" round and backdraft damper included



HMDW36WS

30" Masterpiece®, Under Cabinet HMDW30WS

Drawer Wall Hood, 600 CFM

1,899 2,099

36" Masterpiece®, Under Cabinet HMDW36WS Drawer Wall Hood, 600 CFM

1,999

Low-Profile Wall Hood

HMWB361WS

HMWB481WS

- Chiseled design that is 24" depth, 11" tall
- Approved for use with Professional Series Ranges and Rangetops
- 16" tall and 28"-65" tall telescopic duct cover accessory options available, sold separate (see page 6-3)
- Transition to 10" round and backdraft damper included

1,999

2,099



HMWB30WS

HMWB30WS	30" Low-Profile Wall Hood, 600 CFM	1,799	1,999

36" Low-Profile Wall Hood, 600 CFM HMWB36WS 1.899 2.099

36" Low-Profile Wall Hood, 1000 CFM

48" Low-Profile Wall Hood, 1000 CFM

Number Description UMRP MSRP

Accessories—Masterpiece® Series

	Masterpiece											
Dra	wer	Lo	w F	rot	ile							
SW0EWDMH	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS							

Recirculation Accessories

- When ducting is not feasible, kit brings filtered air back into kitchen
- Replace charcoal filter every 3-6 months depending on usage
- Charcoal filter replacement accessory available (see below)
- Installation Note: RECHMWB30 and RECHMWB36 are brushed stainless steel, and adds 4"

height to the appliance.
Approved for use with
HMWB30WS and
HMWB36WS Low-Profile
Series Wall Hoods with 600
CFM blowers only

	•							
RECHMWB30	Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide	699	799			•		
RECHMWB36	Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide	749	849				•	
RECHMDW30	Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	129	149	•				
RECHMDW36	Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	129	149		•			
CHFHMDW30	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	99	109	•				
CHFHMDW36	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	99	109		•			
CHFILT3036	Replacement charcoal filters for recirculating wall hoods	109	119	•		•	•	
	RECHMWB36 RECHMDW30 RECHMDW36 CHFHMDW30	Low-Profile Wall Hood, 30" Wide RECHMWB36 Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide RECHMDW30 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide RECHMDW36 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide CHFHMDW30 Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide CHFILT3036 Replacement charcoal filters for	Low-Profile Wall Hood, 30" Wide RECHMWB36 Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide RECHMDW30 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide RECHMDW36 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide CHFHMDW30 Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide CHFILT3036 Replacement charcoal filters for 109	Low-Profile Wall Hood, 30" Wide RECHMWB36 Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide RECHMDW30 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide RECHMDW36 Recirculation Kit for Masterpiece® HMDW 129 149 Under Cabinet Drawer Hood, 36" Wide CHFHMDW30 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide CHFILT3036 Replacement charcoal filters for 109 119	Low-Profile Wall Hood, 30" Wide RECHMWB36 Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide RECHMDW30 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide RECHMDW36 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide CHFHMDW30 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	Low-Profile Wall Hood, 30" Wide RECHMWB36 Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide RECHMDW30 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide RECHMDW36 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide CHFHMDW30 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	Low-Profile Wall Hood, 30" Wide RECHMWB36 Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide RECHMDW30 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide RECHMDW36 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide CHFHMDW30 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters 99 109 For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	Low-Profile Wall Hood, 30" Wide RECHMWB36 Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide RECHMDW30 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide RECHMDW36 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide CHFHMDW30 Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide CHFHMDW36 Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide CHFILT3036 Replacement charcoal filters for 109 119

Optional Stainless Steel Duct Cover

•	Available in 16" and 20"-54"
	telescoping heights

 Can be used with Low-Profile HMWBxxWS Series Wall Hoods

 1				 1	_	_	$\overline{}$	—
<u>DCT3016W</u>	16" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	649	749		•			
<u>DCT3616W</u>	16" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	659	749			•	•	
DCT4816W	16" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	679	749					•
DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	749	849		•			
DC36MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	759	849			•	•	
DC48MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	779	899					•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Professional Wall Hoods Include these Additional Features:

- Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers
- Vertical or horizontal ducting discharge possible
- 6" tall and 20"-54" tall telescopic duct cover accessory options available, sold separate (see page 6-6)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-5).

VTI1010W

ago o o _j .	
Integral	Remote
VTN630W ¹	VTR630W ¹
VTN1090R	VTR1030W
Inline	VTR1330W
VTI610W ¹	

- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included

Accessory options available

- Duct cover accessory options (see page 6-6)
- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

Professional Series

Pro Harmony® Wall Hood

- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- A perfect companion to Pro Harmony[®] Professional Ranges
- Pro-style 24" depth, 18" tall
- Commercial-style stainless steel baffle filters



PH36HWS

PH30HWS	30" Pro Harmony® Wall Hood, Optional Blower	1,999	2,199
PH36HWS	36" Pro Harmony® Wall Hood, Optional Blower	2,099	2,349
PH48HWS	48" Pro Harmony® Wall Hood, Optional Blower	2,299	2,549

Pro Grand[®] Wall Hood

- Equipped with the Thermador Connected Experience by Home Connect[™]
- Adds distinct flair to your kitchen with bold, stainless steel wall
- hoods with design that echoes the thoughtful details of your Thermador kitchen
- Crafted to complete the ultimate cooking system with Pro Grand[®]

Professional Ranges

- Pro-style 27" depth, 18" tall
- Two infrared,175 W, Keep-Hot lamps (included)



PH36GWS



PH36GWS	36" Pro Grand [®] Wall Hood, Optional Blower	2,299	2,549
PH42GWS	42" Pro Grand [®] Wall Hood, Optional Blower	2,399	2,649

PH48GWS	48" Pro Grand® Wall Hood, Optional Blower	2,699	2,999

PH54GWS	54" Pro Grand®	' Wall Hood,	Optional	Blower	2,899	3,199

PH60GWS	60" Pro Grand [®] Wall Hood, Optional Blower ¹	3,649	4,049

¹ The 600 CFM blower options are not available with the 60" hood

Number Description UMRP MSRP

Professional Series Blow	vers			Mas	Masterpiece		Masterpiece		Masterpiece		e Profession			ıal
				Custom Insert	Custom Insert Downdraft		Wall	Chimney Wall	Island	Custom Insert				
Number	Model Description	UMRP	MSRP	VCI2xxDS	UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	HPINxxWS	VCINxxGWS				

Integral Blowers

Integrated into ventilation hood at the time of installation

VTN630W	600 CFM Integral Blower	609	699		•	•	•	•	
<u>VTN1090R</u>	1,000 CFM Blower	799	899		•	•	•	•	

Inline Blowers

- May be used as integral solution for VCI2xxDS Series custom hood inserts. See website for additional details
- Blower can be mounted along the duct line between the kitchen and the exterior wall
- 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-22)
- For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods

<u>VTI610W</u>	600 CFM Inline Blower, 6" duct size	609	699	•	•	•	•	•	•	•	
 <u>VTI1010W</u>	1,000 CFM Inline Blower, 10" duct size	799	899	•	•	•	•	•	•	•	

Remote Blowers

- For external roof or wall mount
- Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-22)
- 25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-22)
- For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods

	, , , , , , , , , , , , , , , , , , , ,										
9	<u>VTR630W</u>	600 CFM Remote Blower, 6" duct size	729	849	•	•	•	•	•	•	•
	<u>VTR1030W</u>	1,000 CFM Remote Blower, 10" duct size	769	849	•	•	•	•	•	•	•
99	<u>VTR1330W</u>	1,300 CFM Blower, 10" duct size	979	1,099	•	•	•	•	•	•	•

Model Number Description UMRP MSRP

Accessories—Professional

	Pro	ny		Pro	Gr	and	
'	Wall	l		,	Wal	I	
PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS

Optional Stainless Steel Duct Cover

- Available in 6" and 20"–54" telescoping heights
- Can be used with PHxxxWS Pro Grand[®] and Pro Harmony[®] Series Wall Hoods

neignis		and Fit Haimony Series Wall Hoods									
~	DC306W	6" Tall Duct Cover for Pro Wall Hoods, 30" Wide	469	519	•						
	DC366W	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	489	539		•		•			
	DC426W	6" Tall Duct Cover for Pro Wall Hoods, 42" Wide	499	549					•		
	DC486W	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499	549			•			•	
	DC3089W	8' - 9' Ceilings Telescoping Duct Cover, 30" wide	499	549	•						
	DC3689W	8' - 9' Ceilings Telescoping Duct Cover, 36" wide	509	599		•		•			
	DC4289W	8' - 9' Ceilings Telescoping Duct Cover, 42" wide	519	599					•		
	DC4889W	8' - 9' Ceilings Telescoping Duct Cover, 48" wide	529	599			•			•	
	DC361012W	10' - 12' Ceilings Telescoping Duct Cover, 36" wide	659	749		•			•		

Number Description UMRP MSRP

Accessories—Professional						Pro rmo Wall	ny					
					PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS PH48GWS		PH54GWS	PH60GWS
	DC481012W	10' - 12' Ceilings Telescoping Duct Cover, 48" wide	719	799			•			•		

Built-In Remote Control

- Ability to vertically install on cabinetry or wall to control hood in a convenient location
- Built-in sleek, smooth remote touch control panel
- Compatible with HDDBxxWS, HMCBxxWS, HMDWxxWS, HMIBxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, HPINxxWS, PHxxxWS, and

VCINxxGWS Series hoods

- · Wired to hood
- · Cable length: 30 ft.

REMCPW Built-In Remote Control Accessory 319 359 • • • • • • •

Recirculation Accessories

For non-ducted operation of Thermador[®]
 Wall Hoods

Available for HMWB3xWS (30" and 36")
 Wall Hoods with 600 CFM blowers only



CHFILT3036 Replacement charcoal filters for recirculating wall hoods

109

119

Number Description UMRP MSRP

Blower and Duct Accessories

На	Pro rmo Wall	Ť			Gr Wal	and	k
PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS

Remote & Inline Blower Extension Cable

- 25-ft. extension cable for use between hood and inline or remote blower
- Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36XS and VCINxxGWS series hoods
- Cannot join two cables together for longer length.
- For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W

	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139	•	•	•	•	•	•	•	•
1)	EXTNSET4	3-pc extension set for Inline and remote blowers; For older generation hoods when paired with new generation blowers	159	179	•	•	•	•	•	•	•	•
Roof Plates NOTE: Roof p	plate required for ro	of-mount application of remote blowers.										
	RFPLT600P	Roof mounting plate for VTR630W and VTR630W	129	149	•	•	•	•	•	•	•	•
	RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W, VTR1330W	159	179	•	•	•	•	•	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All Chimney Wall Hoods include the following features:

- Beautiful illumination with multi-level, LED lights
- · Dishwasher-safe filters
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- · Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-7)

All Masterpiece® Chimney Wall Hoods include these Additional features:

- Equipped with the Thermador Connected Experience by Home Connect™
- A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- · Brushed stainless steel
- Serves as the focal point of the room and can add a modern feel
- · Cooktop Hood-Sync Enabled

- 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings
- Transition to 8" round and backdraft damper included
- Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings available, sold separate (see page 6-12)
- Convertible to recirculation, accessory sold separate (see page 6-12
- Hybrid mesh filters with stainless steel frame
- · Vertical ducting direction

Masterpiece® Series

Pyramid Chimney Wall Hood

 Streamlined, contemporary, low-profile design with 5" pyramid canopy height Noise Control Technology™



HMCB30WS 30" Masterpiece® Pyramid Chimney Wall Hood, 2,099 2,349 HMCB30WS

600 CFM

HMCB36WS 36" Masterpiece® Pyramid Chimney Wall Hood, 2,199 2,449

600 CFM

Drawer Chimney Wall Hood

- A masterful blend of luxury and performance with unique slideout canopy design that can be pushed back for increased head room or pulled forward for increased capture area
- Can be activated whether in the open or closed position
- Noise Control Deluxe™



HDDB30WS



<u>HDDB30WS*</u> 30" Masterpiece® Drawer Chimney Wall Hood, 2,499 2,749

600 CFM

<u>HDDB36WS*</u> 36" Masterpiece® Drawer Chimney Wall Hood,

600 CFM

2,699 2,999

^{*} Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

All Professional Chimney Wall Hoods include these Additional features:

- · Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops
- · Sculpted brushed stainless steel
- Creates a focal point in the room with a more contemporary-style feel
- Make-up air damper relay switch (120 V
- · Transition to 10" round and backdraft damper included
- Duct cover accessory options available, sold separate (see page 6-11)
- · Pro-style 24" depth, 18" tall

- · Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- 6" tall, 18"- 35" tall telescopic, and 42"-59" tall telescopic duct cover accessory options available, sold separate (see page 6-11)
- · Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-5).

Integral Remote VTN630W VTR630W VTN1090R VTR1030W Inline VTR1330W VTI610W VTI1010W

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

Professional Series

Pro Grand[®] Chimney Wall Hood

36" Professional® Chimney Wall Hood, 2,999 **HPCN36WS** 2,699

Optional Blower

48" Professional® Chimney Wall Hood, HPCN36WS **HPCN48WS** 3,199 3,549

Optional BlowerPro




Number Description UMRP MSRP

Accessories	Maste	rpiece	Pr	o
	Drawer	Wall	Wa	all
	DDB30WS DDB36WS	MCB36WS MCB36WS	PCN36WS	PCN48WS

Remote & Inline Blower Extension Cable

- 25-ft. extension cable for use between hood and inline or remote blower
- Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36XS and VCINxxGWS series hoods
- Cannot join two cables together for longer length.
- For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W



Duct Cover

- Available in 6" tall, 18"–35" tall telescopic, and 42"–59" tall telescopic heights
- Can be used with HPCNxxWS Professional Series Chimney Wall Hoods

	CHMHP366W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 36" Wide	499	549			•	
	CHMHP486W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 48" Wide	509	599				•
	CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	649	749			•	
	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	659	749				•
V	CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	719	799			•	

Number Description UMRP MSRP

Accessorie	es				N	laste	rpiec	е	P	ro
					Dra	wer	W	all	W	all
					HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS	HPCN36WS	HPCN48WS
	CHMHP48XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	739	849						•

Chimney Wall Hood Extension Kits

 Stainless steel telescopic chimney extension for 9-ft to 12-ft tall ceilings

	CHXTHDDW	9'-12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece® Chimney Drawer Hood	579	649	•	•			
(335) 1022 8022 657) 33 ⁷ /h* (800)	<u>CHXTHMCB</u>	9'-12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece® Pyramid Chimney Hood	579	649			•	•	

Chimney Wall Hood Recirculation Accessories

- When ducting is not feasible, kit brings filtered air back into kitchen
- Replace charcoal filter every 3–6 months depending on usage
- Charcoal filter replacement accessory available (see below)

RECHDDB	Recirculation Kit for Masterpiece® HDDBxxWS Drawer Chimney Wall Hood	159	179	•	•			
RECHMCB	Recirculation Kit for Masterpiece® HMCBxxWS Chimney Wall Hood	159	179			•	•	
CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109	119	•	•	•	•	

Number Description **UMRP MSRP**

All Island Hoods include the following features:

- Equipped with the Thermador Connected Experience by Home Connect™
- · Beautiful illumination with multi-level, LED lights
- · Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- · Check filter reminder light illuminates after 40 hours of operation
- · Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-7)

Masterpiece® Series

Low-Profile Island Hood

- Sleek and slim, these meticulously sculpted, floating stainless steel island hoods catch the eye without obstructing views
- · A perfect complement to Thermador Masterpiece® Series cooktops
- Brushed stainless steel

- · Cooktop Hood-Sync Enabled
- Noise Control Deluxe™
- 600 CFM integral blower
- · Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings
- Transition to 8" round and backdraft damper included

· Convertible to recirculation, accessory sold separate (see page 6-15)

Accessory options available

· Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings (see page 6-15)



HMIB36WS



HMIB36WS	36" Masterpiece® Box Island Hood,	2,999	3,299
HIVIID30VVS	36 Masterpiece Box Island Hood,	2,999	3,299

42" Masterpiece® Box Island Hood, HMIB42WS 3,099

600 CFM

600 CFM

3,449

Number Description UMRP MSRP

Professional Series

Box Island Hoods

- A stunning, meticulously crafted piece that could be a conversation starter while entertaining in the kitchen
- Designed and engineered to match in design and performance with Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Unique angled box canopy island hood design
- Dishwasher-safe commercialstyle stainless steel baffle filters
- Make-up air damper relay switch (120 V max)

- Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers
- Transition to 10" round and backdraft damper included
- For ceiling applications of 8' to 9' height
- May require fabrication for custom height

 Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-5).

page o o).	
Integral	Remote
VTN630W,	VTR630W
VTN1090R	VTR1030W
Inline	VTR1330W
VTI610W	
VTI1010W	

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)



HPIN42WS



HPIN42WS 42" Professional® Island Hood,

Optional Blower

HPIN54WS 54" Professional® Island Hood,

Optional Blower

3,399 3,749

3,999 4,399

Model Number Description UMRP MSRP

Accessorie	es				Maste	rpiece	P	ro
					Low F	Profile	В	ox
	ote & Inline Blower Extension Cable If. extension cable for use tween hood and inline or note blower If. extension cable for use tween hood and inline or note blower If. extension cable for use tween hood and inline or note blower If. extension cable for use tween hood and inline or note blower If. extension cable for use tween hood and inline or note blower If. extension cable for use tween hood and inline or note blower for longer length. If. extension cable for use tween hood and inline or note blowers for longer length. If. extension Cable for use tween hood for longer length. If. extension cable for use tween hood and inline or note blowers for longer length. If. extension cable for use tween hood for longer length. If. extension cable for use tween hood for longer length. If. extension cable for use tween hood for longer length. If. extension cable for use tween hood for longer length. If. extension cable for use tween hood for longer length. If. extension cable for use tween hood for longer length. If. extension cable for use tween hood for longer length. If. extension cable for use tween hood for longer length. If. extension cable for use the lowers for longer length. If. extension cable for longer length. If. extension cable for longer length. If. extension cable for longer length. If. extension (and intension with language length. If. extension (and intension with language length. If. extension (and intension with language length. If. ex		HMIB36WS	HMIB42WS	HPIN42WS	HPIN54WS		
Remote & In	line Blower Extens	sion Cable						
between ho	ood and inline or	HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and	VTI610W, VTI1010W, VTR630W, VTR1030W,					
	EXTNCB25W		119	139			•	•
	EXTNSET4	remote blowers; For older generation	on	179			•	•
Low-Profile I	sland Hood Exten	sion Kit						
chimney ex	tension for 9-ft to							
	CHXTHMIB			799	•	•		
Low-Profile I	sland Hood Recirc	culation Accessories						
		Masterpiece® Island Hood						
Replace ch	-	accessory available (see			•	•		
	RECHMIB		159	179	•	•		
	CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109	119	•	•		
	CHFILISL	Charcoal filter for Island Hoods	99	109				

Number Description UMRP MSRP

All Custom Inserts include the following features:

· Vertical ducting

 Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-5). Integral VTN630W VTN1090R Inline VTI610W¹, VTI1010W Remote VTR630W VTR1030W VTR1330W

Masterpiece® Series

30" Custom Insert

- Approved for use with Professional Series Ranges and Rangetops
- Optional baffle filters for professional performance
- · Halogen lights
- · Electronic controls
- · Delayed shut off
- · Filter change light
- Protect cabinetry with Liner accessory², sold separately (see page 6-17)



VCI230DS

VCI230DS	30" Custom Insert	1,099	1,249
VCI236DS	36" Custom Insert	1,199	1,349
VCI248DS	48" Custom Insert	1,299	1,449

Custom Insert Hoods

- Equipped with the Thermador Connected Experience by Home Connect™
- Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials
- Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops
- · Brushed stainless steel
- Dishwasher-safe commercialstyle stainless steel baffle filters

- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Make-up air damper relay switch (120 V max)

- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Includes custom hood trim to complete custom insert installation
- Transition to 10" round and backdraft damper included
- Built-in remote control panel accessory available, sold separate (see page 6-7)

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

Professional Series



VCIN48GWS



^{36&}quot; Professional® Custom Insert, Optional Blower VCIN36GWS 1,799 1,999 42" Professional® Custom Insert, Optional Blower VCIN42GWS 1,899 2,099 VCIN48GWS 48" Professional® Custom Insert, Optional Blower 1,999 2,199 VCIN54GWS 54" Professional® Custom Insert, Optional Blower 2,099 2,349 VCIN60GWS 60" Professional® Custom Insert, Optional Blower3 2.199 2.449

¹ The 600 CFM blower options are not available with the 60" hood

² Cabinet cutouts and dimensions must be prepared based on the Liner Accessory and Insert Hood (as opposed to only the Insert Hood) when using a Liner in combination with an Insert Hood.

³ The 600 CFM blower options are not available with the 60" hood

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Accessories					Mas	terpi	ece		ı	Pro		
					VCI230DS	VCI236DS	VCI248DS	VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS
Remote & Inline	Blower Extensi	on Cable										
25-ft. extension between hood a remote blower		 Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods 	 For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W 									
		Cannot join two cables together for longer length.						L,				
	XTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139				•	•	•	•	•
/) } E	XTNSET4	3-pc extension set for Inline and remote blowers; For older generation hoods when paired with new generations.		179	•	•	•	•	•	•	•	•
Baffle Filters Stainless steel Low profile des		Dishwasher safe	 Use only with Masterpier Series Custom Inserts 	ce®								
<u>B</u>	AFFLT30	30" Baffle Filter for VCI230DS	199	219								
B	AFFLT48	48" Baffle Filter for VCI248DS	299	329								
Protect custom stainless steel I Use only with M Series Custom	liners ⁄/asterpiece®	Installation Note: Cabinet cut- outs and dimensions must be prepared based on the Liner Accessory and Insert Hood (as opposed to only the Insert)	Hood) when using a Line combination with an Inse									
Ш	INER30	Liner for 30" VCI230DS	299	329								
	INER36	Liner for 36" VCI236DS	299	329	•	•	•					
Ш	INER48	Liner for 48" VCI248DS	299	329								

All Downdrafts include the following features:

- Designed for installation with all Thermador® cooktops except Professional Series
- All models feature six possible discharge connections including front, side, down, and rear as well as recirculation
- · Stainless steel
- Sleek, removable front filter panel design that act as a splatter shield
- Dishwasher safe mesh filters
- · Three speeds
- Convenient 10-minute time-delay shut-off feature

- · Filter maintenance reminder light
- · Automatic mode
- Recirculation possible with electric and induction cooktops, Accessory Sold Separately (UCVRECIRC see page 6-19)

Required To Complete The Installation:

 Blower Options, Sold Separately. Works with the following blowers, sold separately (see page 6-5).

Integral	
VTD600P	
see page 6-20	
Inline	
VTI610W	
VTI1010W	

Remote VTR630W VTR1030W VTR1330W Downdraft transitions may be required to complete the installation depending on exhaust direction & blower chosen: [see page 6-21]

CVTSIDE6	CVTRECT2
CVTSIDE8	CVTFRONT6
CVTSIDE10	CVTFRONT8
CVDUCT2	CVTFRONT10

Accessory options available

MSRP

- Gas cooktop seal kit sold separately, required for installation with gas cooktops (UCV30ST, UCV36ST [see page 6-19)
- 5' electrical panel extension cable (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-22])
- 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-22)

Masterpiece® Series

Downdraft Ventilation System

<u>UCVM30XS</u> 30" Masterpiece® Downdraft

15" Snorkel, Optional Blower

1,599 1,799

1,999

2,349

1,799

2.099



UCVM36XS 36" Masterpiece® Downdraft

15" Snorkel, Optional Blower

<u>UCVP36XS</u> 36" Masterpiece® Downdraft, Deluxe

18" Snorkel, Optional Blower

LED Task Bar Lights

NOTE: Transition required and sold separately for all remote and inline blower installations.



UCVP36XS

UCVM36XS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Components				UCVM30XS	UCVM36XS	UCVP36XS
Downdraft Recirculation Kit				,		
 For use with 30" UCVM30XS, 36" UCVM36XS, and 36" UCVP36XS downdraft models only Works in wall or island 	 For use with 30" UCVM30XS, 36" UCVM36XS, and 36" UCVP36XS downdraft models only To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Cas Capitans Fits in toe-kick/socket heights of 4" or taller Module and grill vent plate can be placed so air does not 		te			
applicationsWhen ducting is not feasible, kit brings filtered air back into	 Module ships with one heavy duty charcoal filter and two metal grill vent plates 	Blower and downdraft so separatelyReplacement charcoal file				
kitchen after passing through a charcoal filter	 Mounts to cabinet base, recesses into toe kick/socket area 	available, sold separately				
UCVRECIRC	Recirculation kit for downdraft UCVM30XS, UCVM36XS, UCVP3 downdrafts only. VTD600P Blowe required, sold separately. Replace every 3-6 months depending on u	r e filters	699	•	•	•
UCVFILTER	Charcoal filter replacement For use with UCVRECIRC recircu	109 ulation kit (above)	119	•	•	•
Gas Cooktop Seal Kit For use with 30" UCVM30XS, 36" UCVP36XS downdraft models only A Required for installation with gas cooktops A Required for installation with gas cooktops						
UCV30ST	30" gas cooktop seal kit For UCVM30XS, UCVM36XS, UCVP36XS downdrafts	129	149	•	•	•
UCV36ST	36" gas cooktop seal kit For UCVM30XS, UCVM36XS, UCVP36XS downdrafts	129	149	•	•	•



VTD600P

600 CFM, 8" duct size
flexible integrated blower
Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only

Inline Blowers

- May be used as integral solution for VCl2xxDS Series custom hood inserts. See website for additional details
- Blower can be mounted along the duct line between the kitchen and the exterior wall
- 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-22)
- For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series ventilation hoods

VTI610W	600 CFM Inline Blower, 6" duct size	609	699	•	•	•
 <u>VTI1010W</u>	1,000 CFM Inline Blower, 10" duct size	799	899	•	•	•

Remote Blowers

- · For external roof or wall mount
- Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-22)
- 25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-22)
- For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods

0	<u>VTR630W</u>	600 CFM Remote Blower, 6" duct size	729	849	•	•	•
9	<u>VTR1030W</u>	1,000 CFM Remote Blower, 10" duct size	769	849	•	•	•
	<u>VTR1330W</u>	1,300 CFM Blower, 10" duct size	979	1,099	•	•	•

Model Number Description UMRP MSRP

Components	ICVM30XS	ICVM36XS	ICVP36XS	
	ĭ	ĭ	ň	

Downdraft Transitions

Transition(s) may be required to complete the installation of 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdrafts depending on the discharge connection chosen in combination with the downdraft blower selected (see installation manual) • For use with inline and remote blowers


	CVTSIDE6	6" side/rear transition Rectangular 1 %"x19" transition to 6" round for side, down and rear exhaust applications	199	219	•	•	•
0	CVTSIDE8	8" side/rear transition Rectangular 1 1/8"×19" transition to 8" round for side, down and rear exhaust applications	199	219	•	•	•
6	CVTSIDE10	10" side/rear transition Rectangular 1 1/2"×19" transition to 10" round for side, down and rear exhaust applications	199	219	•	•	•
0	CVTFRONT6	6" round front plate Front rough-in plate for front downward exhaust appli	99 cations	109	•	•	•
0	CVTFRONT8	8" round front plate Front rough-in plate for front downward exhaust appli	99 cations	109	•	•	•
	CVTFRONT10	10" round front plate Front rough-in plate for front downward exhaust appli	99 cations	109	•	•	•
	CVDUCT2	2' rectangular duct Rectangular duct that is 2' long×1 %" deep×19" wide (CVDUCT2) required to CVTRECT2 to downdraft housing. Ability to use as ar exhaust through a cabinet or wall. To modify length, o cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be u nect CVTRECT2 to round ductwork	n extens duct may	ion to be	•	•	•
	CVTRECT2	Transition for rectangular duct Required to attach CVDUCT2 2' rectangular duct to downdraft housing	99	109	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description **UMRP MSRP Accessories** Integrated Downdraft Blowers Remote **JCVM36XS JCVM30XS** VTR1030W VTR1330W VTI1010W /TR630W VTD600P VT1610W

Remote & Inline Blower Extension Cable

- 25-ft. extension cable for use between hood and inline or remote blower
- Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36XS and VCINxxGWS series hoods
- Cannot join two cables together for longer length.

 For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W



Electrical Panel Extension Cable

- For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only
- Cable connects a remotely located electrical panel to the downdraft during remote and inline blower motor installation applications
- Cable provides ability to connect electrical panel to the downdraft from a remote location with 5-feet during installation applications with downward duct discharge so the electrical panel is out of the way
- Extends electrical panel cable an additional 5'
- Ability to connect two cables together to make a 10' cable
- Not to be used to connect the downdraft with inline and remote blowers




EXTNCE5

5' Electrical Panel Extension Cable for Downdraft. For UCVM30XS, UCVM36XS, UCVP36XS downdrafts 199 219

Roof Plates

NOTE: Roof plate required for roof-mount application of remote blowers.



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Dishwashers include the following features:

- Superior washing and drying performance guaranteed
- · Concealed controls
- Black-shimmer racks with 3-Step adjustment
- · A highly flexible racking system
- 18/10 Stainless steel TallTub
- ENERGY STAR® certified
- Powerfully Quiet[®] operation
- Sens-a-Wash[®]
- · Advanced Triple Filtration System

- Hidden Heating Element
- · Leak Sensor and Auto Shut off
- Connected Experience
- TFT Capacitive Touch Controls
- Mome Connect
 Wi-Fi enabled/Home Connect
 app compatibility

Wash Cycles:

- Normal
- Auto
- · Pots and Pans
- Hand Wash
- Rinse

Options:

- PowerBoost[®]
- 24-hour Delay Start
- Half Load
- Remote Start (Connected)

Emerald Series

- 48 dBA
- Chef's Tool Drawer™ (third rack)
- 16 place settings

DWHD650WFM

DWHD650WFP

DWHD650WPR

• Extra-Tall-Item Sprinkler

Blue PowerBeam[®] "on" indicator

 New Capacitive touch control panel

24" Masterpiece® Stainless Steel Emerald®

24" Professional Stainless Steel Emerald®

24" Custom Panel Emerald®

(Requires Custom Panel)

Additional Wash Cycles:

• Quick (30 minute Wash)

1,399

1,399

1.399

1,549

1,549

1.549

Additional Options:
• Extra Dry



DWHD650WFM



DWHD650WFP



DWHD650WPR



Topaz[®] Series

- 44 dBA
- · Premium Smooth Glide Racks
- Chef's Tool Drawer[™] (third rack)
- · 16 place settings
- · Extra-Tall-Item Sprinkler
- · Stainless steel control panel
- Time remaining PowerBeam[®] indicator
- Crystal Protect[®] System
- · Water softener

Additional Wash Cycles:

Quick

Additional Options:

 Extra Dry; Sanitize (NSF certified to remove up to 99.9% of bacteria)

1.799

1,799

1,799

1.999

1,999

1,999



DWHD660WFM



DWHD660WFP



DWHD660WPR



<u>DWHD660WFM</u> 24" Masterpiece® Stainless Steel Topaz®

(Currently not available)

<u>DWHD660WFP</u> 24" Professional Stainless Steel Topaz[®]

DWHD660WPR 24" Custom Panel Topaz®

(Requires Custom Panel) (Currently not available)

Number Description UMRP MSRP

Sapphire® Series

•	42	dB	А
•	42	ub	м

- Adjustable Chef's Tool Drawer™ (third rack)
- 16 place settings
- · Flexible folding tines
- Extra-Tall-Item Sprinkler
- Stainless steel control panel
- Time remaining PowerBeam[®] indicator
- Sapphire Glow™ Interior Light
- Crystal Protect[®] System
- · Water Softener
- Push to Open

Additional Wash Cycles:

· Quick; 1 hour

Additional Options:

 Sanitize (NSF certified to remove up to 99.9% of bacteria), Save Time; StarDry™ – with Zeolite ™, an exclusive Thermador drying solution

2,299

2,299

2,299

2,549

2,549

2,549

3,099

3.099

DWHD770WFM		_
	-1-(4)10	Personal Princer
	-	V

DWHD770WFP



DWHD770WPR

○ Home Connect

DWHD770WFM
DWHD770WFP

24" Masterpiece® Stainless Steel Sapphire®

DWHD770WFP 24" Professional Stainless Steel Sapphire®

<u>DWHD770WPR</u> 24" Custom Panel Sapphire® (Requires Custom Panel)

Star Sapphire® Series

- 44 dBA
- · Premium Smooth Glide Racks
- Entertainer's Drawer (third rack)
- 16 place settings
- · Flexible folding tines
- Extra-Tall-Item Sprinkler
- Time remaining PowerBeam[®] indicator
- StarGlow™ interior light allows you to change the color & intensity to match the ambiance of your kitchen via the Home Connect app.
- Crystal Protect[®] System
- 18 wine glass capacity
- · Push to Open

Additional Wash Cycles:

- StarSpeed[®]–
 20 min. hot water wash
- Glass
- Star 60 (1 hour wash)

Additional Options:

 Sanitize (NSF certified to remove up to 99.9% of bacteria), Save Time, StarDry™ – with Zeolite ™

2.799



DWHD870WFM



DWHD870WFP



DWHD870WPR



DWHD870WFM	24" Masterpiece® Stainless Steel Star Sapphire®	2,799
	(Currently not available)	

DWHD870WFP 24" Professional Stainless Steel Star Sapphire®

(Currently not available)

DWHD870WPR 24" Custom Panel Star Sapphire® (Requires Custom Panel) 2,799 3,099


(Currently not available)

Number Description UMRP MSRP

NEVER HAND WASH AGAIN

The First Dishwasher Designed Specifically for Glassware

Crafted with a tine-less configuration to maximize capacity for wine glasses, beer steins and more, this glass dishwasher securely washes your most delicate stems while accommodating every entertaining occasion.



The Only Dishwasher Designed Around the Art of Entertaining















Glass Care Center

- Wi-Fi enabled/Home Connect™ app compatibility
- 44 dBA

DWHD771WFM

DWHD771WFP

DWHD771WPR

- All new bottom rack—4 wave tines for customization of glassware and the ultimate in capacity, and all new bottom mat providing the ultimate in glassware security
- Premium Smooth Glide Racks
- · Two efficient cutlery baskets
- 8 place settings
- · Glassware inserts
- Flexible folding tines (upper)
- Sapphire Glow™ Interior Light

24" Masterpiece® Stainless Steel Glass Care Center

24" Professional Stainless Steel Glass Care Center

· Push to Open

(Currently not available)

(Currently not available)

Seven Cycles:

 1 Hour, Auto, Hand Wash, Normal, Quick, Rinse, TurboSpeed 20 min.

Six Options:

 Brilliant dry, Extra dry, Half load, Intensive Zone, Remote Start, Sanitation (NSF certified to remove up to 99.9% of bacteria)

2,399

2,399

2,649

2,649



DWHD771WFP



DWHD771WPR



24" Custom Panel Glass Care Center 2,399 2,649 (Requires Custom Panel) (Currently not available)

Model Number Description UMRP MSRP

Accessorie	es			Emerald Series	Topaz [®] Series	Sapphire® Series	Star Sapphire® Series	Glass Care Center
	<u>SGZ1010UC</u>	Dishwasher Drain Hose Extension	See Bosch Price List*	•	•	•	•	•
(1)	<u>SGZ9091UC</u>	Dishwasher Salt for dishwashers (4.4 lbs. pack)	See Bosch Price List*		•	•	•	•
o M	SMZ5000	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small Item Basket.	See Bosch Price List*	•	•	•	•	
	<u>SMZ5002UC</u>	Fine Silverware Carafe with Clip for Emerald® dishwashers (clips onto lower rac	See Bosch Price List* k)	•				
	SMZ5400	MyWay™ Rack Large Silverware Insert Accessory DWHD870* models only	See Bosch Price List*				•	
	SMZPC002UC	Dishwasher 3-prong Power Cord (rear connection)	See Bosch Price List*	•	•	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Price List*	•	•	•	•	•
	SMZSH002UC	Dishwasher Water Supply Hose	See Bosch Price List*	•	•	•	•	•

^{*} Pricing for the Thermador® dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.

3DHFGALBIN1-14, 1N-13	D	HMIB36WS6-13	PA24CVRW 5-10, 5-23
3DPRODRAIL1-14, 1N-13	DC30MTW6-3	HMIB42WS6-13	PA30WLBC5-12
24HFGALBIN1-14, 1N-13	DC36MTW6-3	HMWB30WS6-2	PA30WLBH5-12
24PRODRAIL1-14, 1N-13	DC48MTW6-3	HMWB36WS6-2	PA36WLBC5-12
30HFGALBIN1-14, 1N-13	DC306W6-6	HMWB361WS6-2	PA36WLBG5-25
30PRODRAIL1-14, 1N-13	DC366W6-6	HMWB481WS6-2	PA36WLBH5-12
36HFGALBIN1-14, 1N-13	DC426W6-6	HPCN36WS6-10	PA36WTKG5-25
36PRODRAIL1-14, 1N-13	DC486W6-6	HPCN48WS6-10	PA48WLBC5-12
001 110 DI DAIL 1-14, 114-10	DC3089W6-6	HPIN42WS6-14	PA48WLBG5-25
В	DC3689W6-6	HPIN54WS6-14	PA48WLBH5-12
BAFFLT306-17		111 111041100-14	PA48WTKG5-25
BAFFLT486-17	DC4289W6-6	1	PA60WLBG5-25
2	DC4889W6-6	ICEBUCKETL1-15, 1N-14	PA60WTKG5-25
С	DC361012W6-6	102200112121101111101111111111111	PAALTKITGW5-25
CEM305TB4-4	DC481012W6-7	L	
CEM366TB4-4	DCT3016W6-3	LINER306-17	PAALTKITHW5-11
CET305TB4-4	DCT3616W6-3	LINER366-17	PABRICKBKW 5-10, 5-23
CET366TB4-4	DCT4816W6-3	LINER486-17	PABRICKW 5-10, 5-23
CHEFSPAN084-8	DWHD650WFM7-1	LPRODBIN101-14, 1N-13	PAGRIDDLE 5-10, 5-23
CHEFSPAN134-8	DWHD650WFP7-1	E1110001110111111111111111111111111111	PAGRIDDLEW5-10, 5-22
CHFHMCD6-12, 6-15	DWHD650WPR7-1	M	PAGRIDLFW5-10, 5-22
CHFHMDW306-3	DWHD660WFM7-1	MB30WP3-12	PAKNOBLUWR5-12
CHFHMDW366-3	DWHD660WFP7-1	MB30WS3-12	PALPKITDGW5-24
CHFILISL6-15	DWHD660WPR7-1	MC30WP3-12	PALPKITGGW5-24
CHFILT30366-3, 6-7	DWHD770WFM7-2	MC30WS3-12	PALPKITGW 5-11
	DWHD770WFP7-2	MD24WS3-13	PALPKITGW5 5-11
CHMHP36TW	DWHD770WPR7-2	MD30WS3-13	PALPKITHW5-11
CHMHP36XTW 6-11	DWHD771WFM7-3	ME301WS3-2	PALPKITHW55-11
CHMHP48TW6-11	DWHD771WFP7-3	ME301YP3-2	PARKB3XHY5-11
CHMHP48XTW6-12	DWHD771WPR7-3	ME302WS3-3	PARKB30HY 5-11
CHMHP366W6-11	DWHD870WFM7-2		PARKB36CGY5-24
CHMHP486W6-11	DWHD870WFP7-2	ME302YP3-3	PARKB36DHY 5-11
CHXTHDDW6-12	DWHD870WPR7-2	MED301LWS3-2	PARKB36GY5-24
CHXTHMCB6-12		MED301RWS3-2	PARKB36HY 5-11
CHXTHMIB6-15	E	MED301WS3-2	PARKB36IGY5-24
CIT30XWBB4-5	EXTNCB25W 6-8, 6-11, 6-15,	MED302LWS3-4	PARKB36LHY5-12
CIT36XWB4-5	6-17, 6-22	MED302RWS3-4	PARKB48CGY5-24
CIT36XWBB4-5	EXTNCE56-22	MED302WS3-4	PARKB48CHY5-12
CIT304TB4-7	EXTNSET46-8, 6-11, 6-15, 6-17,	MEDMC301WS3-5	PARKB48DHY5-12
CIT304TM4-7	6-22	MEDMCW31WS3-5	PARKB48SGY5-24
CIT365TB4-7	_	MEDS301WS3-6	PARKB60CGY5-24
CIT367XG4-6	F	MEDS302WS3-6	PARKB60SGY5-24
CIT367XGS4-6	FRAMEKIT101-3,	MEM301WS3-5	PCG305W5-2
CIT367XM4-6	1-5, 1-7, 1-9, 1-14, 1N-3, 1N-5,	MS20HNDL201-16	PCG364WD5-3
CIT367XMS4-6	1N-7, 1N-9, 1N-13	MS22HNDL201-16	PCG364WL5-3
CSRACKH5-25	н	MS30HNDL201-9, 1N-9	PCG366W5-2
CVDUCT26-21	HDDB30WS6-9	MS36HNDL201-9, 1N-9	PCG486WD5-3
CVTFRONT66-21	HDDB36WS6-9	MU30WSU3-13	
CVTFRONT86-21	HEATRKIT201-3,		PCG486WL5-3
CVTFRONT106-21	1-5, 1-7, 1-9, 1-14, 1N-3, 1N-5,	Р	PH30HWS6-4
CVTRECT26-21	1N-7, 1N-9, 1N-13	PA12CHPBLK 5-10, 5-23	PH36GWS6-4
CVTSIDE66-21	HMCB30WS6-9	PA12GRILFW5-10, 5-22	PH36HWS6-4
CVTSIDE86-21	HMCB36WS6-9	PA12GRILLW5-10, 5-22	PH42GWS6-4
CVTSIDE106-21	HMDW30WS6-2	PA12LCVRN 5-10, 5-23	PH48GWS6-4
0.1.0.DE100-21	HMDW36WS6-2	PA12LCVRW 5-10, 5-23	PH48HWS6-4
	9	PA24CVRR5-23	PH54GWS6-4

PH60GWS6-4	PWOKRINGHC5-11, 5-23	T18WINERK11-15, 1N-14	T36IB900SP1-6
PO301W3-7		T23IR900SP1-2	T36IB902SP1-6
PO302W3-8	R	T23IR905SP 1N-2	T36IB905SP1N-6
POD301LW3-7	RECHDDB6-12	T24ID900LP1-4	T36IF900SP1-4
POD301RW3-7	RECHMCB6-12	T24ID900RP1-4	T36IF905SP1N-4
POD301W3-7	RECHMDW306-3	T24ID905LP1N-4	T36IR900SP1-2
POD302LW3-8	RECHMDW366-3	T24ID905RP1N-4	T36IR905SP1N-2
POD302RW3-8	RECHMIB6-15	T24IF900SP1-4	T36IT900NP1-6
POD302W3-8	RECHMWB306-3	T24IF905SP1N-4	T36IT901NP1-6
PODMC301W3-9	RECHMWB366-3	T24IR900SP1-2	T36IT902NP1-6
PODMCW31W3-10	REMCPW6-7	T24IR902SP1-2	T36IT905NP1N-6
PODS301W3-11	REPLFLTR101-15	T24IR905SP 1N-2	TCM24PS2-1
PODS302W3-11	REPLFLTR551N-14	T24IW900SP1-8	TCM24TS2-1
POM301W3-9	RFPLT600P6-8, 6-22	T24IW901SP1-8	TCMTK30RS2-1
PR20HNDL201-16	RFPLT1000P6-8, 6-22	T24IW905SP1N-8	TCOOKSENSW4-9
PR22HNDL201-16		T24UC900DP1-13	TEPPAN10134-8
PR30HNDL201-9, 1N-9	S	T24UC910DS1-13	TEPPAN10164-8, 5-22
PR36HNDL201-9, 1N-9	SCRNFLTR101-15	T24UC920DS1-13	TEPPAN13144-8
PRD48WCSGU5-19	SD30WC3-14	T24UR900DP1-13	TEPPAN13214-8
PRD48WDSGU5-18	SDCLNRCK303-15	T24UR900LP1-13	TFL18ID8001-5, 1N-5
PRD48WISGU5-18	SDS30WC3-14	T24UR900RP1-13	TFL18ID9051-5, 1N-5
PRD48WLSGU5-18	SGRIDDLEW4-3	T24UR910DS1-13	TFL18IR8001-5, 1N-5
PRD304WHU5-4	SGS305TS4-1	T24UR910LS1-13	TFL18IR9051-5, 1N-5
PRD305WHU5-4	SGS365TS4-1	T24UR910RS1-13	TFL18IW8001-8, 1N-8
PRD364WDGU5-14	SGSP305TS4-2	T24UR920DS1-13	TFL18IW9051-8, 1N-8
PRD364WDHU5-5	SGSP365TS4-2	T24UR920LS1-13	TFL23IR9001-3, 1N-3
PRD364WIGU5-14	SGSX305TS4-1	T24UR920RS1-13	TFL23IR9051-3, 1N-3
PRD364WLGU5-14	SGSX365TS4-1	T24UW900LP1-13	TFL24ID8001-5, 1N-5
PRD364WLHU5-5	SGSXP305TS4-2	T24UW900RP1-13	TFL24ID9051-5, 1N-5
PRD366WGU5-14	SGSXP365TS4-2	T24UW910LS1-13	TFL24IR8001-3, 1-5, 1N-3, 1N-5
PRD366WHU5-5	SGZ1010UC7-4	T24UW910RS1-13	TFL24IR9051-3, 1-5, 1N-3, 1N-5
PRD484WCGU5-15	SGZ9091UC7-4	T24UW920LS1-13	TFL24IW8001-8, 1N-8
PRD484WCHU5-6	SKNOBLUW4-3	T24UW920RS1-13	TFL24IW9051-8, 1N-8
PRD486WDGU5-15	SLPKITW4-3	T24WINERK11-15, 1N-14	TFL30IB8001-7, 1N-7
PRD486WDHU5-6	SMZ50007-4	T30BB910SS1-12	TFL30IB9051-7, 1N-7
PRD486WIGU5-16	SMZ5002UC7-4	T30BB915SS1N-12	TFL30IR8001-3, 1-5, 1N-3, 1N-5
PRD486WLGU5-15	SMZ54007-4	T30BB920SS1-12	TFL30IR9051-3, 1-5, 1N-3, 1N-5
PRD486WLHU5-6	SMZPC002UC7-4	T30BB925SS1N-12	TFL36IB8001-7, 1N-7
PRD606WCG5-16	SMZPCJB1UC7-4	T30IB900SP1-6	TFL36IB9051-7, 1N-7
PRD606WCSG5-19	SMZSH002UC7-4	T30IB905SP1N-6	TFL36IR9001-3, 1-5, 1N-3, 1N-5
PRD606WEG5-16	SNPKITPEDW4-3	T30IF900SP1-4	TFL36IR9051-3, 1-5, 1N-3, 1N-5
PRD606WESG5-19	SPRODBIN101-14, 1N-13	T30IF905SP1N-4	TFL36IT800 1-7, 1N-7
PRG304WH5-7	SWOKRINGW4-3	T30IR900SP1-2	TFL36IT905 1-7, 1N-7
PRG305WH5-7		T30IR901SP1-2	TGRILLPANX4-8
PRG364WDG5-20	Т	T30IR902SP1-2	TROASTERT4-8
PRG364WDH5-8	T18ID900LP1-4	T30IR905SP1N-2	TWO30YS3-6, 3-15
PRG364WLG5-21	T18ID900RP1-4	T36BB910SS1-12	11100010
PRG364WLH5-8	T18ID905LP1N-4	T36BB915SS1N-12	U
PRG366WG5-21	T18ID905RP1N-4	T36BB920SS1-12	UCTRFLTR101-16
PRG366WH5-8	T18IF900SP1-4	T36BB925SS 1N-12	UCV30ST6-19
PRG486WDG5-21	T18IF901SP1-4	T36BT910NS1-12	UCV36ST6-19
PRG486WDH5-9	T18IF905SP1N-4	T36BT915NS1N-12	UCVFILTER6-19
PRG486WLG5-22	T18IW900SP1-8	T36BT920NS1-12	UCVM30XS6-18
PRG486WLH5-9	T18IW905SP1N-8	T36BT925NS1N-12	UCVM36XS6-18
1 11G400VVLП5-9		100D1320N31IN-12	10

UCVP36XS	6-18
UCVRECIRC	6-19
V	
VCI230DS	6-16
VCI236DS	6-16
VCI248DS	6-16
VCIN36GWS	6-16
VCIN42GWS	6-16
VCIN48GWS	6-16
VCIN54GWS	6-16
VCIN60GWS	6-16
VTD600P	6-20
VTI610W	. 6-5, 6-20
VTI1010W	. 6-5, 6-20
VTN630W	6-5
VTN1090R	6-5
VTR630W	. 6-5, 6-20
VTR1030W	. 6-5, 6-20
VTR1330W	. 6-5, 6-20
W	
WD30W	3-14
WD30WC	3-14
WKNOBKT3W	3-15



BSH Home Appliances Corporation

1901 Main Street, Suite 600, Irvine, CA 92614

Phone: (949) 440-7100

(800) 735-4328 Sales and Service

Thermador.com

19-BSH-0779.1 9/13/2020

©2020 BSH Home Appliances Corporation. All rights reserved.