

# **PRICELIST**

Consumer UMRP





# Table of **CONTENTS**

#### Consumer UMRP Price List Effective Q3 2021

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

#### REFRIGERATION

Freedom <sup>®</sup> Collection	1-1
Fresh Food Columns	1-2
Freezer Columns	1-4
Bottom Freezers	1-6
Wine Preservation Columns	1-8
Handles	1-9
Quick Reference Guide	1-11
Preassembled Collection	1-12
Bottom Freezer Refrigerators	
Freestanding Collection	1-13
Bottom Freezer Refrigerators	
Under-Counter Collection	1-14
Glass Door Refrigeration Units	1-14
Drawer Refrigeration/Freezer Units	1-14
Glass Door Wine Preservation Units	1-14
Accessories	1-15
Freedom <sup>®</sup> Accessories—Refrigerators	1-15
Freedom <sup>®</sup> Accessories—Freezers	1-16
Freedom <sup>®</sup> Accessories— Wine Preservation	1-16
Under-Counter Accessories	1-16

#### **BUILT-IN COFFEE MACHINE**

Built-In Coffee Machine	2-1
Accessories	2-1

#### **BUILT-IN OVENS**

Overview	3-1
Masterpiece <sup>®</sup> Series	
30" Masterpiece <sup>®</sup> Ovens	
Accessories	
Professional Series	
30" Professional Series Ovens	3-7
Microwave Ovens	
Microwave Ovens	3-12
Microwave Ovens Speed Ovens	
	3-12
Speed Ovens MicroDrawer® Microwave Oven	3-12 3-13
Speed Ovens	

#### COOKTOPS

Gas Cooktops4	-1
Glass Ceramic Induction Cooktops4	-5
Electric and Induction Accessories4	-8

PROFESSIONAL SERIES RANGES AND RANGETOPS
Overview
Rangetops
Pro Harmony <sup>®</sup> Series5-4
Dual-Fuel Ranges5-4
All-Gas Ranges
Accessories 5-10
Pro Grand <sup>®</sup> Series5-13
Dual-Fuel Ranges
Steam Ranges
All-Gas Ranges
Accessories 5-22
VENTILATION
Overview
Wall Hoods
Masterpiece® Series
Accessories—Masterpiece <sup>®</sup> Series
Professional Series
Accessories—Professional
Chimney Wall Hoods6-10
Masterpiece <sup>®</sup> Series6-10
Professional Series
Accessories
Island Hoods6-14
Masterpiece <sup>®</sup> Series6-14
Professional Series6-15
Accessories 6-16
Custom Inserts
Accessories
Downdraft
Masterpiece <sup>®</sup> Series
Components
Accessories 6-25
DISHWASHERS
Built-In Dishwashers7-1
Accessories7-3
INDEX
Index

#### **CONDITIONS OF SALE**

Returned GoodsNo merchandise may be returned without prior approval. Please contact your sales representative<br/>for return authorization.<br/>All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight<br/>and billing terms, refer to current program in effect.F.O.B. Origin

UMRP MSRP

## Refrigeration FREEDOM® COLLECTION

Thermador's ingenious Freedom Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".

#### To order, please follow this 4-step process:

Step 1 Select a Panel-Ready Column Step 2 Select a Stainless Steel Panel or Use a Custom Panel

Step 3 Select a Stainless Steel Handle or Use a Custom Handle Step 4 Select Optional Accessories



HEATRKIT20

#### Freedom<sup>®</sup> Heater Kit

For columns that are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. See page 1-15.



FRAMEKIT10

Freedom<sup>®</sup> Frame Kit

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. See page 1-15.

To enhance the Freedom Collection, please see our accessories section on page 1-15.





	us price lists. Prices listed	nerein do not include applicable state or local taxes.			
Model Number	Description		UMRP	MSRP	
					Fresh Food Columns
All 23.5"/24"/30"/36" Fr	esh Food Colum	is include the following features:			
<ul> <li>Fully Flush</li> </ul>		<ul> <li>SuperCool function</li> </ul>	• Do	oor open	alarm
<ul> <li>Freedom<sup>®</sup> hinge</li> </ul>		Stainless steel interior	• E>	dremely d	luiet
All-LED sidewall filtere	d theater lighting	<ul> <li>Full-extension SoftClose<sup>®</sup> drawers</li> </ul>	• Re	eversible	door swing
<ul> <li>Cold Air System</li> </ul>		TFT Control	• 0	pen door	assist
ThermaFresh system		<ul> <li>Full-length cantilever racks</li> </ul>	• 🕻	Home Co	nnect
<ul> <li>Carbon air filter</li> </ul>		<ul> <li>Sabbath/Economy/Vacation modes</li> </ul>			

#### S

	LIN	63	1.1	1
-	C. C. C.			
	-			
		(Inc	-	
1				
1	-	1	-	
-	-			
-	_			
MAXIMU			1	
Contract of the local division of the local	-	1		
-	21.0			
		7	1	-
			-	

T23IR905SP



T24IR905SP



T30IR905SP




T23IR905SP	23.5" Fresh Food Column	6,099	6,749
T24IR905SP	24" Fresh Food Column	6,299	6,949
<u>T30IR905SP</u>	30" Fresh Food Column	6,899	7,599
<u>T36IR905SP</u>	36" Fresh Food Column	7,599	8,399

	all previous price lists. Prices listed herein do not include applicable state or local	taxes.		
Model Number	Description	UMRP	MSRP	
				Fresh Food Columns
Step 2: Panels All Thermador <sup>®</sup> Fre stainless steel pan	esh Food Columns are panel ready. Apply custom panel el options:	s or choose one of the	following	
Flat Stainless Ste	el Door Panels for Flush Installations			
TFL23IR900	23.5" Stainless Steel Panel	580	649	
TFL24IR800	24" Stainless Steel Panel	525	599	
TFL30IR800	30" Stainless Steel Panel	580	649	
TFL36IR900	36" Stainless Steel Panel	1,050	1,199	
Flat Stainless Ste	el Door Panels with No Holes			
TFL23IR905	23" Single Door No Hole Flat Panel	525	599	
TFL24IR905	24" Single Door No Hole Flat Panel	525	599	
TFL30IR905	30" Single Door No Hole Flat Panel*1	580	649	
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199	

#### Step 3: Handles

For stainless steel handle options, please see page 1-9

#### **Step 4: Optional Accessories**



<sup>1</sup> Units compatible with 30" columns, but should be installed to units with SoftClose<sup>®</sup> Doors.

This price list supersedes all previo	ous price lists. Prices listed he	erein do not include applica	ble state or loca	Il taxes.				
Model Number	Description				UMRP	MSRP		
All 18"/24"/30"/36" Fr	eezer Columns In	clude the Followi	ina Featur	·06·			Free	zer Columns
<ul> <li>Fully Flush</li> </ul>		TFT Control	ing i catai	63.	• 0	oen door	assist	
<ul> <li>Freedom<sup>®</sup> hinge</li> </ul>		<ul> <li>Stainless stee</li> </ul>	l interior		-	tremely		
<ul> <li>All-LED sidewall filtered</li> </ul>	ed theater lighting	<ul> <li>Full-length car</li> </ul>	ntilever racl	ks		-	de kit included	
Full-extension SoftClo	se <sup>®</sup> drawers	Filtered interna	al diamond	ice maker	• 🖸	HomeCo	onnect	
<ul> <li>SuperFreeze<sup>®</sup> function</li> </ul>	ı	<ul> <li>Sabbath/Econ</li> </ul>	omy/Vacati	on modes				
Height-adjustable glas	ss shelves	Door open ala	ırm					
Step 1: Freezer Colum	ns with Internal Ice	Maker						
Ice drawer with ice b	in • Reve	rsible door swing						
		T18	8IF905SP	T24IF905SP	T30IF9	05SP	T36IF9	05SP
T18IF905SP	18" Freezer Colum	nn (Internal Ice Ma	aker)		5,799	6,399		
T24IF905SP	24" Freezer Colum	nn (Internal Ice Ma	aker)		6,299	6,949		
<u>T30IF905SP</u>	30" Freezer Colum	nn (Internal Ice Ma	aker)		6,899	7,599		
<u>T36IF905SP</u>	36" Freezer Colun	nn (Internal Ice Ma	aker)		7,599	8,399		
Step 1: Freezer Colum	ns with External Ic	e and Water Dispe	enser					
<ul> <li>External Filtered Ice Water Dispenser</li> <li>FreeFlow<sup>®</sup> diamond ice system</li> </ul>	and • Proxi dispe	mity sensor on nser citive touch control	•	Available in rig or left-hand do (not reversible Stainless stee	oor swing )			
T18ID905LP	18" Freezer Colum (External Ice and N		Left Hinge	)	6,299	6,949		
<u>T18ID905RP</u>	18" Freezer Colum (External Ice and N		Right Hing	e)	6,299	6,949	•	
T24ID905LP	24" Freezer Colum (External Ice and V		Left Hinge	)	6,899	7,599	T18ID905LP	T24ID905LP
T24ID905RP	24" Freezer Colum (External Ice and V		Right Hing	e)	6,899	7,599		

	evious price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	UMRP	MSRP	
				Freezer Columns
Step 2: Panels All Thermador <sup>®</sup> Freez stainless steel panel	er Columns are panel ready. Apply custom panels or choose options:	one of the foll	owing	
Flat Stainless Steel	Door Panels for Flush Installations			
TFL18IR800	18" Stainless Steel Panel	475	529	
TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529	
TFL24IR800	24" Stainless Steel Panel	525	599	
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599	
TFL30IR800	30" Stainless Steel Panel	580	649	
TFL36IR900	36" Stainless Steel Panel	1,050	1,199	
Flat Stainless Steel	Door Panels with No Holes			
TFL18IR905	18" Single Door No Hole Flat Panel <sup>1</sup>	475	529	
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	475	529	
TFL24IR905	24" Single Door No Hole Flat Panel	525	599	
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599	
TFL30IR905	30" Single Door No Hole Flat Panel	580	649	
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199	

#### Step 3: Handles

For stainless steel handle options, please see page 1-9.

#### **Step 4: Optional Accessories**

FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mm) With two metal side trims whose placement between the interior cutor appliance helps overcome the challenge of unfinished cabinet returns with all pre-assembled bottom freezers)	r cutout wall and the		
HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, or side-by-side combinations, without freezer column. This kit is also rec			

side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.) RAMEKIT10



HEATRKIT20

<sup>1</sup> Units compatible with 18" columns, but should be installed to units with SoftClose<sup>®</sup> Doors.

**Bottom Freezers** 

, ,	des all previous price lists. Prices listed herein do i	not include applicable state or local taxes.		
Model Number	Description	L	UMRP	MSRP

#### All 30"/36" Bottom Freezer and 36" French Door Bottom Freezer Columns Include the Following Features:

• Fully Flush

Internal filtered diamond ice maker

- Freedom<sup>®</sup> hinge
- TFT control
- All-LED sidewall filtered theater lighting
- Full-extension SoftClose<sup>®</sup> drawers
- Full-length cantilever racks
- · Full-width multi use drawer

- SuperCool function
- SuperFreeze<sup>®</sup> function
- Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm
- Extremely quiet

- Refrigerator door swing reversible (T30IB905SP and T36IB905SP)
- · Two evaporators
- Two compressors
- · Filtered internal diamond ice maker
- 🜔 Home Connect
- T30IB905SP
   T36IB905SP



T36IT905NP

#### Step 1: Bottom Freezers with Stainless Steel Interior

NEW <u>T30IB905SP</u>	30" Bottom Freezer with open door assist and SoftClose $^{\circ}$	7,499	8,249						
<u>T36IB905SP</u>	36" Bottom Freezer with open door assist and SoftClose $^{\circ}$	7,999	8,799						
<u>T36IT905NP</u>	36" French Door Bottom Freezer with open door assist and SoftClose®	8,299	9,149						
Step 1: Bottom Freezer with White Interior									
NEW T36IT903NP	36" French Door Bottom Freezer	6,999	7,699						



T36IT903NP

	ous price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	UMRP	MSRP	
				<b>Bottom Freezers</b>
Step 2: Panels All Thermador <sup>®</sup> Bottom stainless steel panel op	Freezers are panel ready. Apply custom panels or choose one tions:	of the follo	wing	
Flat Stainless Steel Do	oor Panels for Flush Installations			
TFL30IB800	30" Stainless Steel Panel Set (Bottom Freezer)	580	649	
TFL36IB800	36" Stainless Steel Panel Set (Bottom Freezer)	840	949	
TFL36IT800	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949	
Flat Stainless Steel Do	oor Panels with No Holes			
TFL30IB905	30" Stainless Steel Panel Set (Bottom Freezer)	580	649	
TFL36IB905	36" Stainless Steel Panel Set (Bottom Freezer)	840	949	
TFL36IT905	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949	

#### Step 3: Handles

For stainless steel handle options, please see page 1-9.

located next to an outside wall.)

#### **Step 4: Optional Accessories**

FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mm two metal side trims whose placement between the interior cutout w helps overcome the challenge of unfinished cabinet returns. <b>Note</b> : I assembled bottom freezers)	all and the	appliance	FRAM
HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, side-by-side combinations, without freezer column. This kit is also re ordered for use with any installation in areas that are subject to high	ecommende	ed to be	

FRAMEKIT10

11

HEATRKIT20

Model Number	Description		UMRP	MSRP
				Wine Preservation Columns
All 18"/24" Wir	ne Preservation Columns	Include the Following Features:		
<ul> <li>Fully Flush</li> </ul>		<ul> <li>Independent humidity control</li> </ul>	• S	abbath/Economy/Vacation modes
Portable alum	inum and wenge wood	TFT control	• D	oor open alarm
wine presente	r	<ul> <li>Freedom<sup>®</sup> hinge</li> </ul>	• B	ottle capacity: 18" column-52 bottles;
<ul> <li>Full-extension</li> </ul>	completely enclosed exotic	Adjustable LED lighting	24	4" column–92 bottles (750 ml)
wood shelves		<ul> <li>Diamond shaped dowels for vibration</li> </ul>	• 0	pen door assist
	le temperature zones:	control	• 🕻	HomeConnect
18" column–tv	vo; 24"–three	<ul> <li>Glass door with UV protection</li> </ul>		

#### S



T18IW905SP

T24IW905SP

T18IW905SP	18" Wine Preservation Column 2 - Zone Temperature Control	5,899	6,499
T24IW905SP	24" Wine Preservation Column 3 - Zone Temperature Control	6,299	6,949

#### Step 2: Panels

All Thermador® Wine Preservation Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

TFL18IW800         18" Stainless Steel Panel         475         529           TFL24IW800         24" Stainless Steel Panel         525         599									
TFL24IW80024" Stainless Steel Panel525599									
Flat Stainless Steel Door Panels with No Holes									
TFL18IW905         18" Wine No Hole Flat Panel         475         529									
TFL24IW905         24" Wine No Hole Flat Panel <sup>1</sup> 525         599									

#### Step 3: Handles

For stainless steel handle options, please see page 1-9.

Thermador<sup>®</sup> Consumer UMRP Price List Q3 2021 20-BSH-0914.1 04/28/2021

<sup>1</sup> Units compatible with 18" columns, but should be installed to units with SoftClose<sup>®</sup> Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Fresh Food Columns

om Freezer T30IB90 om Freezer T36IB90 om Freezer T36IT90

Freezer with IWD<sup>1</sup> Freezer Columns

Preservation C

Wine I

	Il previous price lists. Prices listed herein do not include applicable state or local taxes	<u>.</u>				_
Model Number	Description	UMRP	MSRP			
			Wine F	Preservatio	n Colum	ns
Step 4: Optional A	Accessories					
FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-inc two metal side trims whose placement between the interi helps overcome the challenge of unfinished cabinet retur assembled bottom freezers)	or cutout wall and the	appliance	FRAMEKIT10		
<u>HEATRKIT20</u>	Freedom Heater Kit (For use when columns are less than 6" apart but not sid side-by-side combinations, without freezer column. This k ordered for use with any installation in areas that are sub located next to an outside wall.)	kit is also recommende	ed to be	HEATRKIT20	11	
					Handl	es
One 36" handle f	ermador <sup>®</sup> stainless steel handles for the Freedom <sup>®</sup> Collection	, please order the fol	lowing:	ns Columns	905SP <sup>2</sup> 905SP <sup>3</sup> 905NP <sup>4</sup>	Columns

- One 30" handle and one 36" handle for 30" Bottom Freezers
- Two 36" handles for each 36" Bottom Freezer
- Three 36" handles for each 36" French Door Bottom Freezer

To ensure consistency, always select the same style.

				ALL	ALL	ALL	Botte	Botto	Botto	ALL
MS30HNDL20	30" Masterpiece <sup>®</sup> Handle	160	179				1			
MS36HNDL20	36" Masterpiece <sup>®</sup> Handle	160	179	1	1	1	1	2	3	1


ľ	PR30HNDL20	30" Professional Handle	160	179				1			
	PR36HNDL20	36" Professional Handle	160	179	1	1	1	1	2	3	1

<sup>1</sup> IWD = Ice and Water Dispenser

Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20
 Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20
 Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Suggested Combinations







T24ID905LP/T23IR905SP

For Predetermined Spaces / Replacement Installation

These suggestions are just an example of the extensive range of combinations possible with the Freedom Collection.

Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

A HEATRKIT20 is recommended for use with any installation in areas that are subject to extreme humidity.







T18ID905LP/T30IR905SP



T24IF905SP/T24IR905SP




#### 60" 30" Fresh Food Column 30" 30" Freezer



54"

24"





T24ID905LP/T30IR905SP



T36IB905SP/T18IW905SP





#### \* IWD = Ice and Water Dispenser

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.



T30IB905SP/T30IB905SP

36

Bottom


Freeze

24" Wine

Preservation

Column

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



Step 1: Columns and Bottom Freezers		Step 2: Panels			Step 3: Handles				
Freedom <sup>®</sup> Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece®	Professional		
FRESH FOOD C	OLUMNS								
T23IR905SP	23.5"	Reversible	Panel Ready	TFL23IR900	TFL23IR905				
T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle per column		
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece MS36HNDL20	Professional PR36HNDL20		
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905				
FREEZER COLU	JMNS		J	1	1				
T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905	Order one 36" handle	Order one 36" handle		
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	per column Masterpiece	per column Professional		
T30IF905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	MS36HNDL20	PR36HNDL20		
FREEZER WITH	IWD <sup>1</sup> CO	LUMNS							
T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905				
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column		
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece MS36HNDL20	Professional PR36HNDL20		
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905				
BOTTOM FREE	ZERS/FRE	NCH DOOR BOTTOM	/ FREEZERS	•	•				
T30IB905SP <sup>2</sup>	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	Order one 30" handle and one 36" handle per column <sup>2</sup>	Order one 30" handle and one 36" handle per column <sup>2</sup>		
T36IB905SP <sup>3</sup>	36"	Reversible	Panel Ready	TFL36IB800	TFL36IB905	Order two 36" handles per column <sup>3</sup>	Order two 36" handles per column <sup>3</sup>		
T36IT905NP <sup>5</sup>	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	Order three 36" han- dles per column <sup>5</sup>	Order three 36" han- dles per column <sup>5</sup>		
WINE PRESERV		OLUMNS		·		·	·		
T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle per column	Order one 36" handle per column		
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	Masterpiece MS36HNDL20	Professional PR36HNDL20		

NOTE: Handleless panels should not be installed on units without the SoftClose<sup>®</sup> capability. If you are uncertain if you have a refrigeration unit with SoftClose<sup>®</sup> capability, please contact our customer team by calling 1-800-735-4328.

- 2 Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20
- 3 Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20
- 4 Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20
- 5 Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

<sup>1</sup> IWD = Ice and Water Dispenser

Number

Description

UMRP MSRP

## Refrigeration **PREASSEMBELED** COLLECTION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece<sup>®</sup> Handles.

All 30"/36" Bottom Freezer and French Doo	r Bottom Freezers Include the Following	g Features:	
Fully Flush	ThermaFresh system	<ul> <li>ENERGY STAR<sup>®</sup> certified</li> </ul>	
TFT Control	<ul> <li>Internal filtered diamond ice maker</li> </ul>	Extremely quiet	
<ul> <li>Installs framed or flush</li> <li>Freedom<sup>®</sup> hinge</li> <li>All-LED filtered sidewall theater lighting</li> <li>Soft closing full-extension drawers</li> <li>Full-length cantilever racks</li> <li>Open door assist</li> </ul>	<ul> <li>SuperCool function</li> <li>SuperFreeze<sup>®</sup> function</li> <li>Gallon door bins</li> <li>Carbon air filter</li> <li>Sabbath/Economy/Vacation modes</li> <li>Door open alarm</li> </ul>	<ul> <li>Refrigerator door swing reversible (T30BB and T36BB)</li> <li>Two evaporators</li> <li>Two compressors</li> <li>Mome Connect</li> </ul>	
T36BB915SS36" Bottom FreezT30BB925SS30" Bottom Freez	er, two-door, Masterpiece <sup>®</sup> Handles er, two-door, Masterpiece <sup>®</sup> Handles er, two-door, Professional Handles er, two-door, Professional Handles	8,799 9,699 9,099 10,049 8,799 9,699 9,099 10,049	_

T30BB925SS

ma

French Door Bottom F	reezers		
<u>T36BT915NS</u>	36" French Door Bottom Freezer, three-door, Masterpiece <sup>®</sup> Handles	9,599	10,599
<u>T36BT925NS</u>	36" French Door Bottom Freezer, three-door, Professional Handles	9,599	10,599



T36BT925NS

Number

Description

UMRP MSRP

## Refrigeration FREESTANDING COLLECTION

For faster installation, all units have been preassembled with stainless steel doors and Professional or Masterpiece<sup>®</sup> Handles.

#### All Freestanding 36" French Door Bottom Freezers Include the Following Features:

- Counter-depth 72" Tall Appliance
- Built-in Look Exterior Design
- Dual Evaporator
- **Dual Compressor** ٠
- Illuminated Back Wall
- **Temperature and Humidity Freshness** Drawers
- Stainless Steel ThermaFresh Mats
- Internal Water Dispenser
- · Diamond Ice Maker
  - Filtered ice and water
- SuperCool function
- SuperFreeze<sup>®</sup> function

- · Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm
- Home Connect

**Bottom Freezers with Stainless Steel Interior** 

36" with Masterpiece® Handles NEW T36FT810NS

NEW T36FT820NS

36" with Professional Handles

4,999 5,499 4,999 5,499



T36FT810NS

#### 

			UND	ER-COU	INTER COLLECTION
This price list supersedes all prev Model	rious price lists. Prices listed herein do not include applica	ble state or local taxes.			
Number	Description		UMRP	MSRP	
All Under-Counter U	nits Include the Following Features	:			
Built-in flush design	Venting grille	for full integration	• \$	tar K Certif	fied
LED lighting	Fully flush at	24" depth	• E	NERGY S	TAR <sup>®</sup> certified
Electronic touch cont temperature manage	•	Handle, Masterpiece H nel options	Handle		
				Glass Do	oor Refrigeration Units
• 5 cu. ft.	Customizable shelving		izable cooling Pantry and Ba		
NEW T24UR905LP	24" Refrigerator, Custom Panel, Lef	t Swing	2,299	2,549	
NEW T24UR905RP	24" Refrigerator, Custom Panel, Rig	ht Swing	2,299	2,549	
NEW T24UR915LS	24" Refrigerator, Masterpiece Hand	e, Left Swing	2,649	2,949	
NEW T24UR915RS	24" Refrigerator, Masterpiece Hand	e, Right Swing	2,649	2,949	T24UR915LS
NEW T24UR925LS	24" Refrigerator, Professional Hand	le, Left Swing	2,649	2,949	
NEW T24UR925RS	24" Refrigerator, Professional Hand	le, Right Swing	2,649	2,949	
			Drav	ver Refri	geration/Freezer Unit
<ul> <li>4.4 cu. ft.</li> <li>SoftClose<sup>®</sup> drawers</li> <li>Drawer open alarm</li> </ul>	<ul> <li>Customizable shelving a drawer dividers</li> <li>Customizable cooling management</li> </ul>	Remova	able drawer m	at for	

Drawer open alarm	Fridge, Pantry and Bar	g		and the second
NEW T24UR905DP	24" Refrigerator, Custom Panel	2,949	3,249	T24UR925DS/
NEW T24UR915DS	24" Refrigerator, Masterpiece Handle	3,299	3,649	T24UC925DS
NEW T24UR925DS	24" Refrigerator, Professional Handle	3,299	3,649	
NEW T24UC905DP	24" Refrigerator/Freezer, Custom Panel, ice maker	3,449	3,799	
NEW T24UC915DS	24" Refrigerator/Freezer, Masterpiece Handle, ice maker	3,599	3,999	
NEW T24UC925DS	24" Refrigerator/Freezer, Professional Handle, ice maker	3,599	3,999	

#### **Under-Counter Wine Preservation Units**

onaci oounici wine		
41-bottle capacity	Tinted UV-resistant tempered	Independent temperature
<ul> <li>Full-extension wenge diamond wine racks</li> </ul>	wood glass door	control of temperature zones.
NEW T24UW905LP	24" Wine Pres., Custom Panel, Left Swing	3,049 3,399
NEW T24UW905RP	24" Wine Pres., Custom Panel, Right Swing	3,049 3,399
NEW T24UW915LS	24" Wine Pres., Masterpiece Handle, Left Swi	ing 3,399 3,749
NEW T24UW915RS	24" Wine Pres., Masterpiece Handle, Right St	wing 3,399 3,749
NEW T24UW925LS	24" Wine Pres., Professional Handle, Left Sw	ing 3,399 3,749
NEW T24UW925RS	24" Wine Pres., Professional Handle, Right St	wing 3,399 3,749

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

**Glass Door Wine Preservation Units** 

T24UW915LS This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Freedom <sup>®</sup> A	Accessories—F	Refrigerators				1	F	ree	dom	®	1			Pre-	
	Model				T23IR905SP	T24IR905SP	T30IR905SP	T36IR905SP	T30IB905SP	T36IB905SP	T36IT905NP	T36IT903NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS
	Number	Description	UMRP	MSRP	-	-	-	F	-	<del> </del> -		-	-	Т	-
	Installation Acce	Sories Freedom Frame Kit (For use with any custom column for (610 mm) deep cutouts. With two m placement between the interior cut ance helps overcome the challenge returns. <b>Note</b> : Included with all pre- freezers)	netal side trima out wall and th e of unfinished	s whose ne appli- l cabinet	•	•	•	•	•	•	•	•			
	HEATRKIT20	Freedom Heater Kit (For use when columns are less th by side, or for nontraditional side-b without freezer column. This kit is a be ordered for use with any installa subject to high humidity (>65%), or outside wall.)	y-side combina also recommer ation in areas t	ations, nded to hat are	•	•	•	•	•	•	•	•			
4	Interior Accessor	ries for Refrigerators				•									
	24HFGALBIN	24" Half-Gallon Bin	170	189											
	30HFGALBIN	30" Half-Gallon Bin	180	199			•		•				•		
	<u>36HFGALBIN</u>	36" Half-Gallon Bin	190	209				•		•				•	
	24PRODRAIL	24" Produce Railing	105	119	•	•									
	30PRODRAIL	30" Produce Railing	115	129			•		•				•		
	<u>36PRODRAIL</u>	36" Produce Railing	135	149				•		•				•	
F	<u>3DHFGALBIN</u>	Three Door Half-Gallon Bin	160	179							•	•			•
	3DPRODRAIL	3-Door Produce Railing	85	99							•	•			•
	LPRODBIN10	Large Produce Bin	295	329	•	•	•	•	•	•	•	•	•	•	•
	SPRODBIN10	Small Produce Bin	265	299	•	•	•	•	•	•	•	•	•	•	•

#### ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Freedom <sup>®</sup> A	Accessories—F	reezers					F	reed	dom	®		ass	Pre seml	oled	Fre stan	ee- ding
	Model Number	Description	UMRP	MSRP	T18IF905SP	T24IF905SP	1301F905SP T361E005SP		T24ID905LP/RP		T36IT905NP T36IT903NP		T36BB9x5SS	T36BT9x5NS	T36FT810NS	T36FT820NS
	Interior Accessor	r <b>ies for Freezers</b> Ice Bucket	85	99	•	•	• •	•	•	•	• •	•	•	•		
Ō	Filter Accessories	Freedom <sup>®</sup> Replacement Water Filter	46	59	•	•	• •	•	•	•	• •	•	•	•	•	•

Freedom <sup>®</sup> /		Wine Preservation			T18IW905SP	T24IW905SP
	Model Number	Description	UMRP	MSRP	Ξ	T24
	Interior Accessor	ies for Wine Columns				
1112	T18WINERK1	18" Wine Shelf <sup>1</sup> providing a 62 bottle capacity	229	259	•	
111	T24WINERK1	24" Wine Shelf <sup>2</sup> providing a 99 bottle capacity	299	329		•

Under-Cou	nter Accessori	<b>es</b> Description	UMRP	MSRP	T24UC925DS	T24UC915DS	T24UC905DP
	UCTRFLTR10	Under-Counter Filter	75	89	•	•	•

<sup>1</sup> Presenter shelf cannot be used with the accessory.

<sup>2</sup> Presenter shelf cannot be used with the accessory.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

#### **BUILT-IN COFFEE MACHINE**

This price list supersedes all pre Model Number	vious price lists. Prices listed he Description	rein do not include applicable state or local taxes.	UMRP	MSRP		
<ul> <li>All Built-In Coffee M</li> <li>Equipped with the T Experience by Home</li> <li>Perfect for frequent customization setting 8 personalized beve so family members a can program their fa from single shot esp to extra-large cappu</li> <li>Easy to read color T beverage selection, temperature control</li> </ul>	hermador Connected e Connect <sup>®</sup> selections, coffee gs store up to rages with names and house guests vorite drinks— resso, to tea, ccinos FT display illustrates	<ul> <li>Following Features:</li> <li>Store up to 8 different beverages</li> <li>1 lb. Bean container</li> <li>Height-adjustable dispenser with dual spouts for brewing 2 cups at a time</li> <li>Beverages can be adjusted in small increments</li> <li>One Touch Function for coffee and milk/froth</li> <li>Fully automatic rinse program</li> <li>2-disk grinding units made of high perfmance ceramic disks</li> </ul>	ta • P • B • S w • 1 • R • 1	o coarse Powder draw Built-In water Gensor alerts vater level is 0-cup water	r filter s when coffee b s low r container stainless steel n	eans and
<ul> <li>Includes direct plum and drain connection AquaStop<sup>®</sup> plus prot</li> <li><u>TCM24TS</u></li> </ul>	n with	Coffee Machine	3,749	<b>B</b> 4,149	uilt-In Coffe	e Machine
<u>TCM24PS</u>	Thermador Built-In Plumbed	Coffee Machine	4,099	4,549	TCM24PS	
Accessories					TCM24TS	TCM24PS
ТСМ	<u>TK30RS</u> 30" Sta	inless Steel Trim Kit	399	439	•	•

For coffee accessories, please see the Cleaners & Accessories Price List.


## Thermador WALL OVENS

	SINGLE 30"	DOUBLE 30"	COMBO 30"	TRIPLE 30"
DELUXE Rotisserie Max Broil 3 Telescopic Racks (Single Ovens) 4 Telescopic	Professional: POD301W POD301LW* POD301RW*	Professional: POD302W POD302LW* POD302RW*	With Steam and Convection Oven: Professional: PODS302W* Masterpiece: MEDS302WS	
4 Telescopic Racks (Double Ovens) 6 Telescopic Racks (Combo Steam Ovens)	Masterpiece: MED301WS MED301LWS* MED301RWS*	Masterpiece: MED302WS MED302LWS* MED302RWS*	With Speed Oven:: Professional: PODMC301W* Masterpiece: MEDMC301WS	With Speed Oven: Professional: PODMCW31W* Masterpiece: MEDMCW31WS
SELECT 1 Telescopic Rack (Single Ovens) 2 Telescopic Racks	Professional: PO301W Masterpiece: ME301WS	Professional: PO302W	With Microwave: Professional: POM301W	SPECIALTY 3 Telescopic Racks (Steam Ovens)
(Double Ovens)	MESUTWS	Masterpiece: ME302WS	Masterpiece: MEM301WS	Steam and Convection Oven:
STANDARD 1 Telescopic Rack	Masterpiece: ME301YP	Masterpiece: ME302YP		Professional: PODS301W Masterpiece: MEDS301WS
(Single Ovens) 1 Telescopic Rack (Double Ovens)				
				Speed Oven:: Professional:
* Not pictured.				MC30WP Masterpiece:

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

MC30WS

#### **MASTERPIECE<sup>®</sup> SERIES**




	orice lists. Price	es listed herein do not include applicable state or	r local taxes.		
Model Number De	escription		UMRP	MSRP	
30" Masterpiece Double (	Oven with	Professional Handle			
<ul> <li>One Full Access<sup>®</sup> telescoprack (U)</li> </ul>	pic •	Three Additional Cooking modes: Variable Broil Hi,	<ul> <li>Six Cooking modes in Oven: Bake, Variable E</li> </ul>		
Silver glass		Variable Broil Low, Fast	Hi, Variable Broil Low,		
<ul> <li>4.6 cu. ft. overall oven ca (U/L)</li> </ul>	pacity	Preheat (U)	Warm, Sabbath, Fast F (L)	reheat	
<u>ME302YP</u> 30	)" Double	Oven, 1 Telescopic Rack (U)	4,399	4,849	
				T <b>SP</b>	ME302YP
30" Masterpiece Double C	Oven—Se	lect			1
<ul> <li>Two Full Access<sup>®</sup> telescop racks (U/L)</li> <li>TFT Touch control display</li> </ul>		4.5 cu. ft. overall oven capacity (U/L) Five Additional Cooking	<ul><li>Fast preheat (U/L)</li><li>Meat probe (U/L)</li></ul>		
<ul> <li>Silver glass on stainless s</li> </ul>		modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (U/L)			
<u>ME302WS</u> 30	)" Double	Oven, 2 Telescopic Racks,	5,999	6,599	
М	eat probe	(U/L)	٨	•	
				× (SP)	ME302WS
					WILDUZ WO

#### MASTERPIECE<sup>®</sup> SERIES

This price list supersedes all	l previous price lists. Pric	es listed herein do not include applicable state	or local taxes.		
Model Number	Description		UMRP	MSRP	
<ul> <li>30" Masterpiece De</li> <li>Three Full Access racks (U); One Fut telescopic rack an standard racks (L)</li> <li>TFT Touch control</li> <li>Silver glass on state</li> <li>4.5 cu. ft. overall of (U/L)</li> </ul>	s <sup>®</sup> telescopic III Access <sup>®</sup> Ind two ) I display ainless steel	<ul> <li>Pluxe</li> <li>Nine Additional Cooking modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate, Rotisserie (U)</li> <li>Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (L)</li> </ul>	<ul> <li>Fast preheat</li> <li>Commercial-style rotis with 12-pound capacity</li> <li>Multi-point meat probe Meat probe (L)</li> </ul>	7 (U)	
MED302WS	30" Double	Oven, 4 Telescopic Racks	7,099	7,849	
MED302LWS		Oven, 4 Telescopic Racks, Opening Door	7,599	8,399	MED302WS
MED302RWS		Oven, 4 Telescopic Racks, Opening Door	7,599	8,399	

MED302LWS

#### **MASTERPIECE<sup>®</sup> SERIES**




This price list supersedes all prev	ious price lists. Prices listed herein do not include applicable state or local taxes.		
Model Number	Description	UMRP	MSRP

#### All Masterpiece<sup>®</sup> Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect<sup>®</sup>
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose<sup>®</sup> doors
- 41 EasyCook<sup>®</sup> programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Easy Clean program
- Fast preheat for five different cooking modes

- g Features:
- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- Star-K certified
- 208-240 volts

#### Masterpiece® Steam and Convection Ovens



For the telescopic rack pricing, please contact Customer Support.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

•

•

•

Model Number Description		UMRP MSRP
All Professional Series Built-In Ove	ns Include the Following Features:	
<ul> <li>Thermador Connected Experience wit</li> </ul>	0	Sabbath Mode
Home Connect <sup>®</sup>	Speed Convection, Bake, Broil, Roast,	Star-K certified
<ul> <li>Restaurant-style stainless steel knobs</li> </ul>	Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza,	• 208-240 V
<ul> <li>TFT Touch control display</li> </ul>	Dehydrate, Slow Roast	Microwave/Speed Ovens
Silver glass on stainless steel	Two-hour self clean	• 1.6 cu. ft. overall capacity
<ul> <li>SoftClose<sup>®</sup> doors</li> </ul>	Fast preheat for seven different cooking	10 power levels
<ul> <li>4.5 cu. ft. overall oven capacity</li> </ul>	modes	Sensor cooking
	<ul> <li>Two halogen lights</li> </ul>	Sensor reheat

#### 30" Professional Series Ovens

<ul> <li><b>30</b>" <b>Professional Sing</b></li> <li>One Full Access<sup>®</sup> tele rack and two standard</li> </ul>	escopic • Meat probe			÷
<u>PO301W</u>	30" Single Oven, 1 Telescopic Rack	4,399	4,849	

PO301W



<ul> <li>30" Professional Single</li> <li>Additional Cooking me Rotisserie, Max Broil, Convection Broil</li> </ul>	odes: • Commercial-style rotisserie	Multi-point meat probe		1
POD301W	30" Single Oven, 3 Telescopic Racks	5,099	5,649	Į.
POD301LW	30" Single Oven, Left Side Opening Door, 3 Telescopic Racks	5,199	5,749	POI
POD301RW	30" Single Oven, Right Side Opening Door, 3 Telescopic Racks	5,199	5,749	(



POD301W





	all previous price lists. Prices listed herein do not include applicable state or	local taxes.		
Model Number	Description	UMRP	MSRP	
		:	30" Prof	iessional Series Ovens
<ul> <li><b>30" Professional</b></li> <li>One Full Access rack and two sta (U/L)</li> </ul>				
<u>PO302W</u>	30" Double Oven, 1 Telescopic Rack (U/L)	6,599	7,299	PO302W
<ul> <li>30" Professional Double Oven—Deluxe</li> <li>Three Full Access<sup>®</sup> telescopic racks (U)</li> <li>One Full Access<sup>®</sup> telescopic rack and two standard racks (L)</li> <li>Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil (U)</li> </ul>		<ul> <li>Multi-point meat probe</li> <li>Meat probe (L)</li> </ul>	(U)	
POD302W	30" Double Oven, 4 Telescopic Racks	7,599	8,399	
POD302LW	30" Double Oven, 4 Telescopic Racks, Left Side Opening Door	8,199	9,049	1
POD302RW	30" Double Oven, 4 Telescopic Racks, Right Side Opening Door	8,199	9,049	





POD302LW



This price list supersedes all p Model	previous price lists. Prices listed herein do not include applicable state o	local taxes.
Number	Description	UMRP MSRP
		30" Professional Series Oven
<ul> <li>30" Professional Combination Oven with Microwave</li> <li>One Full Access<sup>®</sup> telescopic rack and two standard racks (L)</li> <li>Meat probe (L)</li> <li>Meat probe (L)</li> <li>Meat probe (L)</li> <li>Meat probe (L)</li> </ul>		950 W microwave power
<u>POM301W</u>	30" Combination Oven with Microwave, 1 Telescopic Rack	5,899 6,499
30" Professional Combination Oven with Speed Oven• Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil• Three Full Access® tel racks• Multi-point meat probe		Speed Oven features:         • 36 Cook Smart™ Programs         • 12 ½" turntable         • 1,000 W microwave power
PODMC301W	30" Combination Oven with Speed Oven, 3 Telescopic Racks	7,199 7,949

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PODMC301W

<i>This price list supersedes all prev</i> Model Number	<i>vious price lists.</i> Descriptio	Prices listed herein do not include applicable state or	r local taxes. UMRP MSR	P
	Descriptio			ے ofessional Series Ovens
<ul> <li>30" Professional Tripl</li> <li>Additional Cooking m Rotisserie, Max Broil, Convection Broil</li> <li>Three Full Access<sup>®</sup> te racks</li> <li>Multi-point meat prob</li> </ul>	nodes: , Max elescopic	ation Oven with Speed Oven and V Speed Oven features: • 36 Cook Smart™ Programs • 12 ½" turntable • 1,000 W microwave power		
PODMCW31W	•	e Combo Oven with Speed Oven, copic Racks	9,199 10,14	9 PODMCW31W



	· · ·			
Model Number	Description	UMRP	MSRP	
This price list supersede	es all previous price lists. Prices listed herein d	not include applicable state or local taxes.		

#### All Professional Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect<sup>®</sup>
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Restaurant-style stainless steel knobs
- Silver glass on stainless steel
- SoftClose<sup>®</sup> doors
- 41 EasyCook<sup>®</sup> programs

• Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost

- Steam Clean program
- Fast preheat for five different cooking modes

- Three Full Access<sup>®</sup> telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- Star-K certified
- 208-240 V

#### 30" Professional Series Built-In Steam and Convection Oven

#### **Professional Series Steam and Convection Oven**

- PODS301W
- 30" Steam and Convection Oven with 3 Telescopic Racks

4,999 5,499



PODS301W



#### Professional Combination Oven with Steam and Convection Oven—Deluxe

- Lower oven: Thermador Connected Experience with Home Connect<sup>®</sup>
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection
- Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean
- Fast preheat for seven different cooking modes

PODS302W

30" Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks

- Three Full Access<sup>®</sup> telescopic racks
- Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- Star-K certified
- 208–240 V

8,599 9,499



PODS302W



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

					MICROWAVE OVENS
<i>This price list supersedes</i> Model Number	s all previous price lists. Pr Description	ices listed herein do not include applicable state o	or local taxes. UMRP	MSRP	
All Masterpiece	<sup>®</sup> Series Built-in	Microwave and Speed Ovens	Include the Following F	eatures:	
Silver glass on	stainless steel	10 power levels	• 5	Sensor reh	neat
• 1.6 cu. ft. overall capacity		Sensor cooking			
					Microwave Ovens
Built-In Microwa Touch Control E 14 1/8" ceramic te	Display	950 W Microwave power	<ul> <li>Plugs into 120 V, 60 3-prong grounded out</li> </ul>		
<u>MB30WS</u>		rpiece Microwave, Steel, 120 V	1,499	1,649	MB30WS
<u>MB30WP</u>		ssional Microwave, Steel, 120 V	1,699	1,899	MB30WP
					Speed Ovens
Built-In Speed O Full color TFT d 1234" ceramic to	lisplay	<ul> <li>1,000 W Microwave power</li> <li>36 Cook Smart<sup>™</sup> Programs</li> <li>Convection Bake</li> </ul>	<ul> <li>Broil</li> <li>208 or 240 V, 4 wire connection</li> </ul>	fixed	
MC30WS		rpiece Speed Oven, Steel, 208-240 V	2,299	2,549	MC30WS
MC30WP		ssional Speed Oven, Steel, 208-240 V	2,499	2,749	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

**\U** 

<sup>1</sup> To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

#### **MICROWAVE OVENS**

This price list supersedes Model	all previous price list	ts. Prices listed herein do not include applicable state of	or local taxes.		
Number	Descript	tion	UMRP	MSRP	
			Ν	/licroDr	rawer <sup>®</sup> Microwave Oven
Built-In MicroDra	awer <sup>®</sup> Microwa	ave			
<ul> <li>Blue digital disp</li> <li>acrolling toxt</li> </ul>	olay with	950 W microwave power	Hidden vent		
scrolling text		Auto-Cooking modes (includ-	Touch open and close		
• 1.2 cu. ft. cavity		ing Melt, Soften, Keep Warm)	<ul> <li>Perfect flush installation</li> </ul>	n	
<ul> <li>Fits a 7" mug or</li> </ul>	r 20 oz. cup	Sensor cooking			MD24WS
MD24WS	24" Mi	crowave Drawer	1,799	1,999	Transver and Balance
		5	4 000		
<u>MD30WS</u>	30" Mi	crowave Drawer	1,899	2,099	
					MD30WS
			Ove	er-the-F	Range Microwave Hood

#### **Over-the Range Microwave Hood**

Harmony<sup>®</sup> 5-burner gas range

• Design match for use in

· Exclusive stainless steel

handle

MU30WSU

· LCD display

combination with 30" Pro

- 2.1 cu. ft. cavity
- 14 <sup>3</sup>/<sub>16</sub>" glass turntable
  - 1,100 W microwave power
- Triple microwave distribution system

Over-the-Range Microwave Hood, Stainless Steel

- 10 cooking modes
- Sensor cooking
- Plugs into standard 120 V, 3-prong outlet
- Four-speed vent with up to 385 CFM

949 1,049



MU30WSU


#### WARMING DRAWERS


	previous price lists. I	Prices listed herein do not include applicable state or	local taxes.			
Model Number	Descriptior	1		UMRP	MSRP	
						Warming Drawers
Standard Warming	Drawers					
Our warming draw     perfect combination		SoftClose <sup>®</sup> door (WD30W only)	<ul> <li>450 W heatin</li> </ul>	ig elemen	t	
perfect combination of uncompromising performan unique convenience feature and elegant design		<ul> <li>2.2 cu. ft. overall capacity</li> <li>Touch Control Display</li> <li>Four heating modes: Low, Medium, High, Proof</li> </ul>	<ul> <li>Timer</li> <li>Plugs into a s 3-prong outle</li> </ul>		20 volt,	WD30WC
<u>WD30W</u>	30" Warı	ning Drawer, Custom Panel Ready		1,899	2,099	
WD30WC	30" Warı	ning Drawer, Push to Open		1,699	1,899	
Storage Drawers						_
<ul> <li>Our storage drawe the perfect combin uncompromising p</li> </ul>	nation of	• 2.4 or 0.8 cu. ft. overall capacity				SDaawo
unique convenient and elegant design	ce features					SD30WC
SD30WC	30" Stor	age Drawer (2.4 cu. ft.)		949	1,049	SDS30WC
SDS30WC		age Drawer, Short Height (0.8 cu. fi	+ )	649	749	
0000000		Inder Steam Oven)	)	049	749	

#### ACCESSORIES

This price list superse Model	supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.																
Number	Descriptio	n	UMRP	MSRP													
Accessorie	es							Ρ	rofe	essi	ona	al Se	erie	s			
					PO301W	POD301W	POD301LW	POD301RW	PO302W	POD302W	POD302LW	POD302RW	POM301W	PODMC301W	PODMCW31W	PODS301W	PODS302W
	SDCLNRCK30	Self-Clean Standard Rack, 30"	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•
	For the telescop	ic rack pricing, please contact Custo	mer Sup	port.	•	•	•	•	•	•	•	•	•	•	•		
	<u>WKNOBKT3W</u>	Blue Metal Knob Kit for Professional Oven (2 pc.)	49	59	•	•	•	•	•	•	•	•	•			•	•
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•	•	•	•								•	

#### **GAS COOKTOPS**





## **GAS COOKTOPS**

This price list supers	edes all previous price lists.	Prices listed herein do not include applicable state or local taxes.				
	Number	Description	UMRP	MSRP		
Accessorie	25				Star <sup>®</sup> Burner	Pedestal Star <sup>®</sup>
	the center grate •	Griddle -burner Star <sup>®</sup> and Pedestal Star <sup>®</sup> Burner Series mo Cast aluminum design allows for even heat distribu stick coating for easy cleanup and cooking			•	•
	SKNOBLUW Fits 30" and 36" P finish • Easy to ins	Blue Knob Kit, Pedestal Star <sup>®</sup> Burner Cooktops edestal Star <sup>®</sup> Burners Series models • Set of five kn tall	109 obs • Blue m	119 etallic		•
	<u>SLPKITW</u>	LP Gas Conversion Kit for Star <sup>®</sup> Burner Series Cooktops	99	109	•	
	SNPKITPEDW	LP Gas Conversion Kit for Pedestal Star <sup>®</sup> Burner Series Cooktops	99	109		•
0	cooktops • Fits ov	Wok Ring ration on Star <sup>®</sup> Burner and Pedestal Star <sup>®</sup> Burner S er the large burner on all cooktop sizes, allowing th ok • Cast iron construction is durable and dishwast	ne user to co	109 ok	•	•

	ts. Prices listed herein do not include applicable state	or local taxes.	
Model Number Descrip	tion	UMRP MSRP	
All Masterpiece <sup>®</sup> Series Glas	s Ceramic Electric Cooktops Inc	lude the Following Features:	
Triple element	<ul> <li>Maximum wattage: 4</li> </ul>	1,000 W	
			Masterpiece <sup>®</sup> Series
Touch Control         • With the help of CookSmart <sup>®</sup> , the temperature is reached and maintained automatically without boilover         • Touch controls with blue illumination are easy to use and         LR: 5"/7" @         700 W (1,700 W)         LF: 6" @         1,700 W (4,000 W Bridge)         CET305TB	offer a sleek, modern design <ul> <li>Keep Warm</li> <li>Child Lock</li> <li>Shut-Off Timer for every element</li> </ul> RR: 6"/8"/11" @ <ul> <li>1,050 W/2,200 W/3,080 W</li> <li>RF: 6" @</li> <li>1,200 W</li> </ul>	<ul> <li>Kitchen timer</li> <li>Number of cooking zones: Eight</li> <li>Power/Amps: 208–240 V, 60 Hz//30 A</li> <li>1,799 1,999</li> </ul>	CET305TB
<ul> <li>Touch Control/Bridge</li> <li>With the help of CookSmart<sup>®</sup>, the temperature is reached and maintained automatically without boilover</li> <li>Bridge element with dual element</li> </ul>	<ul> <li>Touch controls with blue illumination are easy to use and offer a sleek, modern design</li> <li>PowerBoost<sup>®</sup></li> <li>Child Lock</li> </ul>	<ul> <li>Shut-Off Timer for every element</li> <li>Kitchen timer</li> <li>Number of cooking zones: 10</li> <li>Power/Amps: 208–240 V, 60 Hz//40/50 A</li> </ul>	СЕТЗ66ТВ
LR: 5"/7" @ 700 W/1,700 W LF: 7" @ 1,700 W (4,000 W Bridge) CET366TB 36" St	C: 6"/8"/11" @ 1,050 W/2,200 W/3,080 W ainless Steel Frame	RR: 6" @ 1,200 W RF: 6"/8" @ 1,200 W/2,100 W 1,999 2,199	
		.,	
Manual Controls/Stainless Ste • Dual zone bridge element accommodates oblong cookware LR: 5"/7" @ 700 W,1,700 W LF: 7" @ 1,700 W (4,000 W Bridge)	<ul> <li>High quality, robust, die-cast metal knobs</li> <li>Variable 9-stage power settings         <ul> <li>RR: 6"/8"/11" @                 1,050 W,2,200 W/3,080 W</li> <li>RF: 6"                 1,200 W</li> </ul> </li> </ul>	<ul> <li>Number of cooking zones: 10</li> <li>Power/Amps: 208–240 V, 60 Hz//30 A</li> </ul>	CEM305TB
<u>CEM305TB</u> 30" Fr	ameless Design	1,499 1,649	
Manual Controls/Stainless Ste • Dual zone bridge element accommodates oblong cookware LR: 5"/7" @ 700 W,1,700 W LF: 7" @ 1,700 W (4,000 W Bridge)	<ul> <li>High quality, robust, die-cast metal knobs</li> <li>Variable 9-stage power settings</li> <li>C: 6"/8"/11" @         <ul> <li>1,050 W,2,200 W/3,080 W</li> <li>1,050 W,2,200 W/3,080 W</li> </ul> </li> </ul>	<ul> <li>Number of cooking zones: 10</li> <li>Power/Amps: 208–240 V, 60 Hz//40/50 A</li> <li>RR: 6" @ 1,200 W</li> <li>RF: 6"/8" @ 1,000 W/2,200 W</li> </ul>	CEM366TB
<u>CEM366TB</u> 36" St	ainless Steel Frame	1,699 1,899	

GLASS	CERAMIC	INDUCTION	COOKTOPS
-------	---------	-----------	----------

This price list supersed Model Number	les all previous price lists. Descriptio	Prices listed herein do not include applicable state or n	local taxes.	UMRP	MSRP	
• PowerBoost®	ction – 13"×21" (	om <sup>®</sup> and Liberty <sup>®</sup> Induction Cook • 17 power levels Cooking Position with 5,500 W • MyZone <sup>®</sup> mode allows chang-		• +	Iome Con Wi-Fi Enal	nect <sup>®</sup>
<ul> <li>Wi-Fi connect cooktop and r communicate</li> </ul>	or pans are recognized in and controlled olor touch screen tivity allows the matching hood to with one another e turning on task	<ul> <li>ing a preset power level simply by moving a pot or pan on the cooktop</li> <li>Cooking Sensor Mode ready (wireless cooking sensor sold separately)</li> <li>Sapphire Glow<sup>®</sup> LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only)</li> </ul>	heate area • PanB • 17 pc • Resic • Pane • Cook and S • Powe	ower levels lual heat indicator	rs n Timer	CIT30XWBB
		Minimum cookware size: 3"×3" Maximum cookware size: 13"×21" Performance: 3,500 W/5,500 W (PowerBoost)				СІТЗБХШВ
CIT30XWBB	30" Darl	Gray Glass, Frameless Design		4,899	5,399	
<u>CIT36XWB</u>	36" Darl	Gray Glass, Stainless Steel Frame	9	5,399	5,949	
<u>CIT36XWBB</u>	36" Darl	Gray Glass, Frameless Design		5,399	5,949	

CIT36XWBB

0

## **GLASS CERAMIC INDUCTION COOKTOPS**

This price list supersed Model Number	es all previous price lists. Prices listed herein do not include appl Description	cable state or local taxes. UMRP	MSRP
			Masterpiece <sup>®</sup> Serie
Liberty <sup>®</sup> Induction Three extra-lacooking surface tailored cooking Number of cooking Five Cooktop-Hooco Automatic par	<ul> <li>HeatShift<sup>®</sup> has three pr heat zones</li> <li>MoveMode<sup>®</sup> allows eas fer settings</li> <li>Illuminated touch contra- 17 power levels</li> </ul>	<ul> <li>Automatic switch off</li> <li>y trans-</li> <li>Timer for all zones</li> <li>Maximum wattage: 10,80</li> </ul>	
Left Full Zone 15"×9" @ 3,300 W/3,700 W (PowerBoost )	LR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost ) LF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost ) Center Full Zone 11¼"×9½" @ 3,300 W/3,600 W (PowerBoost )	RR: 7½"×9" @           2,200 W/3,600 W           (PowerBoost )           RF: 7½"×9" @           2,200 W/3,600 W           (PowerBoost )           RF: 7½"×9" @           2,200 W/3,600 W           (PowerBoost )	
<u>CIT367XG</u>	36" Titanium Gray Glass, Framele	ss 3,899	<i>CIT367XGS</i> 4,299
CIT367XGS	36" Titanium Gray Glass, Stainless Steel Frame	3,899	4,299
<u>CIT367XM</u>	36" Silver Mirrored Glass, Frameless	4,399	4,849
<u>CIT367XMS</u>	36" Silver Mirrored Glass, Stainless Steel Frame	4,399	4,849
			Q
			CIT367XMS
			•

# **GLASS CERAMIC INDUCTION COOKTOPS**

<i>This price list supersedes all p</i> Model Number	revious price list Descript	s. Prices listed herein do not include applicab ion	le state or local taxes.	UMRP	MSRP	
	eritage Se	ries Glass Ceramic Induction				
Pan Recognition Touch control pane nation offers 17 por	wer settings	ight illumi- • PowerBoost <sup>®</sup> • Anti-Overflow S	n traditional gas cooktops System	• E		VIOCK nut Off Timer and kitchen time ps: 240 V, 60 Hz//50 A
Speed Heating—in	duction coo	ktops heat • Two-Level Hea	t Indicator			rpiece <sup>®</sup> Heritage Series
11" Element with 3, Large and powerfu element with 3,700 LR: 9" @ 2,200 W/3,700 W (Pow LF: 6" @ 1,400 W/2,200 W (Pow CIT304TB CIT304TM	ul 11" ) W werBoost <sup>®</sup> ) werBoost <sup>®</sup> ) 30" Fr	<ul> <li>Power/Amps: 240 V, 60 Hz/30 A</li> <li>RR: 11" @ 2,400 W/3,700 W (PowerBoost)</li> <li>RF: 6" @ 1,400 W/2,200 W (PowerBoost)</li> <li>ameless Design</li> <li>Iver Mirrored Finish</li> </ul>	_	2,799 3,299	3,099 3,649	Сітзо4тВ           Сітзо4тВ
13" Element with 5, Large 13" round he element LR: 7" @ 1,800 W/3,100 W (Pow LF: 7" @ 1,800 W/3,100 W (Pow	eating werBoost <sup>®</sup> )	<ul> <li>Industry-exclusive triple zone—accommodates multiple-size pans with th diameter sizes</li> <li>C: 9"/11"/13" @ 2,200 W/3,700 W (PowerBoost) 2,600 W/4,400 W (PowerBoost) 3,300 W/5,500 W (PowerBoost)</li> </ul>	The most power in its class     Power/Amps: 2     60 Hz//50 A     RR: 6" @     1,400 W/2,200 W (PowerBod     RF: 9" @     2,200 W/3,700 W (PowerBod	240 V,	500 W)	CIT365TB
CIT365TB		ameless Design	2,200 W/3,700 W (PowerBc	3,299	3,649	

## **ELECTRIC AND INDUCTION ACCESSORIES**

This price list superse	des all previous price lists. Prices listed her Model Number Description	rein do not include applicable state or local taxes. n	UMRP MSRP					
Accessio	_							
Accessorie	S			Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty <sup>®</sup> Induction	Induction
	Griddle-Style Teppanyaki							
	<ul> <li>Recommended accessory for Freedom<sup>®</sup> Induction Cooktop</li> <li>Can be used in oven</li> <li>Works with induction,</li> </ul>	<ul><li>electric and gas</li><li>Silvinox surface treatment prevents discoloration</li><li>7-Ply material</li></ul>	<ul> <li>18/10 stainless steel</li> <li>Additional copper and aluminum materials used for fast and even heating</li> <li>10-year guarantee</li> </ul>			•		
		hended accessory for	499 549					
	TEPPAN1314 13"×14 Recomm	· · · · · · · · · · · · · · · · · · ·	399 439			•		
		nended accessory for and Freedom <sup>®</sup> Induction Cooktops	299 329			•	•	
		nended accessory for and Freedom <sup>®</sup> Induction Cooktops	399 439 S			•	•	
	Cast Aluminum Non-Stick							
	<ul> <li>Heavy-duty cast aluminum with a thick ferromagnetic</li> </ul>	abrasion resistance	<ul> <li>Ovenproof up to 425° F and dishwasher-safe</li> </ul>					
	<ul><li>base</li><li>Easy to grip with two cast- in side handles</li></ul>	<ul> <li>Ridged surface adds grilled sear marks, while draining away excess fat</li> </ul>	<ul><li>17" x 9" grilling surface</li><li>PFOA-free</li></ul>			•	•	
	TGRILLPANX 17" x 9"		269 299					
	Stainless Steel Chef's Pan <ul> <li>Optimized for cooking with</li> </ul>	Stainless steel with alumi-	Encapsulated aluminum					
0	CookSmart <sup>®</sup> element • Works with induction, elec-		<ul><li>base</li><li>Three layers</li></ul>	•	•	•	•	•
	tric and gas <u>CHEFSPAN08</u> 10" Che	material (CHEFSPAN08) f's Pan for 8" and 9" Elements	199 219					
	CHEFSPAN13 16" Che	f's Pan for 13" Element	399 439	•	•	•	•	•
	Stainless Steel Roasting F	an						
	<ul> <li>Perfect for searing, braising, roasting meat, poultry and vegetables</li> <li>Ideally suited for Liberty<sup>®</sup></li> </ul>	induction cooking zones <ul> <li>Made of 18/10 stainless steel</li> </ul>	<ul> <li>Dishwasher safe</li> <li>Oven-safe up to 500° F (350° with lid)</li> </ul>				•	
		Roasting Pan with Glass Lid	199 219					

## **ELECTRIC AND INDUCTION ACCESSORIES**

This price list superse Model Number	des all previous price lists. Prices listed herein do not include applicable state or local taxes. Description	UMRP	MSRP					
	Description	GMIT	MOTT					
Accessorie	s			Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty <sup>®</sup> Induction	Induction
	Wireless Cooking Temperature SensorAllows you to select the best way to prepare every food as you sures the temperature of the pot continuously. This allows the pot er precision to provide exceptional cooking results. The sensor is induction Cooking Sensor modeTCOOKSENSWWireless Cooking Sensor	ower to be maintair	ed with great-			•		

# *Thermador*<sup>®</sup> **PROFESSIONAL**

		30"		36"		48''		60"	
	Pro Grand <sup>®</sup>			2102 CH000		1111000000	2000	<u> 177 77 7日</u> 0日	0.00.00
ES									
FUEL RANGES				PRD366WGU PRD364WIGU PRD364WLGU	6-burner Induction Grill	PRD486WIGU PRD486WLGU PRD486WDGU	Induction Grill Griddle	PRD606WEG PRD606WCG	Griddle Grill and Griddle
JELI				PRD364WDGU	Griddle	PRD484WCGU	Grill and Griddle		
DUAL FL	Pro Harmony <sup>®</sup>						<u> </u>		
			5-burner 4-burner	PRD366WHU PRD364WDHU PRD364WLHU	6-burner Griddle Grill	PRD486WDHU PRD486WLHU PRD484WCHU	Griddle Grill Grill and Griddle		
STEAM RANGES	Pro Grand <sup>®</sup>						j		
STEAN						PRD48WISGU PRD48WDSGU PRD48WLSGU PRD48WCSGU	induction Griddle Grill Grill and Griddle	PRD606WESG PRD606WCSG	Griddle Grill and Griddle
GES	Pro Grand <sup>®</sup>								
RANGES				PRG366WG PRG364WDG PRG364WLG	6-burner Griddle Grill	PRG486WDG PRG486WLG	Griddle Grill		
ALL- GAS	Pro Harmony <sup>®</sup>				e -				
			5-burner 4-burner	PRG366WH PRG364WDH PRG364WLH	6-burner Griddle Grill	PRG486WDH PRG486WLH	Griddle Grill		
RANGETOPS	Professional	PCG305W	5-burner	PCG366W PCG364WD PCG364WL	6-burner Griddle Grill	PCG486WD PCG486WL	Griddle Grill		

### RANGETOPS


This price list supersedes all previous price lists. Model Number Descriptio		le state or local taxes.	UMRP MSRP	
All Professional Series Range Continuous porcelain, easy-to-c cooking surface Patented Pedestal Star <sup>®</sup> Burner QuickClean Base™ Each burner has electronic ignit re-ignition; Metal knobs (also available in Metallic Blue, PKNOBLUWR, so separately. See page 5-12)	lean • LED downlighti panel. with • Precision simm as 375 BTU wit burners • Two-year warra • Star-K certified	ng illuminates the control ering capabilities as low th two ExtraLow <sup>®</sup> simmer	appliance a Thermac Professior • For Liquid LP Gas Fi ordered se units; PAL Star <sup>®</sup> Burn	ly recommended that this be installed in conjunction with dor <sup>®</sup> vent hood. (see Thermador <sup>®</sup> hal Hoods, page 6-5) Propane models: Natural to eld Conversion Kit must be eparately (PALPKITHW for all PKITHW5 for five Pedestal her units). No High Altitude in kit needed for Rangetops.
Five Pedestal Star <sup>®</sup> Burners (Two with ExtraLow <sup>®</sup> ). overall output of 59,000 BTU. Suitable for use with Thermador OTR (see page 3-13)	<ul> <li>For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be a separately (PALPKITHWS five Pedestal Star<sup>®</sup> Burneunits). No High Altitude a sion kit needed for Range</li> </ul>	eld ordered 5 for er onver-	30" Prof	essional Gas Rangetop
LR: BTU 8,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO	Center: BTU 10,000 high*	RR: BTU 8,000 high* RF: BTU 15,000 high*		
	nless Steel with n Surface		3,299 3,649	
• Six Pedestal Star <sup>®</sup> Burners (Two with ExtraLow <sup>®</sup> ).	• 15 Amps		36" Prof	essional Gas Rangetop
LR: BTU 15,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO	CR: BTU 15,000 high*/3,000 low CF: BTU 18,000 high*/3,000 low	RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low		
PCG366W 36" Stai	nless Steel with	:	3,899 4,299	

36" Stainless Steel with Porcelain Surface

\* 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador<sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

#### RANGETOPS



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador<sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO HARMONY<sup>®</sup> SERIES—DUAL-FUEL RANGES

	s. Prices listed herein do not include applicable state or local taxes.	
Model Number Descripti	on	UMRP MSRP
All Pro Harmony <sup>®</sup> Series Dua	I Fuel Ranges Include the Following Features:	
Cabinet-Depth (24")	Indoor Pro Electric Grill model:	integrated easy-grip handle (36" and
• Four pedestal burner range: ea	• 1,630 W electric element, 2-zone thermo-	48" ovens: 3; 30" oven: 1)
burner has output of 18,000 B	TU (NG) statically controlled, ceramic briquettes, fusion non-stick surface coating	Hidden Thermal Bake (2,000 W), Broil     (4,000 W)
<ul> <li>Continuous porcelain, easy-to-</li> </ul>	clean	(4,000 W),
cooking surface	For LP: Natural to LP Gas Field	<ul> <li>Third element rear 2,750 W convection</li> </ul>
<ul> <li>Patented Pedestal Star<sup>®</sup> Burne</li> </ul>	r with Conversion Kit must be ordered	Convection Broil and two rapid, self-clea

- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-11
- All burners with electronic ignition/ re-ignition

QuickClean Base™

· Precision simmering capabilities as low as 375 BTU with two ExtraLow<sup>®</sup> simmer burners

Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

- separately.
- Island trim included
- Two-year warranty
- Star-K certified

#### Main oven features:

- Thermador Connected Experience with Home Connect<sup>®</sup> enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Full Access<sup>®</sup> telescopic racks with

n cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1 1/2 hr light-soil clean

#### Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements.
- 2.4 cu. ft. overall volume\*

#### Note

Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador<sup>®</sup> Professional hoods)

30" Dual-Fuel Range

#### • Four Pedestal Star<sup>®</sup> Burners • 30" range features 4.4 cu. ft. (Two with ExtraLow) overall volume\* LR: BTU RR: BTU 15,000 high\*\*/3,000 low 15,000 high\*\*/375 XLO RF: BTU LF: BTU 18,000 high\*\*/375 XLO 18,000 high\*\*/3,000 low 30" Stainless Steel with PRD304WHU 6,299 6,949 Porcelain Surface and One Telescopic Oven Rack PRD304WHU Five Pedestal Star<sup>®</sup> Burners able for use with the Thermador • 30" range features 4.4 cu. ft. (Two with ExtraLow); overall OTR (see page 3-13) overall volume\* output of 59,000 BTU and suit-LR: BTU RR: BTU 8,000 high\*\*/375 XLO 8,000 high\*\* Center: BTU 10,000 high\* LF: BTU RF: BTU 18,000 high\*\*/375 XLO 15,000 high\*\* PRD305WHU PRD305WHU 30" Stainless Steel with 6,849 7,549 Porcelain Surface and One Telescopic Oven Rack \*According to AHAM Standards \*\* 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backquard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backquard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden

# PRO HARMONY<sup>®</sup> SERIES—DUAL-FUEL RANGES

/lodel Number	Description	UMRP MSRP	
		36" Du	ual-Fuel Rang
Six Pedestal Star <sup>®</sup> Bu (Two with ExtraLow <sup>®</sup> )	rners • Oven features 4.9 cu overall volume*	. ft. • Thermador Connected Experience with Home Connect <sup>®</sup>	
LR: BTU 15,000 high**/375 XL	CR: BTU .O 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XL	.O CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low	Trans
PRD366WHU	36" Stainless Steel with Porcelain Surface and All Telesco	8,599 9,499 PRD366WI	+∪ Kr <b>(\$}</b>
Four Pedestal Star <sup>®</sup> E (Two with ExtraLow <sup>®</sup> ) Oven features 4.9 cu. overall volume*	Experience with Hom		
LR: BTU 15,000 high**/375 XL LF: BTU	——————————————————————————————————————		Trees
18,000 high**/375 XL PRD364WDHU	36" Stainless Steel with Porcelain Surface and All Telesco	18,000 high**/3,000 low 9,049 9,999 PRD364W opic Oven Racks	
Thermador Connecte Experience with Hom Connect <sup>®</sup>	R	Indoor Pro Electric Grill,	
LR: BTU 15,000 high**/375 XL LF: BTU	1,630 W	RR: BTU 15,000 high**/3,000 low RF: BTU	Trans
18,000 high**/375 XL	O (6-pass 2x)	18,000 high**/3,000 low PRD364W	LHU
RD364WLHU	36" Stainless Steel with Porcelain Surface and All Telesco	8,949 9,849 Opic Oven Racks	K <b>(F</b> )

<sup>\*</sup> According to AHAM Standards \*\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador<sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO HARMONY<sup>®</sup> SERIES—DUAL-FUEL RANGES

lumber	Description		UMRP MSRP	
				48" Dual-Fuel Rang
Thermador Connected Experience with Home Connect <sup>®</sup>	(Two with	tal Star <sup>®</sup> Burners ExtraLow <sup>®</sup> ) features 4.4 cu. ft. ume*	<ul> <li>Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW</li> </ul>	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle 1,630 W	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	(6-pass)	RF: BTU 18,000 high**/3,000 low	PRD486WDHU
PRD486WDHU	48" Stainless Steel wit Porcelain Surface and		12,399 13,649 Racks	
Thermador Connected Experience with Home Connect <sup>®</sup>	(Two with	tal Star <sup>®</sup> Burners ExtraLow <sup>®</sup> ) features 4.4 cu. ft. ume*	• Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	1,630 W (6-pass 2x)	RF: BTU 18,000 high**/3,000 low	
RD486WLHU	48" Stainless Steel wit Porcelain Surface and		12,399 13,649 Racks	
Thermador Connected Experience with Home Connect <sup>®</sup> Four Pedestal Star <sup>®</sup> Bu (Two with ExtraLow <sup>®</sup> )	overall vol • Fusion noi Indoor Pro convertible	n-stick surface Electric Grill, to Griddle nal accessory	<ul> <li>Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW</li> </ul>	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill	Griddle	PRD484WCHU
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	1,630 W (6-pass 2x)	1,630 W (6-pass)	
RD484WCHU	48" Stainless Steel wit	h	12,599 13,899	

<sup>\*</sup> According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador<sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0<sup>11</sup> when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*\* 15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

All Pro Harmor	y <sup>®</sup> Series All Gas Ranges	nclude the Following Features:		
Model Number	Description	UMRP	MSRP	
This price list supersede	s all previous price lists. Prices listed herei	do not include applicable state or local taxes.		

- Cabinet-Depth (24")
- Four pedestal burner ; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star<sup>®</sup> Burner with QuickClean Base<sup>™</sup>
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-11)
- Precision simmering capabilities as low as 375 BTU with two ExtraLow<sup>®</sup> simmer burners

Griddle model:

• 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

Griddle is interchangeable with grill
 accessory for convenient indoor grilling

Indoor Pro Electric Grill model:

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating
- NEW Gas ranges are now field convertible from natural gas to liquid propane—Conversion Kit must be ordered separately
- Island trim included
- Two-year warranty
- Star-K certified

Ovens feature:

 Thermador Connected Experience with Home Connect<sup>®</sup> enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'

- 17,500 BTU high-intensity infrared broiler
- Full Access<sup>®</sup> telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- · Gas convection oven
- 20,500 BTU bake burner
- Convection Bake, Thermal Bake (20,500 BTU)

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume\*

Note

 Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador<sup>®</sup> Professional hoods)

## 30" All-Gas Range

<ul> <li>Four Pedestal Star<sup>®</sup> Burners (Two with ExtraLow<sup>®</sup>) each</li> <li>LR: BTU 15,000 high**/375 XLO</li> </ul>	front burner has output of 18,000 BTU (NG) RR: BTU 15,000 high**/3,000 low	30" range features 4.6 cu. ft. overall volume*
LF: BTU 18,000 high**/375 XLO	RF: BTU 18,000 high**/3,000 low	
<u>PRG304WH</u> 30" Stai	nless Steel with Porcelain Su	face 4,949 5,449
<ul> <li>Five Pedestal Star<sup>®</sup> Burners (Two with ExtraLow<sup>®</sup>); overall output of 59,000 BTU</li> </ul>	and suitable for use with Thermador OTR (see pag 3-13.	
LR: BTU 8,000 high**/375 XLO LF: BTU 18,000 high**/375 XLO	Center: BTU 10,000 high**	RR: BTU 8,000 high** RF: BTU 15,000 high**
PRG305WH 30" Stai	nless Steel with Porcelain Su	face 5,599 6,199 PRG305WH
		onvert to 9,100 BTU LP; 15,000 BTU NG burners convert to convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador<sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO HARMONY<sup>®</sup> SERIES—ALL-GAS RANGES

lodel	price lists. Prices listed herein do not include applica escription	UMRP MSRP	
			36" All-Gas Ran
Thermador Connected Experience with Home $\operatorname{Connect}^{\scriptscriptstyle \oplus}$	<ul> <li>Six Pedestal Star<sup>®</sup> Burne (Two with ExtraLow<sup>®</sup>)</li> </ul>	ers • 36" range features 5.1 cu. ft. overall volume*	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low	
	6" Stainless Steel with Porcelain S nd All Telescopic Oven Racks	Surface 6,399 7,049	PRG366WH
Thermador Connected Experience with Home Connect <sup>®</sup>	<ul> <li>Four Pedestal Star<sup>®</sup> Bur (Two with ExtraLow<sup>®</sup>) ea front burner has output of 18,000 BTU (NG)</li> </ul>	ach overall volume*	
LR: BTU 15,000 high**/375 XLC LF: BTU	1,630 W	RR: BTU 15,000 high**/3,000 low RF: BTU	
18,000 high**/375 XLC	) (6-pass)	18,000 high**/3,000 low	PRG364WDH
	6" Stainless Steel with Porcelain S nd All Telescopic Oven Racks	Surface 7,249 7,999	
Thermador Connected Experience with Home Connect <sup>®</sup>	<ul> <li>Four Pedestal Star<sup>®</sup> Bur (Two with ExtraLow<sup>®</sup>) ea front burner has output o 18,000 BTU (NG)</li> </ul>	ach overall volume*	
LR: BTU 15,000 high**/375 XLC LF: BTU	1,630 W (6-pass 2x)	RR: BTU 15,000 high**/3,000 low RF: BTU	PRG364WLH
18,000 high**/375 XLC	1	18,000 high**/3,000 low	
	6" Stainless Steel with Porcelain S nd All Telescopic Oven Racks	Surface 7,249 7,999	

\* According to AHAM Standards

\*\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador<sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0<sup>11</sup> when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# PRO HARMONY<sup>®</sup> SERIES—ALL-GAS RANGES

Model Number	Description		UMRP	MSRP	
					48" All-Gas Range
<ul> <li>Thermador Connecter Experience with Hom Connect<sup>®</sup></li> </ul>	e (Two with	stal Star <sup>®</sup> Burners ExtraLow <sup>®</sup> ) and n features 4.6 cu. ft. Jume*	<ul> <li>Non-stick surface Electric Griddle, convertible to G with optional accessory PA12GRILLW or PA12GI</li> </ul>	rill	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle 1.630 W	RR: BTU 15,000 high**/3,000 low		
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	(6-pass)	RF: BTU 18,000 high**/3,000 low	- 1	Emmi
PRG486WDH	48" Stainless Steel wi and All Telescopic Ov		10,499 1	1,549	
<ul> <li>Thermador Connecter</li> <li>Experience with Hom</li> <li>Connect<sup>®</sup></li> </ul>	e (Two with	stal Star <sup>®</sup> Burners ExtraLow <sup>®</sup> ) and n features 4.6 cu. ft. Jume*	<ul> <li>Fusion non-stick surface Indoor Pro Electric Grill, vertible to Griddle with op accessory PAGRIDDLEV</li> </ul>	con- ptional	
LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Grill	RR: BTU 15,000 high**/3,000 low		
LF: BTU 18,000 high**/375 XLO	CF: BTU 18,000 high**/3,000 low	1,630 W (6-pass 2x)	RF: BTU 18,000 high**/3,000 low		Enco
PRG486WLH	48" Stainless Steel wi	th Porcelain Surface	10,499 1	1,549	PRG486WLH
	and All Telescopic Ov	en Racks		(	

\*\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

<sup>\*</sup> According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador <sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

## **PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es									ony ang			,		o H Gas			•			Ra	ange	etop	S	
					3	0"		36"			48"		30	)"	(	36"		4	8"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	<b>PRD366WHU</b>	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WI
		12" Griddle Plate Accessory w/ Tray (for Grill Modules) Fusion coated accesso to the "high-release" ac							•		•	•					•		•			•			•
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) usion) surface coating (" to clean and durable or	•	359 9.				•		•		•				•		•			•			•	
		12" Grill Plate Accessory w/ Tray (for Griddle Modules) Fusion coated accesso to the "high-release" ad						•		•		•				•		•			•			•	
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Mor	319 dules)	359					•		•	•					•		•			•			•
	PABRICKW	Flat Ceramic Briquettes (no Basket	99 )	109					•		•	•					•		•			•			•
	PABRICKBKW	Flat Ceramic Briquettes with Baske	199 t	219					•		•	•					•		•			•			•
	PAGRIDDLE	Griddle sits on top of Grates over two Bu high-release surface co		219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0 0	PA24CVRW	24" Cover for Grill/ Griddle Combination I	259 Models	289								•													
T	PA12LCVRN	12" Professional Indoor Grill Cover	299	329					•		•	•					•		•			•			•
1	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•				•		•			•			•	

## **PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessori	es							Ha <sup>-</sup> ue							ro ⊦ Ga			-	6		Ra	ing	eto	ps
					3	)"		36"			48"		30	)"		36"		4	8"	30"		36"	1	48
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD
0	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1 =	PAALTKITHW	High Altitude Kit, NG Pro Harmony Rat 5.4K ft. to 10.2K ft.	89 nges,	99	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
	For the high altit Customer Suppo	ude kit pricing, please co ort.	ontact		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
/	PALPKITHW	LP Conversion Kit Pro Harmony Dual Fit & Rangetops (4 & 6 B		159 Iges		•	•	•	•	•	•	•									•	•	•	•
	PALPKITGW	LP Conversion Kit Pro Harmony Gas Ra (4 & 6 Burner)	199 Inges	219										•	•	•	•	•	•					
	PALPKITGW5	LP Conversion Kit Pro Gas Ranges (5 Burner)	199	219									•											
/	PALPKITHW5	LP Conversion Kit Pro Harmony Dual Fi & Rangetops (5 Burn		159 Iges	•															•				
	PARKB3XHY	Blue Knob Kit 30"/36" Gas Harmony	249 /	279									•	•	•									
	PARKB30HY	Blue Knob Kit 30" DF Harmony	249	279	•	•																		
	PARKB36DHY	Blue Knob Kit 36" G/DF Harmony	249	279				•								•								
	PARKB36HY	Blue Knob Kit 36" DF GR Harmony	249	279			•																	

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

## **PROFESSIONAL STYLE RANGES & RANGETOPS ACCESSORIES**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	Accessories									ony ang				Pr All	ro ⊢ Ga				6		Ra	ing	etop	os	
					3	0"		36"			48"		3(	)"		36"		4	8"	30"		36"		48	3"
	Model Number	Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
	PARKB36LHY	Blue Knob Kit 36" Grill Harmony	249	279					•								•								
	PARKB48CHY	Blue Knob Kit 48" DF Harmony	299	329						•	•	•													
	PARKB48DHY	Blue Knob Kit 48" Gas Harmony	299	329														•	•						
	PAKNOBLUWR	Metallic Blue Knob Kit Pro Rangetop	239	269																•	•	•	•	•	•
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmony Range	419	469	•	•							•	•											
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmony Range	479	529			•	•	•						•	•	•								
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harmony Range	509	599						•	•	•						•	•						
	PA30WLBC	10" Low Backguard for 30"Rangetop	209	229																•					
	PA36WLBC	10" Low Backguard for 36" Rangetop	269	299																	•	•	•		
	PA48WLBC	10" Low Backguard for 48" Rangetop	319	359																				•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

## All Pro Grand<sup>®</sup> Series Dual Fuel Ranges Include the Following Features:

- Commercial-Depth (27")
- Patented Pedestal Star<sup>®</sup> Burner with QuickClean Base<sup>™</sup> (Four with ExtraLow<sup>®</sup> Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24.
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow<sup>®</sup> Simmer burners (two far-left pair and two far-right pair)
- LP kit ordered separately for converting burners for LP gas
- Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

- All Ovens
- SoftClose<sup>®</sup> hydraulic hinges for ultrasmooth closing
- Three Full Access<sup>®</sup> telescopic racks with integrated easy-grip handles
- Fast Preheat
- Main Oven
- Thermador Connected Experience with Home Connect<sup>®</sup> enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume\* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- · Hidden bake element
- Note
- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador<sup>®</sup> Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

#### Induction Models

- Thermador 3,600 W Liberty<sup>®</sup> Induction with two zones
- Features 9 power levels, XHI PowerBoost, Bridge, HeatShift<sup>®</sup>, Timer and a safety shutoff
- Indoor Pro Electric Grill
- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating
- · Fusion non-stick surface

#### Griddle:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- 48" Range Full-featured Secondary Oven
- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume\*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

#### 60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume\*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure


<sup>\*</sup> According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador <sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

umber De	escription	UMRP	MSRP	
				36" Dual-Fuel Range
Six Pedestal Star <sup>®</sup> Burner (Four with ExtraLow <sup>®</sup> )	'S			
LR: BTU 15,000 high*/375 XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/375 XLO		
Po	5" Stainless Steel with prcelain Surface and I Telescopic Oven Racks	9,899	10,899	PRD366WGU
Four Pedestal Star <sup>®</sup> Burn (Four with ExtraLow <sup>®</sup> ) and fusion non-stick surface Indoor Pro Electric Grill,				
LR: BTU 15,000 high*/375 XLO	Electric Grill 1.630 W	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XLO	(6-pass 2x)	RF: BTU 18,000 high*/375 XLO		
Po	" Stainless Steel with orcelain Surface and I Telescopic Oven Racks	10,199	11,249	
Four Pedestal Star <sup>®</sup> Burn (Four with ExtraLow <sup>®</sup> ) and		11		
LR: BTU 15,000 high*/375 XLO	Electric Griddle	RR: BTU 15,000 high*/375 XLO		
LF: BTU 22,000 XHI*/375 XLO	1,630 W (6-pass)	RF: BTU 18,000 high*/375 XLO		
Po	" Stainless Steel with prcelain Surface and I Telescopic Oven Racks	10,399	11,449	PRD364WDGU
Four Pedestal Star <sup>®</sup> Burn (Four with ExtraLow <sup>®</sup> ) wit Liberty <sup>®</sup> Induction		ately		
LR: BTU 15,000 high*/375 XLO	RR: BTU 15,000 high*/375 XLO	Induction 3,600 W 230 V		
LF: BTU 22,000 XHI*/375 XLO	RF: BTU 18,000 high*/375 XLO	3,300 W 208 V		
Po	" Stainless Steel with orcelain Surface and I Telescopic Oven Racks	10,799	11,899	
 15,000 BTU NG burners conver	t to 12,000 BTU LP; 18,000 BTU NG convert	to 15,000 BTU LP; 22,000 BTU NG cor	overt to 18.0	

other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador<sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO GRAND<sup>®</sup> SERIES—DUAL-FUEL RANGES



\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador <sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO GRAND<sup>®</sup> SERIES—DUAL-FUEL RANGES

<i>This price list supersedes all prev.</i> Model Number	ious price lists. Prices listed herein Description	do not include applicabl	le state or local taxes.	UMRP	MSRP	
						48" Dual-Fuel Ranges
<ul> <li>Six Pedestal Star<sup>®</sup> Bu Cooktop (Four with E with Liberty<sup>®</sup> Induction</li> </ul>	xtraLow <sup>®</sup> ) TEPPAN	yaki accessory 1016 sold separ	ately			
LR: BTU 15,000 high*/375 XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/375		Induction 00 W 230 V		
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*3,000 low	RF: BTU 18,000 high*/375	3,3	00 W 208 V		
PRD486WIGU	48" Stainless Steel w Porcelain Surface and All Telescopic Oven F	b		14,099 1	5,549	
						60" Dual-Fuel Ranges
The Ultimate Entertai	ner's Center™					
<ul> <li>Six Pedestal Star<sup>®</sup> Bu (Four with ExtraLow<sup>®</sup> Indoor Pro Electric G 12" Griddle</li> </ul>	) with convertib	ro Electric Grill, le to Griddle onal accessory DLEW	Grid with	-stick surface Electri dle, convertible to G optional accessory 2GRILLW or PA12G	irill	
LR: BTU 12,500 high*/375 XLO	CR: BTU 12,500 high*/3,000 low	Electric Grill 1,630 W	Electric Griddle 1,630 W	RR: BTU 15,000 high*/375 X	(LO	
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/3,000 low	(6-pass 2x)	(6-pass)	RF: BTU 18,000 high*/375 X	(LO	
PRD606WCG	60" Stainless Steel w Porcelain Surface an All Telescopic Oven F	d		17,649 1	9,449	
The Ultimate Entertai	ner's Center™					
<ul> <li>Six Pedestal Star<sup>®</sup> Bu (Four with ExtraLow<sup>®</sup> Dual Zone Griddle</li> </ul>	) with 24" Griddle, with optic	x surface Electric convertible to Gr onal accessory ILLW or PA12GF	ill			
LR: BTU 12,500 high*/375 XLO	CR: BTU 12,500 high*/3,000 low		tric Griddle Left & Right)	RR: BTU 15,000 high*/375 >	KLO	PRDEASINES
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/3,000 low		W total)	RF: BTU 18,000 high*/375 >	KLO	
PRD606WEG	60" Stainless Steel w Porcelain Surface an All Telescopic Oven F	d		17,649 1	9,449	

<sup>\* 12,500</sup> BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador<sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

#### All Pro Grand<sup>®</sup> Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star<sup>®</sup> Burners with QuickClean Base<sup>™</sup> (Four with ExtraLow<sup>®</sup> Simmer)
- Steam and convection oven
- Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star<sup>®</sup> Burner with QuickClean Base<sup>™</sup>
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with Four ExtraLow<sup>®</sup> Simmer burners (two far-left pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty<sup>®</sup> surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift<sup>®</sup>, Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Indoor Pro Electric Grill (convertible to griddle with griddle accessory),

- LP conversion kit ordered separately for converting burners for LP gas
- Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified
- CSA certified
- Indoor Pro Electric Grill Model: 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating

#### Oven features:

- Thermador Connected Experience with Home Connect<sup>®</sup> enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose<sup>®</sup> hinges for ultra-smooth closing
- Large oven includes three Full Access<sup>®</sup> telescopic racks with integrated easy-grip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume\*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1 1/2 hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion and preheat status with audible alert

#### Steam Oven features:

- 27 Easy Cook<sup>®</sup> programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed
- Steam Clean function
- Warming drawer features:
- Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

#### Note


- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador<sup>®</sup> Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

\* According to AHAM Standards

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador <sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.



<sup>\* 15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador <sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO GRAND<sup>®</sup> SERIES—STEAM RANGES

	ious price lists. Prices listed herein d	o not include applicable state or lo	local taxes.			
Model Number	Description			UMRP	MSRP	
					48" C	Dual-Fuel Steam Rang
he Ultimate Culinary	Center™					
Four Pedestal Star <sup>®</sup> E		Electric Grill and	• 24" st	ainless steel cove	⊃r	
(Four with ExtraLow®				CVRW for Grill/G		าาาาาต่อต่อ กก
	,		sold s	eparately		
LR: BTU	CR: BTU		1			
15,000 high*/375 XLO	15,000 high*/375 XLO	Electric Grill 1,630 W		ric Griddle ,630 W		
LF: BTU	CF: BTU	(6-pass 2x)		,030 W 6-pass)		
22,000 XHI*/375 XLO	18,000 high*/375 XLO					
PRD48WCSGU	48" Stainless Steel wit	h		16,299	17,949	PRD48WCSGU
	Porcelain Surface and					
	All Telescopic Oven R	acks (main oven)				
					60" F	Quel Eucl Steam Done
					60 L	Dual-Fuel Steam Rang
he Ultimate Entertai	nor's ContorIM					
Six Pedestal Star <sup>®</sup> B		main oven cavity	• 2/1" etc	ainless steel cove	or	
(Four with ExtraLow®		dates commercial		sory PA24CVRR		
24" Dual Zone Griddl	, 	neet pan •		riddle sold separa		
	1		1			
LR: BTU 12,500 high*/375 XLO	CR: BTU 12,500 high*/3,000 low	24" Electric Griddle	e	RR: BTU 15,000 high*/375	XLO	
LF: BTU	CF: BTU	1,630 W (Left & Righ (3,260 W total)	ht)	RF: BTU		
22,000 XHI*/375 XLO	18,000 high*/3,000 low	(0,200 11 10101)		18,000 high*/375	XLO	PRD606WESG
				<u> </u>	~~ . ~ ~	
PRD606WESG	60" Stainless Steel wit Porcelain Surface and	h		20,149	22,199	
	All Telescopic Oven R	acks (main oven)				
		. ,				_
The Ultimate Entertain	ner's Center™					
Six Pedestal Star® Bu		main oven cavity		ainless steel cove		
(Four with ExtraLow	•	dates commercial		CVRW for Grill/G	riddle	
Indoor Pro Electric G	rill and size full sł	neet pan	sold se	eparately		
12" Griddle						
LR: BTU	CR: BTU	Electric Grill Electric	ic Griddle	RR: BTU		
12,500 high*/375 XLO	12,500 high*/3,000 low	1,630 W 1,63	630 W	15,000 high*/375	XLO	PRD606WCSG
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/3,000 low	(6-pass 2x) (6-p	-pass)	RF: BTU 18,000 high*/375	XLO	
,	I -, 3, I	I	I	-,	-	
PRD606WCSG	60" Stainless Steel wit	h		19,949	21,949	
	Porcelain Surface and				.,	
	All Telescopic Oven R	acks (main oven)				

<sup>\* 12,500</sup> BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador<sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO GRAND<sup>®</sup> SERIES—ALL-GAS RANGES

This price list supersedes all previo	us price lists. Prices listed herein do not include applicable state or local taxes.		
Model Number	Description	UMRP	MSRP

### All Pro Grand<sup>®</sup> Series All Gas Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Patented Pedestal Star<sup>®</sup> Burner with QuickClean Base<sup>™</sup> (Four with ExtraLow<sup>®</sup> Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star<sup>®</sup> Burner with QuickClean Base<sup>™</sup>
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-24.
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow<sup>®</sup> Simmer burners (two far-left pair and two far-right pair)

Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Electric Griddle (convertible to grill with grill accessory),

Indoor Pro Electric Grill model:

 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating

- Indoor Pro Electric Grill (convertible to griddle with griddle accessory)
- NEW Gas ranges are now field convertible from natural gas to liquid propane—kits sold separately
- · Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

#### Oven features:

- SoftClose<sup>®</sup> hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access<sup>®</sup> telescopic racks with integrated easy-grip handles
- Large oven:
- Thermador Connected Experience with Home Connect<sup>®</sup> enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume\* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/LP)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results

- 6 conventional cooking modes
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1 1/2 hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert


#### Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume\*
- Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/LP)
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

#### Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador<sup>®</sup> Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

## 36" All-Gas Range




<sup>\*</sup>According to AHAM Standards

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure

of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

<sup>\*\*15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador<sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.



<sup>\* 15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador <sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

# PRO GRAND<sup>®</sup> SERIES—ALL-GAS RANGES AND ACCESSORIES

	edes all previo	ous price list	s. Prices listed herein de	o not includ	le applicat	ole state or	· loca	l taxe	əs.																
Model Number		Descript	ion										UM	RP	Ν	ISRF	>								
																			48	8" /	<b>4</b> 11-	Ga	as l	Ra	nge
<ul> <li>Six Pedesta (Four with E)</li> </ul>		irners	<ul> <li>Fusion noi Indoor Pro convertible optional Pro</li> </ul>	e Electric	c Grill, ddle wit	h												20	100			) Di		101	n n n
LR: BTU 15,000 high*/3			CR: BTU high*/3,000 low		ectric Gr			15,		RR: higl		U 75 X	LO												
LF: BTU 22,000 XHI*/3			CF: BTU high*/3,000 low		1,630 W 6-pass 2x			18,		RF: higl		J 75 X	LO										Press		
PRG486WLG			ainless Steel wit									1	1,6	49	12	,849	)	PR	G48	6WL	.G				
		Surface	e and All Telesc	opic Ov	en Rad	cks												(		Z.	5	(	Ð		
Accessorie	es									D	ual	Fue	el					Ste	eam	I			All	Ga	as
								36	5"			48	"		60"		48	3"		60	)"		36"		48"
	Model						PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG
	Number		Description 12" Grill Plate		UMRP 319		₽.	₽	₽	₽	٩	₽	₽.	₽.		. <b>∩</b> .	₽.	₽.	₽.	₽.	٩	₽.		₽.	
	PA12GF		Accessory w/ - (for Griddle Mo	odels)		359				•		•		•	• •		•		•	•	•		•		•
			Fusion coated at to the "high-rele																						
	PA12GF	RILLW	12" Grill Plate Accessory w/ (for Griddle Mo	-	319	359				•		•		•	• •		•		•	•	•		•		•
			usion) surface co and durable ove		nigh-rel	ease")																			
	PAGRID	<u>DLFW</u>	12" Griddle Pla Accessory w/ (for Grill Modu	Tray	319	359			•				•	•	•			•	•		•			•	
			Fusion coated at to the "high-rele																						
	PAGRID	DLEW	12" Griddle Pla Accessory (for Briquette 0		319 dules)	359			•				•	•	•			•	•		•			•	,

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

439

•

399

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Teppan-yaki pan

for Induction models

TEPPAN1016

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.
Model
Number Description

Accessorie	es							D	ual	Fu								eam				_	I G		
						3	6"			48	3"		60	)"		48	B"		60	)"		36'	' '	48	3"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	<b>PRD606WESG</b>	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
		Description	OWINF	MORF		-	-		-	-	-	-	-	-	-	-	-	-		<u> </u>				-	-
	PABRICKW	Flat Ceramic Briquettes (no Basket)	99	109			•				•	•		•			•	•		•			•		•
	PABRICKBKW	Flat Ceramic Briquettes with Basket	199	219			•				•	•		•			•						•		•
	PAGRIDDLE	Griddle sits on top of Grates o two Burners, high-relea coating		219 face	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
0 0	PA24CVRR	24" Cover for Griddle	299	329									•						•						
0 0/	PA24CVRW	24" Cover for Grill/Griddle Combi Models	259 nation	289								•		•				•		•					
Ţ	PA12LCVRN	12" Cover Professional Indoor Gi	299 'ill	329			•				•	•		•			•	•		•			•		•
T	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•		•		•		•		•		•		•	
$\bigcirc$	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

_		


Accessorie	es							D	ual	Fu	el						Ste	an	١			AI	I G		
						3	6"			48	8"		60	"		48	3"		6	0"		36'	, ,	4	8"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	<b>PRD366WGU</b>	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	<b>PRD606WEG</b>	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	<b>PRD606WESG</b>	<b>PRD606WCSG</b>	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	PAALTKITGW	High Altitude Kit, NG Pro Grand Range 5.4K ft. to 10.2K ft.	89 es,	99	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	For the high altit Customer Suppo	ude kit pricing, please co ort.	ontact		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
<u> </u>	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel	199 Range	219 s	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
	PALPKITGGW	LP Conversion Kit Pro Grand Gas Rang	199 es	219																	•	•	•	•	•
	PARKB36IGY	Blue Knob Kit 36" Grill/Ind Grand	249	279	•		•																		
	PARKB36GY	Blue Knob Kit 36" Gas Grand	249	279																	•				
	PARKB36CGY	Blue Knob Kit 36" Combi Grand	279	309		•		•														•	•		
	PARKB48CGY	Blue Knob Kit 48" Combi Grand	384	429					•	•	•	•			•			•							
	PARKB48SGY	Blue Knob Kit 48" Combi Steam Gra	379 and	419												•	•							•	•
	PARKB60CGY	Blue Knob Kit 60" Combi Grand	349	389									•	•											
	PARKB60SGY	Blue Knob Kit 60" Combi Steam Gra	349 and	389															•	•					

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador <sup>®</sup> Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.
Model
Number Description

Accessorie	es							D	ual	Fue	el					Ste	eam	ı			AI	l Ga	as	
						36	6"			48	3"		60"		4	8"		60	)"		36"		48	}"
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	<b>PRD606WESG</b>	<b>PRD606WCSG</b>	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	<u>CSRACKH</u>	Wire Rack	199	219										•	•	•	•	•	•					
	PA36WTKG	Toe Kick for 36" Pro Grand <sup>®</sup> Ra	109 ange	119	•	•	•	•												•	•	•		
	PA48WTKG	Toe Kick for 48" Pro Grand <sup>®</sup> Ra	109 ange	119					•	•	•	•		•	•	•	•						•	•
	PA60WTKG	Toe Kick for 60" Pro Grand <sup>®</sup> Ra	139 ange	159									• •					•	•					
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fue Ranges	479 I Pro G	529 rand®	•	•	•	•												•	•	•		
	PA48WLBG	7" Low Back, for 48" Pro Grand <sup>®</sup> Ga	509 as Ran	599 ges					•	•	•	•		•	•	•	•						•	•
	PA60WLBG	7" Low Backguard for 60" for Pro Grand	559 Rang	649 e									• •					•	•					

# *Thermador*® **VENTILATION**



<i>This price list supersedes all previ</i> Model Number	ous price lists. Prices listed he Description	rein do not include applicable state o	or local taxes.	UMRP	MSRP	
<ul> <li>All Wall Hoods Includ</li> <li>Beautiful illumination v LED lights</li> <li>Dishwasher-safe com stainless steel baffle fi</li> <li>Recessed sleek, smoor panel that provides pr</li> </ul>	with multi-level, mercial-style ilters oth touch control	<ul> <li>Automatic mode dete adjust fan speed auto</li> <li>10-min. delay shut of lingering odors</li> <li>Check filter reminder after 40 hours of ope</li> </ul>	omatically ff whisk away · light illuminates	• B	uilt-in rem	<i>tions available</i> tote control panel, sold see page 6-8)
<ul> <li>selection with 4-speed</li> <li>All Masterpiece<sup>®</sup> Wall</li> <li>Equipped with the The Experience by Home</li> <li>A perfect complement Thermador Masterpie</li> </ul>	Hoods Include thes ermador Connected Connect <sup>®</sup> t to the sleek	<ul> <li>e Additional Features:</li> <li>Brushed stainless stainless stainless stainless control Technart</li> <li>Cooktop Hood-Sync</li> </ul>	ology™	• lr • C	ntegral blo Convertible	cting direction ower included e to recirculation, accessory ate (see page 6-3)
<ul> <li>Drawer Under Cabinet</li> <li>A masterful blend of luperformance with a sling canopy design</li> <li>When the slide-out canopy back, it sits</li> </ul>	uxury and agains ide-out try, an increa nopy • Fan c	st surrounding cabine- d when pulled forward ses capture area an be activated in the d or open position	<ul> <li>600 CFM integ included</li> <li>Transition to 6' backdraft dam</li> </ul>	' round	and	Masterpiece <sup>®</sup> Serie
HMDW30WS	30" Masterpiece <sup>®</sup> , Drawer Wall Hood 36" Masterpiece <sup>®</sup> , Drawer Wall Hood	, 600 CFM Under Cabinet		1,899 1,999	2,099 2,199	
<ul> <li>Low-Profile Wall Hood</li> <li>Chiseled design that i depth, 11" tall</li> <li>Approved for use with Professional Series R and Rangetops</li> </ul>	I s 24" • 6" tall telesc	and 28"–65" tall opic duct cover sory options available, eparate (see page 6-7)	Transition to 10     backdraft damp			HMWB30WS
HMWB30WS	30" Low-Profile Wa	all Hood, 600 CFM		1,799	1,999	
HMWB36WS HMWB361WS	36" Low-Profile Wa 36" Low-Profile Wa	all Hood, 600 CFM all Hood, 1000 CFM		1,899 1,999	2,099 2,199	
HMWB481WS	48" Low-Profile Wa	all Hood, 1000 CFM		2,099	2,349	

## WALL HOODS

/lodel Number	Descriptio	on		UMRP	MSRP					
Accessori	ies—Masterpiec	e <sup>®</sup> Series				Dra	wer	Lo	w F	Profile
						HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS
	Recirculation A	ccessories				-	_	⊢		
	<ul> <li>When ducting i filtered air back</li> <li>Replace charce depending on the</li> </ul>	s not feasible, kit brings c into kitchen pal filter every 3-6 months usage replacement accessory	<ul> <li>Installation Note: RE RECHMWB36 are to and adds 4" height Approved for use w HMWB36WS Low-F with 600 CFM blower</li> </ul>	orushed state to the appl th HMWB Profile Serie	ainless steel, iance. 30WS and					
	RECHMWB30	Recirculation Kit for HMWE Low-Profile Wall Hood, 30"		699	799			•		
	RECHMWB36	Recirculation Kit for HMWE Low-Profile Wall Hood, 36"		749	849				•	
	RECHMDW30	Recirculation Kit for Master Under Cabinet Drawer Hoc		129	149	•				
	RECHMDW36	Recirculation Kit for Master Under Cabinet Drawer Hoc		129	149		•			
	CHFHMDW30	Replacement Charcoal Filt For Masterpiece <sup>®</sup> HMDW Under Cabinet Drawer Hoc		99	109	•				
	CHFHMDW36	Replacement Charcoal Filt For Masterpiece <sup>®</sup> HMDW Under Cabinet Drawer Hoc		99	109		•			
	CHFILT3036	Replacement charcoal filter recirculating wall hoods	's for	109	119	•		•	•	
4	-	ss Steel Duct Cover and 20"-54" telescoping	Can be used with L Series Wall Hoods	ow-Profile	HMWBxxWS			•		
	DCT3016W	16" Tall Duct Cover for Low 30" Wide	-Profile Wall Hood,	649	749					
	DCT3616W	16" Tall Duct Cover for Low 36" Wide	Profile Wall Hood,	659	749				•	•
	DCT4816W	16" Tall Duct Cover for Low 48" Wide	Profile Wall Hood,	679	749					•
	DC30MTW	28"×65" Tall Duct Cover fo Low-Profile Wall Hood, 30"		749	849			•		

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

This price list superse Model Number	edes all previous price list Descript	s. Prices listed herein do not include applicable state or local taxes. ion	UMRP	MSRP						
Accessorie	es—Masterpie	ce <sup>®</sup> Series			Dr	awer	Lo	w F	Profi	ile
					HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
	DC36MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	759	849				•	•	
	DC48MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	779	899						•

This price list supersedes all pr Model Number	revious price lists. Prices listed he Description	rein do not include applicable sta	te or local taxes.	UMRP	MSRP	
<ul> <li>Add distinct flair to stainless steel wall</li> </ul>	ughtful details of your ptional blower egral, inline, and	<ul> <li>6" tall and 20"–54" cover accessory op separate (see page</li> <li>Blower options solo</li> </ul>	tall telescopic duct otions available, solo e 6-7) d separate and te install. Works with	ir damper relay switch (120 V to 10" round and backdraft cluded otions available - accessory options (see page ower roof plates (see te & inline blower extension page 6-9)		
						Professional Series
<ul> <li>Pro Harmony<sup>®</sup> Wall</li> <li>Adds distinct flair to with bold, stainless hoods with design t the thoughtful detail Thermador kitchen</li> </ul>	your kitchen • A perf steel wall Pro H hat echoes Range	ect companion to armony <sup>®</sup> Professional es yle 24" depth, 18" tall	Commercial steel baffle f	-	nless	РНЗ6HWS
PH30HWS	30" Pro Harmony <sup>®</sup>	Wall Hood, Optional E	Blower	1,999	2,199	
PH36HWS	36" Pro Harmony®	Wall Hood, Optional E	Blower	2,099	2,349	
PH48HWS	48" Pro Harmony®	Wall Hood, Optional E	Blower	2,299	2,549	
<ul> <li>Pro Grand<sup>®</sup> Wall Ho</li> <li>Equipped with the T Connected Experien Home Connect<sup>®</sup></li> <li>Adds distinct flair to with bold, stainless</li> </ul>	Thermador hoods nce by the the Therm your kitchen • Crafte	with design that echoe oughtful details of your nador kitchen d to complete the ultima ng system with Pro Gran	<ul> <li>Pro-style 27</li> <li>Two infrared lamps (inclusion)</li> </ul>	' depth, 18 ,175 W, K		PH36GWS
PH36GWS	36" Pro Grand <sup>®</sup> Wa	all Hood, Optional Blov	wer	2,299	2,549	Q
PH42GWS	42" Pro Grand <sup>®</sup> Wa	all Hood, Optional Blov	wer	2,399	2,649	
PH48GWS	48" Pro Grand <sup>®</sup> Wa	all Hood, Optional Blov	wer	2,699	2,999	
PH54GWS	54" Pro Grand <sup>®</sup> Wa	all Hood, Optional Blov	wer	2,899	3,199	
PH60GWS	60" Pro Grand <sup>®</sup> Wa	all Hood, Optional Blov	wer <sup>1</sup>	3,649	4,049	

<sup>1</sup> The 600 CFM blower options are not available with the 60" hood

<i>This price list superse</i> Model Number	des all previous price lists. Prices listed herein do n Description	not include applicable state or local taxes	s. UMRP	MSRP							
	Description					_					
Blowers					Mas	sterp	iece	Pr	rofes	sion	
					Custom Insert			Wall	Chimney Wall	Island	Custom Insert
					VCI2xxDS	UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	HPINxxWS	VCIN××GWS
	Integral Blowers										
	<ul> <li>Integrated into ventilation hood a of installation</li> </ul>	at the time									
	VTN630W 600 CFM Inte	egral Blower	609	699				•	•	•	•
<u>G</u> P	<u>VTN1090R</u> 1,000 CFM B	lower	799	899				•	•	•	•
	solution for VCI2xxDS t Series custom hood 2 inserts. See website for additional details f Blower can be mounted t	between the kitchen and he exterior wall 25 ft. cable EXTNCB25W) available or inline blower applica- ions—sold separately see page 6-4) ne Blower,	<ul> <li>For use with Thermador PHxx HPCNxxWS, HPI VCINxxGWS, VC UCVMxxRS, and UCVP36XS Serie</li> <li>609</li> </ul>	NxxWS, I2xxDS,	•	•	•	•1	•	•	•1
	VTI1010W 1,000 CFM Ir 10" duct size		799	899	•	•	•	•	•	•	•
0	(RFPLTxxP) required for roof an	5 ft. cable (EXTNCB25W) • vailable for inline blower oplications—sold sepa- tely (see page 6-4)	For use with Therm PHxxxWS, HPCNx: HPINxxWS, VCINx VCI2xxDS, UCVMx: UCVP36XS Series	xWS, xGWS, xRS, and							
	<u>VTR630W</u> 600 CFM Rei	mote Blower, 6" duct size	729	849	•	•	•	•	•	•	•
9	VTR1030W 1,000 CFM R	emote Blower, 10" duct siz	ze 769	849	•	•	•	•	•	•	•
ee	VTR1330W 1,300 CFM B	lower, 10" duct size	979	1,099	•	•	•	•	•	•	•

1 The 600 CFM blower options are not available with the 60" hood

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supers Model Number	edes all previous price lists Descript	s. Prices listed herein do not include applicable state or loca ion	I taxes. UMRP	MSRP							 
Accessori	es—Professio	nal			На	Pro rmc Wal	ony			Gra Wall	 
					PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS		PH60GWS
			sed with PHxxxWS Pro Harmony® Series Wall H		•	ш. 		ц _	ш.		<u> </u>
	<u>DC306W</u>	6" Tall Duct Cover for Pro Wall Hoods, 30" Wide	469	519							
	<u>DC366W</u>	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	489	539		•		•			
	<u>DC426W</u>	6" Tall Duct Cover for Pro Wall Hoods, 42" Wide	499	549					•		
	DC486W	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499	549			•			•	
	<u>DC3089W</u>	8' - 9' Ceilings Telescoping Duct Cover, 30" wide	499	549	•						
	<u>DC3689W</u>	8' - 9' Ceilings Telescoping Duct Cover, 36" wide	509	599		•		•			
	<u>DC4289W</u>	8' - 9' Ceilings Telescoping Duct Cover, 42" wide	519	599					•		
	<u>DC4889W</u>	8' - 9' Ceilings Telescoping Duct Cover, 48" wide	529	599			•			•	
	DC361012W	10' - 12' Ceilings Telescoping Duct Cover, 36" wide	659	749		•			•		-
	DC481012W	10' - 12' Ceilings Telescoping Duct Cover, 48" wide	719	799			•			•	

	edes all previous price lists. Prices listed herein do not include app	licable state or local taxes.										
Model Number	Description		UMRP	MSRP								
Accessorie	es—Professional				На	Pro trmc Wal	ony			Gra Wall		
					<b>PH30HWS</b>	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
[]	<ul> <li>Built-In Remote Control</li> <li>Ability to vertically install on cabinetry or wall to control hood in a convenient location</li> <li>Built-in sleek, smooth remote touch control panel</li> </ul>	<ul> <li>Compatible with HDD HMCBxxWS, HMDWx HMWBxxWS, HMWBx HPCNxxWS, HPINxxV VCINxxGWS Series h</li> <li>Wired to hood</li> <li>Cable length: 30 ft.</li> </ul>	xxWS, HMIB xx1WS, WS, PHxxxV	,	•	•	•	•	•	•	•	•
	REMCPW Built-In Remote Contro	I Accessory	319	359								
•	Recirculation Accessories         • For non-ducted operation of Thermador <sup>®</sup> Wall Hoods         CHFILT3036         Replacement charcoal for recirculating wall hood		•	,								

This price list supers Model	edes all previous price lists.	Prices listed herein do not include applicable state or local taxes.										
Number	Descriptio	n	UMRP	MSRP								
Blower and	d Duct Accesso	ries				Pro armo Wal	ony			Gra Nal		ł
					PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
	<ul> <li>25-ft. extension hood and inline</li> <li>Supports PHxx HPINxxWS, UC</li> </ul>	Blower Extension Cablecable for use between or remote blowerCannot join two cables to ger length.xWS, HPCNxxWS, CVMxxXS, UCVP36XSFor use with blowers VT VTI1010W, VTR630W, V VTR1330W	1610W,		•	•	•	•	•	•	•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139								
	EXTNSET4	3-pc extension set for Inline and remote blowers; For older generation hoods when paired with new generation blowers	159	179	•	•	•	•	•	•	•	•
	Roof Plates NOTE: Roof plate <u>RFPLT600P</u>	required for roof-mount application of remote blowers Roof mounting plate for VTR630W and VTR630W	129	149	•	•	•	•	•	•	•	•
	RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W, VTR1030W, VTR1330W	159	179	•	•	•	•	•	•	•	•

Model	s price lists. Prices listed her Description	ein do not include applicable state or local taxes.	UMRP	MSRP	
<ul> <li>All Chimney Wall Hoods</li> <li>Beautiful illumination wi LED lights</li> <li>Dishwasher-safe filters</li> <li>Recessed sleek, smoot panel that provides pred selection with 4-speed I</li> </ul>	th multi-level, h touch control cise performance	<ul> <li>ving features:</li> <li>Automatic mode detects temperatures to adjust fan speed automatically</li> <li>10-min. delay shut off whisk away lingering odors</li> </ul>	e • \ • E	fter 40 ho /ertical duo Built-in rem	r reminder light illuminates urs of operation cting direction note control panel accessory cold separate (see page 6-8)
<ul> <li>All Masterpiece<sup>®</sup> Chimne</li> <li>Equipped with the Ther Experience by Home C</li> <li>A perfect complement to Thermador Masterpiece</li> <li>Brushed stainless steel</li> <li>Serves as the focal poin can add a modern feel</li> <li>Cooktop Hood-Sync En</li> </ul>	mador Connected onnect <sup>®</sup> o the sleek <sup>®</sup> Series cooktops nt of the room and	<ul> <li>Iude these Additional features:</li> <li>600 CFM integral blower</li> <li>Adjustable telescopic chimney heights t fit up to 9-ft tall ceilings</li> <li>Transition to 8" round and backdraft damper included</li> <li>Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings available, sold separate (see page 6-13)</li> </ul>	o s • H f	old separa lybrid mes rame	e to recirculation, accessory ate (see page 6-13 sh filters with stainless steel cting direction
	rary, • Noise 5"	Control Technology™ Pyramid Chimney Wall Hood,	2,099	2,349	Masterpiece® Series
	36" Masterpiece <sup>®</sup> F 600 CFM	yramid Chimney Wall Hood,	2,199	2,449	Q
<ul> <li>Drawer Chimney Wall H</li> <li>A masterful blend of lux performance with uniqu out canopy design that be pushed back for incr head room or pulled for for increased capture a</li> </ul>	tury and • Can be the slide- can • Noise reased ward	e activated whether in en or closed position Control Deluxe™			HDDB30WS
	30" Masterpiece <sup>®</sup> D 600 CFM	Drawer Chimney Wall Hood,	2,499	2,749	Q
	36" Masterpiece <sup>®</sup> D 600 CFM	Drawer Chimney Wall Hood,	2,699	2,999	

<sup>\*</sup> Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Model		ein do not include applicable state or local taxes.	UMBP MSBP	
<ul> <li>All Professiona</li> <li>Designed to m steel aesthetic Series ranges</li> <li>Sculpted brush</li> <li>Creates a foca more contemp</li> <li>Make-up air da max)</li> </ul>	aatch the bold, stainless of Thermador Professional and range tops ned stainless steel al point in the room with a orary-style feel amper relay switch (120 V 0" round and backdraft	<ul> <li>ude these Additional features:</li> <li>Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops</li> <li>Powerfully Quiet<sup>®</sup> optional blower system accepts integral, inline, and remote blowers</li> <li>6" tall, 18"– 35" tall telescopic, and 42"– 59" tall telescopic duct cover accessory options available, sold separate (see page 6-12)</li> </ul>	required to c	Remote VTR630W VTR1030W VTR1330W
	cessory options available, (see page 6-12) depth, 18" tall		page 6-9)	ver roof plates (see & inline blower extension age 6-9)

#### **Professional Series**

# Pro Grand® Chimney Wall Hood 2,699 2,999 2,999 HPCN36WS 36" Professional® Chimney Wall Hood, Optional Blower 2,699 2,999 2,999 HPCN48WS 48" Professional® Chimney Wall Hood, Optional Blower 3,199 3,549 HPCN36WS

#### **CHIMNEY WALL HOODS**

<i>This price list superse</i> Model Number	edes all previous price lists. F Description	Prices listed herein do not include applicable state or local taxes.	UMRP	MSRP						
Accessori	es				N	laste	rpiec	e	Р	ro
					Dra	wer	W	all	W	'all
					HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS	HPCN36WS	HPCN48WS
	Remote & Inline	Blower Extension Cable								
		cable for use between Cannot join two ca or remote blower ger length.	bles together f	or lon-						
		kWS, HPCNxxWS, VMxxXS, UCVP36XS• For use with blower VTI1010W, VTR63 VTR1330WVS series hoodsVTR1330W		W,					•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139						
	EXTNSET4	3-pc extension set for Inline and remote blowers; For older generation hoods when paired with new generation blow	159 ers	179					•	•
		all, 18"–35" tall telescopic, • Can be used with I I telescopic heights Professional Series		ll Hoods					•	
	CHMHP366W	6" Tall Duct Cover for Professional <sup>®</sup> Chimney Wall Hood, 36" Wide	499	549						
	CHMHP486W	6" Tall Duct Cover for Professional <sup>®</sup> Chimney Wall Hood, 48" Wide	509	599						•
	CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional <sup>®</sup> Chimney Wall Hood, 36" Wide	649	749					•	
	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional <sup>®</sup> Chimney Wall Hood, 48" Wide	659	749						•
	CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional <sup>®</sup> Chimney Wall Hood, 36" Wide	719	799					•	
	CHMHP48XTW	42"×59" Tall Telescoping Duct Cover for Professional <sup>®</sup> Chimney Wall Hood, 48" Wide	739	849						•

#### CHIMNEY WALL HOODS

	sedes all previous price lists.	Prices listed herein do not include applicable state or local taxes.								
Model Number	Descriptio	n	UMRP	MSRP						
Accessori	es				N	laste	rpiec	e	Р	ro
					Dra	wer	W	all	w	all
					SWO	6WS	SMO	6WS	6WS	8WS
					HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS	HPCN36WS	HPCN48WS
	1				日	모	≥ I	₽	ЧН	<u>H</u>
	-	ood Extension Kits escopic chimney extension for 9-ft to 12-ft tall ceilings								
- 11					•	•				
	CHXTHDDW	9'-12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece <sup>®</sup> Chimney Drawer Hood	579	649						
	CUYTUMOD	0, 10, Collingo Chimpou Estancion Kit for	579	640						
	<u>CHXTHMCB</u>	9'–12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece <sup>®</sup> Pyramid Chimney Hood		649			•	•		
	Chimney Wall He	ood Recirculation Accessories								
	When ducting is sible, kit brings air back into kit	filtered ter every 3–6 months ment acc	essory av		•	•				
	RECHDDB	Recirculation Kit for Masterpiece <sup>®</sup> HDDBxxWS Drawer Chimney Wall Hood	159	179						
	RECHMCB	Recirculation Kit for Masterpiece <sup>®</sup> HMCBxxWS Chimney Wall Hood	159	179			•	•		
	<u>CHFHMCD</u>	Replacement Charcoal Filters For Masterpiece <sup>®</sup> HMCB, HDDB,	109	119	•	•	•	•		
		HMIB Recirculation Kit								
	Roof Plates NOTE: Roof plate	e required for roof-mount application of remote blowers								
	RFPLT600P	Roof mounting plate for VTR630W and VTR630W	129	149					•	•
	RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W, VTR1030W, VTR1330W	159	179					•	•

#### **ISLAND HOODS**

This price list supersedes a Model Number	all previous price lists. Prices lis Description	ted herein do not include applicable state o		IMRP	MSRP	
<ul> <li>Equipped with th Experience by H</li> </ul>	include the following the Thermador Connect forme Connect® ation with multi-level,	-	ecise performance d levels cts temperatures to matically	at • V • B	iter 40 ho ertical duo uilt-in rem	r reminder light illuminates urs of operation cting direction note control panel accessory sold separate (see page 6-8)
<ul> <li>Low-Profile Island</li> <li>Sleek and slim, t meticulously scu floating stainless hoods catch the obstructing views</li> <li>A perfect complet Thermador Mast Series cooktops</li> <li>Brushed stainless</li> </ul>	these C lipted, N s steel island eye without s A ement to terpiece <sup>®</sup> T	ooktop Hood-Sync Enabled oise Control Deluxe™ 00 CFM integral blower djustable telescopic chimney eights to fit up to 9-ft tall eilings ransition to 8" round and ackdraft damper included	<ul> <li>Convertible to reaccessory sold s (see page 6-16)</li> <li>Accessory options</li> <li>Duct cover extenaccessory for 9-ceilings (see page</li> </ul>	separa <i>availa</i> nsion k ft to 12	te Ible kit 2-ft tall	Masterpiece® Series
HMIB36WS	36" Masterpie 600 CFM	$ce^{^{\otimes}}$ Box Island Hood,	2	,999	3,299	
HMIB42WS	42" Masterpied 600 CFM	$ce^{\circ}$ Box Island Hood,	3	,099	3,449	

#### **ISLAND HOODS**

<i>This price list supersedes</i> Model Number	all previous price lists. Descriptio	Prices listed herein do not include applicable state or n	local taxes.	UMRP	MSRP	
						Professional Series
<ul> <li>Box Island Hood</li> <li>A stunning, meticarafted piece that a conversation sentertaining in the Designed and e to match in desi performance with Professional Se and range tops</li> <li>Sculpted brushes steel</li> <li>Unique angled brushes steel</li> <li>Dishwasher-safe style stainless se filters</li> <li>Make-up air dam switch (120 V meta)</li> </ul>	iculously at could be starter while he kitchen engineered ign and th Thermador eries ranges ed stainless box canopy sign e commercial- steel baffle mper relay	<ul> <li>Powerfully Quiet<sup>®</sup> optional blower system accepts integral, inline, and remote blowers</li> <li>Transition to 10" round and backdraft damper included</li> <li>For ceiling applications of 8' to 9' height</li> <li>May require fabrication for custom height</li> </ul>	<ul> <li>Blower option and required is install. Works blowers, sold page 6-6).</li> <li>Integral VTN630W VTN1090R</li> <li>Inline VTI610W VTI1010W</li> <li>Accessory optio</li> <li>Remote blower (see page 6-9)</li> <li>25-ft remote &amp; extension cab 6-9)</li> </ul>	to comple with the f separatel <b>Remo</b> t VTR63 VTR10 VTR13 <i>ns availat</i> er roof pla	te ollowing y (see te 00W 030W 030W 030W 00e ttes	HPIN42WS
HPIN42WS	42" Profe Optional	essional <sup>®</sup> Island Hood, Blower		3,399	3,749	
HPIN54WS	54" Profe Optional	essional <sup>®</sup> Island Hood, Blower		3,999	4,399	

## **ISLAND HOODS**

Nodel Number	Description		lo not include applicable state or local tax	umf	P MSRP				
Accessori	es					Maste	erpiece	Р	ro
						Low I	Profile	B	х
						HMIB36WS	HMIB42WS	HPIN42WS	HPIN54WS
	Remote & Inline	Blower Exter	ision Cable						
-0	<ul> <li>25-ft. extension use between ho inline or remote</li> </ul>	ood and	<ul> <li>Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods</li> </ul>	<ul> <li>Cannot join t together for I</li> <li>For use with VTI610W, V<sup>-</sup> VTR630W, V VTR1330W</li> </ul>	onger length. blowers FI1010W,			•	•
	EXTNCB25W	25-ft Remo Extension 0	te & Inline Blower Cable	1	19 139				
())	EXTNSET4	remote blow	ion set for Inline and vers; For older generation n paired with new generatio		59 179			•	•
	Low-Profile Islan	d Hood Exter	ision Kit						
	Stainless steel to chimney extensi 12-ft tall ceilings	on for 9-ft to	<ul> <li>Compatible with HMIB: Masterpiece<sup>®</sup> Island Ho</li> </ul>			•	•		
	CHXTHMIB		ngs Chimney Extension Kit Masterpiece® Island Hood	for 69	99 799				
			culation Accessories						
	<ul> <li>When ducting is kit brings filters a kitchen</li> <li>Replace charcoa</li> </ul>	air back into al filter every	<ul> <li>Compatible with HMIB: Masterpiece<sup>®</sup> Island Ho</li> <li>Charcoal filter replacer accessory available (set</li> </ul>	ood nent					
	3–6 months dep usage	ending on	below)						
int	RECHMIB		on Kit for Masterpiece® Island Hood	15	59 179	•	•		
#	<u>CHFHMCD</u>		nt Charcoal Filters biece <sup>®</sup> HMCB, HDDB, culation Kit	1(	09 119	•	•		
	CHFILISL	Charcoal fil	ter for Island Hoods	(	99 109				
	Roof Plates NOTE: Roof plate	e required for r	oof-mount application of rem	note blowers.					
	RFPLT600P		ting plate for and VTR630W	12	29 149				
	RFPLT1000P		ting plate for , VTR1330W, VTR1030W, Y		59 179			•	•

Model	ious price lists. Prices listed herein	do not include applicable sta			
Number	Description		UMF	RP MSRP	
All Custom Inserts ind	clude the following fea	tures:			
Vertical ducting		the following blowe	te install. Works with ers, sold separately ew Custom Inserts	Integral VTN630W VTN1090R Inline VTI610W <sup>1</sup> , VTI1010W	<b>Remote</b> VTR630W VTR1030W VTR1330W
					Masterpiece <sup>®</sup> Series
<ul> <li>30" Custom Insert</li> <li>Approved for use with Professional Series F and Rangetops</li> <li>Optional baffle filters professional performation</li> </ul>	Ranges • Electroni • Delayed for • Eilter cha	c controls shut off	<ul> <li>Protect cabinetry w accessory<sup>2</sup>, sold so (see page 6-19)</li> </ul>		VCI230DS
VCI230DS	30" Custom Insert		1,09	99 1,249	
VCI236DS	36" Custom Insert		1,19	99 1,349	
VCI248DS	48" Custom Insert		1,29	99 1,449	
All Discontinue Q3				·	
<ul> <li>300 CFM Custom Inse</li> <li>300 CFM</li> <li>Touch control</li> <li>Two 6 W LED lights</li> </ul>	ert • Vertical o 6" round • 15 Amps • 120 V	duct	<ul> <li>Dishwasher-safe a filter</li> <li>Perimetric filter</li> <li>Plug type: hardwire</li> </ul>		VCI3B30ZS
NEW VCI3B30ZS	30" Custom Insert Ho	od, 300 CFM	1,15	59 1,299	
NEW VCI3B36ZS	36" Custom Insert Ho	ood, 300 CFM	1,25	59 1,399	– Lundow VCI3B36ZS
<ul> <li>600 CFM Custom Inse</li> <li>600 CFM</li> <li>Touch control</li> <li>Two 6 W LED lights</li> </ul>			<ul> <li>Dishwasher-safe a filter</li> <li>Perimetric filter</li> <li>Plug type: hardwire</li> </ul>		VCI6B30ZS
NEW VCI6B30ZS	30" Custom Insert Ho	od. 600 CFM	1,19	99 1,349	
NEW VCI6B36ZS	36" Custom Insert Ho		1,29		VCI6B36ZS

<sup>1</sup> The 600 CFM blower options are not available with the 60" hood

<sup>2</sup> Cabinet cutouts and dimensions must be prepared based on the Liner Accessory and Insert Hood (as opposed to only the Insert Hood) when using a Liner in combination with an Insert Hood.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all pre Model	vious price lists. P	rices listed herein do not include applicable state or	local tax	Kes.		
Number	Description			UMRP	MSRP	
						Professional Series
<ul> <li>Connected Experien Home Connect<sup>®</sup></li> <li>Revel in creative free custom inserts, whet choose to blend ther your surrounding cat create a statement p bold materials</li> <li>Crafted to complete ultimate cooking sys Thermador Profession</li> </ul>	<ul> <li>Equipped with the Thermador Connected Experience by Home Connect<sup>®</sup></li> <li>Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials</li> <li>Beautiful illuminatior multi-level, LED ligh</li> <li>Recessed sleek, sm control panel that pr precise performance with 4-speed levels</li> <li>Automatic mode det temperatures to adju speed automatically</li> <li>10-min. delay shut co away lingering odors</li> <li>Check filter reminde illuminates after 40 h</li> </ul>		b in Ir tc in T b B a a Acc •	owerfully Quiet <sup>®</sup> optio lower system accepts line, and remote blow includes custom hood o complete custom insi- stallation ransition to 10" round ackdraft damper inclu- cuilt-in remote control ccessory available, so rate (see page 6-8) ressory options availa Remote blower roof (see page 6-9) 25-ft remote & inline	integral, vers trim sert and ded panel old sep- ble plates	VCIN48GWS
style stainless steel I filters		<ul> <li>Make-up air damper relay switch (120 V max)</li> </ul>	•	extension cable (see 6-9)		
VCIN36GWS	36" Profe	ssional <sup>®</sup> Custom Insert, Optional B	Blower	1,799	1,999	
VCIN42GWS	42" Profe	ssional <sup>®</sup> Custom Insert, Optional B	Blower	1,899	2,099	
VCIN48GWS	48" Profe	ssional <sup>®</sup> Custom Insert, Optional B	Blower	1,999	2,199	
VCIN54GWS	54" Profe	ssional <sup>®</sup> Custom Insert, Optional B	Blower	2,099	2,349	
VCIN60GWS	60" Profe	ssional <sup>®</sup> Custom Insert, Optional B	Blower	<sup>.1</sup> 2,199	2,449	

<sup>1</sup> The 600 CFM blower options are not available with the 60" hood

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

<i>This price list supers</i> Model Number	sedes all previous price lists. F Descriptior		do not include applicable state or local tax	umes.	MSRP										
Accessorie	es						Ма	ste	erpi	ece			F	Pro	
						230D	1236D	VCI248DS	VCI3B30ZS	VCI6B30ZS	VCI6B36ZS	<b>VCIN36GWS</b>	VCIN42GWS	VCIN48GWS	VCIN54GWS VCIN60GWS
	<ul> <li>Built-In Remote C</li> <li>Ability to vertical on cabinetry or v control hood in a nient location</li> <li>Built-in sleek, sm remote touch cor</li> </ul>	ly install • vall to a conve- nooth	Compatible with HDDBxxWS, HMCBxxWS, HMDWxxWS, HMIBxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, HPINxxWS, PHxxxWS, VCIxBxxZS	and VCINxxGWS S hoods • Wired to hood • Cable length: 30 ft.	eries										
1	REMCPW	Built-In Ren	note Control Accessory	319	359				• •	•	•	•	•	•	• •
	Remote & Inline B • 25-ft. extension of hood and inline of • Supports PHxxxV HPINxxWS, UCV and VCINxxGWS	cable for use to or remote blow WS, HPCNxxV MxxXS, UCV S series hoods	ver Cannot join two length. WS, For use with P36xS VTI1010W, V VTR1330W	wo cables together for blowers VTI610W, /TR630W, VTR1030W,	-										
	EXTNCB25W		te & Inline Blower Extension		139		+	_	_	-		•	•	•	••
	EXTNSET4	remote blov	ion set for Inline and vers; For older generation n paired with new generatior	159 n blowers	179	•	•	•				•	•	•	• •
~	Baffle Filters <ul> <li>Stainless steel fir</li> <li>Low profile desig</li> </ul> BAFFLT30	n	Dishwasher safe Filter for VCI230DS	<ul> <li>Use only with Masterpiece<sup>®</sup> Series Custom Inserts 199</li> </ul>	s 219										
	BAFFLT48	48" Baffle F	ilter for VCI248DS	299	329	•	•	•							
	Both discontinue Q3														
	<ul> <li>Liners</li> <li>Protect custom c with stainless ste</li> <li>Use only with Masterpiece<sup>®</sup> Ser Custom Inserts*</li> </ul>	el liners	Installation Note: Cabinet cutouts and dimensions must be prepared based on the Liner Accessory and Insert Hood (as	opposed to only the Insert Hood) when t a Liner in combinati with an Insert Hood	using on										
	LINER30	Liner for 30	" VCI230DS	299	329										
	LINER36	Liner for 36	" VCI236DS	299	329										
	LINER48	Liner for 48	" VCI248DS	299	329	•	•	•							
	All discontinue Q3														

This price list supers Model	edes all previous price lists. Pric	es listed herein do not include applicable state or local taxes.											
Number	Description		UMRP	MSRP									
Accessori	es					Mas	ster	pie	ce			Pro	,
					VCI230DS	VCI236DS	ပျက	က	VCI6B30ZS	VCI0B302S	IN42G	VCIN48GWS	VCIN54GWS
	Charcoal Filters												
	NEW CHFVCI30ZS	Charcoal Filter Kit for 30" Custom Inserts VCI3B30ZS and VCI6B30ZS	109	119			•		•				
	NEW CHFVCI36ZS	Charcoal Filter Kit for 36" Custom Inserts VCI6B36ZS and VCI6B36ZS	109	119				•		•			
	Roof Plates NOTE: Roof plate re	equired for roof-mount application of remote blowers	5.										
		Roof mounting plate for VTR630W and VTR630W	129	149									
		Roof mounting plate for VTR1030W, VTR1330W, VTR1030W, VTR1330W	159	179							•	•	• •

Model Number	Description			UMRP	MSRP	
All Downdrafts in Designed for inst Thermador <sup>®</sup> cook Professional Serie All models featur connections inclu and rear as well Stainless steel Sleek, removable that act as a splat Dishwasher safe Three speeds	clude the following featu allation with all stops except ies e six possible discharge uding front, side, down, as recirculation e front filter panel design atter shield	<ul> <li>Filter maintenance</li> <li>Automatic mode</li> <li>Recirculation poss induction cooktops Separately (UCVR 6-22)</li> <li>Required To Completions, Separately Separately</li> </ul>	reminder light ble with electric and , Accessory Sold ECIRC see page	<ul> <li>Du cc expansion</li> <li>pa cc expansion</li> <li>c C C C C C C C C C C C C C C C C C C C</li></ul>	omplete the khaust dir age 6-24] VTSIDE6 VTSIDE1 VDUCT2 essory op as cookto opuired fo JCV30ST electrical used to re ownward eparately 5-ft remot able, sold	CVTRECT2 CVTFRONT6 CVTFRONT8 CVTFRONT10 tions available op seal kit sold separately, r installation with gas cooktop UCV36ST [see page 6-22) panel extension cable locate electrical box) for front discharge installations, sold (EXTNCE5 [see page 6-25]) e & inline blower extension separately (EXTNCB25W set
Downdraft Ventila	ation System 30" Masterpiece <sup>®</sup> [ 15" Snorkel, Option		1	pa	age 6-25) 	Masterpiece® Series
UCVM36XS	36" Masterpiece <sup>®</sup> [ 15" Snorkel, Option		1	,799	1,999	UCVM30XS
UCVP36XS	36" Masterpiece <sup>®</sup> [ 18" Snorkel, Option LED Task Bar Ligh	nal Blower	2	2,099	2,349	

NOTE: Transition required and sold separately for all remote and inline blower installations.

UCVP36XS

This price list supers Model Number	edes all previous price lists. Prices listed herein do not include applicable state or local taxes. Description UMRP MSRP			
Componer	ts	UCVM30XS	UCVM36XS	UCVP36XS
	<ul> <li>Downdraft Recirculation Kit</li> <li>For use with 30" UCVM30XS, 36" UCVM36XS, and 36" UCVP36XS down- draft models only</li> <li>Works in wall or island applications</li> <li>When ducting is not fea- sible, kit brings filtered air back into kitchen after passing through a char- coal filter</li> <li>UCVRECIRC Recirculation kit for downdraft</li> <li>To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Gas Cooktops</li> <li>Module ships with one heavy duty charcoal filter and two metal grill vent plates</li> <li>Mounts to cabinet base, recesses into toe kick/ socket area</li> <li>UCVRECIRC Recirculation kit for downdraft</li> <li>Sob used only with Thermador downdraft</li> <li>Fits in toe-kick/socket heights of 4" or taller</li> <li>Module and grill vent plate can be placed so air does not hit feet</li> <li>Blower and downdraft sold separately</li> <li>Replacement charcoal filters available, sold separately</li> </ul>			
	UCVRECIRC Recirculation kit for downdraft 599 699 UCVM30XS, UCVM36XS, UCVP36XS downdrafts only. VTD600P Blower required, sold separately. Replace filters every 3-6 months depending on usage with UCVFILTER	•	•	•
Taxa .	UCVFILTER Charcoal filter replacement 109 119 For use with UCVRECIRC recirculation kit (above)	•	•	•
	Gas Cooktop Seal Kit         • For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only       • Required for installation with gas cooktops         • Includes trim bracket, seal, and 2 metal grills			
	UCV30ST 30" gas cooktop seal kit 129 149 For UCVM30XS downdraft	•		
	UCV36ST 36" gas cooktop seal kit 129 149 For UCVM36XS and UCVP36XS downdrafts		•	•

	des all previous price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description UMRP MSRP			
Componer	ts	UCVM30XS	UCVM36XS	UCVP36XS
	Integrated Blower			
Q.C	VTD600P       600 CFM, 8" duct size       699       799         flexible integrated blower       Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only	•	•	•
	Inline Blowers			
	<ul> <li>May be used as integral solution for VCI2xxDS Series custom hood inserts. See website for additional details</li> <li>Blower can be mounted along the duct line</li> <li>May be used as integral between the kitchen and the exterior wall</li> <li>25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-25)</li> <li>For use with Thermador PHxxxWS, HPCNxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series ventilation hoods</li> </ul>			
100	<u>VTI610W</u> 600 CFM Inline Blower, 6" duct size 609 699	•	•	•
	<u>VTI1010W</u> 1,000 CFM Inline Blower, 10" duct size 799 899	•	•	•
	Remote Blowers			
	<ul> <li>For external roof or wall mount</li> <li>25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-5)</li> <li>For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36XS Series hoods</li> </ul>			
	VTR630W 600 CFM Remote Blower, 6" duct size 729 849	•	•	•
8	VTR1030W 1,000 CFM Remote Blower, 10" duct size 769 849	•	•	•
action of the second se	VTR1330W 1,300 CFM Blower, 10" duct size 979 1,099	•	•	•

This price list superse Model	des all previous price lists.	Prices listed herein do not include applicable state or local taxes.			
Number	Description	n UMRP MSRP			
Componen	ts		UCVM30XS	UCVM36XS	UCVP36XS
	36" UCVM36XS, chosen in combin	sitions be required to complete the installation of 30" UCVM30XS, 36" UCVP36XS downdrafts depending on the discharge connection nation with the downdraft blower selected (see installation manual) e and remote blowers			
	CVTSIDE6	6" side/rear transition199219Rectangular 1 %"×19" transition to 6" round forside, down and rear exhaust applications	•	•	•
-0	CVTSIDE8	8" side/rear transition 199 219 Rectangular 1 % "x19" transition to 8" round for side, down and rear exhaust applications	•	•	•
-6	CVTSIDE10	10" side/rear transition199219Rectangular 1 % "x19" transition to 10" round forside, down and rear exhaust applications	•	•	•
0	CVTFRONT6	6" round front plate 99 109 Front rough-in plate for front downward exhaust applications	•	•	•
0	CVTFRONT8	8" round front plate 99 109 Front rough-in plate for front downward exhaust applications	•	•	•
	CVTFRONT10	10" round front plate 99 109 Front rough-in plate for front downward exhaust applications	•	•	•
	CVDUCT2	2' rectangular duct 199 219 Rectangular duct that is 2' long×1 <sup>7</sup> / <sub>8</sub> " deep×19" wide (CVDUCT2) required to connect CVTRECT2 to downdraft housing. Ability to use as an extension to exhaust through a cabinet or wall. To modify length, duct may be cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be used to con- nect CVTRECT2 to round ductwork	•	•	•
	CVTRECT2	Transition for rectangular duct99109Required to attach CVDUCT2 2'rectangular duct to downdraft housing109	•	•	•

	edes all previous price lists. P	rices listed herein a	lo not include applicable state or local tax	(es.										
Model Number	Description				UMRP	MSRP								
Accessorie	es						Integrated		aunue	Bemote	Blowers			DOWNGRAIL
							VTD600P	VTI610W	VTI1010W	VTR630W	VTR1030W	VTR1330W	UCVM30XS	UCVP36XS
	Remote & Inline I • 25-ft. extension use between hou inline or remote	cable for od and	<ul> <li>Supports PHxxxWS,</li> <li>HPCNxxWS, HPINxxWS,</li> <li>UCVMxxXS, UCVP36XS</li> <li>and VCINxxGWS series</li> <li>hoods</li> </ul>	toge • For VTI6 VTR	not join two o ther for long use with blow 510W, VTI10 630W, VTR 1330W	er length. wers 10W,								
70	EXTNCB25W	25-ft Remo Extension (	te & Inline Blower Cable		119	139		•	•	•	•	•	•	• •
	EXTNSET4	remote blov	sion set for Inline and wers; For older generation n paired with new generatio	on blower	159 ′s	179		•	•	•	•	•		
	<ul> <li>Electrical Panel E</li> <li>For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft mode</li> <li>Cable connects remotely located cal panel to the during remote an blower motor ins applications</li> </ul>	ls only a d electri- downdraft nd inline stallation	Cable provides ability to connect electrical panel to the downdraft from a remote location with 5-feet during installation applications with down- ward duct discharge so the electrical panel is out of the way	cable • Abili cable a 10 • Not nect		t two to make to con- raft remote								
Sn	EXTNCE5	for Downdra	Panel Extension Cable aft. For UCVM30XS, S, UCVP36XS downdrafts		199	219							•	• •
	Roof Plates NOTE: Roof plate RFPLT600P		roof-mount application of rer	note blow	vers. 129	149				•				
	RFPLT1000P	Roof moun	ting plate for /, VTR1330W		159	179					•		•	

## **BUILT-IN DISHWASHERS**

	vious price lists. Prices listed bo	rein do not include applicable state or	local taxes						
Model Number	Description	rein do not include applicable state or	iucai laxes.	UMRP	MSRP				
<ul> <li>All Dishwashers inclu</li> <li>Superior washing an mance guaranteed</li> <li>Concealed controls</li> <li>Black-shimmer racks ment</li> <li>A highly flexible rack</li> <li>18/10 Stainless steel</li> <li>ENERGY STAR<sup>®</sup> cer</li> <li>Powerfully Quiet<sup>®</sup> op</li> <li>Sens-a-Wash<sup>®</sup></li> <li>Advanced Triple Filtr</li> </ul>	d drying perfor- s with 3-Step adjust- ing system I TallTub tified eration	<ul> <li>Hidden Heating Element</li> <li>Leak Sensor and Auto Shut off</li> <li>Connected Experience</li> <li>TFT Capacitive Touch Controls</li> <li>Home Connect Wi-Fi enabled/Home Connect<sup>®</sup> app compatibility</li> </ul>			Wash Cycles: • Normal • Auto • Pots and Pans • Hand Wash • Rinse <i>Options:</i> • PowerBoost <sup>®</sup> • 24-hour Delay Start • Half Load • Remote Start (Connecte				
<ul> <li>48 dBA</li> <li>Chef's Tool Drawer™ (third rack)</li> <li>16 place settings</li> <li>Extra-Tall-Item Sprint</li> </ul>	<ul> <li>New ( panel</li> <li>kler</li> </ul>	PowerBeam <sup>®</sup> "on" indicator Capacitive touch control Stainless Steel Emerald <sup>®</sup>	Additional Wasl • Quick (30 mir Additional Optic • Extra Dry	nute Was		Emerald Series			
DWHD650WFP DWHD650WPR	•	tainless Steel Emerald <sup>®</sup> Emerald <sup>®</sup>		1,399 1,399	1,549 1,549	DWHD650WFP			
<ul> <li>44 dBA</li> <li>Premium Smooth Gli</li> <li>Chef's Tool Drawer™ (third rack)</li> <li>16 place settings</li> <li>Extra-Tall-Item Sprint</li> </ul>	ide Racks • Time indica • Crysta syster	al Protect <sup>®</sup> water softener	Additional Wash • Quick Additional Optic • Extra Dry; Sa certified to re 99.9% of bac	ons: Initize (N move up	SF	Topaz <sup>®</sup> Series			

#### **BUILT-IN DISHWASHERS**

This price list supersedes all previous Model Number	ious price lists. Prices listed herein do not include applicable state Description	or local taxes. UMRP	MSRP	
				Sapphire <sup>®</sup> Series
<ul> <li>42 dBA</li> <li>Adjustable Chef's Too Drawer™ (third rack)</li> <li>16 place settings</li> <li>Flexible folding tines</li> <li>Extra-Tall-Item Sprink</li> </ul>	indicator <ul> <li>Sapphire Glow<sup>®</sup> Interior Light</li> <li>Crystal Protect<sup>®</sup> water softener</li> </ul>	<ul> <li>Additional Wash Cycles:</li> <li>Quick; 1 hour</li> <li>Additional Options:</li> <li>Sanitize (NSF certified remove up to 99.9% of Save Time; StarDry™ Zeolite ™, an exclusiv Thermador drying solu</li> </ul>	bacteria), – with e	DWHD770WFP
DWHD770WFM	24" Masterpiece® Stainless Steel Sapphire	e <sup>e</sup> 2,299	2,549	
DWHD770WFP	24" Professional Stainless Steel Sapphire	2,299	2,549	
DWHD770WPR	24" Custom Panel Sapphire® (Requires Cu	stom Panel) 2,299	2,549	DWHD770WPR
				Home Connect

#### ACCESSORIES

Model		Prices listed herein do not include applicable state or local taxes.		MODD					
Number	Description	1	UMRP	MSRP					
Accessorie	<b>es</b>				Emerald Series	Topaz <sup>®</sup> Series	Sapphire <sup>®</sup> Series	Star Sapphire <sup>®</sup> Series	Glass Care Center
	<u>SGZ1010UC</u>	Dishwasher Drain Hose Extension	See Bosch Pri	ce List*	•	•	•	•	•
	<u>SGZ9091UC</u>	Dishwasher Salt for dishwashers (4.4 lbs. pack)	See Bosch Pri	ce List*		•	•	•	•
	<u>SMZ5000</u>	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small Item Basket.	See Bosch Pri	ce List*	•	•	•	•	
	SMZ5002UC	Fine Silverware Carafe with Clip for Emerald <sup>®</sup> dishwashers (clips onto lower rac	See Bosch Pr k)	ice List*	•				
	<u>SMZ5400</u>	Large 3rd Rack Silverware Insert Accessory DWHD870* models only	See Bosch Pri	ce List*				•	
h	SMZPC002UC	Dishwasher 3-prong Power Cord (rear connection)	See Bosch Pri	ce List*	•	•	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Pri	ce List*	•	•	•	•	•
$\bigcirc$	SMZSH002UC	Dishwasher Water Supply Hose	See Bosch Pri	ce List*	•	•	•	•	•

<sup>\*</sup> Pricing for the Thermador<sup>®</sup> dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

3DHFGALBIN	1-15
3DPRODRAIL	1-15
24HFGALBIN	1-15
24PRODRAIL	1-15
30HFGALBIN	1-15
30PRODRAIL	1-15
36HFGALBIN	1-15
36PRODRAIL	1-15

#### В

BAFFLT30	6-19
BAFFLT48	6-19

#### С

0	
CEM305TB	4-4
CEM366TB	4-4
CET305TB	4-4
CET366TB	4-4
CHEFSPAN08	4-8
CHEFSPAN13	4-8
CHFHMCD	6-13, 6-16
CHFHMDW30	6-3
CHFHMDW36	6-3
CHFILISL	
CHFILT3036	6-3, 6-8
CHFVCI30ZS	6-20
CHFVCI36ZS	6-20
CHMHP36TW	6-12
CHMHP36XTW	6-12
CHMHP48TW	6-12
CHMHP48XTW	6-12
CHMHP366W	6-12
CHMHP486W	6-12
CHXTHDDW	6-13
CHXTHMCB	6-13
CHXTHMIB	6-16
CIT30XWBB	4-5
CIT36XWB	4-5
CIT36XWBB	4-5
CIT304TB	4-7
CIT304TM	4-7
CIT365TB	4-7
CIT367XG	4-6
CIT367XGS	4-6
CIT367XM	4-6
CIT367XMS	4-6
CSRACKH	5-25
CVDUCT2	6-24
CVTFRONT6	6-24
CVTFRONT8	6-24
CVTFRONT10	6-24
CVTRECT2	6-24
CVTSIDE6	6-24
CVTSIDE8	6-24

CVTSIDE10	6-24
D	
DC30MTW	6-3
DC36MTW	6-4
DC48MTW	6-4
DC306W	6-7
DC366W	6-7
DC426W	6-7
DC486W	6-7
DC3089W	6-7
DC3689W	6-7
DC4289W	6-7
DC4889W	6-7
DC361012W	6-7
DC481012W	6-7
DCT3016W	6-3
DCT3616W	6-3
DCT4816W	6-3
DWHD650WFM	7-1
DWHD650WFP	7-1
DWHD650WPR	7-1
DWHD660WFP	7-1
DWHD770WFM	7 <del>-</del> 2
DWHD770WFP	7 <del>-</del> 2
DWHD770WPR	7-2
E	
EXTNCB25W 6-9 6	5-12 6-16

EXTNCB25W 6-9,	6-12, 6-16,
	6-19, 6-25
EXTNCE5	6-25
EXTNSET46-9, 6-12,	6-16, 6-19, 6-25

#### F

FRAMEKIT10 .... 1-3, 1-5, 1-7, 1-9, 1-15

#### н

••
HDDB30WS6-10
HDDB36WS6-10
HEATRKIT201-3, 1-5, 1-7, 1-9,
1-15
HMCB30WS6-10
HMCB36WS6-10
HMDW30WS6-2
HMDW36WS6-2
HMIB36WS6-14
HMIB42WS6-14
HMWB30WS6-2
HMWB36WS6-2
HMWB361WS6-2
HMWB481WS6-2
HPCN36WS 6-11
HPCN48WS 6-11
11 01400000-11

HPIN54WS6-15	
1	
ICEBUCKETL1-16	
L	
LINER306-19	
LINER366-19	
LINER486-19	
LPRODBIN101-15	

HPIN42WS.....6-15

# М

IVI	
MB30WP	3-12
MB30WS	3-12
MC30WP	3-12
MC30WS	3-12
MD24WS	3-13
MD30WS	3-13
ME301WS	3-2
ME301YP	3-2
ME302WS	3-3
ME302YP	3-3
MED301LWS	3-2
MED301RWS	3-2
MED301WS	3-2
MED302LWS	3-4
MED302RWS	3-4
MED302WS	3-4
MEDMC301WS	3-5
MEDMCW31WS	3-5
MEDS301WS	3-6
MEDS302WS	3-6
MEM301WS	3-5
MS30HNDL20	1-9
MS36HNDL20	1-9
MU30WSU	3-13

#### Ρ

PA12CHPBLK	5-10, 5-23
PA12GRILFW	5-10, 5-22
PA12GRILLW	5-10, 5-22
PA12LCVRN	5-10, 5-23
PA12LCVRW	5-10, 5-23
PA24CVRR	5-23
PA24CVRW	5-10, 5-23
PA30WLBC	5-12
PA30WLBH	5-12
PA36WLBC	5-12
PA36WLBG	5-25
PA36WLBH	5-12
PA36WTKG	5-25
PA48WLBC	5-12
PA48WLBG	5-25
PA48WLBH	5-12

PA48WTKG	5-25
PA60WLBG	5-25
PA60WTKG	5-25
PAALTKITGW	5-24
PAALTKITHW	5-11
PABRICKBKW 5-10,	5-23
PABRICKW 5-10,	5-23
PAGRIDDLE 5-10,	
PAGRIDDLEW5-10,	5-22
PAGRIDLFW5-10,	5-22
PAKNOBLUWR	5-12
PALPKITDGW	
PALPKITGGW	5-24
PALPKITGW	
PALPKITGW5	
PALPKITHW	
PALPKITHW5	
PARKB3XHY	
PARKB30HY	
PARKB36CGY	
PARKB36DHY	
PARKB36GY	
PARKB36HY	
PARKB36IGY	
PARKB36LHY	
PARKB48CGY	
PARKB48CHY	
PARKB48DHY	
PARKB48SGY	
PARKB60CGY	
PARKB60SGY	
PCG305W	
PCG364WD	
PCG364WL	
PCG366W	
PCG486WD	
PCG486WI	
PH30HWS	
PH36GWS	
PH36HWS	
PH42GWS	
PH42GWS	
PH48GWS	
PH48HWS	
PH54GWS	
PO301W	
PO302W	
POD301LW	
POD301RW	
POD301W	
POD302LW	
POD302RW	3-8
POD302W PODMC301W	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PODMCW31W3	
PODS301W	
PODS302W	
POM301W	
PR30HNDL20	
PR36HNDL20	
PRD48WCSGU5	-19
PRD48WDSGU5	-18
PRD48WISGU5	-18
PRD48WLSGU5	-18
PRD304WHU	5-4
PRD305WHU	
PRD364WDGU5	-14
PRD364WDHU	5-5
PRD364WIGU5	
PRD364WLGU5	-14
PRD364WLHU	5-5
PRD366WGU5	-14
PRD366WHU	5-5
PRD484WCGU5	-15
PRD484WCHU	5-6
PRD486WDGU5	
PRD486WDHU	5-6
PRD486WIGU5	-16
PRD486WLGU5	-15
PRD486WLHU	5-6
PRD606WCG5	-16
PRD606WCSG5	-19
PRD606WEG5	-16
PRD606WESG5	-19
PRG304WH	5-7
PRG305WH	5-7
PRG364WDG5	-20
PRG364WDH	5-8
PRG364WLG5	
PRG364WLH	5-8
PRG366WG5	5-21
PRG366WH	5-8
PRG486WDG5	5-21
PRG486WDH	5-9
PRG486WLG5	-22
PRG486WLH	5-9
PWOKRINGHC	-23

n	
RECHDDB	6-13
RECHMCB	6-13
RECHMDW30	6-3
RECHMDW36	6-3
RECHMIB	6-16
RECHMWB30	6-3
RECHMWB36	6-3
REMCPW	6-8, 6-19
REPLFLTR55	1-16

Prices listed herein do not include applicable sta
RFPLT600P.6-9, 6-13, 6-16, 6-20, 6-25
RFPLT1000P6-9, 6-13, 6-16, 6-20, 6-25
S
SD30WC
SDCLNRCK30
SDS30WC
SGRIDDLEW4-3
SGS305TS
SGS365TS 4-1
SGSP305TS
SGSP365TS4-2
SGSX305TS4-1
SGSX365TS4-1
SGSXP305TS4-2
SGSXP365TS4-2
SGZ1010UC7-3
SGZ9091UC7-3
SKNOBLUW4-3
SLPKITW4-3
SMZ50007-3
SMZ5002UC7-3
SMZ54007-3
SMZPC002UC7-3
SMZPCJB1UC7-3
SMZSH002UC7-3
SNPKITPEDW4-3

#### т

1
T18ID905LP1-4
T18ID905RP1-4
T18IF905SP1-4
T18IW905SP1-8
T18WINERK11-16
T23IR905SP1-2
T24ID905LP1-4
T24ID905RP1-4
T24IF905SP1-4
T24IR905SP1-2
T24IW905SP1-8
T24UC905DP1-14
T24UC915DS1-14
T24UC925DS1-14
T24UR905DP1-14
T24UR905LP1-14
T24UR905RP1-14
T24UR915DS1-14
T24UR915LS1-14
T24UR915RS1-14
T24UR925DS1-14

SPRODBIN10.....1-15 SWOKRINGW.....4-3

T24UR925LS1-14
T24UR925RS1-14
T24UW905LP 1-14
T24UW905RP1-14
T24UW915LS 1-14
T24UW915RS1-14
T24UW925LS1-14
T24UW925RS1-14
T24WINERK11-16
T30BB915SS1-12
T30BB925SS1-12
T30IB905SP1-6
T30IF905SP1-4
T30IR905SP 1-2
T36BB915SS1-12
T36BB925SS1-12
T36BT915NS1-12
T36BT925NS1-12
T36FT810NS1-13
T36FT820NS1-13
T36IB905SP1-13
T36IF905SP1-4
T36IR905SP 1-2
T36IT903NP1-6
T36IT905NP1-6
TCM24PS2-1
TCM24TS2-1
TCM24TS2-1 TCMTK30RS2-1
TCM24TS2-1 TCMTK30RS2-1 TCOOKSENSW4-9
TCM24TS         2-1           TCMTK30RS         2-1           TCOOKSENSW         4-9           TEPPAN1013         4-8
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1016       4-8, 5-22
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1016       4-8, 5-22         TEPPAN1314       4-8
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1016       4-8, 5-22         TEPPAN1314       4-8         TEPPAN1321       4-8
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1016       4-8, 5-22         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1016       4-8, 5-22         TEPPAN1314       4-8         TEPPAN1321       4-8
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1016       4-8, 5-22         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1016       4-8, 5-22         TEPPAN1314       4-8         TEPPAN1321       4-8         TEL18ID800       1-5         TFL18ID905       1-5
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1016       4-8, 5-22         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1016       4-8, 5-22         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-5
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1016       4-8, 5-22         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-5         TFL18IR905       1-5         TFL18IR905       1-5         TFL18IR905       1-5
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-5         TFL18IR905       1-8         TFL18IW905       1-8
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-8         TFL18IW905       1-8         TFL18IR900       1-3
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-8         TFL18IW905       1-8         TFL23IR900       1-3         TFL23IR905       1-3
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-5         TFL18IR905       1-5         TFL18IR905       1-3         TFL23IR900       1-3         TFL23IR905       1-3         TFL24ID800       1-5
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-5         TFL18IR905       1-8         TFL23IR900       1-3         TFL23IR905       1-5         TFL24ID800       1-5         TFL24ID905       1-5
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-5         TFL18IR905       1-8         TFL23IR900       1-3         TFL23IR905       1-5         TFL24ID800       1-5         TFL24IR800       1-5
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN1131       4-8         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-8         TFL23IR900       1-3         TFL24ID800       1-5         TFL24ID800       1-5         TFL24IR800       1-3         TFL24IR905       1-3         TFL24IR905       1-3         TFL24IR905       1-3         TFL24IR800       1-3, 1-5
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN114       4-8         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-8         TFL23IR900       1-3         TFL24ID800       1-5         TFL24IR800       1-5         TFL24IR905       1-5         TFL24IR905       1-5         TFL24IR905       1-3         TFL24IW905       1-3
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN114       4-8         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-5         TFL18IW800       1-8         TFL23IR905       1-3         TFL24ID800       1-5         TFL24IR800       1-3         TFL24IR800       1-8         TFL24IW800       1-8         TFL24IW800       1-8         TFL24IW800       1-8         TFL24IW800       1-8         TFL24IW800       1-7
TCM24TS       2-1         TCMTK30RS       2-1         TCOOKSENSW       4-9         TEPPAN1013       4-8         TEPPAN114       4-8         TEPPAN1314       4-8         TEPPAN1321       4-8         TFL18ID800       1-5         TFL18IR800       1-5         TFL18IR905       1-5         TFL18IR905       1-8         TFL23IR900       1-3         TFL24ID800       1-5         TFL24IR800       1-5         TFL24IR905       1-5         TFL24IR905       1-5         TFL24IR905       1-3         TFL24IW905       1-3

TFL30IR905.....1-3, 1-5

TFL36IB800.....1-7

TFL36IB905.....1-7

TFL36IR900.....1-3, 1-5

TFL36IR905	1-3, 1-5
TFL36IT800	1-7
TFL36IT905	1-7
TGRILLPANX	4-8
TROASTERT	4-8
TWO30YS	3-6, 3-15

#### U

-	
UCTRFLTR10	.1-16
UCV30ST	.6-22
UCV36ST	.6-22
UCVFILTER	.6-22
UCVM30XS	. 6-21
UCVM36XS	. 6-21
UCVP36XS	. 6-21
UCVRECIRC	.6-22

# v

-			
VC	I3B30ZS		.6-17
VC	I3B36ZS		.6-17
VC	I6B30ZS		.6-17
VC	I6B36ZS		.6-17
VC	I230DS		.6-17
VC	I236DS		.6-17
VC	I248DS		.6-17
VC	IN36GWS		.6-18
VC	IN42GWS		.6-18
VC	IN48GWS		.6-18
VC	IN54GWS		.6-18
VC	IN60GWS		.6-18
VT	D600P		.6-23
VT	l610W	6-6,	6-23
VT	I1010W	6-6,	6-23
VT	N630W		6-6
VT	N1090R		6-6
VT	R630W	6-6,	6-23
VT	R1030W	6-6,	6-23
VT	R1330W	6-6,	6-23

# W

WD30W	3-14
WD30WC	3-14
WKNOBKT3W	3-15



BSH Home Appliances Corporation 1901 Main Street, Suite 600, Irvine, CA 92614 Phone: (949) 440-7100 (800) 735-4328 Sales and Service Thermador.com

©2021 BSH Home Appliances Corporation. All rights reserved.

20-BSH-0914.1 04/28/2021