



# TABLE of CONTENTS

#### Consumer UMRP Price List Q4 2023

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

REFRIGERATION		Accessories	4-8
Freedom® Collection	1-1	PROFESSIONAL SERIES RANGES AND	
Fresh Food Columns		RANGETOPS	
Freezer Columns	1-4	Overview	5-1
Bottom Freezers	1-6	Professional Rangetops	
Wine Preservation Columns	1-8	Pro Harmony® Series	
Handles	1-9	Induction Ranges	
Quick Reference Guide	1-11	Dual-Fuel Ranges	
Preassembled Collection		Gas Ranges	
Bottom Freezer Refrigerators	1-12	Accessories	
Freestanding Collection		Pro Grand <sup>®</sup> Series	
Bottom Freezer Refrigerators		Dual-Fuel with Steam Ranges	
Under-Counter Collection		Dual-Fuel Ranges	
Glass Door Refrigeration Units		Gas Ranges	
Drawer Refrigeration/Freezer Units		Accessories	
Glass Door Wine Preservation Units			
Accessories		VENTILATION	
Freedom® Accessories—Refrigerators	1-15	Overview	
Freedom® Accessories—Freezers		Wall Hoods	
Under-Counter Drawer Accessories	1-17	Masterpiece® Series	
Freedom® Accessories—Wine Preservation	1-17	Accessories—Masterpiece® Series	
2024 Refrigeration Collection	1-18	Professional Series	
2024 Refrigeration Collection Accessories	1-20	Accessories—Professional	
BUILT-IN COFFEE MACHINE		Chimney Wall Hoods	
Built-In Coffee Machine	2.1	Masterpiece® Series	
Accessories		Professional Series	6-10
	2-1	Accessories	
BUILT-IN OVENS		Island Hoods	
Overview	3-1	Masterpiece® Series	
Masterpiece® Series	3-2	Professional Series	
30" Masterpiece® Ovens	3-2	Accessories	
Accessories	3-6	Custom Inserts	
Professional Series	3-7	Professional Series	
30" Professional Series Ovens		Masterpiece® Series	
Microwaves		Professional Series	
Built-In Microwaves		Accessories	
MicroDrawer® Microwaves	3-12	Downdraft	
Over-the-Range Microwave	3-12	Masterpiece® Series	
Speed Ovens	3-13	Components	
Warming Drawers	3-13	Blower Accessories	6-23
Accessories	3-14	DISHWASHERS	
COOKTOPS		Built-In Dishwashers	7-1
Gas Cooktops	4-1	Accessories	7-2
Glass Ceramic Induction Cooktops		INDEX	
Glass Ceramic Electric Cooktops	4-6	Index	Ω 1
		IIIW5A	

#### Conditions of Sale

**Returned Goods**No merchandise may be returned without prior approval. Please contact your sales representative

for return authorization.

F.O.B. Origin All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight

and billing terms, refer to current program in effect.

## Freedom® Collection REFRIGERATION

Thermador's ingenious Freedom Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".

To order, please follow this 4-step process:

Step 1
Select a Panel-Ready
Column

+

Step 2

Select a Stainless Steel Panel or Use a Custom Panel

Step 3

Select a Stainless Steel Handle or Use a Custom Handle

Step 4

Select Optional Accessories



HEATRKIT20

#### Freedom® Heater Kit

For columns that are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. See page 1-15.





FRAMEKIT10

#### Freedom® Frame Kit

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. See page 1-15.

To enhance the Freedom Collection, please see our accessories section on page 1-15.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number **UMRP MSRP** Description

#### **Fresh Food Columns**

#### All 23.5"/24"/30"/36" Fresh Food Columns include the following features:

- Fully Flush
- Freedom® hinge
- All-LED sidewall filtered theater lighting
- Cold Air System
- ThermaFresh system
- Carbon air filter

- SuperCool function
- Stainless steel interior
- Full-extension SoftClose® drawers
- TFT Control
- Full-length cantilever racks
- Sabbath/Economy/Vacation modes
- Door open alarm
- Extremely quiet
- Reversible door swing
- Open door assist
- Home Connect

#### Step 1: Fresh Food Columns









T23IR905SP

T24IR905SP

T30IR905SP

T36IR905SP

T23IR905SP	23.5" Fresh Food Column	6,999	7,699
T24IR905SP	24" Fresh Food Column	7,499	8,249
T30IR905SP	30" Fresh Food Column	7,999	8,799
T36IR905SP	36" Fresh Food Column	8,499	9,349

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Number Description **MSRP** Fresh Food Columns Step 2: Panels All Thermador® Fresh Food Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options: Flat Stainless Steel Door Panels for Flush Installations TFL23IR900 23.5" Stainless Steel Panel 580 649 TFL24IR800 24" Stainless Steel Panel 599 525 30" Stainless Steel Panel TFL30IR800 580 649 TFL36IR900 36" Stainless Steel Panel 1,050 1,199 Flat Stainless Steel Door Panels with No Holes TFL23IR905 23" Single Door No Hole Flat Panel 525 599 TFL24IR905 24" Single Door No Hole Flat Panel 599 525 TFL30IR905 30" Single Door No Hole Flat Panel\*1 580 649 TFL36IR905 36" Single Door No Hole Flat Panel 1,050 1,199 Step 3: Handles For stainless steel handle options, please see page 1-9 Step 4: Optional Accessories FRAMEKIT10 Freedom Frame Kit 105 119 (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout FRAMEKIT10 wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers) HEATRKIT20 Freedom Heater Kit 599 699 (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any HEATRKIT20 installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)

<sup>1</sup> Units compatible with 30" columns, but should be installed to units with SoftClose® Doors.

Freezer Columns

#### All 18"/24"/30"/36" Freezer Columns Include the Following Features:

Description

• Fully Flush

T18IF905SP

Number

- Freedom® hinge
- All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- SuperFreeze® function
- Height-adjustable glass shelves
- TFT Control
- Stainless steel interior
- Full-length cantilever racks
- Filtered internal diamond ice maker
- Sabbath/Economy/Vacation modes
- Door open alarm

• Open door assist

**MSRP** 

• Extremely quiet

**UMRP** 

- Side-by-side kit included
- Home Connect

#### Step 1: Freezer Columns with Internal Ice Maker

- Ice drawer with ice bin
- Reversible door swing











	T18IF905SP

18" Freezer Column (Internal Ice Maker)	6,999	7,699
---	-------	-------

T24IF905SP	24" Freezer Column (Internal Ice Maker)	7.499 8.249

T30IF905SP	30" Freezer Column (Internal Ice Maker)	7,999 8	3,799


T36IF905SP 36" Freezer Column (Internal Ice Maker) 8.499 9,349

#### Step 1: Freezer Columns with External Ice and Water Dispenser

•	External Filtered Ice and
	Water Dispenser

- FreeFlow® diamond
- Proximity sensor on dispenser
- Capacitive touch control
- Available in right-hand or left-hand door swing (not reversible)

ice system	dispenser	<ul> <li>Stainless steel interior</li> </ul>	
T18ID905LP	18" Freezer Column (External Ice and Water Dispenser, Left	7,999 Hinge)	8,799
T18ID905RP	18" Freezer Column (External Ice and Water Dispenser, Righ	7,999 nt Hinge)	8,799
T24ID905LP	24" Freezer Column	8,499	9,349









T18ID905LP T24ID905LP

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

9,349

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	UMRP	MSRP

Freezer	Columns	:
1166561	COIGIIII	,

#### Step 2: Panels

All Thermador® Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

#### Flat Stainless Steel Door Panels for Flush Installations

TFL18IR800	18" Stainless Steel Panel	475	529
TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529
TFL24IR800	24" Stainless Steel Panel	525	599
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199

#### Flat Stainless Steel Door Panels with No Holes

TFL18IR905	18" Single Door No Hole Flat Panel <sup>1</sup>	475	529
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	475	529
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

#### Step 3: Handles

For stainless steel handle options, please see page 1-9.

#### Step 4: Optional Accessories

FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. <b>Note</b> : Included with all pre-assembled bottom freezers)	105	119	FRAMEKIT10
HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humid- ity (>65%), or located next to an outside wall.)	599	699	HEATRKIT20

<sup>1</sup> Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Model
Number Description UMRP MSRP

#### **Bottom Freezers**

#### All 30"/36" Bottom Freezer and 36" French Door Bottom Freezer Columns Include the Following Features:

- Fully Flush
- Freedom® hinge
- TFT control
- All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- Full-length cantilever racks
- Full-width multi use drawer

- Internal filtered diamond ice maker
- SuperCool function
- SuperFreeze® function
- Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm
- Extremely quiet

- Refrigerator door swing reversible (T30IB905SP and T36IB905SP)
- Two evaporators
- Two compressors
- Filtered internal diamond ice maker
- Home Connect



T30IB905SP

T36IB905SP

T36IT905NP

#### Step 1: Bottom Freezers with Stainless Steel Interior

T30IB905SP	30" Bottom Freezer with open door assist and SoftClose®	9,499	10,449

T36IB905SP	36" Bottom Freezer with open door assist	9,999 10,999

and SoftClose®

T36IT905NP 36" French Door Bottom Freezer 10,499 11,549

with open door assist and SoftClose®

#### Step 1: Bottom Freezer with White Interior

TOLITOOONID	2/    Faranda Dana Battana Faranan	0.000	0.000
T36IT903NP	36" French Door Bottom Freezer	8,999	9,899



T36IT903NP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.				
Model Number	Description	UMRP	MSRP	
-				

**Bottom Freezers** 

Step	2.	Pan	ءام
aleb	<b>Z</b> :	ran	EI:

All Thermador® Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

#### Flat Stainless Steel Door Panels for Flush Installations

TFL30IB800	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB800	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
TFL36IT800	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949

#### Flat Stainless Steel Door Panels with No Holes

TFL30IB905	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB905	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
TFL36IT905	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949

#### Step 3: Handles

For stainless steel handle options, please see page 1-9.

#### Step 4: Optional Accessories

FRAMEKIT10	Freedom Frame Kit Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. <b>Note:</b> Included with all pre-assembled bottom freezers)	105	119	FRAMEKIT10
HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699	HEATRKIT20

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

#### **Wine Preservation Columns**

#### All 18"/24" Wine Preservation Columns Include the Following Features:

- Fully Flush
- Portable aluminum and wenge wood wine presenter
- Full-extension completely enclosed exotic wood shelves
- Fully adjustable temperature zones:
   18" column-two; 24"-three
- Independent humidity control
- TFT control
- Freedom® hinge
- Adjustable LED lighting
- Diamond shaped dowels for vibration control
- Glass door with UV protection

- Sabbath/Economy/Vacation modes
- Door open alarm
- Bottle capacity: 18" column-52 bottles;
   24" column-92 bottles (750 ml)
- Open door assist
- O Home Connect

#### Step 1: Wine Preservation Columns



1	8	W	19(	)5	SP

T24IW905SP

T18IW905SP	18" Wine Preservation Column 2 - Zone Temperature Control	6,499	7,149
T24IW905SP	24" Wine Preservation Column 3 - Zone Temperature Control	6,999	7,699

#### Step 2: Panels

All Thermador® Wine Preservation Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

#### Flat Stainless Steel Door Panels for Flush Installations

TFL18IW800	18" Stainless Steel Panel	475	529		
TFL24IW800	24" Stainless Steel Panel	525	599		
Flat Stainless Steel Door Panels with No Holes					
TFL18IW905	18" Wine No Hole Flat Panel	475	529		
TFL24IW905	24" Wine No Hole Flat Panel <sup>1</sup>	525	599		

#### Step 3: Handles

For stainless steel handle options, please see page 1-9.

<sup>1</sup> Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

This price list supersedes all	previous price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	UMRP	MSRP	
			Wine	Preservation Columns
Step 4: Optional A	Accessories			
FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. <b>Note:</b> Included with all pre-assembled bottom freezers)	105	119	FRAMEKIT10
HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699	HEATRKIT20

#### **Handles**

Step 3: Stainless Steel Handles  When selecting Thermador® stainless steel handles for the Freedom® Collection, please order the following:  One 36" handle for each column  One 30" handle and one 36" handle for 30" Bottom Freezers  Two 36" handles for each 36" Bottom Freezer  Three 36" handles for each 36" French Door Bottom Freezer  To ensure consistency, always select the same style.								Bottom Freezer T30IB905SP <sup>2</sup>		Freezer	Bottom Freezer T36IT905NP <sup>5</sup>	ALL Wine Preservation Columns
	MS30HNDL20	30" Masterpiece® Handle	160 1	79				1				
	MS36HNDL20	36" Masterpiece® Handle	160 1	79	1	1	1	1	2	3	3	1
ľ	PR30HNDL20	30" Professional Handle	160 1	79				1				
	PR36HNDL20	36" Professional Handle	160 1	79	1	1	1	1	2	3	3	1

<sup>1</sup> IWD = Ice and Water Dispenser

<sup>2</sup> Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

<sup>3</sup> Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20 4 Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

<sup>5</sup> Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

#### **Suggested Combinations**



Predetermined Spaces /

Replacement Installation



These suggestions are just an example of the extensive range of


Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional

A HEATRKIT20 is recommended for use with any installation

combinations possible with the Freedom® Collection.

side-by-side combinations without freezer column.

in areas that are subject to extreme humidity.



Replacement Installation



T18IF905SP/T30IR905SP

IWD\*

Column

30" Fresh Food

18" Freezer Column 30" Fresh Food

Column

















T36IB905SP/T24IW905SP

<sup>\*</sup>IWD = Ice and Water Dispenser



Step 1: Colun	nns and E	Bottom Freezers	Step 2: Panels			Step 3: Handles	
Freedom <sup>®</sup> Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece <sup>®</sup>	Professional
FRESH FOOD C	COLUMNS						
T23IR905SP	23.5"	Reversible	Panel Ready	TFL23IR900	TFL23IR905		
T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle per column
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece MS36HNDL20	Professional PR36HNDL20
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER COLU	IMNS			•		•	
T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905		
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle
T30IF905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece MS36HNDL20	Professional PR36HNDL20
T36IF905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905	14/300/1142/20	T NOOT II VD LEO
FREEZER WITH	IWD <sup>1</sup> CO	LUMNS		•			
T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905		
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece MS36HNDL20	Professional PR36HNDL20
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905	14130011142220	T KOST II VD LES
BOTTOM FREE	ZERS/FREI	NCH DOOR BOTTON	I FREEZERS	•			
T30IB905SP <sup>2</sup>	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	Order one 30" handle and one 36" handle per column <sup>2</sup>	Order one 30" handle and one 36" handle per column <sup>2</sup>
T36IB905SP <sup>3</sup>	36"	Reversible	Panel Ready	TFL36IB800	Order two 36 handles per colu		Order two 36" handles per column <sup>3</sup>
T36IT903NP <sup>4</sup>	36"	n/a	Panel Ready	TFL36IT800	_	Order three 36" handles per column <sup>4</sup>	Order three 36" handles per column <sup>4</sup>
T36IT905NP <sup>5</sup>	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	Order three 36" handles per column <sup>5</sup>	Order three 36" handles per column <sup>5</sup>
WINE PRESERV	ATION CO	DLUMNS					
T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle	Order one 36" handle
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	Masterpiece MS36HNDL20	Professional PR36HNDL20

NOTE: Handleless panels should not be installed on units without the SoftClose® capability. If you are uncertain if you have a refrigeration unit with SoftClose® capability, please contact our customer team by calling 1-800-735-4328.

<sup>1</sup> IWD = Ice and Water Dispenser

<sup>2</sup> Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

<sup>3</sup> Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

<sup>4</sup> Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

<sup>5</sup> Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

Model Number

Description

**UMRP** 

MSRP

## Preassembled Collection REFRIGERATION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece® Handles.

#### All 30"/36" Bottom Freezer and French Door Bottom Freezers Include the Following Features:

- Fully Flush
- TFT Control
- Installs framed or flush
- Freedom<sup>®</sup> hinge
- All-LED filtered sidewall theater lighting
- Soft closing full-extension drawers
- Full-length cantilever racks
- Open door assist

- ThermaFresh system
- Internal filtered diamond ice maker
- SuperCool function
- SuperFreeze® function
- Gallon door bins
- Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm

- ENERGY STAR® certified
- Extremely quiet
- Refrigerator door swing reversible (T30BB and T36BB)
- Two evaporators
- Two compressors
- Home Connect

#### **Bottom Freezers**

T30BB915SS	30" Bottom Freezer, two-door, Masterpiece® Handles	10,999	12,099
T36BB915SS	36" Bottom Freezer, two-door, Masterpiece <sup>®</sup> Handles	11,499	12,649
T30BB925SS	30" Bottom Freezer, two-door, Professional Handles	10,999	12,099
T36BB925SS	36" Bottom Freezer, two-door, Professional Handles	11,499	12,649



T30BB925SS



#### French Door Bottom Freezers

T36BT915NS	36" French Door Bottom Freezer, three-door, Masterpiece® Handles	11,999	13,199
T36BT925NS	36" French Door Bottom Freezer, three-door, Professional Handles	11,999	13,199



T36BT925NS



Model

Number Description

**UMRP** 

MSRP

### Freestanding Collection REFRIGERATION

For faster installation, all units have been preassembled with stainless steel doors and Professional or Masterpiece® Handles.

#### All Freestanding 36" French Door Bottom Freezers Include the Following Features:

- Counter-depth 72" Tall Appliance
- Built-in Look Exterior Design
- Dual Evaporator
- Dual Compressor
- Illuminated Back Wall
- Temperature and Humidity Freshness Drawers
- Stainless Steel ThermaFresh Mats
- Internal Water Dispenser
- Diamond Ice Maker
- Filtered ice and water
- SuperCool function
- SuperFreeze<sup>®</sup> function

- · Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm
- O Home Connect

5,499

#### Bottom Freezers with Stainless Steel Interior

T36FT810NS 36" with Masterpiece® Handles 4,999

T36FT820NS 36" with Professional Handles 4,999 5,499



T36FT810NS



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number **UMRP** Description **MSRP** 

#### All Under-Counter Units Include the Following Features:

- Built-in flush design
- LED lighting
- Electronic touch controls for precise temperature management
- Venting grille for full integration
- Fully flush at 24" depth
- Professional Handle, Masterpiece Handle or custom panel options
- Star K Certified
- ENERGY STAR® certified

#### **Glass Door Refrigeration Units**

• 5 cu. ft.	Customizable shelving	<ul> <li>Customizable Fridge, Panta</li> </ul>	•	
T24UR905LP	24" Refrigerator, Custom Panel, Left Swing		2,799	3,099
T24UR905RP	24" Refrigerator, Custom Panel, Right Swing		2,799	3,099
T24UR915LS	24" Refrigerator, Masterpiece Handle, Left S	wing	2,999	3,299
T24UR915RS	24" Refrigerator, Masterpiece Handle, Right	Swing	2,999	3,299
T24UR925LS	24" Refrigerator, Professional Handle, Left Sv	wing	2,999	3,299
T24UR925RS	24" Refrigerator, Professional Handle, Right	Swing	2,999	3,299



T24UR915LS



#### **Drawer Refrigeration/Freezer Units**

• 4.4 cu. ft. SoftClose<sup>®</sup> drawers Drawer open alarm

T24UR905DP

T24UR915DS

T24UR925DS

T24UC905DP

T24UC915DS

T24UC925DS

· Customizable shelving and drawer dividers

24" Refrigerator, Custom Panel

24" Refrigerator, Masterpiece Handle

24" Refrigerator, Professional Handle

glass door

• Customizable cooling modes: Fridge, Pantry and Bar

24" Refrigerator/Freezer, Custom Panel, ice maker

24" Refrigerator/Freezer, Masterpiece Handle, ice maker

24" Refrigerator/Freezer, Professional Handle, ice maker

- · Quick Chill
- Removable drawer mat for easy cleaning

3,999

3,899

3,899

3,999

4,199

4,199

4,399

4,299

4,299

4,399

4,649

4,649



T24UR915DS





T24UC915DS



#### **Glass Door Wine Preservation Units**

#### **Under-Counter Wine Preservation Units**

- 41-bottle capacity Full-extension wenge wood
- diamond wine racks
- T24UW905LP 24" Wine Pres., Custom Panel, Left Swing 3,999 3,599 T24UW905RP 24" Wine Pres., Custom Panel, Right Swing 3,599 3,999 T24UW915LS 24" Wine Pres., Masterpiece Handle, Left Swing 3,799 4,199 T24UW915RS 24" Wine Pres., Masterpiece Handle, Right Swing 3,799 4,199 T24UW925LS 24" Wine Pres., Professional Handle, Left Swing 4,199 3,799 4,199 T24UW925RS 24" Wine Pres., Professional Handle, Right Swing 3,799

• Tinted UV-resistant tempered

• Independent temperature control of temperature zones.



T24UW915LS



Model Number

Description

UMRP

MSRP

Freedom <sup>®</sup> A	Accessories—R	efrigerators			Freedom®					Pre- assemb					
					T23IR905SP	T24IR905SP	T30IR905SP	T36IR905SP	T301B905SP	T361B905SP	T36IT905NP	T36IT903NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS
	INSTALLATION A	ACCESSORIES													
	FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appli- ance helps overcome the challenge of unfinished cabinet returns. <b>Note</b> : Included with all pre-assembled bot- tom freezers)	105	119	•	•	•	•	•	•	•	•			
	HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combina- tions, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699	•	•	•	•	•	•	•	•			
	INTERIOR ACCE	ESSORIES FOR REFRIGERATORS													
	24HFGALBIN	24" Half-Gallon Bin	170	189											
	30HFGALBIN	30" Half-Gallon Bin	180	199			•		•				•		
	36HFGALBIN	36" Half-Gallon Bin	190	209				•		•				•	
P	24PRODRAIL	24" Produce Railing	105	119	•	•									
	30PRODRAIL	30" Produce Railing	115	129			•		•				•		
	36PRODRAIL	36" Produce Railing	135	149				•		•				•	
7	3DHFGALBIN	Three Door Half-Gallon Bin	160	179							•	•			•
	3DPRODRAIL	Three Door Produce Railing	85	99							•	•			•
	LPRODBIN10	Large Produce Bin	295	329	•	•	•	•	•	•	•	•	•	•	•

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$ 

Model Number Description UMRP MSRP

Freedom® Accessories—Refrigerators					Freedom®							Pre- assembled			
					T23IR905SP	T24IR905SP	T30IR905SP	T36IR905SP	T30IB905SP	T36IB905SP	T36IT905NP	T36IT903NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS
	SPRODBIN10	Small Produce Bin	265	299	•	•	•	•	•	•	•	•	•	•	•

Freedom® Accessories—Freezers						Freedom®						asse	Pre- emb	Free- standing		
				T18IF905SP	T24IF905SP	T30IF905SP	T36IF905SP	D905LP/	130lB905SP	T36IT905NP	T36IT903NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS	T36FT810NS	T36FT820NS
	Interior Accessor		85 99	•	•	•	•	•	•	•	•	•	•	•		
Î	Filter Accessories REPLFLTR55	Freedom® Replacement Water Filter	46 59	•	•	•	•	•	•	•	•	•	•	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

Under-Cou	nter Drawer Acc	essories			T24UR905LP	T24UR905RP	T24UR905DP	T24UC925DS	T24UC915DS	T24UC905DP	T24UW905LP	T24UW905RP
-	MS20HNDL20	20" Under-Counter Masterpiece Handle Kit (Se	300 et of 2)	329			•			•		
-	MS22HNDL25	25" Under-Counter Masterpiece Handle	165	189	•	•					•	•
-	PR20HNDL20	20" Under-Counter Professional Handle Kit (Se	300 et of 2)	329			•			•		
-	PR22HNDL25	25" Under-Counter Professional Handle	165	189	•	•					•	•
	UCTRFLTR10	Under-Counter Filter	75	89				•	•	•		

Freedom® Accessories—Wine Preservation								
Interior Accessories for Wine Columns								
	T18WINERK1	18" Wine Shelf providing a 62 bottle capacity. Cannot be used with Presenter Sh	229 nelf	259	•			
	T24WINERK1	24" Wine Shelf providing a 99 bottle capacity. Cannot be used with Presenter Sh	299 nelf	329		•		

Model Number

Description

**UMRP** 

MSRP

## 2024 REFRIGERATION COLLECTION

Units available pre-assembled with stainless steel panels and Professional or Masterpiece® handles OR custom panel ready.

#### All NEW 36" Bottom Freezer and French Door Bottom Freezers Include the Following Features:

- Installs framed or fully flush
- ThermaFresh Pro temperature and humidity control preserves freshness
- ThermaFlex Drawer temperature adjusts from fridge to freezer for maximum versatility
- Internal water dispenser with UltraClarityPro® water filter
- Elevated internal ice maker with diamond ice and ice scoop
- All new touchscreen display control panel

- Cameras in fridge for inventory management
- Gallon size door bins
- Two compressors
- Two evaporators
- Vivid LED sidewall and theater style lighting
- Stainless steel interior
- Full-Extension SoftClose® drawers
- SoftClose<sup>®</sup> Doors
- Deli drawer for convenient access to small items

- Adjustable split level shelving
- SuperCool and SuperFreeze® functions
- Non-slip mats in door bins and drawers prevent items from shifting
- Door Open Alarm
- Sabbath/Vacation/Economy modes
- ENERGY STAR® Certified
- Star-K Certified
- O Home Connect
- Trim kit included

#### **Bottom Freezers NEW Launching 2024**

NEW T36BB110SS	36" Bottom Freezer, Two-Door,	11,499	12,649
	Stainless Steel, Masterpiece® Handles		

<b>NEW</b>	T36BB120SS	36" Bottom Freezer, Two-Door,	11,499 12,649

Stainless Steel, Professional Handles

NEW T36IB100SP 36" Bottom Freezer, Two-Door, 9,999 10,999

Custom-Panel Ready

Launching Q2 2024







#### French Door Bottom Freezers NEW Launching 2024

NEW T36BT110NS	36" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	11,999	13,199
NEW T36BT120NS	36" French Door Bottom Freezer, Stainless Steel, Professional Handles	11,999	13,199

NEW T36IT100NP 36" French Door Bottom Freezer, 10,499 11,549

Custom-Panel Ready

Launching Q2 2024







This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

#### All NEW 42" and 48" French Door Bottom Freezers Include the Following Features:

- Installs framed or fully flush
- ThermaFresh Pro temperature and humidity control preserves freshness
- ThermaFlex Drawer temperature adjusts from fridge to freezer for maximum versatility
- Internal water dispenser with UltraClarityPro® water filter
- Elevated dual ice maker with diamond ice, entertaining ice and ice scoop
- All new touchscreen display control

- Cameras inside refrigerator compartment for inventory management
- Gallon size door bins
- Two compressors
- Two evaporators
- Vivid LED sidewall and theater style lighting
- Stainless steel interior
- Full-Extension SoftClose® drawers
- SoftClose<sup>®</sup> Doors
- Deli drawer for convenient access to small items

- Adjustable split level shelving
- SuperCool and SuperFreeze® functions
- Non-slip mats in door bins and drawers prevent items from shifting
- Door Open Alarm
- Sabbath/Vacation/Economy modes
- ENERGY STAR® Certified
- Star-K Certified
- O Home Connect
- Trim kit included

#### French Door Bottom Freezers NEW Launching 2024

NEW T42BT110NS	42" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	13,999	15,399
NEW T42BT120NS	42" French Door Bottom Freezer, Stainless Steel, Professional Handles	13,999	15,399
NEW T42IT100NP	42" French Door Bottom Freezer, Custom-Panel Ready	12,499	13,749
Launching Q2 2024			



T42BT120NS



Custom-Panel Ready

Launching Q1 2024





15,999 17,599

14,499 15,949

17,599

15,999



T48BT120NS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP MSRP** Description 2024 Refrigeration Collection Accessories F36BT120NS T42BT110NS T48BT120NS T36BT110NS T42BT120NS T48BT110NS T36BB110SS T36BB120SS T36IT100NP T42IT100NP T48IT100NP T361B100SP HEATRKIT20 Freedom Heater Kit 599 699 (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also rec-• ommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.) **Filter Accessories** UltraClarity Pro® Water Filter 59 REPLFLTR55 46

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

#### All Built-In Coffee Machines Include the Following Features:

- Equipped with the Thermador Connected Experience by Home Connect™
- Perfect for frequent selections, coffee customization settings store up to 8 personalized beverages with names so family members and house guests can program their favorite drinks from single shot espresso, to tea, to extra-large cappuccinos
- Easy to read color TFT display illustrates beverage selection, including size and temperature control

- 1 lb. Bean container
- Height-adjustable dispenser with dual spouts for brewing 2 cups at a time
- Beverages can be adjusted in small increments
- One Touch Function for coffee and milk/froth
- Fully automatic rinse program
- 2-disk grinding units made of high performance ceramic disks
- Adjustable grinding settings for very fine to coarse

- Separate drawer for ground coffee, capacity to hold up to two level scoops
- Built-In water filter
- Sensor alerts when coffee beans and water level is low
- 10-cup water container
- Includes Insulated 17oz removable stainless steel milk container, measuring spoon, water hardness test and two descaling tablets.
- 120 Volts. (V)

#### **Built-In Coffee Machine**

TCM24TS Thermador Built-In Coffee Machine

4,049 4,499







 Includes direct plumb for water and drain connection with AquaStop® Plus protection

TCM24PS

Thermador Built-In Coffee Machine Plumbed

4,429 4,899



TCM24PS



Accessories			TCM24TS	TCM24PS	
TCMTK30RS	30" Stainless Steel Trim Kit	429	479	•	•

For coffee accessories, please see the Cleaners & Accessories Price List.

## Built-in OVENS

#### MASTERPIECE® & PROFESSIONAL COLLECTIONS

#### SINGLE 30" **DOUBLE 30" COMBO 30"** TRIPLE 30" **Professional: DELUXE Professional:** With Steam and POD301W POD302W Convection Oven: Rotisserie POD301LW\* POD302LW\* Professional: Max Broil POD301RW\* POD302RW\* PODS302W 3 Telescopic Masterpiece: Racks MEDS302WS (Single Ovens) 4 Telescopic Racks Masterpiece: Masterpiece: With (Double MED301WS With MED302WS Speed Oven:: Ovens) Speed Oven: MED301LWS\* MED302LWS\* Professional: 6 Telescopic MED301RWS\* MED302RWS\* **Professional:** Racks PODMC301W\* (Combo PODMCW31W\* Masterpiece: Steam Ovens) Masterpiece: MEDMC301WS MEDMCW31WS **Professional:** Professional: **SELECT** With Microwave: **SPECIALTY** PO301W PO302W Professional: 3 Telescopic 1 Telescopic POM301W Rack Racks (Single Ovens) (Steam Ovens) 2 Telescopic Masterpiece: Racks ME301WS (Double Ovens) Masterpiece: Masterpiece: ME302WS MEM301WS Steam and Convection Oven: **Professional:** PODS301W Masterpiece: Masterpiece: **STANDARD** ME301YP ME302YP Masterpiece: MEDS301WS 1 Telescopic Rack (Single Ovens) 1 Telescopic Rack (Double Ovens) Speed Oven:: Professional:

#### \* Not pictured.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

MC30WP Masterpiece:

MC30WS

Model
Number Description UMRP MSRP

#### All Masterpiece® Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect<sup>™</sup>
- SoftClose<sup>®</sup> doors

#### **Cooking Modes**

- True Convection, Bake, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza
- Two-hour self clean
- Sabbath Mode
- Two halogen lights
- Star-K certified
- 3tar-R certi
   208–240 V

#### Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- · Sensor cooking
- Sensor reheat

#### 30" Masterpiece® Ovens

#### 30" Masterpiece Single Oven with Professional Handle

- One Full Access® telescopic rack and two standard racks
- Silver glass
- 4.6 cu. ft. overall oven capacity
- ME301YP 30" Single Oven, 1 Telescopic Rack

 Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat

2.899 3.199



4.599



5.099



ME301YP

#### 30" Masterpiece Single Oven-Select

- One Full Access<sup>®</sup> telescopic rack and two standard racks
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast
- Fast preheat
- Meat probe



ME301WS

ME301WS 30" Single Oven, 1 Telescopic Rack

#### 30" Masterpiece Single Oven—Deluxe

- Three Full Access<sup>®</sup> telescopic racks
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe



MED301WS

5,549 6,1495,549 6,149

5,749



MED301LWS

MED301WS 30" Single Oven, 3 Telescopic Racks

MED301LWS 30" Single Oven, 3 Telescopic Racks,

Left Side Opening Door,

MED301RWS 30" Single Oven, 3 Telescopic Racks,

Right Side Opening Door





5,219



sclo-

Model **UMRP MSRP** Number Description

#### 30" Masterpiece® Ovens

#### 30" Masterpiece Double Oven with Professional Handle

- One Full Access® telescopic rack (U)
- Silver glass

ME302YP

- 4.6 cu. ft. overall oven capacity (U/L)
- Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat (U)

30" Double Oven, 1 Telescopic Rack (U)

• Six Cooking modes in Lower Oven: Bake, Variable Broil Hi, Variable Broil Low, Roast, Warm, Sabbath, Fast Preheat (L)

> 5,099 4,599







#### 30" Masterpiece Double Oven-Select

- Two Full Access® telescopic racks (U/L)
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (U/L)

ME302WS 30" Double Oven, 2 Telescopic Racks, Meat probe (U/L)

- Fast preheat (U/L)
- Meat probe (U/L)





7,199





Model **UMRP MSRP** Number Description

#### 30" Masterpiece® Ovens

#### 30" Masterpiece Double Oven-Deluxe

- Three Full Access® telescopic racks (U); One Full Access® telescopic rack and two standard racks (L)
- TFT Touch control display

MED302WS

MED302LWS

- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Nine Additional Cooking modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate, Rotisserie (U)
- Five Additional Cooking modes: Speed Convection, Roast (L)

Broil, Roast, Dehydrate, Slow

30" Double Oven, 4 Telescopic Racks 30" Double Oven, 4 Telescopic Racks,

Left Side Opening Door

MED302RWS 30" Double Oven, 4 Telescopic Racks,

Right Side Opening Door

- Fast preheat
- Commercial-style rotisserie with 12-pound capacity (U)
- Multi-point meat probe (U); Meat probe (L)

7,949

8,599

8,599

8,749

9,499

9,499



MED302WS





MED302LWS

Model **UMRP** Number Description **MSRP** 

#### 30" Masterpiece® Ovens

#### 30" Masterpiece Combination Oven with Microwave

- One Full Access® telescopic rack and two standard racks (L)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast

MEM301WS

- Fast preheat
- Meat probe (L)
- 30" Combination Oven with Microwave, 1 Telescopic Rack

#### Microwave features:

- Touch control display
- 1.6 cu. ft. overall capacity
- 13" turntable
- 950 W microwave power

6,199 6,849







MEM301WS

#### 30" Masterpiece Combination Oven with Speed Oven

- Three Full Access® telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

#### Speed Oven features:

- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1000 W microwave power



7,649 8,449





MEDMC301WS

#### MEDMC301WS

30" Combination Oven with Speed Oven, 3 Telescopic Racks

#### 30" Masterpiece Triple Combination Oven with Speed Oven and Warming Drawer

Speed Oven features:

• 12 ½" turntable

36 Cook Smart<sup>™</sup> Programs

• 1000 W microwave power

- Three Full Access® telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat for seven different cooking modes
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

MEDMCW31WS

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

#### Warming Drawer features:

- 2.5 cu. ft. overall capacity
- · Touch control
- SoftClose<sup>®</sup> drawer
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer



9.799 10.799



Model
Number Description UMRP MSRP

#### All Masterpiece® Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect<sup>™</sup>
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose® doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Easy Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- Star-K certified
- 208-240 volts

#### Masterpiece® Steam and Convection Ovens

#### 30" Masterpiece Steam and Convection Oven

MEDS301WS

30" Steam and Convection Oven with 3 Telescopic Racks

5,649 6,249









MEDS301WS

#### 30" Masterpiece Steam and Convection Oven—Deluxe

- Lower oven: Thermador Connected Experience with Home Connect™
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast,

MEDS302WS

Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast

- Two-hour self clean
- Fast preheat for seven different cooking modes

30" Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks

- Three Full Access® telescopic racks
- Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- · Star-K certified
- 208–240 V

9,249 10,199









MEDS302WS

Accessories			Masterpiece				
					30" Single Ovens	30" Double Ovens	30" Series Built-in Steam and Convection
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•		

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

#### All Professional Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect<sup>™</sup>
- Restaurant-style stainless steel knobs
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose<sup>®</sup> doors
- 4.5 cu. ft. overall oven capacity
- 13 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean
- Fast preheat for seven different cooking modes
- Two halogen lights

- Sabbath Mode
- Star-K certified
- 208-240 V

#### Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- · Sensor cooking
- Sensor reheat

#### 30" Professional Series Ovens

#### 30" Professional Single Oven—Select

One Full Access® telescopic
 Meat probe rack and two standard racks

PO301W 30" Single Oven, 1 Telescopic Rack

5,049 5,599



PO301W







#### 30" Professional Single Oven—Deluxe

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Commercial-style rotisserie with 12-pound capacity
- Three Full Access® telescopic racks

POD301W 30" Single Oven, 3 Telescopic Racks 5,699
POD301LW 30" Single Oven, Left Side Opening Door, 6,049

3 Telescopic Racks
POD301RW 30" Single Oven, Right Side Opening Door,

3 Telescopic Racks

Multi-point meat probe

6,699 6,299

6,049 6,699

6,699

6,049











POD301LW







Model Number **UMRP MSRP** Description

#### 30" Professional Series Ovens

#### 30" Professional Double Oven-Select

• One Full Access® telescopic rack and two standard racks • Meat probe

(U/L)

PO302W 30" Double Oven, 1 Telescopic Rack (U/L) 7,799 8,599



PO302W







#### 30" Professional Double Oven—Deluxe

- Three Full Access® telescopic racks (U)
- One Full Access® telescopic rack and two standard racks (L)

POD302W

POD302LW

POD302RW

- Additional Cooking modes: Rotisserie, Max Broil, Max
- Convection Broil (U)

30" Double Oven, 4 Telescopic Racks

30" Double Oven, 4 Telescopic Racks,

30" Double Oven, 4 Telescopic Racks,

Left Side Opening Door

Right Side Opening Door

- Multi-point meat probe(U)
- Meat probe (L)

8.649 9.549

10,249

9,299 10,249



POD302W



POD302LW



Model

**UMRP** Number Description

#### 30" Professional Series Ovens

#### 30" Professional Combination Oven with Microwave

- One Full Access® telescopic rack and two standard racks (L)
- Microwave features: • Touch control display
- Meat probe (L)
- 13" turntable

POM301W

30" Combination Oven with Microwave, 1 Telescopic Rack

• 950 W microwave power

6,899 7,599

**MSRP** 



POM301W







#### 30" Professional Combination Oven with Speed Oven

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access® telescopic racks
- Multi-point meat probe

#### Speed Oven features:

- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1,000 W microwave power

PODMC301W 30" Combination Oven with Speed Oven,

3 Telescopic Racks

8,349 9,199



PODMC301W







Model
Number Description UMRP

#### 30" Professional Series Ovens

**MSRP** 

#### 30" Professional Triple Combination Oven with Speed Oven and Warming Drawer

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access® telescopic racks
- Multi-point meat probe
- Speed Oven features:
- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1,000 W microwave power

#### Warming Drawer features:

- SoftClose<sup>®</sup> drawer
- Touch control
- 2.5 cu. ft. overall capacity
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

PODMCW31W 30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

10,499 11,549



PODMCW31W







 Model
 Number
 Description
 UMRP
 MSRP

#### All Professional Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect<sup>™</sup>
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Restaurant-style stainless steel knobs
- Silver glass on stainless steel
- SoftClose<sup>®</sup> doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Steam Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- · Star-K certified
- 208-240 V

#### 30" Professional Series Built-In Steam and Convection Oven

#### Professional Series Steam and Convection Oven

PODS301W 30" Steam and Convection Oven with

3 Telescopic Racks

6,049 6,699



PODS301W







#### Professional Combination Oven with Steam and Convection Oven—Deluxe

- Lower oven: Thermador Connected Experience with Home Connect™
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast,

PODS302W

- 30" Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks
- Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean
- Fast preheat for seven different cooking modes
- Three Full Access<sup>®</sup> telescopic racks
- Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- Star-K certified
- 208-240 V

9,799 10,799



PODS302W







<sup>1</sup> To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

Model **UMRP** MSRP Number Description

#### All Masterpiece® Series Microwaves Include the Following Features:

• Silver glass on stainless steel

• 10 power levels

Sensor reheat

• 1.6 cu. ft. overall capacity

· Sensor cooking

#### **Built-In Microwaves**

#### **Built-In Microwaves**

Touch Control Display

• 950 W Microwave power

• 14 1/8" ceramic turntable

MB30WS 30" Masterpiece Microwave,

Stainless Steel, 120 V

MB30WP 30" Professional Microwave,

Stainless Steel, 120 V

• Plugs into 120 V, 60 Hz/, AC 3-prong grounded outlet

> 2,249 2,499

2.449 2,699



MB30WS





#### MicroDrawer® Microwaves

#### **Built-In MicroDrawer® Microwaves**

- Blue digital display with scrolling text
- 1.2 cu. ft. cavity
- Fits a 7" mug or 20 oz. cup
- 950 W microwave power
- Auto-Cooking modes (including Melt, Soften, Keep Warm)
- Sensor cooking

MD24WS

24" Microwave Drawer

MD30WS 30" Microwave Drawer

- Hidden vent
- Touch open and close
- Perfect flush installation

2,199

2.249

2,449

2,499



MD24WS



MD30WS

#### **Over-the Range Microwave**

- Design match for use in combination with 30" Pro Harmony® 5-burner gas range
- Exclusive stainless steel handle
- LCD display

- 2.1 cu. ft. cavity
- 14 3/16" glass turntable
- 1,100 W microwave power
- Triple microwave distribution system
- 10 cooking modes
- Sensor cooking
- Plugs into standard 120 V, 3-prong outlet
- Four-speed vent with up to 385 CFM

1,099 1,249



Over-the-Range Microwave

MU30WSU Over-the-Range Microwave, Stainless Steel

1 To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

Model

Number Description **UMRP MSRP** 

## **Speed Ovens**

#### **Built-In Speed Ovens**

- Silver glass on stainless steel
- Full color TFT display
- 12¾" ceramic turntable

MC30WS

MC30WP

- 1.6 cu. ft. overall capacity
- 36 Cook Smart™ Programs
- 10 power levels
- 1,000 W Microwave power
- Sensor cooking

30" Masterpiece Speed Oven,

30" Professional Speed Oven,

Stainless Steel, 208-240 V

Stainless Steel, 208-240 V



- Convection Bake
- Broil
- 208 or 240 V, 4 wire fixed connection

2,949 3,249

3.149 3,499



MC30WS



MC30WP



## Warming Drawers

#### **Standard Warming Drawers**

- Our warming drawer is the perfect combination of uncompromising performance, unique convenience features and elegant design
- SoftClose® door (WD30W
- 2.2 cu. ft. overall capacity
- Touch Control Display
- Four heating modes: Low,

Medium, High, Proof

- 450 W heating element
- Plugs into a standard 120 volt, 3-prong outlet

**WD30W** 30" Warming Drawer, Custom Panel Ready 2,149 2,399 1,949 2,149

WD30WC 30" Warming Drawer, Push to Open WD30WC



#### Storage Drawers

SD30WC

SDS30WC

- Our storage drawers are the perfect combination of uncompromising performance, unique convenience features and elegant design
- 2.4 or 0.8 cu. ft. overall capacity





30" Storage Drawer (2.4 cu. ft.) 1,099 1,249

30" Storage Drawer, Short Height (0.8 cu. ft.) 1,049 1,199

(Install Under Steam Oven)

SDS30WC

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Accessories			Professional Series														
					PO301W	POD301W	POD301LW	POD301RW	PO302W	POD302W	POD302LW	POD302RW	POM301W	PODMC301W	PODMCW31W	PODS301W/B	PODS302W/B
••	WKNOBKT3W	Blue Metal Knob Kit for Professional Oven (2 pc.)	49	59	•	•	•	•	•	•	•	•	•			•	•
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•	•	•	•								•	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Number Description **MSRP** 

## All Masterpiece® Series Star® Burner Gas Cooktops Include the Following Features:

- Patented Star® Burner provides superior flame coverage for faster and more even pan heating
- 16K BTU max
- Blue indicator burner ON light
- Chiseled stainless steel design
- Stainless steel control panel offers a sleek, modern design
- High-quality, robust, metal knobs
- LP gas conversion kit not included; order
- Sabbath compliant
- Two-year warranty

## Masterpiece® Series

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/1,750 low

C: BTU 16,000 high/1,900 low

30" Star® Burner, Stainless Steel, Five Burners

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low

> 1,649 1,849



SGS305TS

 ExtraLow® Select feature, which provides 204 BTU low simmering capability with five

precise setting cycles

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/204 XLO

C: BTU 16,000 high/583 XLO

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low

SGSX305TS

SGSX305TS

SGS305TS

30" Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select

2.199

2.449

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/1,750 low

C: BTU 16,000 high/1,900 low

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGS365TS

36" Star® Burner, Stainless Steel, Five Burners

1,949 2,149

SGS365TS

• ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/204 XLO

C: BTU 16,000 high/583 XLO

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSX365TS

SGSX365TS

36" Star® Burner, Stainless Steel, Five Burners,

2,649 2,399

ExtraLow® Select

Model Number **UMRP MSRP** Description

## All Masterpiece® Series Pedestal Star® Burner Gas Cooktops Include the Following Features:

- Raised Pedestal Star® Burner provides superior flame coverage and allows for easier cleanup under each burner
- 18K BTU max

- QuickClean Base® contains liquid spills
- Sleek glass control panel
- High-quality, robust, metal knobs
- LP conversion kit not included; order separately
- Sabbath compliant
- Two-year warranty

## Masterpiece® Series

• Blue indicator light for each burner

LR: BTU 10,000 high/1,750 low	
LF: BTU 8,000 high/1,750 low	

C: BTU 18,000 high/1,900 low

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSP305TS


30" Pedestal Star® Burner, Stainless Steel, Five Burners

2,199

2,449

• Progressive Illuminated light ring around each knob

• ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSXP305TS

30" Pedestal Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select

2,549 2,849

• Blue indicator light for each burner

LR: BTU 12,000 high/1,750 low	
LF: BTU 9,100 high/1,750 low	

C: BTU 18,000 high/1,900 low

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low




SGSP365TS

36" Pedestal Star® Burner, Stainless Steel, Five Burners

2,399 2,649

• Progressive Illuminated light ring around each knob

 ExtraLow<sup>®</sup> Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSXP365TS

SGSXP365TS

36" Pedestal Star® Burner, Stainless Steel,

2,899 3,199

Five Burners, ExtraLow® Select

 Model
 Number
 Description
 UMRP
 MSRP

## All Masterpiece® Series Freedom® and Liberty® Induction Cooktops Include the Following Features:

PowerBoost<sup>®</sup>

Home Connect<sup>™</sup>

• 17 power levels

Masterpiece® Series

## Freedom® Induction - 13"×21" Cooking Position with 5,500 W

- Entire surface of the cooktop can be used as one large cooking area
- Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone® mode allows changing a preset power level simply by moving a pot or pan on the cooktop
- Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow<sup>®</sup> LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only)
- TeppanyakiPro® mode divides a teppanyaki griddle into on heated or one non-heated
- PanBoost<sup>®</sup>
- 17 power levels
- Residual heat indicators
- Panel Lock
- Cooking Timer, Kitchen Timer and Stopwatch Timer (Countdown timer only available on current models due to UL regulations)
- Power/Amps: 208/240 V, 60 Hz, 30 A

Minimum cookware size: 3"×3" Maximum cookware size: 13"×21" Performance: 3,500 W/5,500 W (PowerBoost®)











Q

CIT30YWBB 30" Dark Gray Glass, Frameless Design

6,099 6,749

5,299

CIT36YWB CIT36YWBB 36" Dark Gray Glass, Stainless Steel Frame36" Dark Gray Glass, Frameless Design

6,099 6,749

5,849

Model Number

Description

UMRP

MSRP

## Masterpiece® Series

## Liberty<sup>®</sup> Induction

- Three extra-large Liberty® cooking surfaces allow for tailored cooking zones
- Number of cooking zones:
   Five
- Cooktop-Hood Sync
- Automatic pan recognition
- HeatShift® has three preset heat zones
- MoveMode® allows easy transfer settings
- Illuminated touch controls
- 17 power levels
- Control panel lock

- Automatic switch off
- Timer for all zones (Countdown timer only available on current models due to UL regulations)
- Maximum wattage: 10,800 W
- Power/Amps: 208–240 V, 60 Hz//50 A



CIT367YG





CIT367YGS

Left Full Zone 15"×9" @	LR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost <sup>®</sup> )
3,300 W/3,700 W (PowerBoost®)	LF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost®)

Center Full Zone 11¼"×9½" @ 3,300 W/3,600 W (PowerBoost®) 2,200 W/3,600 W (PowerBoost\*) Ric RF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost\*)

RR: 7½"×9" @

Right Full Zone 15"×9" @ 3,300 W/3,700 W (PowerBoost<sup>®</sup>)



5,499

5,449

CI136/YG	Frameless	4,449	4,899
CIT367YGS	36" Titanium Gray Glass, Stainless Steel Frame	4,449	4,899

CIT367YM 36" Silver Mirrored Glass, 4,999
Frameless

CIT367YMS 36" Silver Mirrored Glass, 4,949
Stainless Steel Frame



CIT367YM





CIT367YMS



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

## All Masterpiece® Heritage Series Glass Ceramic Induction Cooktops Include the Following Features:

- Pan Recognition
- Touch control panel with blue light illumination offers 17 power settings
- Speed Heating—induction cooktops heat 50% faster than traditional gas cooktops
- PowerBoost<sup>®</sup>
- Anti-Overflow System
- Two-Level Heat Indicator
- Child safety lock

 Element Shut Off Timer and kitchen timer (Countdown timer only available on current models due to UL regulations)

## Masterpiece® Series

## 11" Element with 3,700 W

 Large and powerful 11" element with 3,700 W  Power/Amps: 240 V, 60 Hz/30 A

LR: 9" @	RR: 11" @
2,200 W/3,700 W (PowerBoost <sup>®</sup> )	2,400 W/3,700 W (PowerBoost <sup>®</sup> )
LF: 6" @	RF: 6" @
1,400 W/2,200 W (PowerBoost <sup>®</sup> )	1,400 W/2,200 W (PowerBoost <sup>®</sup> )

CIT304YB 30" Frameless Design
CIT304YM 30" Silver Mirrored Finish



CIT304YB



CIT304YM

#### 13" Element with 5,500 W

• Large 13" round heating element

LR: 7" @

1,800 W/3,100 W (PowerBoost®)

LF: 7" @

1,800 W/3,100 W (PowerBoost®)

- Industry-exclusive triple zone—accommodates multiple-size pans with three diameter sizes
- The most powerful (5,500 W) in its class


3,199

3,599

3,549

3,999

 Power/Amps: 240 V, 60 Hz//50 A





CIT365YB

CIT365YB

36" Frameless Design

3,699 4,099

Model Number Description **UMRP MSRP** 

## All Masterpiece® Series Glass Ceramic Electric Cooktops Include the Following Features:

• Triple element

• Maximum wattage: 4,000 W

## Masterpiece® Series

## **Touch Control**

- With the help of CookSmart<sup>®</sup> the temperature is reached and maintained automatically without boilover
- Touch controls with blue illumination are easy to use and offer a sleek, modern design
- Keep Warm
- Child Lock
- Shut-Off Timer for every element (current models only)

<ul> <li>Kitchen time</li> </ul>	r
----------------------------------	---

- Number of cooking zones: Eight
- Power/Amps: 208-240 V, 60 Hz//30 A



LR: 5"/7" @	RR: 6"/8"/11" @
700 W (1,700 W)	1,050 W/2,200 W/3,080 W
LF: 6" @	RF: 6" @
1,700 W (4,000 W Bridge)	1,200 W

CET305YB

30" Frameless Design

1,949 2,149

#### Touch Control/Bridge

- With the help of CookSmart<sup>®</sup> the temperature is reached and maintained automatically without boilover
- Bridge element with dual element
- Touch controls with blue illumination are easy to use and offer a sleek, modern design
- PowerBoost<sup>®</sup>
- Child Lock

- Shut-Off Timer for every element (current models only)
- Kitchen timer
- Number of cooking zones: 10
- Power/Amps: 208-240 V, 60 Hz//40/50 A



CET366YB

LR: 5"/7" @	
700 W/1,700 W	
LF: 7" @	
1,700 W (4,000 W Bridge)	

C: 6"/8"/11" @ 1,050 W/2,200 W/3,080 W

RR: 6" @ 1,200 W RF: 6"/8" @ 1,200 W/2,100 W

CET366YB

36" Stainless Steel Frame

2,549 2,299

#### Manual Controls/Stainless Steel Knobs

- Dual zone bridge element accommodates oblong cookware
- High quality, robust, die-cast metal knobs
- Variable 9-stage power settings
- Number of cooking zones: 10
  - Power/Amps: 208-240 V, 60 Hz//30 A



CEM305TB

LR: 5"/7" @	RR: 6"/8"/11" @
700 W,1,700 W	1,050 W,2,200 W/3,080 W
LF: 7" @	RF: 6"
1,700 W (4,000 W Bridge)	1,200 W

CEM305TB 30" Frameless Design 1,599 1,799

Model Number

er Description UMRP MSRP

## Masterpiece® Series

#### Manual Controls/Stainless Steel Knobs/Bridge

 Dual zone bridge element accommodates oblong cookware

LR: 5"/7" @

700 W,1,700 W

LF: 7" @

1,700 W (4,000 W Bridge)

- High quality, robust, die-cast metal knobs
- Variable 9-stage power settings
- Number of cooking zones: 10
- Power/Amps: 208–240 V, 60 Hz//40/50 A

C: 6"/8"/11" @ 1,200 W 1,050 W,2,200 W/3,080 W RF: 6"/8" @ 1,000 W/2,200 W



CEM366TB

CEM366TB

36" Stainless Steel Frame

1,899 2,099

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model UMRP **MSRP** Description **Cooktop Accessories** Freedom" Inductior Heritage Induction Electric Cooktops \_iberty® Induction Gas Cooktops Pedestal Star® Griddle-Style Teppanyaki electric and gas • Recommended accessory • 18/10 stainless steel for Freedom® Induction • Silvinox surface treatment • Additional copper and Cooktop prevents discoloration aluminum materials used Can be used in oven for fast and even heating • 7-Ply material · Works with induction. • 10-year guarantee TEPPAN1013 10" × 13" Recommended accessory for 299 329 Liberty® and Freedom® Induction Cooktops TEPPAN1016 10" × 16" Recommended accessory for 399 439 • • Liberty® and Freedom® Induction Cooktops TEPPAN1321 13" × 21" Recommended accessory for 499 549 Freedom® Induction Cooktop **Cast Aluminum Griddle Plate** • Fits 30" and 36" 5-burner • Cast aluminum design • Non-stick coating for easy Star® and Pedestal Star® allows for even heat districleanup and cooking Burner Series models bution and fast preheating • Locks into the center grate 209 **SGRIDDLEW** 229 Griddle Cast Aluminum Non-Stick Induction Grill • Outstanding corrosion and Ovenproof up to 425°F • Heavy-duty cast aluminum with a thick ferromagnetic abrasion resistance and dishwasher-safe • Ridged surface adds grilled • 17" x 9" grilling surface • • • Easy to grip with two castsear marks, while draining • PFOA-free in side handles away excess fat **TGRILLPANX** 269 299 Stainless Steel Chef's Pan • Optimized for cooking with Stainless steel with alumi- Encapsulated aluminum CookSmart® element base Works with induction, elec-• Non-stick Teflon® Platinum Three layers tric and gas material (CHEFSPAN08) 10" Chef's Pan for 8" and 9" Elements CHEFSPAN08 199 219 CHEFSPAN13 16" Chef's Pan for 13" Element 399 439 •

<sup>1</sup> Fits 30" and 36" 5-burner Star® and Pedestal Star® Burner Series models

ACCESSORIES This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Description **MSRP Cooktop Accessories** Freedom" Inductior Heritage Induction Gas Cooktops Pedestal Star® Stainless Steel Roasting Pan Ideally suited for Liberty<sup>®</sup> • Dishwasher safe · Perfect for searing, braising, roasting meat, poultry and induction cooking zones • Oven-safe up to 500° F vegetables (350° with lid) • Made of 18/10 stainless **TROASTERT** 10" × 16" Roasting Pan with Glass Lid 199 219 Wireless Cooking Temperature Sensor Allows you to select the best way to prepare every food as you wish. The cooking sensor measures the temperature of the pot continuously. This allows the power to be maintained with greater precision to provide exceptional cooking results. The sensor is required to use the Freedom® induction Cooking Sensor mode **TCOOKSENSW** Wireless Cooking Sensor 199 219 **SKNOBLUW** Blue Knob Kit, Pedestal Star® 109 119 **Burner Cooktops** Fits 30" and 36" Pedestal Star® Burners Series models • Set of five knobs • Blue metallic finish • Easy to install **SLPKITW** LP Gas Conversion Kit for 99 109 Star® Burner Series Cooktops **SNPKITPEDW** LP Gas Conversion Kit for 99 109 Pedestal Star® Burner Series Cooktops **SWOKRINGW** Wok Ring 99 109 Optimized for operation on Star® Burner and Pedestal Star® Burner Series gas cooktops

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

• Fits over the large burner on all cooktop sizes, allowing the user to cook with up to a 16" wok • Cast iron construction is durable

and dishwasher safe

# RANGES

## PROFESSIONAL COLLECTION

		30"	36"	48"	60"
DUAL-FUEL WITH STEAM RANGES	Pro Grand®			PRD48WISGU Induction PRD48WDSGU Griddle	PRD606WESG Griddle
INDUCTION RANGES	Pro Harmony®	PRI30LBHU Induction	PRI36LBHU Induction		
RANGES	Pro Harmony®	PRD305WHU 5-burner PRD304WHU 4-burner	PRD366WHU 6-burner PRD364WDHU Griddle	PRD486WDHU Griddle	
DUAL-FUEL RANGES	Pro Grand®		PRD366WGU 6-burner PRD364WIGU Induction PRD364WDGU Griddle	PRD486WIGU Induction PRD486WDGU Griddle	PRD606WEG Griddle
NGES	Pro Harmony®	PRG305WH 5-burner PRG304WH 4-burner	PRG366WH 6-burner PRG364WDH Griddle	PRG486WDH Griddle	
GAS RANGES	Pro Grand®		PRG366WG 6-burner PRG364WDG Griddle	PRG486WDG Griddle	
RANGE- TOPS	Professional	PCG305W 5-burner	PCG366W 6-burner PCG364WD Griddle	PCG486WD Griddle	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

## All Professional Series Rangetops Include the Following Features:

- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Each burner has electronic ignition/ re-ignition;
- Metal knobs (also available in Metallic Blue, PAKNOBLUWR, sold separately. See page 5-11)
- LED downlighting illuminates the control panel.
- Precision simmering capabilities with two ExtraLow® simmer burners
- Two-year warranty
- Star-K certified
- 15 Amps

#### Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador® vent hood. (see Thermador® Professional Hoods, page 6-5)
- Liquid Propane conversion: Natural to LP Gas Field Conversion Kit must be ordered separately (PALPKITHW for all four- and six-burner units; PALPKITHW5 for five Pedestal Star® Burner units). PAALTKITH High Altitude conversion kit is available for all rangetops.

#### 30" Professional Gas Rangetop

 Five Pedestal Star® Burners (Two with ExtraLow®). overall output of 59,000 BTU.  Suitable for use with Thermador OTR (see page 3-12) • 15 Amps



LR: BTU 8,000 high\*/XLO LF: BTU 18,000 high\*/XLO

Center: BTU 10,000 high\* RR: BTU 8,000 high\* RF: BTU 15.000 high\* SKZ (SA

PCG305W

PCG305W

30" Stainless Steel with Porcelain Surface

3.849 4.249

## 36" Professional Gas Rangetop

 Six Pedestal Star® Burners (Two • 15 Amps with ExtraLow®).

LR: BTU	CR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/3,000 low	15,000 high*/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high*/XLO	18,000 high*/3,000 low	18,000 high*/3,000 low



PCG366V



PCG366W 36" Stainless Steel with Porcelain Surface

4,499 4,949

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador. Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\* 8,000</sup> BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number

Description

**UMRP** 

MSRP

## 36" Professional Gas Rangetop

• Four Pedestal Star® Burners (Two with ExtraLow®)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. • 20 Amps

2/2 2 2 2

LR: BTU 15,000 high\*/XLO LF: BTU 18,000 high\*/XLO

Electric Griddle 1,630 W RR: BTU 15,000 high\*/3,000 low RF: BTU 18,000 high\*/3,000 low

× (D)

PCG364WD

36" Stainless Steel with Porcelain Surface and Griddle

4,399 4,849

## 48" Professional Gas Rangetop

 Six Pedestal Star® Burners (Two with ExtraLow®)  Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. • 20 Amps



LR: BTU CR: BTU
15,000 high\*/XLO 15,000 high\*/3,000 low

LF: BTU CF: BTU
18,000 high\*/XLO 18,000 high\*/3,000 low

Electric Griddle 1,630 W RR: BTU 15,000 high\*/3,000 low RF: BTU 18,000 high\*/3,000 low



PCG486WD

48" Stainless Steel with Porcelain Surface and Griddle 5,499 6,049

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\* 8,000</sup> BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number Description **UMRP MSRP** 

## All Pro Harmony® Series Induction Ranges include the Following Features:

- Frameless black glass cooktop covers the surface from edge-to-edge seamlessly fitting into any kitchen
- Provides true design flexibility—it can be installed flush against combustible wall with zero rear clearance\* and designed to fit perfectly flush alongside standard 24" depth cabinets
- True Convection oven with a third element adds greater efficiency to cook up to five levels of sheet pans evenly
- Super fast 2-hour self-clean mode is the fastest in the industry
- Connect to your range for remote preheating and monitoring via the Home Connect® app, smartwatch and other smart home devices and services

#### Main oven features:

- Full Access telescopic racks with integrated easy-grip handle (1 in 30" Oven; 3 in 36" Oven)
- Hidden Thermal Bake (2,000 W), Broil (4,000 W),
- Third element rear 2,750 W convection

## 30" Induction Range

• The Liberty® cooktop comes with two large flexible cooking zones and FlexPlus™\*\* heating elements that provide

the ultimate in cooking performance and flexibility with HeatShift®, MoveMode®, and PowerBoost<sup>®</sup>

Main oven features:

• 4.4 cu. ft. overall volume\*



PRI30LBHU





Left Full Zone 15"×8½" @ 3,300 W/3,600 W (PowerBoost®)

LR: 7½"×8½" @ RR: 71/2" × 81/2" @ 2,200 W/3,600 W 2,200 W/3,600 W (PowerBoost®) (PowerBoost®) LF: 71/2" × 81/2" @ RF: 71/2" × 81/2" @ 2,200 W/3,600 W 2,200 W/3,600 W (PowerBoost®) (PowerBoost®) Left FlexPlus Zone Right FlexPlus Zone 3 ½" x 11 ¼" 3 ½" x 11 ¼"

Right Full Zone 15"×8½" @ 3,300 W/3,600 W (PowerBoost®)

NEW PRI30LBHU

30" Liberty Induction Cooktop Pro Harmony Range

8,399 9,249

#### 36" Induction Range

• The Liberty® cooktop comes with three large flexible cooking zones that provide the ultimate in cooking per-

LR: 71/2" × 81/2" @ 2,200 W/3,600 W Left Full Zone (PowerBoost®) 15"×81/2" @ 3,300 W/3,600 W LF: 71/2" × 81/2" @ (PowerBoost®) 2,200 W/3,600 W (PowerBoost®)

formance and flexibility with HeatShift®, MoveMode®, and PowerBoost<sup>®</sup>

Center Full Zone 11"×91/2" @ 3,300 W/3,600 W (PowerBoost®)

RR: 71/2" × 81/2" @ 2,200 W/3,600 W (PowerBoost®) RF: 71/2" × 81/2" @ 2,200 W/3,600 W (PowerBoost®)

Main oven features:

• 4.9 cu. ft. overall volume\*

Right Full Zone 15"×81/2" @ 3,300 W/3,600 W (PowerBoost®)



PRI36LBHU





NEW PRI36LBHU

36" Liberty Induction Cooktop Pro Harmony Range

11,599 12,799

\*According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

 Model
 Number
 Description
 UMRP
 MSRP

## All Pro Harmony® Series Dual Fuel Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner range: each front burner has output of 18,000 BTU (NG)
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-11
- All burners with electronic ignition/ re-ignition
- Precision simmering capabilities with two ExtraLow® simmer burners
- For LP: Natural to LP Gas Field Conversion Kit must be ordered sepa-

rately.

- PAALTKITH High Altitude conversion kit is available for all Pro Harmony Ranges.
- Island trim included
- Two-year warranty
- Star-K certified

#### Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

#### Main oven features:

- Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- Hidden Thermal Bake (2,000 W), Broil (4,000 W),

- Third element rear 2.750 W convection
- Convection Broil and two rapid, selfclean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1½ hr light-soil clean

#### Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume\*

#### Note

 Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador<sup>®</sup> Professional hoods)

#### 30" Dual-Fuel Range

- Four Pedestal Star® Burners (Two with ExtraLow®)
- 30" range features 4.4 cu. ft. overall volume\*

LR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low
LF: BTU	RF: BTU
18,000 high**/XLO	18,000 high**/3,000 low

PRD304WHU

30" Stainless Steel with Porcelain Surface and One Telescopic Oven Rack 6,699 7,399




PRD304WHU



 Five Pedestal Star® Burners (Two with ExtraLow®); overall output of 59,000 BTU and suitable for use with the Thermador OTR (see page 3-12)

 30" range features 4.4 cu. ft. overall volume\*



Center: BTU 10,000 high\*\* RR: BTU 8,000 high\*\* RF: BTU 15,000 high\*\*



PRD305WHU

30" Stainless Steel with Porcelain Surface and One Telescopic Oven Rack 7,699 8,499



PRD305WHU

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*</sup>According to AHAM Standards

<sup>\*\* 8,000</sup> BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model

Number Description **UMRP MSRP** 

## 36" Dual-Fuel Range

• Six Pedestal Star® Burners (Two with ExtraLow®)

• Oven features 4.9 cu. ft. overall volume\*

• Thermador Connected Experience with Home Connect<sup>™</sup>

LR: BTU	CR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/XLO	18,000 high**/3,000 low	18,000 high**/3,000 low

PRD366WHU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

 Four Pedestal Star® Burners (Two with ExtraLow®)

• Oven features 4.9 cu. ft. overall volume\*

LR: BTU 15,000 high**/XLO	
LF: BTU 18,000 high**/XLO	

 Thermador Connected Experience with Home Connect<sup>®</sup>

> Electric Griddle 1,630 W (6-pass)

• Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

9,599 10,599

10,399 11,449

RR: BTU 15,000 high\*\*/3,000 low RF: BTU 18,000 high\*\*/3,000 low



PRD364WDHU

PRD364WDHU

PRD366WHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

48" Dual-Fuel Range

- Six Pedestal Star® Burners (Two with ExtraLow®)
- Main oven features 4.4 cu. ft. overall volume\*
- Thermador Connected Experience with Home Connect<sup>®</sup>

LR: BTU 15,000 high**/XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle
LF: BTU	CF: BTU	1,630 W
18,000 high**/XLO	18,000 high**/3,000 low	(6-pass)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high**/3,000 low
RF: BTU 18,000 high**/3,000 low



PRD486WDHU

PRD486WDHU

48" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

14,299 15,749



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*</sup> According to AHAM Standards

<sup>\*\* 15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number Description **UMRP MSRP** 

## All Pro Harmony® Series All Gas Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page
- Precision simmering capabilities with two ExtraLow® simmer burners
- Griddle is interchangeable with grill accessory for convenient indoor grilling

- Gas ranges are field convertible from natural gas to liquid propane-Conversion Kit must be ordered separately
- Island trim included
- Two-year warranty
- Star-K certified

#### Griddle model:

• 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

#### Ovens feature:

front burner has output of

- 17,500 BTU high-intensity infrared
- Full Access<sup>®</sup> telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)

- · Gas convection oven
- 20,500 BTU bake burner
- Convection Bake, Thermal Bake (20,500 BTU)

#### Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume\*

• Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

30" Gas Range

• Four Pedestal Star® Burners (Two with ExtraLow®) each

> LR: BTU RR: BTU 15,000 high\*\*/XLO 15,000 high\*\*/3,000 low LF: BTU RF: BTU 18,000 high\*\*/XLO 18,000 high\*\*/3,000 low

• 30" range features 4.6 cu. ft. overall volume\*



PRG304WH

30" Stainless Steel with Porcelain Surface

18,000 BTU (NG)

4,949 5,449



• Five Pedestal Star® Burners (Two with ExtraLow®); overall output of 59,000 BTU

LR: BTU 8,000 high\*\*/XLO LF: BTU 18,000 high\*\*/XLO and suitable for use with the Thermador OTR (see page 3-12.

overall volume\*

RR: BTU 8,000 high\*\*

RF: BTU

15,000 high\*\*

• 30" range features 4.6 cu. ft.



PRG305WH

30" Stainless Steel with Porcelain Surface

Center: BTU 10,000 high\*\*

> 5,999 6,599



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*</sup> According to AHAM Standards

<sup>\*\* 8,000</sup> BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model

Number Description **UMRP MSRP** 

36" Gas Range

• Six Pedestal Star® Burners (Two with ExtraLow®)

• 36" range features 5.1 cu. ft. overall volume\*

• Thermador Connected Experience with Home Connect<sup>™</sup>

LR: BTU	CR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/XLO	18,000 high**/3,000 low	18,000 high**/3,000 low



PRG366WH

7,699



PRG366WH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

• Four Pedestal Star® Burners (Two with ExtraLow®) each front burner has output of 18,000 BTU (NG)

• 36" range features 5.1 cu. ft. overall volume\*

• Thermador Connected Experience with Home Connect<sup>™</sup>

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

6,999



PRG364WDH

LR: BTU 15,000 high\*\*/XLO LF: BTU 18,000 high\*\*/XLO

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high\*\*/3,000 low RF: BTU 18,000 high\*\*/3,000 low

PRG364WDH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

8.349







48" Gas Range

- Six Pedestal Star® Burners (Two with ExtraLow®) and
- Main oven features 4.6 cu. ft. overall volume\*

Thermador	Connected
Experience	with Home
Connect <sup>™</sup>	
	Experience

LR: BTU CR: BTU 15,000 high\*\*/XLO 15,000 high\*\*/3,000 low LF: BTU CF: BTU 18,000 high\*\*/XLO 18,000 high\*\*/3,000 low

Electric Griddle 1,630 W (6-pass)

• Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high\*\*/3,000 low RF: BTU 18,000 high\*\*/3,000 low



11,499 12,649



PRG486WDH 48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

\* According to AHAM Standards

\*\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

	Number	Description	Olvilla	1415141															
Accessories	ccessories Rangetops Pro Harmony Ranges																		
						G	as		Indu	ction	[	Dua	al F	ıel	1	,	4II (	Gas	;
					30	3	6	48	30	36	3	0	36	5 4	8	30		36	48
											T			5	5		t		
						م		Д	_	_	l⊋	呈	밁		티:	_ :		-   =	딞
					2W	₹	Μ9	6W	BH	l Ha	<u>₹</u>	4W	W	<b>₹</b>	إ	2	<b>A</b>		\ \ \ \ \ \ \
					330	336	336	348	PR130LBHU	PRI36LBHU	30	30	38	38	9	230	350	3,750	348
					P P	PCG364WD	PC	PCC	PRI	PRI	띪	PRE	PR	PR	扎	PRG305WH			PRG486WDH
	DARRICION	FL . C	00	100							H	$\vdash$			+	+			
Jim. Com	PABRICKW	Flat Ceramic	99	109															
		Briquettes (no Basket) Grill models not listed in price book.																	
		р									H	$\vdash$			+	+	+	+	
	PABRICKBKW	Flat Ceramic	199	219															
		Briquettes with Basket																	
THE PARTY I		Grill models not listed in price book.																	
	Griddle-Style Te	 ppanyaki											+		+		t	+	
	Recommended																		
	Freedom® Indu		teel																
	• Can be used in																		
8	• Works with ind																		
	and gas	for fast and ever	n heating						•	•									
	Silvinox surface	e treatment • 10-year guarant	ee																
	prevents discol	oration																	
	TEPPAN1013	10"×13"	299	329															
	12117411010	Teppanyaki	_,,	OL,															
2	TEDDA 1404 (			400							T	П			1	1			
	TEPPAN1016	10"×16"	399	439					•	•									
		Griddle Style Teppanyaki																	
	PAGRIDDLE	Griddle sits on top	199	219															
		of Grates over two Burners,			•	•	•	•			•	•	•	•	•	• 6	•	•	$ \bullet $
		high-release surface coating																	
	PAGRIDDLEW	12" Griddle Plate	319	359															
		Accessory for Briquette																	
		Grill Modules																	
		Grill models not listed in price book.									H				4				
	PA12GRILFW	12" Grill Plate	319	359															
mmm		Accessory w/ Tray (for Griddle Modules)																	
		(Fusion coating) Fusion coated				•		•						•	•				
		accessories offered as an alter-																	
		native to the "high-release"																	
	D. 1005	accessories.	0.1.0	0==							$\vdash$	$\vdash \vdash$			+			+	
	PA12GRILLW	12" Grill Plate	319	359															
		Accessory w/ Tray (for Griddle Modules)																	
		(for Griddle Modules) Non-stick (non-fusion) surface				•		•						•	•			•	•
		coating ("high-release") is easy																	
		to clean and durable over time.																	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

		Description							1												_
Accessories	<b>i</b>					Ra		etop	$\dashv$			ro l	_		Ť	_	ang	_			
						20	Ga		-	Induc		⊢		al F		_	_	T	Ga		40
						30	30	6 4	ŀδ	30	36	3		30	-	48	_		36	_	48
						PCG305W	PCG364WD	PCG366W	PCG486WD	PRI30LBHU	PRI36LBHU	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG486WDH
	Cast Aluminum N	on-Stick Induct	ion Grill									П									
	<ul><li>Heavy-duty cast a thick ferromag</li><li>Easy to grip with</li></ul>	netic base	<ul> <li>Ridged surface a sear marks, while away excess fat</li> </ul>	-																	
	side handles  Outstanding cor		<ul> <li>Ovenproof up to dishwasher-safe</li> </ul>	o 425° F ai	nd						•										
	abrasion resistar		• 17" x 9" grilling	surface																	
			<ul> <li>PFOA-free</li> </ul>																		
	TGRILLPANX	17" x 9" Induction Gril	I	269	299																
	Stainless Steel Ch	ef's Pan										П								$\forall$	7
	<ul> <li>Optimized for co CookSmart<sup>®</sup> elen</li> </ul>		<ul> <li>Non-stick Teflon material (CHEFS)</li> </ul>		n																
6	Works with induction     and gas		<ul><li>Encapsulated all</li><li>Three layers</li></ul>	uminum b	ase						•										
	• Stainless steel wi core	th aluminum																			
	CHEFSPAN08	10" Stainless Steel Pan		199	219																
	Stainless Steel Ro	-	- NA 1 (40/40																		
	<ul> <li>Perfect for searing roasting meat, p</li> </ul>		<ul><li>Made of 18/10 s</li><li>Dishwasher safe</li></ul>	tainiess si	teel																
	vegetables	-	<ul> <li>Oven-safe up to</li> </ul>	500° F																	
	<ul> <li>Ideally suited for induction cooking</li> </ul>	•	(350° with lid)							•	•										
	TROASTERT	10"×16" Roas Pan with Glas		199	219																
	PA12CHPBLK	12" Maple Ch Board	opping	199	219	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	PA12LCVRN	12" Profession Indoor Grill C Grill models no		299	329																

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRixxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

## RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

	Number	Description	Olviiti	1113111																—
Accessories	5				Ra			-			ro			_	_					_
						G			Indu		-	Dua			$\dashv$		All		_	
					30	3	6	48	30	36	_	0	3	_	48	30	_	36	5 4	48
					PCG305W	PCG364WD	PCG366W	PCG486WD	PRI30LBHU	PRI36LBHU	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG486WDH
	PA12LCVRW	12" Professional Griddle Cover Grill models not listed in price book.	209	229		•		•						•	•				•	•
0 1/	PA24CVRW	24" Cover for Grill/ Griddle Combination Models Grill models not listed in price book.	259	289																
	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•				•	•	•	•	•	•	•	•	•
¥/	PALPKITHW	LP Conversion Kit Pro Harmony Dual Fuel Ranges & Rangetops (4 & 6 Burner)	139	159		•	•	•				•	•	•	•					
<u>*/</u>	PALPKITHW5	LP Conversion Kit Pro Harmony Dual Fuel Ranges & Rangetops (5 Burner)	139	159	•						•									
14	PALPKITGA	LP Conversion Kit Pro Harmony Gas Ranges, 30" & 36" (4 & 6 Burner)	199	219													•	•	•	
*/	PALPKITHA5	LP Conversion Kit Pro Harmony Gas Ranges (5 Burner)	139	159												•				
*/	PALPKITGA6	LP Conversion Kit Pro Harmony Gas Ranges 48" (4 & 6 Burner)	199	219																•
=	PAALTKITH	High Altitude Kit Pro Harmony Ranges & Rangeto	89 ps	99	•	•	•	•			•	•	•	•	•	•	•	•	•	•
	PAKNOBLUWR	Metallic Blue Knob Kit Pro Rangetop	239	269	•	•	•	•												
	PARKB30HY	Blue Knob Kit 30" Dual Fuel Harmony	249	279							•	•								
	PARKB3XHY	Blue Knob Kit 30"/36" Gas Harmony	249	279												•	•	•		
-											_	Ш			1					

## RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

	Number	Description	UMRP	MSRP														
Accessorie	s				Ra		etop	+		Pro				_	ang			
						Ga	as	Inc	uction	1	Du	al F	ue			All	Ga	s
					30	3	6 4	30	36	3	30	3	6	48	3	<b>O</b>	36	48
					PCG305W	PCG364WD	PCG366W	PRI301 BHLI	PRI36LBHU	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH PRG486WDH
	NEW PARKB3XII	HB Blue Knob Kit 30/"36" Induction Harmony	149	169				•	•									
	PARKB36DHY	Blue Knob Kit 36" Gas/Dual Fuel Harmony	249	279									•					•
	PARKB36HY	Blue Knob Kit 36" Dual Fuel GR Harmony	249	279								•						
	PARKB36LHY	Blue Knob Kit 36" Grill Harmony Grill models not listed in price book	249 «.	279														
	PARKB48CHY	Blue Knob Kit 48" Dual Fuel Harmony	299	329										•				
	PARKB48DHY	Blue Knob Kit 48" Gas Harmony	299	329														•
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmony Range	419	469						•	•				•	•		
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmony Range	479	529								•	•				•	•
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harmony Range	509	599										•				•
	PA30WLBC	10" Low Backguard for 30"Rangetop	209	229	•													

## RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP MSRP** Description Accessories Rangetops **Pro Harmony Ranges** All Gas Induction **Dual Fuel** Gas 30 36 48 30 36 30 36 48 30 36 48 PRD364WDHU PRD486WDHU PRG364WDH PRG486WDH PRD304WHU PRD366WHU PCG364WD PCG366W PRD305WHU PRG305WH PRG304WH PCG486WD PRG366WH PRI30LBHU PRI36LBHU PCG305W 10" Low Backguard PA36WLBC 269 299 for 36" Rangetop PA48WLBC 10" Low Backguard 319 359 for 48" Rangetop

Model
Number Description UMRP MSRF

## All Pro Grand® Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star® Burners with QuickClean Base™ (Four with ExtraLow® Simmer)
- Steam and convection oven
- · Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-22)
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with Four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty® surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, nonstick surface coating, cast-aluminum
- LP conversion kit ordered separately for

converting burners for LP gas

- Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified
- CSA certified

#### Oven features:

- Thermador Connected Experience with Home Connect<sup>™</sup> enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose® hinges for ultra-smooth closing
- Large oven includes three Full Access® telescopic racks with integrated easygrip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume\*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer,

temperature probe, convection conversion

and preheat status with audible alert

#### Steam Oven features:

- 27 Easy Cook® programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed
- Steam Clean function

#### Warming drawer features:

- Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

#### Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador® Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRixxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*</sup> According to AHAM Standards

Model

Number Description **UMRP MSRP** 

## 48" Dual-Fuel with Steam Range

#### The Ultimate Culinary Center™

• Six Pedestal Star® Burners (Four with ExtraLow®)

• Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU	Electric Griddle
15,000 high*/XLO	15,000 high*/3,000 low	1.630 W
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low	(6-pass)

RR: BTU 15,000 high\*/XLO RF: BTU 18,000 high\*/XLO

PRD48WDSGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

Liberty® Induction.

18,099 19,949

PRD48WDSGU



## The Ultimate Culinary Center™

 Six Pedestal Star® Burners (Four with ExtraLow®))

RR: BTU 15,000 high\*/XLO

CR: BTU 15,000 high\*/XLO 15,000 high\*/3,000 low CF: BTU LF: BTU RF: BTU 22,000 XHI\*/XLO 18,000 high\*/3,000 low 18,000 high\*/XLO  Teppan-yaki accessory TEPPAN1016 sold separately

Induction 3,600 W 230 V 3.300 W 208 V



19,149 21,099





PRD48WISGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

## 60" Dual-Fuel with Steam Range

#### The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- 24" Dual Zone Griddle LR: BTU

12,500 high\*\*/XLO

LF: BTU

22,000 XHI\*\*/XLO

• 5.7 cu. ft. main oven cavity accommodates commercial size full sheet pan •

• 24" stainless steel cover accessory PA24CVRR for 24" Griddle sold separately





PRD606WESG

PRD606WESG

60" Stainless Steel with Porcelain Surface and

CR: BTU

12,500 high\*\*/3,000 low

CF: BTU

18,000 high\*\*/3,000 low

All Telescopic Oven Racks (main oven)

23.249 25.599



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRDxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\* 15,000</sup> BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

<sup>\*\* 12,500</sup> BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model
Number Description UMRP MSRF

## All Pro Grand® Series Dual Fuel Ranges Include the Following Features:

- Commercial-Depth (27")
- Patented Pedestal Star® Burner with QuickClean Base™ (Four with ExtraLow® Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-22.
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- LP kit ordered separately for converting burners for LP gas
- Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- · Star-K certified

#### All Ovens

- SoftClose® hydraulic hinges for ultrasmooth closing
- Three Full Access® telescopic racks with integrated easy-grip handles
- Fast Preheat

#### Main Oven

- Thermador Connected Experience with Home Connect<sup>™</sup> enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume\* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- Hidden bake element

#### Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador® Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

#### Induction Models

- Thermador 3,600 W Liberty® Induction with two zones
- Features 9 power levels, XHI
   PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff

#### Griddle:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Fusion non-stick surface

#### 48" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume\*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

#### 60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume\*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRN2488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

<sup>\*</sup> According to AHAM Standards

Model

Number Description UMRP MSRP

#### 36" Dual-Fuel Ranges

 Six Pedestal Star® Burners (Four with ExtraLow®)

LR: BTU	CR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/3,000 low	15,000 high*/XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/XLO	18,000 high*/3,000 low	18,000 high*/XLO

36" Stainless Steel with 11,099 12,249

Porcelain Surface and All Telescopic Oven Racks



PRD366WGU



 Four Pedestal Star® Burners (Four with ExtraLow®) and  Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high\*/XLO LF: BTU 22,000 XHI\*/XLO

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high\*/XLO RF: BTU 18,000 high\*/XLO

11,899 13,099



PRD364WDGU

PRD366WGU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

 Four Pedestal Star® Burners (Four with ExtraLow®) with

Liberty® Induction

 Teppan-yaki accessory TEPPAN1016 sold separately

LR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/XLO
LF: BTU	RF: BTU
22,000 XHI*/XLO	18,000 high*/XLO

Induction 3,600 W 230 V 3,300 W 208 V

12,499 13,749



PRD364WIGU





PRD364WIGU 36" Stainless Steel with Porcelain Surface and

Porcelain Surface and All Telescopic Oven Racks

\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRN2488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number

Description

UMRP

15,549 17,149

MSRP

## 48" Dual-Fuel Ranges

 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Electric Griddle  Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high\*/XLO RF: BTU 18,000 high\*/XLO

PRD486WDGU

PRD486WDGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) with Liberty® Induction

 Teppan-yaki accessory TEPPAN1016 sold separately

LR: BTU	CR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/3,000 low	15,000 high*/XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/XLO	18,000 high*3,000 low	18,000 high*/XLO

Induction 3,600 W 230 V 3,300 W 208 V

15,999 17,599



PRD486WIGU

PRD486WIGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

## The Ultimate Entertainer's Center™

 Six Pedestal Star® Burners (Four with ExtraLow®) with 24" Dual Zone Griddle  Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
12,500 high**/XLO	12,500 high**/3,000 low
LF: BTU	CF: BTU
22,000 XHI**/XLO	18,000 high**/3,000 low

24" Electric Griddle 1,630 W (Left & Right) (3,260 W total) RR: BTU 15,000 high\*\*/XLO RF: BTU 18,000 high\*\*/XLO

20,099 22,149



60" Dual-Fuel Ranges

K K

PRD606WEG

60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

\* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

\*\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number Description **UMRP MSRP** 

## All Pro Grand® Series All Gas Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Patented Pedestal Star® Burner with QuickClean Base™ (Four with ExtraLow® Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-22.
- · Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- Gas ranges are field convertible from natural gas to liquid propanekits sold separately
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

#### Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Electric Griddle (convertible to grill with grill accessory),

#### Oven features:

- SoftClose® hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access® telescopic racks with integrated easygrip handles

#### Large oven:

- Thermador Connected Experience with Home Connect<sup>™</sup> enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume\* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/LP)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 6 conventional cooking modes

- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible

#### Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume\*
- · Six modes including convection, 2-hour self clean, and temperature probe for
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/LP)
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

#### Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador® Professional Hoods, page
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

36" Gas Range

- Four Pedestal Star® Burners (Four with ExtraLow®)
- Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high\*/XLO LF: BTU 22,000 XHI\*/XLO

Electric Griddle 1.630 W (6-pass)

RR: BTU 15,000 high\*/XLO RF: BTU 18,000 high\*/XLO

PRG364WDG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

9,849 10,849

PRG364WDG





\*According to AHAM Standards

\*\*15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model

Number Description **UMRP MSRP** 

36" Gas Range

• Six Pedestal Star® Burners (Four with ExtraLow®)

LR: BTU	CR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low	15,000 high**/XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI**/XLO	18,000 high**/3,000 low	18,000 high**/XLO

PRG366WG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 9,499

8,599



PRG366WG

48" Gas Range

• Six Pedestal Star® Burners (Four with ExtraLow®)

• Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high\*/3,000 low 15,000 high\*/XLO LF: BTU CF: BTU 22,000 XHI\*/XLO 18,000 high\*/3,000 low

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high\*/XLO RF: BTU 18,000 high\*/XLO



PRG486WDG

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 12,299 13,549







\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model
Number Description UMRP MSRP

Accessorie	S					ual-Fu h Ste				Dual	Fuel			A	All Ga	S
					48	3"	60"		36"		48	3"	60"	36	5"	48"
					PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WG	PRG364WDG	PRG486WDG
	PABRICKW	Flat Ceramic Briquettes (no Basket)	99 1	09												
	PABRICKBKW	Flat Ceramic 1 Briquettes with Basket	199 2	219												
	PAGRIDDLE	Griddle 1 sits on top of Grates ove two Burners, high-release coating	er	219	•	•	•	•	•	•	•	•	•	•	•	•
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Modu		359												
	SORIES OFFERI	12" Grill Plate Accessory w/ Tray (for Griddle Models)  TING) FUSION COATED ACED AS AN ALTERNATIVE TO ACCESSORIES.	CCES-	359		•	•			•		•	•		•	•
	PA12GRILLW  Non-stick (non-f		jh-	359		•	•			•		•	•		•	•
	TEPPAN1016	Teppan-yaki pan 3	399 4	139	•			•			•					

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number

Description

UMRP MSRP

Accessories			ual-Fu th Ste				Dual	Fuel			Å	All Ga	S
			8"	60"		36"		48	3"	60"	30	5"	48"
		PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WG	PRG364WDG	PRG486WDG
PA12CHPBLK	12" Maple 199 219 Chopping Board	•	•	•	•	•	•	•	•	•	•	•	•
PA12LCVRN	12" Cover 299 329 Professional Indoor Grill												
PA12LCVRW	12" Professional 209 229 Griddle Cover		•				•		•			•	•
PA24CVRR	24" Cover 299 329 for Griddle			•						•			
PA24CVRW	24" Cover 259 289 for Grill/Griddle Combination Models												
PWOKRINGHO	Wok Ring 199 219 Accessory	•	•	•	•	•	•	•	•	•	•	•	•
PALPKITDGW	LP Conversion Kit 199 219 Pro Grand Dual Fuel Ranges	•	•	•	•	•	•	•	•	•			
PALPKITGGW	LP Conversion Kit 199 219 Pro Grand Gas Ranges										•	•	•
PAALTKITGW	High Altitude Kit, 89 99 NG Pro Grand Ranges, 5.4K ft. to 10.2K ft.	•	•	•	•	•	•	•	•	•	•	•	•
PARKB36IGY	Blue Knob Kit 249 279 36" Grill/Ind Grand				•								

Model Number

Description

UMRP MSRP

Accessorie	s			Dual-Fuel with Steam				Dual	Fuel			All Gas			
				48	3"	60"		36"		48	3"	60"	36	5"	48"
				PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WG	PRG364WDG	PRG486WDG
	PARKB36GY	Blue Knob Kit 2 36" Gas Grand	249 279										•		
	PARKB36CGY	Blue Knob Kit 2 36" Combi Grand	279 309					•	•					•	
	PARKB48CGY	Blue Knob Kit 3 48" Combi Grand	384 429	•						•	•				
	PARKB48SGY	Blue Knob Kit 3 48" Combi Steam Grand			•										•
	PARKB60CGY	Blue Knob Kit 3	349 389									•			
	PARKB60SGY	Blue Knob Kit 3	349 389 d			•									
	PA36WTKG	Toe Kick 1 for 36" Pro Grand® Rang	109 119 ge				•	•	•				•	•	
	PA48WTKG	Toe Kick 1 for 48" Pro Grand® Rang	109 119 ge	•	•					•	•				•
	PA60WTKG	Toe Kick 1 for 60" Pro Grand® Rang	139 159 ge			•						•			
	PA36WLBG	7" Low Backguard 4 for 36" Gas/Dual-Fuel P Ranges	179 529 ro Grand <sup>®</sup>				•	•	•				•	•	
	PA48WLBG	7" Low Back, 5 for 48" Pro Grand® Gas	509 599 Ranges	•	•					•	•				•
	PA60WLBG	7" Low Backguard 5" for 60" for Pro Grand® R	559 649 Range			•						•			

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRixxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

## VENTILATION

## MASTERPIECE® & PROFESSIONAL COLLECTIONS

		30"	36"	42"	48"	54"/60"
	Low-Profile					
		HMWB30WS	HMWB36WS HMWB361WS		HMWB481WS	
	Masterpiece <sup>®</sup>					
TT		HMDW30WS	HMDW36WS			
WALL	Pro Grand <sup>®</sup>		минитин	минити	минити	шининш
'			PH36GWS	PH42GWS	PH48GWS	PH54GWS PH60GWS
	Pro Harmony <sup>®</sup>					
		PH30HWS	PH36HWS		PH48HWS	
	Masterpiece <sup>®</sup>	1110011110	1119611115			
LL						
WA	Masterpiece <sup>®</sup>	HMCB30WS	HMCB36WS			
$\Xi$	Masterpiece					
Z		HDDB30WS	HDDB36WS			
CHIMNEY WALL	Professional					
$\Box$			HPCN36WS		HPCN48WS	
	Masterpiece <sup>®</sup>		TH CIVSOVS	100	TH CIV+OVVS	
Ω						
AN			HMIB36WS	HMIB42WS		
ISLAND	Pro Grand <sup>®</sup>					
				LIDIALADAIC		LIDINE ANG
	Masterpiece <sup>®</sup>	_ <del></del>		HPIN42WS		HPIN54WS
₹.						
CUSTOM INSERT		VCI3B30ZS VCI6B30ZS	VCI3B36ZS VCI6B36ZS			
US. NSJ	Professional		minimi	minimi	minimi	minimi
$\Gamma$			VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS
			VCIIVOGVVS	VCIIV42GVV3	VCIIV40GVV3	VCIN60GWS
FT.	Masterpiece <sup>®</sup>					
DOWN- DRAFT						
ā O		UCVM30XS	UCVM36XS UCVP36XS			
C C	ion contained in this desurre	DCVM30XS	UCVP36XS	confidential information. The	release or discle	

					WALL HOODS
This price list supersedes all previous price lists. Prices	s listed herein do not include applicable state	or local taxes.			
Model Number Description			UMRP	MSRP	
All Wall Hoods include the followi	ing features:				
<ul> <li>Beautiful illumination with multi-level</li> <li>LED lights</li> </ul>	el,  • Automatic mode de to adjust fan speed				r reminder light illuminates ours of operation
<ul> <li>Recessed sleek, smooth touch cont panel that provides precise perform selection with 4-speed levels</li> </ul>	,	off whisk away	• B	uilt-in rem	otions available note control panel, sold ee page 6-8)
All Masterpiece® Wall Hoods inclu	ıde these Additional feature	s:			
<ul> <li>Equipped with the Thermador Conr Experience by Home Connect<sup>™</sup></li> <li>A perfect complement to the sleek</li> </ul>	mesh filters		• Ir	ntegral bl	cting direction ower included
Thermador Masterpiece® Series cod  • Brushed stainless steel					e to recirculation, accessory ate (see page 6-3)
is pushed back, it sits flush  HMDW30WS 30" Master	against surrounding cabine- try, and when pulled forward increases capture area Fan can be activated in the closed or open position piece®, Under Cabinet I Hood, 600 CFM	<ul> <li>600 CFM integrated included</li> <li>Transition to 6' backdraft dam</li> </ul>	" round	and	HMDW36WS
HMDW36WS 36" Master	piece®, Under Cabinet I Hood, 600 CFM	:	2,249	2,499	
Low-Profile Wall Hood					
	16" tall and 28"-65" tall telescopic duct cover accessory options available, sold separate (see page 6-7)	<ul> <li>Transition to 10 backdraft dam</li> </ul>			HMWB30WS
HMWB30WS 30" Low-Pro	ofile Wall Hood, 600 CFM		2,049	2,299	
HMWB36WS 36" Low-Pro	ofile Wall Hood, 600 CFM		2,149	2,399	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

36" Low-Profile Wall Hood, 1000 CFM

48" Low-Profile Wall Hood, 1000 CFM

HMWB361WS

HMWB481WS

2,249

2,349

2,499

2,599

Model
Number Description UMRP MSRP

Accessorie	s—Masterpiece	<sup>®</sup> Series			Dra	wer	Lo	w F	'rof	ile
					HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
	filtered air back Replace charce depending on	• Installation RECHMWE and filter every 3-6 months usage  replacement accessory  • Installation RECHMWE and adds 4 Approved HMWB36V with 600 C	Note: RECHMWB: 336 are brushed sta I" height to the app for use with HMWE VS Low-Profile Serio FM blowers only	ainless steel, oliance. 330WS and			•			
	RECHMWB30	Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide	699	799						
	RECHMWB36	Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide	749	849				•		
	RECHMDW30	Recirculation Kit for Masterpiece® HMDV Under Cabinet Drawer Hood, 30" Wide	V 129	149	•					
	RECHMDW36	Recirculation Kit for Masterpiece® HMDV Under Cabinet Drawer Hood, 36" Wide	V 129	149		•				
FEEE	CHFHMDW30	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	99	109	•					
FEEL	CHFHMDW36	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	99	109		•				
	l •	ss Steel Duct Cover and 20"-54" telescoping  • Can be use Series Wall	ed with Low-Profile Hoods	HMWBxxWS						
	DCT3016W	16" Tall Duct Cover for Low-Profile Wall 30" Wide	Hood, 649	749						
	DCT3616W	16" Tall Duct Cover for Low-Profile Wall 36" Wide	Hood, 659	749				•	•	
	DCT4816W	16" Tall Duct Cover for Low-Profile Wall 48" Wide	Hood, 679	749						•
	DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	749	849			•			

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model UMRP Description **MSRP** Accessories—Masterpiece® Series Drawer Low Profile HMWB36WS HMWB36WS HMWB361WS HMWB481WS HMDW30WS HMDW36WS 28"×65" Tall Duct Cover for DC36MTW 759 849 Low-Profile Wall Hood, 36" Wide 28"×65" Tall Duct Cover for DC48MTW 779 899 Low-Profile Wall Hood, 48" Wide

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

### All Professional Wall Hoods Include these Additional Features:

- Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Vertical or horizontal ducting discharge possible
- 6" tall and 20"-54" tall telescopic duct cover accessory options available, sold separate (see page 6-7)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6)

Integral: VTN1DZ (for PH30HWS only), VTN2FZ

Inline: VTI1FZ<sup>1</sup>, VTI2FZ Remote: VTR1FZ, VTR2FZ

- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included

### Accessory options available

- Duct cover accessory options (see page 6-7)
- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

### **Professional Series**

# Pro Harmony® Wall Hood

- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- A perfect companion to Pro Harmony® Professional Ranges
- Pro-style 24" depth, 18" tall
- Commercial-style stainless steel baffle filters



PH36HWS

PH30HWS	30" Pro Harmony® Wall Hood, Optional Blower	2,249	2,499
PH36HWS	36" Pro Harmony® Wall Hood, Optional Blower	2,349	2,599
PH48HWS	48" Pro Harmony® Wall Hood, Optional Blower	2,599	2,899

#### Pro Grand® Wall Hood

- Equipped with the Thermador Connected Experience by Home Connect<sup>™</sup>
- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Crafted to complete the ultimate cooking system with Pro Grand<sup>®</sup> Professional Ranges
- Pro-style 27" depth, 18" tall
- Two infrared,175 W, Keep-Hot lamps (included)



PH36GWS



PH36GWS	36" Pro Grand® Wall Hood, Optional Blower	2,549	2,849
PH42GWS	42" Pro Grand® Wall Hood, Optional Blower	2,699	2,999
PH48GWS	48" Pro Grand <sup>®</sup> Wall Hood, Optional Blower	2,999	3,299
PH54GWS	54" Pro Grand <sup>®</sup> Wall Hood, Optional Blower	3,199	3,549
PH60GWS	60" Pro Grand® Wall Hood, Optional Blower <sup>1</sup>	3,999	4,399

<sup>1</sup> The 600 CFM blower options are not available with the 60" hood

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

	Number	Description			IVIKE	IVISKE						
Blowers							Maste	rpiece	Pı	ofes	sion	ıal
								Downdrant	Wall	Chimney Wall	Island	Custom Insert
							UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	HPINxxWS	VCIN××GWS
	Integral Blower Integrated int	o ventilation h	ood at the									
	VTN1DZ	400 CFM	Integral Blower (for PH30HW	VS only)	709	799			•1			
0	VTN2FZ	1,000 CFI	M Blower		899	999			•	•		•
	Blower can be along the ductor between the the exterior was a second control of	t line kitchen and	• 25 ft. cable (EXTNCB25W) available for inline blower applica- tions—sold separately (see page 6-8)	<ul> <li>For use wit PHxxxWS, HPINxxWS, UCVMxxRS UCVP36XS</li> </ul>	HPCN: , VCIN: 5, and	xxWS, xxGWS,						
	VTI1FZ	600 CFM 6" duct si	Inline Blower, ze		709	799	•	•	•2	•	•	•2
	VTI2FZ	1,000 CFI 10" duct	M Inline Blower, size		899	999	•	•	•	•	•	•
	Roof mountin	of or wall mount g plate quired for roof ations—sold	• 25 ft. cable (EXTNCB25W) • available for inline blower applications—sold separately (see page 6-8)	PFor use with PHxxxWS, HFHNxxWS, VUCVMxxRS, a	PCNxx\ /CINxx\ and	WS, GWS,						
	VTR1FZ	600 CFM	Remote Blower, 6" duct size		829	949	•	•	•2	•	•	•2
	VTR2FZ	1,000 CFI	M Remote Blower, 10" duct s	size	869	999	•	•	•	•	•	•

<sup>1</sup> For PH30HWS only

<sup>2</sup> The 600 CFM blower options are not available with the 60" hood

Model Number Description UMRP MSRP

Accessorie	s—Professional					Pro rmo			Pro	Gra	and	
					PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
	-		d with PHxxxWS Pro Gramony® Series Wall Hood		•							
	DC306W	6" Tall Duct Cover for Pro Wall Hoods, 30" Wide	469	519								
	DC366W	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	489	539		•		•				
	DC426W	6" Tall Duct Cover for Pro Wall Hoods, 42" Wide	499	549					•			
	DC486W	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499	549			•			•		
	DC3089W	8' - 9' Ceilings Telescoping Duct Cover, 30" wide	499	549	•							
	DC3689W	8' - 9' Ceilings Telescoping Duct Cover, 36" wide	509	599		•		•				
	DC4289W	8' - 9' Ceilings Telescoping Duct Cover, 42" wide	519	599					•			
	DC4889W	8' - 9' Ceilings Telescoping Duct Cover, 48" wide	529	599			•			•		
	DC361012W	10' - 12' Ceilings Telescoping Duct Cover, 36" wide	659	749		•			•			
	DC481012W	10' - 12' Ceilings Telescoping Duct Cover, 48" wide	719	799			•			•		

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model UMRP **MSRP** Description Accessories—Professional Pro Pro Grand Harmony PH48GWS PH60GWS PH36GWS PH42GWS PH54GWS PH30HWS PH36HWS PH48HWS **Built-In Remote Control** • Ability to vertically install on cabinetry • Compatible with HDDBxxWS, HMCBxxWS, HMDWxxWS, HMIBxxWS, or wall to control hood in a convenient HMWBxxWS, HMWBxx1WS, HPCNxxWS, HPINxxWS, PHxxxWS, and • Built-in sleek, smooth remote touch con-VCINxxGWS Series hoods trol panel • Wired to hood

• Cable length: 30 ft.

319

359

Built-In Remote Control Accessory

Blower and	Duct Accessor	ies				1	Pro rmo	ny	F	ro (	Gra	and	
						PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
	• 25-ft. extension	Blower Extension Cable cable for use between or remote blower	Cannot join two cables to longer length.	gether fo	r								
10	<ul> <li>Supports PHxxx HPINxxWS, UC' VCINxxGWS se</li> </ul>	VMxxXS, UCVP36xS and	For use with blowers VTI1 VTR1FZ, VTR2FZ.	FZ, VTI2F	Z,	•	•	•	•	•	•	•	•
	EXTNCB25W	25-ft Remote & Inline Blov Extension Cable	wer	119	139								
( ) ]	EXTNSET4	3-pc extension set for Inlir remote blowers	ne and	159	179	•	•	•	•	•	•	•	•
	Roof Plates NOTE: Roof plate	required for roof-mount app	lication of remote blowers										
	RFPLT600P	Roof mounting plate for remote blower VTR1FZ		129	149	•	•	•	•	•	•	•	•
	RFPLT1000P	Roof mounting plate for remote blower VTR2FZ <sup>w</sup>		159	179	•	•	•	•	•	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

**REMCPW** 

CHIMNEY WALL HOODS This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Number Description **MSRP** All Chimney Wall Hoods include the following features: Beautiful illumination with multi-level, • Check filter reminder light illuminates • Automatic mode detects LED lights temperatures to adjust fan after 40 hours of operation speed automatically • Dishwasher-safe filters • Vertical ducting direction • 10-min. delay shut off whisk away · Recessed sleek, smooth touch control • Built-in remote control panel accessory lingering odors panel that provides precise performance available, sold separate (see page 6-8) selection with 4-speed levels All Masterpiece® Chimney Wall Hoods include these Additional features: • 600 CFM integral blower • Equipped with the Thermador Connected • Convertible to recirculation, accessory Experience by Home Connect™ sold separate (see page 6-12 • Adjustable telescopic chimney heights to • A perfect complement to the sleek fit up to 9-ft tall ceilings • Hybrid mesh filters with stainless steel Thermador Masterpiece® Series cooktops frame • Transition to 8" round and backdraft Brushed stainless steel damper included • Vertical ducting direction Serves as the focal point of the room · Duct cover extension kit accessory for and can add a modern feel 9-ft to 12-ft tall ceilings available, sold separate (see page 6-12) • Cooktop Hood-Sync Enabled Masterpiece® Series **Pyramid Chimney Wall Hood** • Streamlined, contemporary, Noise Control Technology™ low-profile design with 5" pyramid canopy height 30" Masterpiece® Pyramid Chimney Wall Hood, HMCB30WS 2,499 2,749 HMCB30WS 600 CFM 36" Masterpiece® Pyramid Chimney Wall Hood, 2.599 2,899 HMCB36WS 600 CFM **Drawer Chimney Wall Hood**  A masterful blend of luxury and performance with unique • Can be activated whether in

slide-out canopy design that can be pushed back for increased head room or pulled forward for increased capture

HDDB36WS\*

- the open or closed position
- Noise Control Deluxe™



HDDB30WS

2.899

3.199

HDDB30WS\* 30" Masterpiece® Drawer Chimney Wall Hood, 600 CFM

36" Masterpiece® Drawer Chimney Wall Hood, 3,099 3.449

<sup>\*</sup> Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP MSRP** Number Description

# All Professional Chimney Wall Hoods include these Additional features:

- Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Creates a focal point in the room with a more contemporary-style feel
- Make-up air damper relay switch (120 V
- Transition to 10" round and backdraft damper included
- Duct cover accessory options available, sold separate (see page 6-11)
- Pro-style 24" depth, 18" tall

- Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- 6" tall, 18"- 35" tall telescopic, and 42" - 59" tall telescopic duct cover accessory options available, sold separate (see page 6-11)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6)

Integral: VTN2FZ Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ

# Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

### **Professional Series**

# Pro Grand<sup>®</sup> Chimney Wall Hood

HPCN48WS

HPCN36WS 36" Professional® Chimney Wall Hood, 3.099 3,449

Optional Blower

48" Professional® Chimney Wall Hood, HPCN36WS 3,999 3,599

**Optional Blower** 

 Model
 Number
 Description
 UMRP
 MSRP

Accessorie	s				N	/laster	piec	e	Pr Gra	
						amid /all	Dra	wer	W	all
					HMCB30WS	HMCB36WS	HDDB30WS	HDDB36WS	HPCN36WS	HPCN48WS
	Remote & Inline	Blower Extension Cable								
		cable for use between or remote blower • Cannot join two cable ger length.	es together fo	or lon-						
10	<ul> <li>Supports PHxxx HPINxxWS, UCV VCINxxGWS ser</li> </ul>	/MxxXS, UCVP36xS and VTR1FZ, VTR2FZ.	VTI1FZ, VTI2	FZ,					•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139						
	EXTNSET4	3-pc extension set for Inline and remote blowers	159	179					•	•
-	Duct Cover									
		all, 18"–35" tall telescopic, telescopic heights  • Can be used with HP Professional Series C		Hoods					•	
	CHMHP366W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 36" Wide	499	549						
	CHMHP486W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 48" Wide	509	599						•
	CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	649	749					•	
	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	659	749						•
	CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	719	799					•	
	CHMHP48XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	739	849						•

 Model
 Number
 Description
 UMRP
 MSRP

Accessorie	s			N	/laster	piec	e	Pr Gra	
				Pyr:	amid /all	Dra	wer	Wa	all
				HMCB30WS	HMCB36WS	HDDB30WS	HDDB36WS	HPCN36WS	HPCN48WS
		ood Extension Kits escopic chimney extension for 9-ft to 12-ft tall ceilings							
	CHXTHDDW	9'-12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece® Chimney Drawer Hood	579 649			•	•		
	СНХТНМСВ	9'-12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece® Pyramid Chimney Hood	579 649	•	•				
	• When ducting is sible, kit brings air back into kit	filtered ter every 3–6 months ment access	ssory available			•	•		
	RECHDDB	Recirculation Kit for Masterpiece® HDDBxxWS Drawer Chimney Wall Hood	159 179						
9.111	RECHMCB	Recirculation Kit for Masterpiece® HMCBxxWS Chimney Wall Hood	159 179	•	•				
	CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109 119	•	•	•	•		
	Roof Plates NOTE: Roof plate	e required for roof-mount application of remote blower	s.						
	RFPLT600P	Roof mounting plate for remote blower VTR1FZ	129 149					•	•
	RFPLT1000P	Roof mounting plate for remote blower VTR2FZ	159 179					•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

# All Island Hoods include the following features:

- Equipped with the Thermador Connected Experience by Home Connect<sup>™</sup>
- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-8)

# Masterpiece® Series

#### Low-Profile Island Hood

- Sleek and slim, these meticulously sculpted, floating stainless steel island hoods catch the eye without obstructing views
- A perfect complement to Thermador Masterpiece<sup>®</sup>
   Series cooktops
- Brushed stainless steel

- Cooktop Hood-Sync Enabled
- Noise Control Deluxe™
- 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings
- Transition to 8" round and backdraft damper included

 Convertible to recirculation, accessory sold separate (see page 6-15)

#### Accessory options available

 Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings (see page 6-15)



HMIB36WS



HMIB36WS	36" Masterpiece® Box Island Hood,	3,399	3,749
	600 CFM		

HMIB42WS	42" Masterpiece® Box Island Hood,	3,499	3,849
	600 CFM		

Model
Number Description UMRP MSRP

# **Professional Series**

#### **Box Island Hoods**

- A stunning, meticulously crafted piece that could be a conversation starter while entertaining in the kitchen
- Designed and engineered to match in design and performance with Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Unique angled box canopy island hood design
- Dishwasher-safe commercialstyle stainless steel baffle filters

- Make-up air damper relay switch (120 V max)
- Powerfully Quiet<sup>®</sup> optional blower system accepts inline and remote blowers only
- Transition to 10" round and backdraft damper included
- For ceiling applications of 8' to 9' height
- May require fabrication for custom height

 Blower options sold separate and required to complete install.

Works with the following blowers, sold separately (see page 6-6)

Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ

### Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)



HPIN42WS



HPIN42WS	42" Professional® Island Hood, Optional Blower	3,799	4,199
	Optional blower		

HPIN54WS 54" Professional® Island Hood, 4,399 4,849 Optional Blower

Accessorie	s		Maste	rpiece	Pr	ro
			Low F	Profile	Во	ох
	Model Number Description UMR	P MSRP	HMIB36WS	HMIB42WS	HPIN42WS	HPIN54WS
	Remote & Inline Blower Extension Cable  • 25-ft. extension cable for use between hood and inline or remote blower  • Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods  EXTNCB25W  25-ft Remote & Inline Blower Extension Cable  • Cannot join two cables togeth ger length.  • For use with blowers VTI1FZ, VTR1FZ, VTR2FZ.	/TI2FZ,			•	•
	EXTNSET4 3-pc extension set for Inline and remote blowers	179			•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

Accessories							P	ro
					Low F	Profile	В	эх
	Model Number	Description	UMRP	MSRP	HMIB36WS	HMIB42WS	HPIN42WS	HPIN54WS
	Low-Profile Island	d Hood Extension Kit						
	Stainless steel t chimney extens 12-ft tall ceiling	ion for 9-ft to Masterpiece® Island Hood			•	•		
	CHXTHMIB	9'–12' Ceilings Chimney Extension Kit for HMIBxxWS Masterpiece® Island Hood	699	799				
		d Hood Recirculation Accessories						
	<ul> <li>When ducting i kit brings filters</li> </ul>							
	kitchen	Charcoal filter replacement						
	• Replace charco	al filter every accessory available (see						
	usage							
IIII	RECHMIB	Recirculation Kit for Masterpiece® HMIBxxWS Island Hood	159	179	•	•		
	CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109	119	•	•		
	Roof Plates NOTE: Roof plat	e required for roof-mount application of remote blow	ers.					
	RFPLT600P	Roof mounting plate for remote blower VTR1FZ	129	149			·	
	RFPLT1000P	Roof mounting plate for remote blower VTR2FZ <sup>1</sup>	159	179			•	•

<sup>1</sup> Available Late Q3

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.							
Model Number	Description		UMRP MSRP				
All Masterpied	Masterpiece® Custom Inserts include the following features:						
Equipped with the Thermador		<ul> <li>Two 6 W LED lights</li> </ul>	• 120 V				
- Equipped Wi			120 ¥				

Masterpiece® Series

# 300 CFM Custom Insert

Connect<sup>™</sup>

• Touch control

• 300 CFM blower

• Vertical ducting with 6" round duct

VCI3B30ZS 30" Custom Insert Hood, 300 CFM 1,469 1,649

Integral blower

• 15 Amps

VCI3B36ZS 36" Custom Insert Hood, 300 CFM 1,569 1,749

VCI3B30ZS

· Perimetric filter

• Plug type: hardwire



VCI3B36ZS



#### 600 CFM Custom Insert

• 600 CFM blower 
• Vertical ducting with 8" round duct

 VCI6B30ZS
 30" Custom Insert Hood, 600 CFM
 1,569
 1,749

 VCI6B36ZS
 36" Custom Insert Hood, 600 CFM
 1,669
 1,849

VCI6B30ZS



VCI6B36ZS



 Model
 Number
 Description
 UMRP
 MSRP

#### **Custom Insert Hoods**

- Equipped with the Thermador Connected Experience by Home Connect<sup>™</sup>
- Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials
- Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops
- Brushed stainless steel
- Dishwasher-safe commercialstyle stainless steel baffle filters
- Beautiful illumination with multi-level, LED lights

- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Make-up air damper relay switch (120 V max)
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Includes custom hood trim to complete custom insert installation

#### Vertical ducting

 Blower options sold separate and required to complete install.

Works with the following blowers, sold separately (see page 6-6)

Integral: VTN2FZ Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ

- Transition to 10" round and backdraft damper included
- Built-in remote control panel accessory available, sold separate (see page 6-8)

#### Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

# **Professional Series**



VCIN48GWS



VCIN36GWS	36" Professional® Custom Insert, Optional Blower	2,069	2,299
VCIN42GWS	42" Professional® Custom Insert, Optional Blower	2,169	2,399
VCIN48GWS	48" Professional® Custom Insert, Optional Blower	2,269	2,499
VCIN54GWS	54" Professional® Custom Insert, Optional Blower	2,369	2,649
VCIN60GWS	60" Professional® Custom Insert, Optional Blower	2,469	2,749

 Model
 Number
 Description
 UMRP
 MSRP

Accessorie	Accessories						_	Pro	_	
		VCI3B30ZS	VCI3B36ZS	VCI6B30ZS	VCI6B36ZS	VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS
	Built-In Remote Control								Г	
	<ul> <li>Ability to vertically install on cabinetry or wall to control hood in a convenient location</li> <li>Built-in sleek, smooth remote touch control panel</li> <li>Compatible with HDDBxxWS, HMCBxxWS, HMCBxxWS, HMDWxxWS, HMIBxxWS, HMDWxxWS, HMIBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HPCNxxWS, HPCNxxWS, And VCINxxGWS Series hoods</li> </ul>									
	REMCPW Built-In Remote Control Accessory 319 359					•	•	•	•	•
	Remote & Inline Blower Extension Cable     25-ft. extension cable for use between hood and inline or remote blower     Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods.      Cannot join two cables together for longer length.     For use with blowers VTI1FZ, VTI2FZ, VTR1FZ, VTR2FZ.									
	EXTNCB25W 25-ft Remote & Inline Blower Extension Cable 119 139					•	•	•	•	•
	EXTNSET4 3-pc extension set for Inline and 159 179 remote blowers					•	•	•	•	•
	Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers.									
	RFPLT600P Roof mounting plate for 129 149 remote blower VTR1FZ								Ľ	
	RFPLT1000P Roof mounting plate for remote blower VTR2FZ					•	•	•	•	•
	Charcoal Filters									
-	CHFVCI30ZS Charcoal Filter Kit for 30" Custom Inserts 109 119 VCI3B30ZS and VCI6B30ZS	•		•						
	CHFVCI36ZS Charcoal Filter Kit for 36" Custom Inserts 109 119 VCI6B36ZS and VCI6B36ZS		•		•					

Mumber Description UMRP MSRP

# All Downdrafts include the following features:

- Designed for installation with all Thermador® cooktops except Professional Series
- All models feature six possible discharge connections including front, side, down, and rear as well as recirculation
- Stainless steel
- Sleek, removable front filter panel design that act as a splatter shield
- Dishwasher safe mesh filters
- Three speeds
- Convenient 10-minute time-delay shutoff feature

- Filter maintenance reminder light
- Automatic mode
- Recirculation possible with electric and induction cooktops, Accessory Sold Separately (UCVRECIRC see page 6-20)

# Required To Complete The Installation:

 Blower Options, Sold Separately. Works with the following blowers, sold separately (see page 6-21).

Integral: VTD600P Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ  Downdraft transitions may be required to complete the installation depending on exhaust direction & blower chosen: [see page 6-21]

CVTSIDE6 CVTRECT2
CVTSIDE8 CVTFRONT6
CVTSIDE10 CVTFRONT8
CVDUCT2 CVTFRONT10

### Accessory options available

- Gas cooktop seal kit sold separately, required for installation with gas cooktops (UCV30ST, UCV36ST [see page 6-20)
- 5' electrical panel extension cable (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-23])
- 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-23)

# Masterpiece® Series

# **Downdraft Ventilation System**

UCVM30XS 30" Masterpiece® Downdraft

15" Snorkel, Optional Blower

1,869 2,099



UCVM36XS

36" Masterpiece® Downdraft

15" Snorkel, Optional Blower

2,069 2,299



UCVP36XS

36" Masterpiece® Downdraft, Deluxe

18" Snorkel, Optional Blower

LED Task Bar Lights

2,369 2,649



NOTE: Transition required and sold separately for all remote and inline blower installations.

 Model
 Number
 Description
 UMRP
 MSRP

Componen	ts		UCVM30XS	UCVM36XS	UCVP36XS
	For use with     30" UCVM30XS,     36" UCVM36XS,     36" UCVP36XS of draft models onl     Works in wall or applications     When ducting is sible, kit brings fair back into kitch passing through coal filter	<ul> <li>To be used only with         Thermador downdrafts         and lown-         lower and downdraft         sold separately         liters available, sold separately         liters available, sold separately         lown-         l</li></ul>			
	UCVRECIRC	Recirculation kit for downdraft 599 699 UCVM30XS, UCVM36XS, UCVP36XS downdrafts only. VTD600P Blower required, sold separately. Replace filters every 3-6 months depending on usage with UCVFILTER	•	•	•
The state of the s	UCVFILTER	Charcoal filter replacement 109 119 For use with UCVRECIRC recirculation kit (above)	•	•	•
	Gas Cooktop Sea • For use with 30" UCVM30XS 36" UCVM36XS 36" UCVP36XS downdraft mod	<ul> <li>Required for installation with gas cooktops</li> <li>Includes trim bracket, seal, and 2 metal grills</li> </ul>	•		
•	UCV36ST	36" gas cooktop seal kit 129 149 For UCVM36XS and UCVP36XS downdrafts		•	•

 Model
 Number
 Description
 UMRP
 MSRP

Componen	nts		UCVM30XS	UCVM36XS	UCVP36XS
-8	Integrated Blower				
00	VTD600P 600 CFM, 8" duct size flexible integrated blower 849 Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts o	949 nly	•	•	•
	Inline Blowers				
	Blower can be mounted along the duct line between the kitchen and the exterior wall      25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-23)      Consumption of the formula of the exterior wall (EXTNCB25W) available PHxxxWS, HPCNxx HPINxxWS, VCINxx UCVMxxRS, and UCVP36XS Series h	WS, GWS,			
0.	VTI1FZ 600 CFM Inline Blower, 709 6" duct size	799	•	•	•
-	VTI2FZ 1,000 CFM Inline Blower, 899 10" duct size	999	•	•	•
	Remote Blowers				
	For external roof or wall mount     Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-23)      Soft. cable (EXTNCB25W)     available for inline blower applications—sold separately (see page 6-23)      Soft. cable (EXTNCB25W)     PHXXXWS, HPCNxxW     HPINxxWS, VCINxxG     UCVMxxRS, and UCVP36XS Series hoods	S, WS,			
	VTR1FZ 600 CFM Remote Blower, 6" duct size 829	949	•	•	•
	VTR2FZ 1,000 CFM Remote Blower, 10" duct size 869	999	•	•	•
	Downdraft Transitions Transition(s) may be required to complete the installation of 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdrafts depending on the discharge connect chosen in combination with the downdraft blower selected (see installation manual For use with inline and remote blowers	al)			
0	CVTSIDE6 6" side/rear transition 199 Rectangular 1 % "×19" transition to 6" round for side, down and rear exhaust applications	219	•	•	•
0	CVTSIDE8 8" side/rear transition 199 Rectangular 1 %"×19" transition to 8" round for side, down and rear exhaust applications	219	•	•	•

 Model
 Number
 Description
 UMRP
 MSRP

Componen	ts		UCVM30XS	UCVM36XS	UCVP36XS
6	CVTSIDE10	10" side/rear transition 199 219 Rectangular 1 % "×19" transition to 10" round for side, down and rear exhaust applications	•	•	•
0	CVTFRONT6	6" round front plate 99 109 Front rough-in plate for front downward exhaust applications	•	•	•
0	CVTFRONT8	8" round front plate 99 109 Front rough-in plate for front downward exhaust applications	•	•	•
0	CVTFRONT10	10" round front plate 99 109 Front rough-in plate for front downward exhaust applications	•	•	•
	CVDUCT2	2' rectangular duct 199 219 Rectangular duct that is 2' long × 1 %" deep × 19" wide (CVDUCT2) required to connect CVTRECT2 to downdraft housing. Ability to use as an extension to exhaust through a cabinet or wall. To modify length, duct may be cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be used to connect CVTRECT2 to round ductwork	•	•	•
	CVTRECT2	Transition for rectangular duct 99 109 Required to attach CVDUCT2 2' rectangular duct to downdraft housing	•	•	•

 Model
 Number
 Description
 UMRP
 MSRP

Blower Accessories						Integrated	Inline		Remote	Blowers		Downdraft	
						VTD600P	VTI1FZ	VTI2FZ	VTR1FZ	VTR2FZ	UCVM30XS	UCVM36XS	UCVP36XS
	Remote & Inline E     25-ft. extension hood and inline     Supports PHxxxl HPINxxWS, UCV VCINxxGWS ser EXTNCB25W	cable for use or remote blo WS, HPCNxx\ /MxxXS, UCVI ies hoods.	between ower Cannot join ger length.  WS, For use with VTR1FZ, VT  te & Inline Blower				•	•	•	•	•	•	•
	EXTNSET4	3-pc extens	ion set for Inline and wers	159	179		•	•	•	•			
	For use with 30" UCVM30XS, 36" UCVP36XS downdraft mode     Cable connects remotely located cal panel to the draft during remand inline blower installation application.	els only a d electri- down- note er motor	le  Cable provides ability to connect electrical panel to the downdraft from a remote location with 5-feet during installation applications with downward duct discharge so the electrical panel is out of the way	<ul> <li>Extends electrical parcable an additional second an additional second and secon</li></ul>	5' vo nake <b>con-</b> t								
Son	EXTNCE5	for Downdr	Panel Extension Cable aft. For UCVM30XS, , UCVP36XS downdrafts	199	219						•	•	•
	Roof Plates NOTE: Roof plate RFPLT600P	•	roof-mount application of re ing plate for wer VTR1FZ		149				•				
	RFPLT1000P	Roof mount remote blov	ing plate for wer VTR2FZ	159	179					•	•		

**UMRP** Number Description **MSRP** 

### All Dishwashers include the following features:

- · Superior washing and drying performance quaranteed
- Concealed controls
- Black-shimmer racks with 3-Step adjust-
- A highly flexible racking system
- 16 place settings
- Extra-Tall-Item Sprinkler
- 18/10 Stainless steel TallTub
- Powerfully Quiet® operation
- Sens-a-Wash<sup>®</sup>
- Advanced Triple Filtration System

- Hidden Heating Element
- Leak Sensor and Auto Shut off
- Connected Experience
- ↑ Home Connect Wi-Fi enabled/Home Connect<sup>™</sup> app compatibility

#### Wash Cycles:

- Normal
- Auto
- · Pots and Pans
- Quick
- Rinse

#### Options:

- PowerBoost<sup>®</sup>
- 24-hour Delay Start
- Half Load
- Remote Start (Connected)
- Sanitize (NSF certified to remove up to 99.9% of bacteria)

#### **Emerald Series**

48 dBA

(third rack)

Chef's Tool Drawer™

• Blue PowerBeam® "on" indicator

• Touch Controls

**Additional Options:** 

• Extra Dry

24" Masterpiece® Stainless Steel Emerald® DWHD560CFM 1,399 1,549 24" Professional Stainless Steel Emerald® DWHD560CFP 1,549

DWHD560CPR 24" Custom Panel Emerald®

(Requires Custom Panel)

1,399

1,399 1,549 DWHD560CFM

DWHD560CFF



DWHD560CPR



# Sapphire® Series

44 dBA

Adjustable Chef's Tool Drawer™ (third rack)

Flexible folding tines

**Touch Controls** 

Time remaining PowerBeam® indicator

Sapphire Glow® Interior Light

Crystal Protect® water softener system

Additional Wash Cycles:

1 hour

# **Additional Options:**

StarDry™ – with Zeolite™, an exclusive Thermador drying solution



DWHD760CFM



DWHD760CFP

2,199



DWHD760CPR



DWHD760CFM 24" Masterpiece® Stainless Steel Sapphire® 1,999 DWHD760CFP 24" Professional Stainless Steel Sapphire® 1,999 2,199 DWHD760CPR 24" Custom Panel Sapphire® 1.999 2.199

(Requires Custom Panel)

 Model
 Number
 Description
 UMRP
 MSRP

# Star Sapphire® Series

- 42 dBA
- Premium smooth glide ball bearing wheels on lower, upper and third rack
- Entertainer's Drawer (third rack)
- 18 wine glass capacity
- Flexible folding tines
- Time remaining PowerBeam<sup>®</sup> indicator

- Premium Capacitive Touch Controls
- StarGlow interior light allows you to change the color & intensity to match the ambiance of your kitchen via the Home Connect™ app
- Crystal Protect<sup>®</sup> water softener system

### **Additional Wash Cycles:**

- Glass
- 1 Hour

### **Additional Options:**

- Save Time
- StarDry<sup>™</sup> with Zeolite<sup>™</sup>, an exclusive Thermador drying solution




DWHD770CFM



DWHD770CFP



DWHD770CPR



DWHD770CFM	24" Masterpiece® Stainless Steel Star Sapphire®	2,499	2,749
DWHD770CFP	24" Professional Stainless Steel Star Sapphire®	2,499	2,749
DWHD770CPR	24" Custom Panel Star Sapphire® (Requires Custom Panel)	2,499	2,749

Accessorie	S			ald s	hire® S	hire®
	Model Number	Description		Emerald Series	Sapphire® Series	Star Sapphire® Series
	SGZ1010UC	Dishwasher Drain Hose Extension	See Bosch Price List*	•	•	•
	SGZ9091UC	Dishwasher Salt for dishwashers (4.4 lbs. pack)	See Bosch Price List*		•	•
	SMZ3IN1UC	Dishwasher Installation Kit with Junction Box, Supply Hose, Elbow	See Bosch Price List*	•	•	•
	SMZ5000	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small	See Bosch Price List* Item Basket.	•	•	•
	SMZ5002UC	Fine Silverware Carafe with Clip for Emerald® dishwashers (clips onto lower rac	See Bosch Price List* ck)	•		
	SMZ5400	Large 3rd Rack Silverware Insert Accessory DWHD770C* models only	See Bosch Price List*			•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Price List*	•	•	•
0.	SMZSH1ABUC	Dishwasher Water Supply Hose	See Bosch Price List*	•	•	•

<sup>\*</sup> Pricing for the Thermador® dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers. The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$ 

3DHFGALBIN1-15	DC366W6-7		PABRICKW5-9, 5-	21
3DPRODRAIL1-15	DC426W6-7	L LPRODBIN101-15	PAGRIDDLE5-9, 5-	
24HFGALBIN1-15	DC486W6-7	LPRODBINTO1-15	PAGRIDDLEW5-9, 5-	
24PRODRAIL1-15	DC3089W6-7	М	PAKNOBLUWR5-9, 5-	
30HFGALBIN1-15	DC3689W6-7	MB30WP3-12	PALPKITDGW5-	
30PRODRAIL1-15	DC4289W6-7	MB30WS3-12	PALPKITGA5-	
36HFGALBIN1-15	DC4889W6-7	MC30WP3-13	PALPKITGA65-	
36PRODRAIL1-15	DC361012W6-7	MC30WS3-13	PALPKITGGW5-	
OU TIODINIE	DC481012W6-7	MD24WS3-12	PALPKITHA55-	
С	DCT3016W6-3	MD30WS3-12	PALPKITHW5-	
CEM305TB4-6	DCT3616W6-3	ME301WS3-2	PALPKITHW55-	
CEM366TB4-7	DCT4816W6-3	ME301YP3-2	PARKB3XHY5-	
CET305YB4-6	DWHD560CFM7-1	ME302WS3-3	PARKB3XIHB5-	
CET366YB4-6	DWHD560CFP7-1	ME302YP3-3	PARKB30HY 5-	
CHEFSPAN084-8, 5-10	DWHD560CPR7-1	MED301LWS3-2	PARKB36CGY5-7	
CHEFSPAN134-8	DWHD760CFM7-1	MED301RWS3-2	PARKB36DHY5-	
CHFHMCD6-12, 6-15	DWHD760CFP7-1	MED301WS3-2	PARKB36GY5-7	
CHFHMDW306-3	DWHD760CPR7-1	MED302LWS3-4	PARKB36HY5-	
CHFHMDW366-3	DWHD770CFM7-2	MED302RWS3-4	PARKB36IGY5-7	
CHFVCl30ZS6-18	DWHD770CFP7-2	MED302WS3-4	PARKB36LHY5-	
CHFVCI36ZS6-18	DWHD770CPR7-2	MEDMC301WS3-5	PARKB48CGY5-/	
CHMHP36TW6-11	2441277001117.2	MEDMCW31WS3-5	PARKB48CHY5-	
CHMHP36XTW 6-11	E	MEDS301WS3-6	PARKB48DHY5-	
CHMHP48TW6-11	EXTNCB25W 6-8, 6-11, 6-14,	MEDS302WS3-6	PARKB48SGY5-7	
CHMHP48XTW 6-11	6-18, 6-23	MEM301WS3-5	PARKB60CGY5-/	
CHMHP366W6-11	EXTNCE56-23	MS20HNDL201-17	PARKB60SGY5-/	
CHMHP486W6-11	EXTNSET46-8, 6-11, 6-14, 6-18,	MS22HNDL251-17	PCG305W5	
CHXTHDDW6-12	6-23	MS30HNDL201-9	PCG364WD5	
CHXTHMCB6-12	F	MS36HNDL201-9	PCG366W5	
CHXTHMIB6-15		MU30WSU3-12	PCG486WD5	
CIT30YWBB4-3	FRAMEKIT101-3, 1-5, 1-7, 1-9, 1-15		PH30HWS6	
CIT36YWB4-3	1-13	P	PH36GWS6	
CIT36YWBB4-3	Н	PA12CHPBLK5-10, 5-22	PH36HWS6	
CIT304YB4-5	HDDB30WS6-9	PA12GRILFW5-9, 5-21	PH42GWS6	
CIT304YM4-5	HDDB36WS6-9	PA12GRILLW5-9, 5-21	PH48GWS6	
CIT365YB4-5	HEATRKIT201-3, 1-5, 1-7, 1-9,	PA12LCVRN5-10, 5-22	PH48HWS6	3-5
CIT367YG4-4	1-15, 1-20	PA12LCVRW5-11, 5-22	PH54GWS6	
CIT367YGS4-4	HMCB30WS6-9	PA24CVRR5-22	PH60GWS6	
CIT367YM4-4	HMCB36WS6-9	PA24CVRW5-11, 5-22	PO301W3	3-7
CIT367YMS4-4	HMDW30WS6-2	PA30WLBC5-12	PO302W3	
CVDUCT26-22	HMDW36WS6-2	PA30WLBH5-12	POD301LW3	3-7
CVTFRONT66-22	HMIB36WS6-13	PA36WLBC5-13	POD301RW3	3-7
CVTFRONT86-22	HMIB42WS6-13	PA36WLBG5-23	POD301W3	3-7
CVTFRONT106-22	HMWB30WS6-2	PA36WLBH5-12	POD302LW3	3-8
CVTRECT26-22	HMWB36WS6-2	PA36WTKG5-23	POD302RW3	3-8
CVTSIDE66-21	HMWB361WS6-2	PA48WLBC5-13	POD302W3	3-8
CVTSIDE86-21	HMWB481WS6-2	PA48WLBG5-23	PODMC301W3	}-9
CVTSIDE106-22	HPCN36WS6-10	PA48WLBH5-12	PODMCW31W3-	10
<b>5</b>	HPCN48WS6-10	PA48WTKG5-23	PODS301W3-	-11
D	HPIN42WS6-14	PA60WLBG5-23	PODS302W3-	-11
DC30MTW6-3	HPIN54WS6-14	PA60WTKG5-23	POM301W3	3-9
DC36MTW6-4		PAALTKITGW5-22	PR20HNDL201-	17
DC48MTW6-4	l	PAALTKITH 5-11	PR22HNDL251-	
DC306W6-7	ICEBUCKETL1-16	PABRICKBKW5-9, 5-21	PR30HNDL201	-9

INDEX This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. PR36HNDL20.....1-9 SGZ1010UC......7-2 T36BT110NS ......1-18 PRD48WDSGU......5-15 SGZ9091UC......7-2 T36BT120NS.....1-18 UCTRFLTR10......1-17 PRD48WISGU......5-15 SKNOBLUW.....4-9 T36BT915NS.....1-12 UCV30ST .....6-20 PRD304WHU ......5-5 SLPKITW......4-9 T36BT925NS......1-12 UCV36ST .....6-20 PRD305WHU ......5-5 SMZ3IN1UC ......7-2 T36FT810NS ......1-13 UCVFILTER.....6-20 T36FT820NS ......1-13 PRD364WDGU ......5-17 SMZ5000......7-2 UCVM30XS.....6-19 PRD364WDHU.....5-6 SMZ5002UC......7-2 T36IB100SP .....1-18 UCVM36XS......6-19 PRD364WIGU......5-17 SMZ5400......7-2 T36IB905SP ......1-6 UCVP36XS.....6-19 PRD366WGU......5-17 SMZPCJB1UC ......7-2 T36IF905SP.....1-4 UCVRECIRC ......6-20 PRD366WHU ......5-6 SMZSH1ABUC......7-2 T36IR905SP .....1-2 PRD486WDGU ......5-18 T36IT100NP .....1-18 V SNPKITPEDW......4-9 PRD486WDHU.....5-6 SPRODBIN10......1-16 T36IT903NP .....1-6 VCI3B30ZS......6-16 VCI3B36ZS......6-16 PRD486WIGU......5-18 SWOKRINGW......4-9 T36IT905NP .....1-6 PRD606WEG ......5-18 T42BT110NS ......1-19 VCI6B30ZS......6-16 Т PRD606WESG......5-15 T42BT120NS.....1-19 VCI6B36ZS......6-16 T18ID905LP.....1-4 PRG304WH.....5-7 T42IT100NP .....1-19 VCIN36GWS ......6-17 T18ID905RP.....1-4 PRG305WH......5-7 T48BT110NS ......1-19 VCIN42GWS ......6-17 T18IF905SP......1-4 VCIN48GWS ......6-17 PRG364WDG.....5-19 T48BT120NS......1-19 T18IW905SP .....1-8 VCIN54GWS ......6-17 PRG364WDH......5-8 T48IT100NP ......1-19 T18WINERK1 ..... 1-17 PRG366WG ......5-20 VCIN60GWS ......6-17 TCM24PS ...... 2-1 T23IR905SP .....1-2 PRG366WH......5-8 TCM24TS .....2-1 VTD600P......6-21 T24ID905LP.....1-4 PRG486WDG......5-20 TCMTK30RS .....2-1 VTI1FZ......6-6, 6-21 T24ID905RP.....1-4 TCOOKSENSW......4-9 PRG486WDH.....5-8 VTI2FZ......6-6, 6-21 T24IF905SP......1-4 PRI30LBHU.....5-4 TEPPAN1013.....4-8, 5-9 VTN1DZ......6-6 T24IR905SP .....1-2 TEPPAN1016......4-8, 5-9, 5-21 VTN2FZ......6-6 PRI36LBHU.....5-4 T24IW905SP .....1-8 PWOKRINGHC .....5-11, 5-22 TEPPAN1321......4-8 VTR1FZ......6-6, 6-21 T24UC905DP ......1-14 TFL18ID800.....1-5 VTR2FZ......6-6, 6-21 T24UC915DS .....1-14 R TFL18ID905......1-5 RECHDDB......6-12 T24UC925DS .....1-14 TFL18IR800.....1-5 RECHMCB ......6-12 WD30W ...... 3-13 T24UR905DP ......1-14 TFL18IR905......1-5 WD30WC ......3-13 RECHMDW30 ......6-3 T24UR905LP.....1-14 TFL18IW800.....1-8 WKNOBKT3W......3-14 RECHMDW36 .....6-3 T24UR905RP ......1-14 TFL18IW905.....1-8 RECHMIB......6-15 T24UR915DS .....1-14 TFL23IR900......1-3 RECHMWB30 ......6-3 T24UR915LS.....1-14 TFL23IR905.....1-3 RECHMWB36 ......6-3 T24UR915RS .....1-14 TFL24ID800.....1-5 REMCPW......6-8, 6-18 T24UR925DS ......1-14 TFL24ID905......1-5 REPLFLTR55 ......1-16, 1-20 T24UR925LS.....1-14 TFL24IR800......1-3, 1-5 RFPLT600P.6-8, 6-12, 6-15, 6-18, T24UR925RS ..... 1-14 TFL24IR905......1-3, 1-5 6-23 T24UW905LP ..... 1-14 TFL24IW800......1-8 RFPLT1000P.......6-8, 6-12, 6-15, T24UW905RP.....1-14 TFL24IW905.....1-8 6-18, 6-23 T24UW915LS ..... 1-14 TFL30IB800......1-7 T24UW915RS......1-14 TFL30IB905......1-7 S T24UW925LS ..... 1-14 TFL30IR800......1-3, 1-5 SD30WC ......3-13 T24UW925RS......1-14 TFL30IR905......1-3, 1-5 SDS30WC......3-13 T24WINERK1 ..... 1-17 TFL36IB800......1-7 SGRIDDLEW......4-8 T30BB915SS......1-12 TFL36IB905......1-7 SGS305TS ...... 4-1 T30BB925SS.....1-12 TFL36IR900......1-3, 1-5 SGS365TS ...... 4-1 T30IB905SP .....1-6 TFL36IR905......1-3, 1-5 SGSP305TS......4-2

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

TFL36IT800 ......1-7

TFL36IT905 ...... 1-7

TGRILLPANX......4-8, 5-10

TROASTERT ......4-9, 5-10

TWO30YS......3-6, 3-14

T30IF905SP.....1-4

T30IR905SP.....1-2

T36BB110SS .....1-18

T36BB120SS.....1-18

T36BB915SS.....1-12

T36BB925SS.....1-12

SGSP365TS......4-2

SGSX305TS......4-1

SGSX365TS......4-1

SGSXP305TS ......4-2

SGSXP365TS ......4-2



**BSH Home Appliances Corporation** 

1901 Main Street, Suite 600, Irvine, CA 92614

Phone: (949) 440-7100

(800) 735-4328 Sales and Service

Thermador.com