

Consumer UMRP





TABLE of CONTENTS

Consumer UMRP Price List Q2 2024

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

REFRIGERATION		PROFESSIONAL SERIES RANGES AND	
Freedom [®] Collection	1-1	RANGETOPS	
Fresh Food Columns		Overview	5-'
Freezer Columns	1-4	Professional Rangetops	5-2
Bottom Freezers	1-6	Pro Harmony® Series	5-4
Wine Preservation Columns	1-8	Induction Ranges	
Handles	1-9	Dual-Fuel Ranges	
Quick Reference Guide	1-11	Gas Ranges	
Preassembled Collection	1-12	Accessories	5- ⁰
Bottom Freezer Refrigerators	1-12	Pro Grand® Series	5-13
Freestanding Collection	1-13	Dual-Fuel with Steam Ranges	5-1
Bottom Freezer Refrigerators	1-13	Dual-Fuel Ranges	
Under-Counter Collection	1-14	Gas Ranges	
Glass Door Refrigeration Units	1-14	Accessories	5-20
Drawer Refrigeration/Freezer Units	1-14	VENTH ATION	
Glass Door Wine Preservation Units	1-14	VENTILATION	
Accessories	1-15	Overview	
Freedom® Accessories—Refrigerators	1-15	Wall Hoods	
Freedom® Accessories—Freezers		Masterpiece® Series	
Under-Counter Drawer Accessories	1-17	Accessories—Masterpiece® Series	
Freedom® Accessories—Wine Preservation	1-17	Professional Series	
2024 Refrigeration Collection		Accessories—Professional	
2024 Refrigeration Collection Accessories		Chimney Wall Hoods	
•		Masterpiece® Series	
BUILT-IN COFFEE MACHINE		Professional Series	
Built-In Coffee Machine		Accessories	
Accessories	2-1	Island Hoods	
BUILT-IN OVENS		Masterpiece® Series	
Overview	3-1	Professional Series	
Masterpiece® Series		Accessories	
30" Masterpiece® Ovens		Custom Inserts	
Accessories		Professional Series	
Professional Series		Masterpiece® Series	
30" Professional Series Ovens		Professional Series	6-17
Microwaves		Accessories	6-18
Built-In Microwaves		Downdraft	6-19
MicroDrawer® Microwaves		Masterpiece® Series	6-19
Over-the-Range Microwave		Components	
Speed Ovens		Blower Accessories	6-23
Warming Drawers		DICHWACHEDC	
Accessories		DISHWASHERS	- .
	3-14	Built-In Dishwashers	
COOKTOPS			/
Gas Cooktops		INDEX	
Glass Ceramic Induction Cooktops		Index	8-1
Glass Ceramic Electric Cooktops			
Accessories	4-8		

Conditions of Sale

Returned GoodsNo merchandise may be returned without prior approval. Please contact your sales representative

for return authorization.

F.O.B. Origin All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight

and billing terms, refer to current program in effect.

Freedom® Collection REFRIGERATION

Thermador's ingenious Freedom Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".

To order, please follow this 4-step process:

Step 1
Select a Panel-Ready
Column

+

Step 2

Select a Stainless Steel Panel or Use a Custom Panel

Step 3

Select a Stainless Steel Handle or Use a Custom Handle

Step 4

Select Optional Accessories



HEATRKIT20

Freedom® Heater Kit

For columns that are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. See page 1-15.





FRAMEKIT10

Freedom® Frame Kit

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. See page 1-15.

To enhance the Freedom Collection, please see our accessories section on page 1-15.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number **UMRP MSRP** Description

Fresh Food Columns

All 23.5"/24"/30"/36" Fresh Food Columns include the following features:

- Fully Flush
- Freedom® hinge
- All-LED sidewall filtered theater lighting
- Cold Air System
- ThermaFresh system
- Carbon air filter

- SuperCool function
- Stainless steel interior
- Full-extension SoftClose® drawers
- TFT Control
- Full-length cantilever racks
- Sabbath/Economy/Vacation modes
- Door open alarm
- Extremely quiet
- Reversible door swing
- Open door assist
- Home Connect

Step 1: Fresh Food Columns









		2311	١,70,

T24IR905SP

T30IR905SP

23.5" Fresh Food Column 6,999 7,699 T23IR905SP

T24IR905SP	24" Fresh Food Column	7,499	8,249

T30IR905SP	30" Fresh Food Column	7,999 8,	799

T36IR905SP	36" Fresh Food Column	8.499	9.349

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Number Description **MSRP** Fresh Food Columns Step 2: Panels All Thermador® Fresh Food Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options: Flat Stainless Steel Door Panels for Flush Installations TFL23IR900 23.5" Stainless Steel Panel 580 649 TFL24IR800 24" Stainless Steel Panel 599 525 30" Stainless Steel Panel TFL30IR800 580 649 TFL36IR900 36" Stainless Steel Panel 1,050 1,199 Flat Stainless Steel Door Panels with No Holes TFL23IR905 23" Single Door No Hole Flat Panel 525 599 TFL24IR905 24" Single Door No Hole Flat Panel 599 525 TFL30IR905 30" Single Door No Hole Flat Panel*1 580 649 TFL36IR905 36" Single Door No Hole Flat Panel 1,050 1,199 Step 3: Handles For stainless steel handle options, please see page 1-9 Step 4: Optional Accessories FRAMEKIT10 Freedom Frame Kit 105 119 (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout FRAMEKIT10 wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers) HEATRKIT20 Freedom Heater Kit 599 699 (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any HEATRKIT20 installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)

¹ Units compatible with 30" columns, but should be installed to units with SoftClose® Doors.

Model **UMRP MSRP** Number Description

Freezer Columns

All 18"/24"/30"/36" Freezer Columns Include the Following Features:

- Fully Flush
- Freedom® hinge
- All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- SuperFreeze® function
- Height-adjustable glass shelves
- TFT Control
- Stainless steel interior
- Full-length cantilever racks
- Filtered internal diamond ice maker
- Sabbath/Economy/Vacation modes
- Door open alarm

- Open door assist
- Extremely quiet
- Side-by-side kit included
- Home Connect

Step 1: Freezer Columns with Internal Ice Maker

- Ice drawer with ice bin
- Reversible door swing









T18IF905SP

T18IF905SP

18" Freezer Column	(Internal	lce	Maker)
--------------------	-----------	-----	--------

T24IF905SP 24" Freezer Column (Int	iternal Ice Maker)
------------------------------------	--------------------

30" Freezer Column (Internal Ice Maker) T30IF905SP

36" Freezer Column (Internal Ice Maker) T36IF905SP

6,999	7,699
0,777	7,077

8,249

8,799

7,499


7,999

8,499 9,349

Step 1: Freezer Columns with External Ice and Water Dispenser

•	External Filtered Ice and
	Water Dispenser

- FreeFlow® diamond ice system
- Proximity sensor on dispenser
- Capacitive touch control dispenser
- Available in right-hand or left-hand door swing (not reversible)



24" Freezer Column 8,499 9,349 (External Ice and Water Dispenser, Left Hinge)

24" Freezer Column 8,499 T24ID905RP 9,349 (External Ice and Water Dispenser, Right Hinge)





This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Freezer Columns

Step 2: Panels

All Thermador® Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL18IR800	18" Stainless Steel Panel	475	529
TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529
TFL24IR800	24" Stainless Steel Panel	525	599
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199

Flat Stainless Steel Door Panels with No Holes

TFL18IR905	18" Single Door No Hole Flat Panel ¹	475	529
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	475	529
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

Step 3: Handles

For stainless steel handle options, please see page 1-9.

Step 4: Optional Accessories

FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note : Included with all pre-assembled bottom freezers)	105	119	FRAMEKIT10
HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humid- ity (>65%), or located next to an outside wall.)	599	699	HEATRKIT20

¹ Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

 Model
 Number
 Description
 UMRP
 MSRP

Bottom Freezers

All 30"/36" Bottom Freezer and 36" French Door Bottom Freezer Columns Include the Following Features:

- Fully Flush
- Freedom® hinge
- TFT control
- All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- Full-length cantilever racks
- Full-width multi use drawer

- Internal filtered diamond ice maker
- SuperCool function
- SuperFreeze® function
- Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm
- Extremely quiet

- Refrigerator door swing reversible (T30IB905SP and T36IB905SP)
- Two evaporators
- Two compressors
- Filtered internal diamond ice maker
- Home Connect



Step 1: Bottom Freezers with Stainless Steel Interior

T30IB905SP	30" Bottom	Freezer with open of	door assist	9.499	10.449
1301070335	30 BOLLOIII	rieezei with oben t	JUUI 455151	7,477	10,44

and SoftClose®

T36IB905SP 36" Bottom Freezer with open door assist 9,999 10,999

and SoftClose®

Discontinues April

T36|T905NP 36" French Door Bottom Freezer 10,499 11,549

with open door assist and SoftClose®

Discontinues April

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.						
Model Number	Description	UMRP	MSRP			

Bottom Freezers

Step 2: Panels

All Thermador® Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL30IB800	30" Stainless Steel Panel Set (Bottom Freezer)	580	649				
TFL36IB800	36" Stainless Steel Panel Set (Bottom Freezer)	840	949				
TFL36IT800	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949				
Flat Stainless Steel Door Panels with No Holes							

TFL30IB905	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB905	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
TFL36IT905	36" Stainless Steel Panel Set	840	949

Step 3: Handles

For stainless steel handle options, please see page 1-9.

Step 4: Optional Accessories

FRAMEKIT10	Freedom Frame Kit Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)	105	119	FRAMEKIT10
HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699	HEATRKIT20

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP MSRP** Number Description

Wine Preservation Columns

All 18"/24" Wine Preservation Columns Include the Following Features:

- Fully Flush
- Portable aluminum and wenge wood wine presenter
- Full-extension completely enclosed exotic wood shelves
- Fully adjustable temperature zones: 18" column-two; 24"-three
- Independent humidity control
- TFT control
- Freedom® hinge
- Adjustable LED lighting
- Diamond shaped dowels for vibration control
- Glass door with UV protection

- Sabbath/Economy/Vacation modes
- Door open alarm
- Bottle capacity: 18" column-52 bottles; 24" column-92 bottles (750 ml)
- Open door assist
- Home Connect

Step 1: Wine Preservation Columns



T18IW905SP

T24IW905SP

T18IW905SP	18" Wine Preservation Column 2 - Zone Temperature Control	6,499	7,149
T24IW905SP	24" Wine Preservation Column 3 - Zone Temperature Control	6,999	7,699

Step 2: Panels

All Thermador® Wine Preservation Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL18IW800	18" Stainless Steel Panel	475	529					
TFL24IW800	24" Stainless Steel Panel	525	599					
Flat Stainless Steel Door Panels with No Holes								
TFL18IW905	18" Wine No Hole Flat Panel	475	529					
TFL24IW905	24" Wine No Hole Flat Panel ¹	525	599					

Step 3: Handles

For stainless steel handle options, please see page 1-9.

¹ Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

Model				
Number	Description	UMRP	MSRP	
			Wine Preservation (Columns
Step 4: Optional A	accessories			
FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)	105	119 FRAMEKIT10	
HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699 HEATRKIT20	17

Handles

 Step 3: Stainless Steel Handles When selecting Thermador® stainless steel handles for the Freedom® Collection, please order the following: One 36" handle for each column One 30" handle and one 36" handle for 30" Bottom Freezers Two 36" handles for each 36" Bottom Freezer Three 36" handles for each 36" French Door Bottom Freezer To ensure consistency, always select the same style. 							ALL Freezer with IWD ¹ Columns	Bottom Freezer T30IB905SP ²	Freezer	Freezer T	Bottom Freezer T36IT905NP ⁵	ALL Wine Preservation Columns
	MS30HNDL20	30" Masterpiece® Handle	160 17 [,]	9				1				
J. D. C.	MS36HNDL20	36" Masterpiece® Handle	160 17 [,]	9	1	1	1	1	2	3	3	1
ľ	PR30HNDL20	30" Professional Handle	160 17 [,]	9				1				
	PR36HNDL20	36" Professional Handle	160 17 [,]	9	1	1	1	1	2	3	3	1

¹ IWD = Ice and Water Dispenser


² Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

³ Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20 4 Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

⁵ Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Suggested Combinations



Replacement Installation



T18ID905I P/T24IR905SP

These suggestions are just an example of the extensive range of


Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional

A HEATRKIT20 is recommended for use with any installation

combinations possible with the Freedom® Collection.

side-by-side combinations without freezer column.

in areas that are subject to extreme humidity.





18" Freezer Column 30" Fresh Food Fresh Food Column Column T24IF905SP/T30IR905SF T18IF905SP/T30IR905SP 30" Fresh Food Fresh Food Column IWD* IWD* Column Column T18ID905LP/T30IR905SP T24ID905LP/T30IR905SP Freezer Fresh Food Bottom Column Column Column T24IF905SP/T24IR905SP T36IB905SP/T18IW905SP 30" 24" Wine IWD* Fresh Food Column Bottom Preservation Column Freezer



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

T24ID905LP/T24IR905SP

^{*}IWD = Ice and Water Dispenser



Step 1: Columns and Bottom Freezers			Step 2: Panels		Step 3: Handles			
Freedom [®] Column Type	Width = 11.		Width Stainless Steel Stainless Steel Stainless Steel		Masterpiece [®]	Professional		
FRESH FOOD C	OLUMNS			_		_		
T23IR905SP	23.5"	Reversible	Panel Ready	TFL23IR900	TFL23IR905			
T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle per column	
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece MS36HNDL20	Professional PR36HNDL20	
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905			
FREEZER COLU	IMNS						,	
T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905			
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle	
T30IF905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	Masterpiece MS36HNDL20	Professional PR36HNDL20	
T36IF905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905	NISSOITI VELES	T NOOTH VD LZO	
FREEZER WITH	IWD ¹ COL	LUMNS						
T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905			
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column	
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece MS36HNDL20	Professional PR36HNDL20	
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905			
BOTTOM FREE	ZERS/FREI	NCH DOOR BOTTOM	1 FREEZERS		•		,	
T30IB905SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	Order one 30" handle and one 36" handle per column ²	Order one 30" handle and one 36" handle per column ²	
T36IB905SP ³	36"	Reversible	Panel Ready	TFL36IB800	TFL36IB905	Order two 36" handles per column ³	Order two 36" handles per column ³	
T36IT905NP ⁴	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	Order three 36" handles per column ⁴	Order three 36" handles per column ⁴	
WINE PRESERV	ATION CC	DLUMNS						
T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle per column	Order one 36" handle per column	
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	Masterpiece MS36HNDL20	Professional PR36HNDL20	

NOTE: Handleless panels should not be installed on units without the SoftClose® capability. If you are uncertain if you have a refrigeration unit with SoftClose® capability, please contact our customer team by calling 1-800-735-4328.

¹ IWD = Ice and Water Dispenser

² Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

³ Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20

⁴ Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

Model Number

Description

UMRP

MSRP

Preassembled Collection REFRIGERATION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece® Handles.

All 30"/36" Bottom Freezer and French Door Bottom Freezers Include the Following Features:

- · Fully Flush
- TFT Control
- Installs framed or flush
- Freedom[®] hinge
- All-LED filtered sidewall theater lighting
- Soft closing full-extension drawers
- Full-length cantilever racks
- Open door assist

- ThermaFresh system
- Internal filtered diamond ice maker
- SuperCool function
- SuperFreeze® function
- Gallon door bins
- · Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm

- ENERGY STAR® certified
- Extremely quiet
- Refrigerator door swing reversible (T30BB and T36BB)
- Two evaporators
- Two compressors
- Home Connect

Bottom Freezers

T30BB915SS	30" Bottom Freezer, two-door, Masterpiece [®] Handles	10,999	12,099
T36BB915SS	36" Bottom Freezer, two-door, Masterpiece [®] Handles	11,499	12,649
Discontinues April			

1300092555	Professional	,	ioor,	10,999	12,099
TO / DD00566	0.411.50	_		44 400	40 (40

36" Bottom Freezer, two-door, T36BB925SS 11,499 12,649 Professional Handles



T30BB925SS



Discontinues April

French Door Bottom Freezers

T36BT915NS	36" French Door Bottom Freezer, three-door,	11,999	13,199
	Masterpiece® Handles		

Discontinues April

T36BT925NS	36" French Door Bottom Freezer, three-door,	11,999	13,199
	Professional Handles		

Discontinues April



T36BT925NS



Model

Number Description

UMRP

MSRP

Freestanding Collection REFRIGERATION

For faster installation, all units have been preassembled with stainless steel doors and Professional or Masterpiece® Handles.

All Freestanding 36" French Door Bottom Freezers Include the Following Features:

- Counter-depth 72" Tall Appliance
- Built-in Look Exterior Design
- Dual Evaporator
- Dual Compressor
- Illuminated Back Wall
- Temperature and Humidity Freshness Drawers
- Stainless Steel ThermaFresh Mats
- Internal Water Dispenser
- Diamond Ice Maker
- Filtered ice and water
- SuperCool function
- SuperFreeze[®] function

- · Carbon air filter
- Sabbath/Economy/Vacation modes
- Door open alarm
- Home Connect

Bottom Freezers with Stainless Steel Interior

T36FT810NS 36" with Masterpiece® Handles 4,999 5,499

T36FT820NS 36" with Professional Handles 4,999 5,499



T36FT810NS



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number **UMRP** Description **MSRP**

All Under-Counter Units Include the Following Features:

- Built-in flush design
- LED lighting
- Electronic touch controls for precise temperature management
- Venting grille for full integration
- Fully flush at 24" depth
- Professional Handle, Masterpiece Handle or custom panel options
- Star K Certified
- ENERGY STAR® certified

Glass Door Refrigeration Units

• 5 cu. ft.	Customizable shelving	 Customizabl Fridge, Pant 	_	
T24UR905LP	24" Refrigerator, Custom Panel, Left Swing		2,799	3,099
T24UR905RP	24" Refrigerator, Custom Panel, Right Swing		2,799	3,099
T24UR915LS	24" Refrigerator, Masterpiece Handle, Left S	wing	2,999	3,299
T24UR915RS	24" Refrigerator, Masterpiece Handle, Right	Swing	2,999	3,299
T24UR925LS	24" Refrigerator, Professional Handle, Left Sv	wing	2,999	3,299
T24UR925RS	24" Refrigerator, Professional Handle, Right	Swing	2,999	3,299



T24UR915LS



Drawer Refrigeration/Freezer Units

- 4.4 cu. ft. SoftClose[®] drawers Drawer open alarm
- · Customizable shelving and drawer dividers
- Customizable cooling modes: Fridge, Pantry and Bar
- Quick Chill
- Removable drawer mat for easy cleaning





T24UR915DS



T24UC915DS



Glass Door Wine Preservation Units

Under-Counter Wine Preservation Units

- 41-bottle capacity Full-extension wenge wood
- diamond wine racks
- T24UW905LP 24" Wine Pres., Custom Panel, Left Swing 3,999 3,599 T24UW905RP 24" Wine Pres., Custom Panel, Right Swing 3,599 3,999 T24UW915LS 24" Wine Pres., Masterpiece Handle, Left Swing 3,799 4,199 T24UW915RS 24" Wine Pres., Masterpiece Handle, Right Swing 3,799 4,199 T24UW925LS 24" Wine Pres., Professional Handle, Left Swing 4,199 3,799 4,199 T24UW925RS 24" Wine Pres., Professional Handle, Right Swing 3,799

• Tinted UV-resistant tempered

glass door

- Independent temperature control of temperature zones.



T24UW915LS



Model Number

Description

UMRP

MSRP

Freedom [®]	Accessories—R	efrigerators			Freedom [®]						Pre- assembled				
					T23IR905SP	T24IR905SP	T30IR905SP	T36IR905SP	T301B905SP	T36IB905SP	T36IT905NP	T36IT903NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS
	Installation Acces	ssories													
	FRAMEKIT10	Freedom Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appli- ance helps overcome the challenge of unfinished cabinet returns. Note : Included with all pre-assembled bot- tom freezers)	105	119	•	•	•	•	•	•	•	•			
"	HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combina- tions, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699	•	•	•	•	•	•	•	•			
	Interior Accessor	ies for Refrigerators				•									
	24HFGALBIN	24" Half-Gallon Bin	170	189											
	30HFGALBIN	30" Half-Gallon Bin	180	199			•		•				•		
	36HFGALBIN	36" Half-Gallon Bin	190	209				•		•				•	
	24PRODRAIL	24" Produce Railing	105	119	•	•									
	30PRODRAIL	30" Produce Railing	115	129			•		•				•		
	36PRODRAIL	36" Produce Railing	135	149				•		•				•	
	3DHFGALBIN	Three Door Half-Gallon Bin	160	179							•	•			•
	3DPRODRAIL	Three Door Produce Railing	85	99							•	•			•
	LPRODBIN10	Large Produce Bin	295	329	•	•	•	•	•	•	•	•	•	•	•

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model Number

Description

UMRP

MSRP

Freedom® Accessories—Refrigerators				 Freedom [®]						Pre- assembled		
		T23IR905SP	T24IR905SP	T30IR905SP	T36IR905SP	T301B905SP	T36IB905SP	T36IT905NP	T36IT903NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS
SPRODBIN10 Small Produce Bin	265 299	•	•	•	•	•	•	•	•	•	•	•

Freedom [®]	Freedom® Accessories—Freezers			Freedom®						Pre- assembled			Free- standing				
					T18IF905SP	T24IF905SP	F9055	=	T24ID905LP/RP	B9055	136ID903SF T36IT905NP	T36IT903NP	T30BB9x5SS	T36BB9x5SS	T36BT9x5NS	T36FT810NS	T36FT820NS
	Interior Accessor		85	99	•	•	•	•	•	•	•	•	•	•	•		
	Filter Accessories REPLFLTR55	Freedom [®] Replacement Water Filter	46	59	•	•	•	•	•	•	•	•	•	•	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

Under-Cou	nter Drawer Acc	essories			T24UR905LP	T24UR905RP	T24UR905DP	T24UC925DS	T24UC915DS	T24UC905DP	T24UW905LP	T24UW905RP
= =	MS20HNDL20	20" Under-Counter Masterpiece Handle Kit (Se	300 et of 2)	329			•			•		
	MS22HNDL25	25" Under-Counter Masterpiece Handle	165	189	•	•					•	•
-	PR20HNDL20	20" Under-Counter Professional Handle Kit (Se	300 et of 2)	329			•			•		
	PR22HNDL25	25" Under-Counter Professional Handle	165	189	•	•					•	•
	UCTRFLTR10	Under-Counter Filter	75	89				•	•	•		

Freedom [®]	Accessories—V	Vine Preservation			T18IW905SP	T24IW905SP
	T18WINERK1	ries for Wine Columns 18" Wine Shelf providing a 62 bottle capacity. Cannot be used with Presenter She	229 elf	259	•	
	T24WINERK1	24" Wine Shelf providing a 99 bottle capacity. Cannot be used with Presenter She	299 elf	329		•

Model Number

Description

UMRP

MSRP

2024 REFRIGERATION COLLECTION

Units available pre-assembled with stainless steel panels and Professional or Masterpiece handles OR custom panel ready.

All NEW 36" Bottom Freezer and French Door Bottom Freezers Include the Following Features:

- Installs framed or fully flush
- ThermaFresh Pro temperature and humidity control preserves freshness
- ThermaFlex Drawer temperature adjusts from fridge to freezer for maximum versatility
- Internal water dispenser with UltraClarityPro® water filter
- Elevated internal ice maker with diamond ice and ice scoop
- All new touchscreen display control panel
- Cameras in fridge for inventory management

- Gallon size door bins
- Two compressors
- Two evaporators
- Vivid LED sidewall and theater style lighting
- Stainless steel interior
- Full-Extension SoftClose® drawers
- SoftClose[®] Doors
- Deli drawer for convenient access to small items
- · Adjustable split level shelving
- SuperCool and SuperFreeze® functions

- Non-slip mats in door bins and drawers prevent items from shifting
- Door Open Alarm
- Sabbath/Vacation/Economy modes
- ENERGY STAR® Certified
- Star-K Certified
- ⚠ Home Connect
- Trim kit included
- Refrigerator door swing reversible (T36BB110SS, T36BB120SS, T36IB100SP)

Bottom Freezers NEW

NEW T36BB110SS	36" Bottom Freezer, Two-Door,	11,499 12,649
	a	


Stainless Steel, Masterpiece® Handles

NEW T36BB120SS 36" Bottom Freezer, Two-Door, 11,499 12,649 Stainless Steel, Professional Handles

NEW T36IB100SP 36" Bottom Freezer, Two-Door, 9,999 10,999

Custom-Panel Ready

Launching May









French Door Bottom Freezers NEW

NEW T36BT110NS	36" French Door Bottom Freezer,	11,999	13,199
	Stainless Steel, Masterpiece® Handles		

NEW T36BT120NS 36" French Door Bottom Freezer, 11,999 13,199 Stainless Steel, Professional Handles

NEW T36IT100NP 36" French Door Bottom Freezer, 10,499 11,549 Custom-Panel Ready

Launching May





T36BT110NS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All NEW 42" and 48" French Door Bottom Freezers Include the Following Features:

- Installs framed or fully flush
- ThermaFresh Pro temperature and humidity control preserves freshness
- ThermaFlex Drawer temperature adjusts from fridge to freezer for maximum versatility
- Internal water dispenser with UltraClarityPro® water filter
- Elevated dual ice maker with diamond ice, entertaining ice and ice scoop
- All new touchscreen display control

- Cameras inside refrigerator compartment for inventory management
- Gallon size door bins
- Two compressors
- Two evaporators
- Vivid LED sidewall and theater style lighting
- Stainless steel interior
- Full-Extension SoftClose® drawers
- SoftClose[®] Doors
- Deli drawer for convenient access to small items

- Adjustable split level shelving
- SuperCool and SuperFreeze® functions
- Non-slip mats in door bins and drawers prevent items from shifting
- Door Open Alarm
- Sabbath/Vacation/Economy modes
- ENERGY STAR® Certified
- Star-K Certified
- O Home Connect
- Trim kit included

French Door Bottom Freezers NEW

NEW T42BT110NS	42" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	13,999	15,399
NEW T42BT120NS	42" French Door Bottom Freezer, Stainless Steel, Professional Handles	13,999	15,399
NEW T42IT100NP	42" French Door Bottom Freezer, Custom-Panel Ready	12,499	13,749
Launching April			



T42BT120NS



NEW		48" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	15,999	17,599
NEW	T48BT120NS	48" French Door Bottom Freezer, Stainless Steel, Professional Handles	15,999	17,599
NEW	T48IT100NP	48" French Door Bottom Freezer,	14,499	15,949

Custom-Panel Ready







T48BT120NS

Model
Number Description UMRP MSRP

2024 Refri	geration Collecti	on Accessories			T36BB110SS	T36BB120SS	T36IB100SP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
	NEW COMBIKIT10	Connection Kit For use with side-by-side installa	100 tion	109	•	•	•	•	•	•	•	•	•	•	•	•
	HEATRKIT20	Freedom Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699	•	•	•	•	•	•	•	•	•	•	•	•
	Filter Accessories REPLFLTR55	UltraClarity Pro [®] Water Filter	46	59	•	•	•	•	•	•	•	•	•	•	•	•
	NEW MS3600IB10	36" Masterpiece Handle Kit (Bottom Freezer)	549	649			•									
	NEW PR3600IB10	36" Professional Handle Kit (Bottom Freezer)	549	649			•									
	NEW MS3642IT10	36"/42" Masterpiece Handle Kit (French Door Bottom Freezer)	599	699						•			•			
ľ	NEW PR3642IT10	36"/42" Professional Handle Kit (French Door Bottom Freezer)	599	699						•			•			
500	NEW MS4800IT10	48" Masterpiece Handle Kit (French Door Bottom Freezer)	649	749												•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP MSRP** Description 2024 Refrigeration Collection Accessories T36BT110NS T36BT120NS T42BT110NS T42BT120NS T48BT110NS T48BT120NS T36BB110SS T36BB120SS T36IT100NP T42IT100NP T48IT100NP T36IB100SP NEW PR4800IT10 48" Professional Handle Kit 649 749 (French Door Bottom Freezer) NEW TFL36IB100 36" Stainless Steel Panel Set 1,099 1,249 (Bottom Freezer)

1,149

1,199

1,249

1,299

1,349

1,399

36" Stainless Steel Panel Set

(French Door Bottom Freezer)

42" Stainless Steel Panel Set

(French Door Bottom Freezer)

48" Stainless Steel Panel Set

(French Door Bottom Freezer)

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

NEW TFL36IT100

NEW TFL42IT100

NEW TFL48IT100

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Built-In Coffee Machines Include the Following Features:

- Equipped with the Thermador
 Connected Experience by Home
 Connect[™] that enables ease of usage,
 accessibility to wider variety of beverages
 with the Coffee World and much more
- Perfect for frequent selections, coffee customization settings store up to 8 personalized beverages with names so family members and house guests can program their favorite drinks from single shot espresso, to tea, to extra-large cappuccinos
- Easy to read color TFT display illustrates beverage selection, including size and temperature control
- 1 lb. Bean container
- Height-adjustable dispenser with dual spouts for brewing 2 cups at a time
- Beverages can be adjusted in small increments
- One Touch Function for coffee and milk/froth
- Fully automatic rinse program
- 2-disk grinding units made of high performance ceramic disks

- Adjustable grinding settings for very fine to coarse
- Separate drawer for ground coffee, capacity to hold up to two level scoops
- Built-In water filter
- Sensor alerts when coffee beans and water level is low
- 81 oz water container
- Includes Insulated 17oz removable stainless steel milk container, measuring spoon, water hardness test.
- 120 Volts. (V)

Built-In Coffee Machine

TCM24TS Thermador Built-In Coffee Machine

4,049 4,499



TCM24TS



 Includes direct plumb for water and drain connection with AquaStop® Plus protection

TCM24PS

Thermador Built-In Coffee Machine Plumbed

4,429 4,899



TCM24PS



Accessories				TCM24TS	TCM24PS
TCMTK30RS	30" Stainless Steel Trim Kit	429	479	•	•

For coffee accessories, please see the Cleaners & Accessories Price List.

Built-in OVENS

MASTERPIECE® & PROFESSIONAL COLLECTIONS

SINGLE 30" **DOUBLE 30" COMBO 30"** TRIPLE 30" **Professional: DELUXE Professional:** With Steam and POD301W POD302W Convection Oven: Rotisserie POD301LW* POD302LW* Professional: Max Broil POD301RW* POD302RW* PODS302W/B* 3 Telescopic Masterpiece: Racks MEDS302WS/BS (Single Ovens) 4 Telescopic Racks Masterpiece: Masterpiece: With (Double MED301WS With MED302WS Speed Oven:: Ovens) Speed Oven: MED301LWS* MED302LWS* Professional: 6 Telescopic MED301RWS* MED302RWS* **Professional:** Racks PODMC301W* (Combo PODMCW31W* Masterpiece: Steam Ovens) Masterpiece: MEDMC301WS MEDMCW31WS Professional: **SELECT** Professional: With Microwave: **SPECIALTY** PO301W PO302W Professional: 3 Telescopic 1 Telescopic POM301W Rack Racks (Single Ovens) (Steam Ovens) 2 Telescopic Masterpiece: Racks ME301WS (Double Ovens) Masterpiece: Masterpiece: ME302WS MEM301WS Steam and Convection Oven: **Professional:** PODS301W/B Masterpiece: Masterpiece: **STANDARD** ME301YP ME302YP Masterpiece: MEDS301WS/BS 1 Telescopic Rack (Single Ovens) 1 Telescopic Rack (Double Ovens)

* Not pictured.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Speed Oven::
Professional:
MC30WP
Masterpiece:

MC30WS

Model
Number Description UMRP MSRP

All Masterpiece® Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- SoftClose[®] doors

Cooking Modes

- True Convection, Bake, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza
- Two-hour self clean
- Sabbath Mode
- Two halogen lights
- Star-K certified
- 208–240 V

Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- · Sensor cooking
- Sensor reheat

30" Masterpiece® Ovens

30" Masterpiece Single Oven with Professional Handle

- One Full Access® telescopic rack and two standard racks
- Silver glass
- 4.6 cu. ft. overall oven capacity
- ME301YP 30" Single Oven, 1 Telescopic Rack

 Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat

2.899 3.199



4.599



5.099



ME301YP

30" Masterpiece Single Oven-Select

- One Full Access[®] telescopic rack and two standard racks
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast
- Fast preheat
- Meat probe



ME301WS

ME301WS 30" Single Oven, 1 Telescopic Rack

30" Masterpiece Single Oven—Deluxe

- Three Full Access® telescopic racks
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe



MED301WS

5,549 6,149

5,749

5,219

5,549 6,149



MED301LWS

MED301WS 30" Single Oven, 3 Telescopic Racks

MED301LWS 30" Single Oven, 3 Telescopic Racks, Left Side Opening Door,

MED301RWS 30" Single Oven, 3 Telescopic Racks,

Right Side Opening Door







Model **UMRP MSRP** Number Description

30" Masterpiece® Ovens

30" Masterpiece Double Oven with Professional Handle

- One Full Access® telescopic rack (U)
- Silver glass

ME302YP

ME302WS

- 4.6 cu. ft. overall oven capacity (U/L)
- Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat (U)

30" Double Oven, 1 Telescopic Rack (U)

• Six Cooking modes in Lower Oven: Bake, Variable Broil Hi, Variable Broil Low, Roast, Warm, Sabbath, Fast Preheat (L)

> 5,099 4,599







30" Masterpiece Double Oven-Select

- Two Full Access® telescopic racks (U/L)
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (U/L)

30" Double Oven, 2 Telescopic Racks, Meat probe (U/L)

- Fast preheat (U/L)
- Meat probe (U/L)









Model **UMRP MSRP** Number Description

30" Masterpiece® Ovens

30" Masterpiece Double Oven-Deluxe

- Three Full Access® telescopic racks (U); One Full Access® telescopic rack and two standard racks (L)
- TFT Touch control display

MED302WS

MED302LWS

- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Nine Additional Cooking modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate,
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (L)

Rotisserie (U)

30" Double Oven, 4 Telescopic Racks 30" Double Oven, 4 Telescopic Racks, Left Side Opening Door

MED302RWS 30" Double Oven, 4 Telescopic Racks,

Right Side Opening Door

- Fast preheat
- Commercial-style rotisserie with 12-pound capacity (U)
- Multi-point meat probe (U); Meat probe (L)

7,949

8,599

8,599

8,749

9,499

9,499



MED302WS





MED302LWS

Model
Number Description UMRP MSRP

30" Masterpiece® Ovens

30" Masterpiece Combination Oven with Microwave

- One Full Access® telescopic rack and two standard racks (L)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast

MEM301WS

- Fast preheat
- Meat probe (L)

30" Combination Oven with Microwave, 1 Telescopic Rack

Microwave features:

- Touch control display
- 1.6 cu. ft. overall capacity
- 13" turntable
- 950 W microwave power

6,199 6,849







30" Masterpiece Combination Oven with Speed Oven

- Three Full Access® telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1000 W microwave power



7,649 8,449





MEDMC301WS

MEDMC301WS

30" Combination Oven with Speed Oven, 3 Telescopic Racks

30" Masterpiece Triple Combination Oven with Speed Oven and Warming Drawer

Speed Oven features:

• 12 ½" turntable

36 Cook Smart[™] Programs

• 1000 W microwave power

- Three Full Access® telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat for seven different cooking modes
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

MEDMCW31WS

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

Warming Drawer features:

- 2.5 cu. ft. overall capacity
- Touch control
- SoftClose[®] drawer
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer



9,799 10,799



MEDMCW31W

Model
Number Description UMRP MSRP

All Masterpiece® Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose® doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Easy Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- Star-K certified
- 208-240 volts

Masterpiece® Steam and Convection Ovens

30" Masterpiece Steam and Convection Oven

MEDS301WS 30" Steam and Convection Oven

with 3 Telescopic Racks

Discontinues May

NEW MEDS301BS 30" Steam and Convection Oven

with 3 Telescopic Racks

Available May

5,649 6,249

5,649 6,249







MEDS301WS/MEDS301BS

30" Masterpiece Steam and Convection Oven-Deluxe

- Lower oven: Thermador Connected Experience with Home Connect[™]
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast,

Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow

≀oast

- Two-hour self clean
- Fast preheat for seven different cooking modes
- Three Full Access[®] telescopic racks
- Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- · Star-K certified
- 208–240 V

9,249 10,199



MEDS302WS/MEDS302BS

Discontinues May

MEDS302WS

NEW MEDS302BS

30" Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks

30" Deluxe, Steam and Convection

Double Oven with 6 Telescopic Racks

Available May

9.249 10.199



Accessories					1	Masterpiece					
					30" Single Ovens	30" Double Ovens	30" Series Built-in Steam and Convection				
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•						

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All Professional Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- Restaurant-style stainless steel knobs
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose[®] doors
- 4.5 cu. ft. overall oven capacity
- 13 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean
- Fast preheat for seven different cooking modes
- Two halogen lights

- Sabbath Mode
- Star-K certified
- 208-240 V

Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- · Sensor cooking
- Sensor reheat

30" Professional Series Ovens

30" Professional Single Oven—Select

One Full Access® telescopic
 Meat probe rack and two standard racks

PO301W 30" Single Oven, 1 Telescopic Rack

5,049 5,599



PO301W







30" Professional Single Oven—Deluxe

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Commercial-style rotisserie with 12-pound capacity
- Three Full Access[®] telescopic racks

racks
30" Single Oven, 3 Telescopic Racks
5,699
6,29

POD301W 30" Single Oven, 3 Telescopic Racks 5,699 6,29
POD301LW 30" Single Oven, Left Side Opening Door, 6,049 6,69
3 Telescopic Racks

POD301RW 30" Single Oven, Right Side Opening Door,

3 Telescopic Racks

Multi-point meat probe



6,699

6,049

POD301W









POD301LW







Model Number **UMRP MSRP** Description

30" Professional Series Ovens

30" Professional Double Oven-Select

• One Full Access® telescopic rack and two standard racks • Meat probe

(U/L)

PO302W 30" Double Oven, 1 Telescopic Rack (U/L) 7,799 8,599



PO302W







30" Professional Double Oven—Deluxe

- Three Full Access® telescopic racks (U)
- One Full Access® telescopic rack and two standard racks (L)

POD302W POD302LW

- Additional Cooking modes: Rotisserie, Max Broil, Max
- Convection Broil (U)
- Multi-point meat probe(U)
- Meat probe (L)

30" Double Oven, 4 Telescopic Racks	8,649	9,549
30" Double Oven, 4 Telescopic Racks,	9,299	10,249

Left Side Opening Door

POD302RW 30" Double Oven, 4 Telescopic Racks,

Right Side Opening Door

10,249

9,299 10,249



POD302W



POD302LW



Model

UMRP MSRP Number Description

30" Professional Series Ovens

30" Professional Combination Oven with Microwave

- One Full Access® telescopic rack and two standard racks (L)
- Microwave features: • Touch control display
- Meat probe (L)
- 13" turntable

POM301W

30" Combination Oven with Microwave, 1 Telescopic Rack

• 950 W microwave power

6,899 7,599



POM301W







30" Professional Combination Oven with Speed Oven

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access® telescopic racks
- Multi-point meat probe

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1,000 W microwave power

PODMC301W 30" Combination Oven with Speed Oven,

3 Telescopic Racks

8,349 9,199



PODMC301W







Model Number

Description

UMRP

MSRP

30" Professional Series Ovens

30" Professional Triple Combination Oven with Speed Oven and Warming Drawer

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access® telescopic racks
- Multi-point meat probe
- Speed Oven features:
- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1,000 W microwave power

Warming Drawer features:

- SoftClose[®] drawer
- Touch control
- 2.5 cu. ft. overall capacity
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

PODMCW31W

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

10,499 11,549



PODMCW31W







 Model
 Number
 Description
 UMRP
 MSRP

All Professional Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Restaurant-style stainless steel knobs
- · Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Steam Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 gt. water tank
- LED lights
- Sabbath Mode
- · Star-K certified

6,699

208-240 V

30" Professional Series Built-In Steam and Convection Oven

6,049

Professional Series Steam and Convection Oven

PODS301W 30" Steam and Convection Oven with 6,049 6,699

3 Telescopic Racks

Discontinues May

NEW PODS301B 30" Steam and Convection Oven with

3 Telescopic Racks

Available May



PODS301W/PODS301B







Professional Combination Oven with Steam and Convection Oven—Deluxe

- Lower oven: Thermador Connected Experience with Home Connect™
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast,
- Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean
- Fast preheat for seven different cooking modes
- PODS302W 30" Deluxe, Steam and Convection
 Double Oven with 6 Telescopic Raci

Double Oven with 6 Telescopic Racks

Discontinues May

Available May

NEW PODS302B 30" Deluxe, Steam and Convection

Double Oven with 6 Telescopic Racks

• Three Full Access® telescopic racks

- Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- Star-K certified
- 208-240 V

9,799 10,799





PODS302W/PODS302B







¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

Model
Number Description UMRP MSRP

All Masterpiece® Series Microwaves Include the Following Features:

• Silver glass on stainless steel

Sensor reheat

• 10 power levels

Built-In Microwaves

Built-In Microwaves

• Touch Control Display

• 14 1/4" ceramic turntable

• 1.6 cu. ft. overall capacity

• 950 W Microwave power

MB30WS 30" Mas

30" Masterpiece Microwave,

Stainless Steel, 120 V

MB30WP 30" Professional Microwave,

Stainless Steel, 120 V

 Plugs into 120 V, 60 Hz/, AC 3-prong grounded outlet

2,249 2,499

2,449 2,699



MB30WS



MB30WF

999

389

349



24" Built-in Microwave with side swing door and trim kit accessory in 30"

- Glass touch controls with white display
- 16 ½" Glass TurntableMicrowave Power 1,200 W
- 2.1 cu. Ft. overall capacity
- Sensor Cooking

MBCS 24" Masterpiece Microwave, Side Swing Door 899
Stainless Steel

Launching September

NEW MBT30CS 30" Thermador Trim Kit,

Standard Microwave, Stainless Steel



MBCS w/ MBT30CS Image not final; May not be true representation

true representation

MicroDrawer® Microwaves

Built-In MicroDrawer® Microwaves

- Blue digital display with scrolling text
- 1.2 cu. ft. cavity

MD24WS

- Fits a 7" mug or 20 oz. cup
- 950 W microwave power
- Auto-Cooking modes (including Melt, Soften, Keep Warm)
- Sensor cooking
- 24" Microwave Drawer 2,199

• Hidden vent

• Touch open and close

• Perfect flush installation

MD30WS 30" Microwave Drawer 2,249 2,499

2,449

MD30WS

MD24WS

Both discontinue September

¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

Model UMRP Number Description **MSRP**

Built-In MicroDrawer® Microwaves

- New hidden control panel; opens for enhanced visibility
- Home Connect® allows for remote monitoring and control the drawer microwave with Wi-Fi Connectivity
- 1.2 cu. Ft. overall capacity
- Microwave Power 950 W
- Sensor Cooking Door
- Opens and Closes through Touch Control

• Can Be Installed Flush



MD24BS Image not final; May not be true representation

24" MicroDrawer Microwave 2,199 2,449

Both launching September

NEW MD24BS

NEW MD30BS



MD30BS Image not final; May not be true representation

Over-the-Range Microwave

Over-the Range Microwave

- Design match for use in combination with 30" Pro Harmony® 5-burner gas range
- Exclusive stainless steel handle
- LCD display

• 2.1 cu. ft. cavity

30" MicroDrawer Microwave

- 14 ¾16" glass turntable
- 1,100 W microwave power
- Triple microwave distribution system
- 10 cooking modes
- Sensor cooking
- Plugs into standard 120 V, 3-prong outlet

2,249

2,499

• Four-speed vent with up to 385 CFM



MU30WSU Over-the-Range Microwave,

Stainless Steel

1,099 1,249

Speed Ovens

Built-In Speed Ovens

- Silver glass on stainless steel
- Full color TFT display
- 12¾" ceramic turntable
- 1.6 cu. ft. overall capacity
- 36 Cook Smart™ Programs
- 10 power levels
- 1,000 W Microwave power
- Sensor cooking
- Sensor reheat
- Convection Bake
- Broil
- 208 or 240 V, 4 wire fixed connection

2,949 3,249

3,149 3,499



MC30WS





MC30WS 30" Masterpiece Speed Oven, Stainless Steel, 208-240 V

MC30WP 30" Professional Speed Oven, Stainless Steel, 208-240 V

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model NUMBER Description **UMRP MSRP**

Warming Drawers

Standard Warming Drawers

- Our warming drawer is the perfect combination of uncompromising performance, unique convenience features and elegant design
- SoftClose® door (WD30W only)
- 2.2 cu. ft. overall capacity
- Touch Control Display
- Four heating modes: Low,

Medium, High, Proof

- 450 W heating element
- Timer
- Plugs into a standard 120 volt, 3-prong outlet

WD30WC



WD30W 30" Warming Drawer, Custom Panel Ready WD30WC 30" Warming Drawer, Push to Open

2,149 2,399 1,949 2,149

Storage Drawers

SDS30WC

- Our storage drawers are the perfect combination of uncompromising performance, unique convenience features and elegant design
- 2.4 or 0.8 cu. ft. overall capacity

SD30WC

SDS30WC

SD30WC 30" Storage Drawer (2.4 cu. ft.)

> 30" Storage Drawer, Short Height (0.8 cu. ft.) (Install Under Steam Oven)

1,249 1,049 1,199

1,099

Accessories				Professional Series													
					PO301W	POD301W	POD301LW	POD301RW	PO302W	POD302W	POD302LW	POD302RW	POM301W	PODMC301W	PODMCW31W	PODS301W/B	PODS302W/B
••	WKNOBKT3W	Blue Metal Knob Kit for Professional Oven (2 pc.)	49	59	•	•	•	•	•	•	•	•	•			•	•
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•	•	•	•								•	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Number Description **MSRP**

All Masterpiece® Series Star® Burner Gas Cooktops Include the Following Features:

- Patented Star® Burner provides superior flame coverage for faster and more even pan heating
- 16K BTU max
- Blue indicator burner ON light
- Chiseled stainless steel design
- Stainless steel control panel offers a sleek, modern design
- High-quality, robust, metal knobs
- LP gas conversion kit not included; order
- Sabbath compliant
- Two-year warranty

Masterpiece® Series

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/1,750 low

C: BTU 16,000 high/1,900 low

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGS305TS

30" Star® Burner, Stainless Steel, Five Burners

1,649 1,849

SGS305TS

 ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/204 XLO

C: BTU 16,000 high/583 XLO

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSX305TS

SGSX305TS

30" Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select

2.449 2.199

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/1,750 low

C: BTU 16,000 high/1,900 low

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGS365TS

36" Star® Burner, Stainless Steel, Five Burners

1,949 2,149

SGS365TS

• ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/204 XLO

C: BTU 16,000 high/583 XLO

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSX365TS

SGSX365TS

36" Star® Burner, Stainless Steel, Five Burners,

2,649 2,399

ExtraLow® Select

Model Number **UMRP MSRP** Description

All Masterpiece® Series Pedestal Star® Burner Gas Cooktops Include the Following Features:

- Raised Pedestal Star® Burner provides superior flame coverage and allows for
- easier cleanup under each burner
- QuickClean Base® contains liquid spills
- Sleek glass control panel
- High-quality, robust, metal knobs
- LP conversion kit not included; order separately
- Sabbath compliant
- Two-year warranty

Masterpiece® Series

• Blue indicator light for each burner

LR: BTU 10,000 high/1,750 low	
LF: BTU 8,000 high/1,750 low	_

C: BTU 18,000 high/1,900 low

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSP305TS

SGSP305TS


• 18K BTU max

30" Pedestal Star® Burner, Stainless Steel, Five Burners

2,199 2,449

• Progressive Illuminated light ring around each knob

• ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



GSXP305TS

SGSXP305TS

30" Pedestal Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select

2,849 2,549

• Blue indicator light for each

LR: BTU 12,000 high/1,750 low	
LF: BTU 9 100 bigb/1 750 low	

C: BTU 18,000 high/1,900 low

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSP365TS


burner

36" Pedestal Star® Burner, Stainless Steel, Five Burners

2,399 2,649

• Progressive Illuminated light ring around each knob

 ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSXP365TS

SGSXP365TS

36" Pedestal Star® Burner, Stainless Steel,

2,899 3,199

Five Burners, ExtraLow® Select

Model **UMRP** Number Description **MSRP**

All Masterpiece® Series Freedom® and Liberty® Induction Cooktops Include the Following Features:

PowerBoost[®]

Home Connect[™]

• 17 power levels

Masterpiece® Series

Freedom® Induction - 13"×21" Cooking Position with 5,500 W

- Entire surface of the cooktop can be used as one large cooking area
- Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone® mode allows changing a preset power level simply by moving a pot or pan on the cooktop
- · Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow[®] LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only)
- TeppanyakiPro® mode divides a teppanyaki griddle into on heated or one non-heated
- PanBoost[®]
- 17 power levels
- Residual heat indicators
- Panel Lock
- Cooking Timer, Kitchen Timer and Stopwatch Timer (Countdown timer only available on current models due to **UL** regulations)
- Power/Amps: 208/240 V, 60 Hz, 30 A

Minimum cookware size: 3" × 3" Maximum cookware size: 13" × 21" Performance: 3,500 W/5,500 W (PowerBoost®)









5,299



5,849

6,749

6,749

CIT30YWBB	30" Dark Gray (Glass Frame	less Design

36" Dark Gray Glass, Stainless Steel Frame	6,099
36" Dark Gray Glass, Frameless Design	6,099

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

CIT36YWB CIT36YWBB

Model Number

Description

UMRP

MSRP

Masterpiece® Series

Liberty® Induction

- Three extra-large Liberty® cooking surfaces allow for tailored cooking zones
- Number of cooking zones:
 Five
- Cooktop-Hood Sync

CIT367YG

- Automatic pan recognition
- HeatShift® has three preset heat zones
- MoveMode® allows easy transfer settings
- Illuminated touch controls
- 17 power levels
- Control panel lock

- Automatic switch off
- Timer for all zones (Countdown timer only available on current models due to UL regulations)
- Maximum wattage: 10,800 W
- Power/Amps: 208–240 V, 60 Hz//50 A



CIT367YG





CIT367YGS

Left Full Zone 15"×9" @	LR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost [®])
3,300 W/3,700 W (PowerBoost®)	LF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost®)

Center Full Zone 11¼"×9½" @ 3,300 W/3,600 W (PowerBoost[®])

36" Titanium Gray Glass,

Stainless Steel Frame

2,200 W/3,600 W (PowerBoost*)

RF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost*)

Right Full Zone 15"×9" @ 3,300 W/3,700 W (PowerBoost*)

RR: 7½"×9" @

4,449 4,899

Q

	Frameless		
CIT367YGS	36" Titanium Gray Glass, Stainless Steel Frame	4,449	4,899

CIT367YM 36" Silver Mirrored Glass, 4,999 5,499
Frameless

CIT367YMS 36" Silver Mirrored Glass, 4,949 5,449



CIT367YM





CIT367YMS



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All Masterpiece® Heritage Series Glass Ceramic Induction Cooktops Include the Following Features:

- Pan Recognition
- Touch control panel with blue light illumination offers 17 power settings
- Speed Heating—induction cooktops heat 50% faster than traditional gas cooktops
- PowerBoost[®]
- Anti-Overflow System
- Two-Level Heat Indicator
- Child safety lock

 Element Shut Off Timer and kitchen timer (Countdown timer only available on current models due to UL regulations)

Masterpiece® Series

11" Element with 3,700 W

 Large and powerful 11" element with 3,700 W Power/Amps: 240 V, 60 Hz/30 A

LR: 9" @	RR: 11" @
2,200 W/3,700 W (PowerBoost [®])	2,400 W/3,700 W (PowerBoost [®])
LF: 6" @	RF: 6" @
1,400 W/2,200 W (PowerBoost [®])	1,400 W/2,200 W (PowerBoost [®])

CIT304YB 30" Frameless Design
CIT304YM 30" Silver Mirrored Finish



CIT304YB



CIT304YM

13" Element with 5,500 W

• Large 13" round heating element

LR: 7" @

1,800 W/3,100 W (PowerBoost®)

LF: 7" @

1,800 W/3,100 W (PowerBoost®)

- Industry-exclusive triple zone—accommodates multiple-size pans with three diameter sizes
- The most powerful (5,500 W) in its class


3,199

3,599

3,549

3,999

 Power/Amps: 240 V, 60 Hz//50 A





CIT365YB

CIT365YB

36" Frameless Design

3,699 4,099

Model
Number Description UMRP MSRP

All Masterpiece® Series Glass Ceramic Electric Cooktops Include the Following Features:

• Triple element

• Maximum wattage: 4,000 W

Masterpiece® Series

Touch Control

- With the help of CookSmart[®], the temperature is reached and maintained automatically without boilover
- Touch controls with blue illumination are easy to use and offer a sleek, modern design
- Keep Warm
- Child Lock
- Shut-Off Timer for every element (current models only)

_	I∕:⊥ -	L	4:
•	NITC	nen	timer

- Number of cooking zones:
 Eight
- Power/Amps: 208–240 V, 60 Hz//30 A



CET305YB

LR: 5"/7" @	RR: 6"/8"/11" @
700 W (1,700 W)	1,050 W/2,200 W/3,080 W
LF: 6" @	RF: 6" @
1,700 W (4,000 W Bridge)	1,200 W

CET305YB

30" Frameless Design

1,949 2,149

Touch Control/Bridge

- With the help of CookSmart[®], the temperature is reached and maintained automatically without boilover
- Bridge element with dual element
- Touch controls with blue illumination are easy to use and offer a sleek, modern design
- PowerBoost[®]
- Child Lock

- Shut-Off Timer for every element (current models only)
- Kitchen timer
- Number of cooking zones: 10
- Power/Amps: 208–240 V, 60 Hz//40/50 A



CET366YB

LR: 5"/7" @ 700 W/1,700 W	
LF: 7" @ 1,700 W (4,000 W Bridge)	

C: 6"/8"/11" @ 1,050 W/2,200 W/3,080 W RR: 6" @ 1,200 W RF: 6"/8" @ 1,200 W/2,100 W

CET366YB

36" Stainless Steel Frame

2,299 2,549

Manual Controls/Stainless Steel Knobs

- Dual zone bridge element accommodates oblong cookware
- High quality, robust, die-cast metal knobs
- Variable 9-stage power settings
- Number of cooking zones: 10
- Power/Amps: 208–240 V, 60 Hz//30 A



CEM305TB

LR: 5"/7" @	RR: 6"/8"/11" @
700 W,1,700 W	1,050 W,2,200 W/3,080 W
LF: 7" @	RF: 6"
1,700 W (4,000 W Bridge)	1,200 W

CEM305TB 30" Frameless Design 1,599 1,799

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model Number

r Description UMRP MSRP

Masterpiece® Series

Manual Controls/Stainless Steel Knobs/Bridge

 Dual zone bridge element accommodates oblong cookware

LR: 5"/7" @

700 W,1,700 W

LF: 7" @

1,700 W (4,000 W Bridge)

- High quality, robust, die-cast metal knobs
- Variable 9-stage power settings
- Number of cooking zones: 10
- Power/Amps: 208–240 V, 60 Hz//40/50 A

RR: 6" @ 1,200 W 1,050 W,2,200 W/3,080 W RF: 6"/8" @ 1,000 W/2,200 W



CEM366TB

CEM366TB

36" Stainless Steel Frame

1,899 2,099

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP MSRP** Description **Cooktop Accessories** Freedom" Inductior Heritage Induction -iberty® Induction Gas Cooktops Pedestal Star® Griddle-Style Teppanyaki electric and gas • Recommended accessory • 18/10 stainless steel for Freedom® Induction • Silvinox surface treatment • Additional copper and Cooktop prevents discoloration aluminum materials used Can be used in oven for fast and even heating • 7-Ply material · Works with induction. • 10-year guarantee TEPPAN1013 10" × 13" Recommended accessory for 299 329 Liberty® and Freedom® Induction Cooktops TEPPAN1321 13" × 21" Recommended accessory for 499 549 Freedom® Induction Cooktop Cast Aluminum Griddle Plate • Fits 30" and 36" 5-burner • Cast aluminum design · Non-stick coating for easy Star® and Pedestal Star® allows for even heat districleanup and cooking Burner Series models bution and fast preheating • Locks into the center grate **SGRIDDLEW** Griddle 209 229 Cast Aluminum Non-Stick Induction Grill • Heavy-duty cast aluminum • Outstanding corrosion and • Ovenproof up to 425°F with a thick ferromagnetic abrasion resistance and dishwasher-safe • Ridged surface adds grilled • 17" x 9" grilling surface • Easy to grip with two castsear marks, while draining PFOA-free in side handles away excess fat **TGRILLPANX** 269 299 Stainless Steel Chef's Pan · Optimized for cooking with · Stainless steel with alumi-• Encapsulated aluminum CookSmart® element num core hase • Works with induction, elec-• Non-stick Teflon® Platinum • Three layers tric and gas material (CHEFSPAN08) CHEFSPAN08 10" Chef's Pan for 8" and 9" Elements 199 219 CHEFSPAN13 16" Chef's Pan for 13" Element 399 439 • • • Stainless Steel Roasting Pan · Perfect for searing, braising, • Ideally suited for Liberty® • Dishwasher safe roasting meat, poultry and induction cooking zones • Oven-safe up to 500° F vegetables • Made of 18/10 stainless (350° with lid) steel

TROASTERT

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

10" × 16" Roasting Pan with Glass Lid

199

219

¹ Fits 30" and 36" 5-burner Star® and Pedestal Star® Burner Series models

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

Cooktop A	ccessories				Gas Cooktops Star Burner	Gas Cooktops Pedestal Star®	lectric Cooktops	Freedom" Induction	Liberty Induction
Ġ O	Allows you to select the temperature of	g Temperature Sensor It the best way to prepare every food as you wish. The sensor is required to use the power to be more than the sensor is required to use the sensor is the sen	naintained with	greater preci-	0.8		ш	•	
	TCOOKSENSW	Wireless Cooking Sensor	199	219					
• 10	SKNOBLUW	Blue Knob Kit, Pedestal Star® Burner Cooktops Fits 30" and 36" Pedestal Star® Burners Series models • Set of five knobs • Blue metallic finish • Easy to install	109	119		•			
	SLPKITW	LP Gas Conversion Kit for Star [®] Burner Series Cooktops	99	109	•				
	SNPKITPEDW	LP Gas Conversion Kit for Pedestal Star® Burner Series Cooktops	99	109		•			
0	SWOKRINGW	Wok Ring Optimized for operation on Star® Burner and Pedestal Star® Burner Series gas cooktops • Fits over the large burner on all cooktop sizes, allowing the user to cook with up to a 16" wok • Cast iron construction is durable and dishwasher safe	99	109	•	•			

RANGES

PROFESSIONAL COLLECTION

		30"	36"	48"	60"
DUAL-FUEL WITH STEAM RANGES	Pro Grand®			PRD48WISGU Induction PRD48WDSGU Griddle	PRD606WESG Griddle
INDUCTION RANGES	Pro Harmony®	PRI30LBHU Induction	PRI36LBHU Induction	n	
RANGES	Pro Harmony®	PRD305WHU 5-burne PRD304WHU 4-burne		PRD486WDHU Griddle	
DUAL-FUEL RANGES	Pro Grand®		PRD366WGU 6-burner PRD364WIGU Induction PRD364WDGU Griddle		PRD606WEG Griddle
NGES	Pro Harmony®	PRG305WH 5-burne PRG304WH 4-burne	PRG366WH 6-burner PRG364WDH Griddle	PRG486WDH Griddle	
GAS RANGES	Pro Grand®		PRG366WG 6-burner PRG364WDG Griddle	PRG486WDG Griddle	
RANGE- TOPS	Professional	PCG305W 5-burne	PCG366W 6-burner PCG364WD Griddle	PCG486WD Griddle	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Professional Series Rangetops Include the Following Features:

- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Each burner has electronic ignition/ re-ignition;
- Metal knobs (also available in Metallic Blue, PAKNOBLUWR, sold separately. See page 5-11)
- LED downlighting illuminates the control panel.
- Precision simmering capabilities with two ExtraLow® simmer burners
- Two-year warranty
- Star-K certified
- 15 Amps

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador® vent hood. (see Thermador® Professional Hoods, page 6-5)
- Liquid Propane conversion: Natural to LP Gas Field Conversion Kit must be ordered separately (PALPKITHW for all four- and six-burner units; PALPKITHW5 for five Pedestal Star® Burner units). PAALTKITH High Altitude conversion kit is available for all rangetops.

30" Professional Gas Rangetop

- Five Pedestal Star® Burners (Two with ExtraLow®). overall output of 59,000 BTU.
- Suitable for use with Thermador OTR (see page 3-13)
- 15 Amps

919 9 9 9

LR: BTU 8,000 high*/XLO LF: BTU 18,000 high*/XLO

Center: BTU 10,000 high* RR: BTU 8,000 high* RF: BTU 15,000 high*



PCG305W

30" Stainless Steel with Porcelain Surface

3.849 4.249

36" Professional Gas Rangetop

 Six Pedestal Star® Burners (Two • 15 Amps with ExtraLow®).

LR: BTU	CR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/3,000 low	15,000 high*/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high*/XLO	18,000 high*/3,000 low	18,000 high*/3,000 low



PCG366W



PCG366W 36" Stainless Steel with Porcelain Surface

4,499 4,949

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador. Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 8,000} BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number

Description

UMRP

MSRP

36" Professional Gas Rangetop

 Four Pedestal Star® Burners (Two with ExtraLow®)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps

LR: BTU 15,000 high*/XLO LF: BTU

18,000 high*/XLO

Electric Griddle 1,630 W RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low

PCG364WD

36" Stainless Steel with Porcelain Surface and Griddle

4,399 4,849

48" Professional Gas Rangetop

 Six Pedestal Star® Burners (Two with ExtraLow®) Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps



LR: BTU CR: BTU
15,000 high*/XLO 15,000 high*/3,000 low

LF: BTU CF: BTU
18,000 high*/XLO 18,000 high*/3,000 low

Electric Griddle 1,630 W RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG486WD

48" Stainless Steel with Porcelain Surface and Griddle 5,499 6,049

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 8,000} BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model
Number Description UMRP MSRP

All Pro Harmony® Series Induction Ranges include the Following Features:

- Frameless black glass cooktop covers the surface from edge-to-edge seamlessly fitting into any kitchen
- Provides true design flexibility—it can be installed flush against combustible wall with zero rear clearance* and designed to fit perfectly flush alongside standard 24" depth cabinets
- True Convection oven with a third element adds greater efficiency to cook up to five levels of sheet pans evenly
- Super fast 2-hour self-clean mode is the fastest in the industry
- Connect to your range for remote preheating and monitoring via the Home Connect® app, smartwatch and other smart home devices and services

Main oven features:

- Full Access telescopic racks with integrated easy-grip handle (1 in 30" Oven; 3 in 36" Oven)
- Hidden Thermal Bake (2,000 W), Broil (4,000 W),
- Third element rear 2,750 W convection

30" Induction Range

 The Liberty[®] cooktop comes with two large flexible cooking zones and FlexPlus™** heating elements that provide the ultimate in cooking performance and flexibility with HeatShift®, MoveMode®, and PowerBoost®

Main oven features:

• 4.4 cu. ft. overall volume*



PRI30LBHU





Left Full Zone 15"×8½" @ 3,300 W/3,600 W (PowerBoost®)

LR: 7½"×8½" @ RR: 71/2" × 81/2" @ 2,200 W/3,600 W 2,200 W/3,600 W (PowerBoost®) (PowerBoost®) LF: 71/2" × 81/2" @ RF: 71/2" × 81/2" @ 2,200 W/3,600 W 2,200 W/3,600 W (PowerBoost®) (PowerBoost®) Left FlexPlus Zone Right FlexPlus Zone 3 ½" x 11 ¼" 3 ½" x 11 ¼"

Right Full Zone 15"×8½" @ 3,300 W/3,600 W (PowerBoost[®])

PRI30LBHU

30" Liberty Induction Cooktop Pro Harmony Range

8,399 9,249

36" Induction Range

 The Liberty® cooktop comes with three large flexible cooking zones that provide the ultimate in cooking per-

Left Full Zone 15" x 8½" @ 3,300 W/3,600 W (PowerBoost[®]) LF: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost[®]) LF: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost[®]) formance and flexibility with HeatShift®, MoveMode®, and PowerBoost®

RR: 7½"×8½" @ 2,200 W/3,600 W (PowerBoost®)

3,300 W/3,600 W

(PowerBoost®)

2,200 W/3,600 W (PowerBoost®) RF: 7½"×8½" @ 2,200 W/3,600 W (PowerBoost®) Right Full Zone 15"×8½" @ 3,300 W/3,600 W (PowerBoost®)

Main oven features:

• 4.9 cu. ft. overall volume*



PRI36LBHU





PRI36LBHU 36" Liberty Induction Cooktop Pro Harmony Range

11,599 12,799

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*}According to AHAM Standards

Model Number Description **UMRP MSRP**

All Pro Harmony® Series Dual Fuel Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner range: each front burner has output of 18,000 BTU (NG)
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-11
- All burners with electronic ignition/ re-ignition
- Precision simmering capabilities with two ExtraLow® simmer burners
- For LP: Natural to LP Gas Field Conversion Kit must be ordered sepa-

rately.

- PAALTKITH High Altitude conversion kit is available for all Pro Harmony Ranges.
- Island trim included
- Two-year warranty
- Star-K certified

Griddle model:

• 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

Main oven features:

- Full Access[®] telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- Hidden Thermal Bake (2,000 W), Broil (4,000 W),

- Third element rear 2.750 W convection
- Convection Broil and two rapid, selfclean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 11/2 hr light-soil clean

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

Note

Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

30" Dual-Fuel Range

- Four Pedestal Star® Burners (Two with ExtraLow®)
- 30" range features 4.4 cu. ft. overall volume*

LR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low
LF: BTU	RF: BTU
18,000 high**/XLO	18,000 high**/3,000 low

PRD304WHU

30" Stainless Steel with Porcelain Surface and One Telescopic Oven Rack 6,699 7,399



PRD304WHU



Five Pedestal Star® Burners (Two with ExtraLow®); overall output of 59,000 BTU and

suitable for use with the Thermador OTR (see page 3-13) 30" range features 4.4 cu. ft. overall volume*

7,699



8,499

LR: BTU 8,000 high**/XLO LF: BTU 18,000 high**/XLO

Center: BTU 10,000 high*3

RR: BTU 8,000 high** RF: BTU 15,000 high**

PRD305WHU

PRD305WHU

30" Stainless Steel with Porcelain Surface and One Telescopic Oven Rack

*According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

MSRP

UMRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number

Description

36" Dual-Fuel Range

• Six Pedestal Star® Burners (Two with ExtraLow®)

 Oven features 4.9 cu. ft. overall volume* Thermador Connected Experience with Home Connect[™]

LR: BTU	CR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/XLO	18,000 high**/3,000 low	18,000 high**/3,000 low

PRD366WHU



PRD366WHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

 Four Pedestal Star® Burners (Two with ExtraLow®)

 Oven features 4.9 cu. ft. overall volume*

LR: BTU 15,000 high**/XLO
LF: BTU 18,000 high**/XLO

 Thermador Connected Experience with Home Connect[™]

> Electric Griddle 1,630 W (6-pass)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

9,599 10,599

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low



PRD364WDHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

10,399 11,449 PRD364WDHU



48" Dual-Fuel Range

- Six Pedestal Star® Burners (Two with ExtraLow®)
- Main oven features 4.4 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect[™]

LR: BTU	CR: BTU	Electric Griddl
15,000 high**/XLO	15,000 high**/3,000 low	1,630 W
LF: BTU 18,000 high**/XLO	CF: BTU 18,000 high**/3,000 low	(6-pass)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high**/3,000 low
RF: BTU 18,000 high**/3,000 low



PRD486WDHU

PRD486WDHU

48" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

14,299 15,749



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model
Number Description UMRP MSRP

All Pro Harmony® Series All Gas Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-11)
- Precision simmering capabilities with two ExtraLow® simmer burners
- Griddle is interchangeable with grill accessory for convenient indoor grilling

- Gas ranges are field convertible from natural gas to liquid propane— Conversion Kit must be ordered separately
- Island trim included
- Two-year warranty
- Star-K certified

Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

Ovens feature:

- 17,500 BTU high-intensity infrared broiler
- Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)

- Gas convection oven
- 20,500 BTU bake burner
- Convection Bake, Thermal Bake (20,500 BTU)

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

Note

 Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

30" Gas Range

 Four Pedestal Star® Burners (Two with ExtraLow®) each

LR: BTU
15,000 high**/XLO

LF: BTU
18,000 high**/XLO

RR: BTU
15,000 high**/3,000 low

RF: BTU
18,000 high**/XLO

18,000 high**/3,000 low

front burner has output of 18,000 BTU (NG)

• 30" range features 4.6 cu. ft. overall volume*



PRG304WH

30" Stainless Steel with Porcelain Surface

4,949 5,449



 Five Pedestal Star® Burners (Two with ExtraLow®); overall output of 59,000 BTU

> LR: BTU 8,000 high**/XLO LF: BTU 18,000 high**/XLO

and suitable for use with the Thermador OTR (see page 3-13.

RR: BTU

overall volume*

8,000 high**

RF: BTU

15,000 high**

• 30" range features 4.6 cu. ft.



PRG305WH

30" Stainless Steel with Porcelain Surface

Center: BTU 10,000 high**

5,999 6,599



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

^{** 8,000} BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model

Number Description **UMRP MSRP**

36" Gas Range

• Six Pedestal Star® Burners (Two with ExtraLow®)

• 36" range features 5.1 cu. ft. overall volume*

• Thermador Connected Experience with Home Connect[™]

LR: BTU	CR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/XLO	18,000 high**/3,000 low	18,000 high**/3,000 low



PRG366WH

PRG366WH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

• Four Pedestal Star® Burners (Two with ExtraLow®) each front burner has output of 18,000 BTU (NG)

• 36" range features 5.1 cu. ft. overall volume*

• Thermador Connected Experience with Home Connect[™]

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

6,999

7,699



PRG364WDH

LR: BTU 15,000 high**/XLO LF: BTU 18,000 high**/XLO

Electric Griddle 1,630 W (6-pass)

15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

RR: BTU

PRG364WDH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

8.349





48" Gas Range

- Six Pedestal Star® Burners (Two with ExtraLow®) and
- Main oven features 4.6 cu. ft. overall volume*

• Thermador Connected Experience with Home Connect[™]

LR: BTU	CR: BTU
15,000 high**/XLO	15,000 high**/3,000 low
LF: BTU	CF: BTU
18,000 high**/XLO	18,000 high**/3,000 low

Electric Griddle 1,630 W (6-pass)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high**/3,000 low
RF: BTU
18,000 high**/3,000 low



11,499 12,649



PRG486WDH 48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model NUMBER Description **UMRP MSRP** Rangetops Pro Harmony Ranges Accessories Gas Induction **Dual Fuel** All Gas 36 30 48 30 36 30 36 48 30 36 48 PRD364WDHU PRD486WDHU PRG486WDH PRD304WHU PRD366WHU PRG305WH PRG304WH PRD305WHL PCG486WD PCG364WD PRG366WH **PRI30LBHU** PRI36LBHU PCG305W PCG366W Griddle-Style Teppanyaki • Recommended accessory for • 7-Ply material Freedom® Induction Cooktop • 18/10 stainless steel • Can be used in oven Additional copper and Works with induction, electric aluminum materials used for fast and even heating and gas • Silvinox surface treatment • 10-year guarantee prevents discoloration 10"×13" 299 TEPPAN1013 329 Teppanyaki 199 219 **PAGRIDDLE** Griddle sits on top of Grates over two Burners, • high-release surface coating PA12GRILFW 12" Grill Plate 319 359 Accessory w/ Tray (for Griddle Modules) • • (Fusion coating) Fusion coated accessories offered as an alternative to the "high-release" accessories. 12" Grill Plate PA12GRILLW 319 359 Accessory w/ Tray (for Griddle Modules) Non-stick (non-fusion) surface coating ("high-release") is easy to clean and durable over time. Cast Aluminum Non-Stick Induction Grill • Heavy-duty cast aluminum with • Ridged surface adds grilled a thick ferromagnetic base sear marks, while draining away excess fat • Easy to grip with two cast-in side handles • Ovenproof up to 425°F and dishwasher-safe Outstanding corrosion and

• 17" x 9" grilling surface

269

299

PFOA-free

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden

abrasion resistance

17" x 9"

Induction Grill

TGRILLPANX

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

UMRP

Description

Accessories	ccessories			Rai		tops	+		ro F		_		ang					
							Ga		-	ction	_		Fue	Т		All		
						30	36	48	30	36	30)	36	48	\vdash		36	48
						PCG305W	PCG364WD	PCG366W PCG486WD	PRI30LBHU	PRI36LBHU	PRD305WHU	PRD304WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH PRG486WDH
Stainless	Steel Ch	ef's Pan									П		T	T			\top	
	zed for co mart® elen	ooking with nent	 Non-stick Teflon material (CHEFS) 		1													
		ction, electric	• Encapsulated alu	ıminum b	ase						П							
and gas • Stainles core		ith aluminum	Three layers						•	•								
CHEFSPA	AN08	10" Stainless Steel Pan		199	219													
Stainless	Steel Ro	asting Pan									П							
roastin vegeta • Ideally	g meat, p bles	ng, braising, poultry and r Liberty [®] ng zones	 Made of 18/10 s Dishwasher safe Oven-safe up to (350° with lid) 		teel				•	•								
TROAST	ERT	10"×16" Roas Pan with Glass	•	199	219													
PA12CHI	PBLK	12" Maple Cho Board	ppping	199	219	•	•	•			•	•	•	•	•	•	•	•
PA12LCV	/RW	12" Profession Griddle Cover Grill models not	al listed in price book.	209	229		•	•					•	•				•
PWOKRI	NGHC	Wok Ring Acce	essory	199	219	•	•	•			•	•	•	•	•	•	•	•
PALPKITI	HW	LP Conversion Pro Harmony [& Rangetops (Dual Fuel Ranges	139	159		•	•				•	•	•				
PALPKITI	HW5	LP Conversion Pro Harmony [& Rangetops (Dual Fuel Ranges	139	159	•					•							

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRN2488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

NUMBER

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
NUMBER
Description
UMRP
MSRP

NUMBER	Description	UMRP	MSRP																_
s				Rai			\dashv			_			_	_	ang				
					Ga		\dashv		ction	Ш	Dua	al F	ue	l		Al	l G	as	_
				30	3	6 4	48	30	36	3	0	3	6	48	3	0	3	6	48
				PCG305W	PCG364WD	PCG366W	PCG486WD	PRI30LBHU	PRI36LBHU	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG486WDH
PALPKITGA	LP Conversion Kit Pro Harmony Gas Ranges, 30" & 36" (4 & 6 Burner)	199	219													•	•	•	
PALPKITHA5	LP Conversion Kit Pro Harmony Gas Ranges (5 Burner)	139	159												•				
PALPKITGA6	LP Conversion Kit Pro Harmony Gas Ranges 48" (4 & 6 Burner)	199	219																•
PAALTKITH	High Altitude Kit Pro Harmony Ranges & Rangeto	89 ops	99	•	•	•	•			•	•	•	•	•	•	•	•	•	•
PAKNOBLUWR	Metallic Blue Knob Kit Pro Rangetop	239	269	•	•	•	•												
PARKB30HY	Blue Knob Kit 30" Dual Fuel Harmony	249	279							•	•								
PARKB3XHY	Blue Knob Kit 30"/36" Gas Harmony	249	279												•	•	•		
PARKB3XIHB	Blue Knob Kit 30/"36" Induction Harmony	149	169					•	•										
PARKB36DHY	Blue Knob Kit 36" Gas/Dual Fuel Harmony	249	279										•					•	
PARKB36HY	Blue Knob Kit 36" Dual Fuel GR Harmony	249	279									•							
PARKB48CHY	Blue Knob Kit 48" Dual Fuel Harmony	299	329											•					
	PALPKITGA PALPKITHA5 PALPKITGA6 PAALTKITH PAKNOBLUWR PARKB30HY PARKB3XHY PARKB3XHY PARKB3XHY	PALPKITGA LP Conversion Kit Pro Harmony Gas Ranges, 30" & 36" (4 & 6 Burner) PALPKITHA5 LP Conversion Kit Pro Harmony Gas Ranges (5 Burner) PALPKITGA6 LP Conversion Kit Pro Harmony Gas Ranges 48" (4 & 6 Burner) PAALTKITH High Altitude Kit Pro Harmony Ranges & Ranget PAKNOBLUWR Metallic Blue Knob Kit Pro Rangetop PARKB30HY Blue Knob Kit 30" Dual Fuel Harmony PARKB3XIHB Blue Knob Kit 30"/36" Gas Harmony PARKB3KIHB Blue Knob Kit 30""36" Induction Harmony PARKB36DHY Blue Knob Kit 30""36" Gas/Dual Fuel Harmony PARKB36HY Blue Knob Kit 36" Gas/Dual Fuel Harmony PARKB36HY Blue Knob Kit 36" Dual Fuel GR Harmony BARKB36HY Blue Knob Kit	PALPKITGA LP Conversion Kit Pro Harmony Gas Ranges, 30" & 36" (4 & 6 Burner) PALPKITHA5 LP Conversion Kit Pro Harmony Gas Ranges (5 Burner) PALPKITGA6 LP Conversion Kit Pro Harmony Gas Ranges (4 & 6 Burner) PALPKITGA6 LP Conversion Kit Pro Harmony Gas Ranges 48" (4 & 6 Burner) PALPKITGA6 LP Conversion Kit Pro Harmony Gas Ranges 48" (4 & 6 Burner) PARKB3CHY Metallic Blue Knob Kit	PALPKITGA LP Conversion Kit Pro Harmony Gas Ranges, 30" & 36" (4 & 6 Burner) 199 219 PALPKITHA5 LP Conversion Kit Pro Harmony Gas Ranges (5 Burner) 139 159 PALPKITGA6 LP Conversion Kit Pro Harmony Gas Ranges (5 Burner) 199 219 PALPKITGA6 LP Conversion Kit Pro Harmony Gas Ranges 48" (4 & 6 Burner) 89 99 PAALTKITH High Altitude Kit By Pro Harmony Ranges & Rangetops 239 269 PAKNOBLUWR Metallic Blue Knob Kit Pro Rangetop 239 269 PARKB30HY Blue Knob Kit Blue Knob Kit Sund Sangetop 249 279 PARKB3XHY Blue Knob Kit Blue Knob Kit Sund Sangetop 249 279 PARKB3XIHB Blue Knob Kit Blue Knob Kit Sund Sangetop 249 279 PARKB36DHY Blue Knob Kit Sund Fuel Harmony 249 279 PARKB36HY Blue Knob Kit Sund Fuel Harmony 249 279 PARKB48CHY Blue Knob Kit Sund Fuel GR Harmony 249 279	PALPKITGA LP Conversion Kit 199 219 Pro Harmony Gas Ranges, 30" & 36" (4 & 6 Burner) PALPKITHA5 LP Conversion Kit 139 159 Pro Harmony Gas Ranges (5 Burner) PALPKITGA6 LP Conversion Kit 199 219 Pro Harmony Gas Ranges (4 & 6 Burner) PALPKITGA6 LP Conversion Kit 199 219 Pro Harmony Gas Ranges 48" (4 & 6 Burner) PALPKITGHA High Altitude Kit 89 99 Pro Harmony Ranges & Rangetops PAKNOBLUWR Metallic Blue Knob Kit 239 269 Pro Rangetop PARKB30HY Blue Knob Kit 249 279 30" Dual Fuel Harmony PARKB3XHY Blue Knob Kit 249 279 30"/36" Gas Harmony PARKB3XHB Blue Knob Kit 249 279 30"/36" Gas Harmony PARKB36DHY Blue Knob Kit 249 279 30" 36" Gas/Dual Fuel Harmony PARKB36HY Blue Knob Kit 249 279 36" Gas/Dual Fuel Harmony	Range Gi Gi Gi Gi Gi Gi Gi G	PALPKITGA	Rangetops Gas Gas 30 36 48 West 20 20 20 20 20 20 20 2	Rangetops Indu 30 36 48 30	Rangetops F Gas Induction 30 36 48 30 36 48 30 36 48 30 36 48 30 36 48 30 36 48 30 36 36 36 36 36 36 36	Rangetops Pro Gas Induction	Rangetops Sas Induction During Sas Induction During Sas Induction During Sas S	Rangetops	Rangetops	Rangetops	Rangetops Pro Harmony Range Gas Induction Dual Fuel Du	Rangetop Pro Harmony Ranges Rangetop Pro Harmony Ranges Rangetop Rangetop	Rangetops	Rangetops

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

				30	3	٥	48	30	36	3	0	3	6	48	3(U	36	4	8
				PCG305W	PCG364WD	PCG366W	PCG486WD	PRI30LBHU	PRI36LBHU	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PKG4govvDn
PARKB48DHY	Blue Knob Kit 48" Gas Harmony	299	329															•	•
PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmony Range	419	469							•	•				•	•			
PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmony Range	479	529									•	•				•	•	
PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harmony Range	509	599											•					•
PA30WLBC	10" Low Backguard for 30"Rangetop	209	229	•															
PA36WLBC	10" Low Backguard for 36" Rangetop	269	299		•	•													
PA48WLBC	10" Low Backguard for 48" Rangetop	319	359				•												

All Pro Grand® Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star® Burners with QuickClean Base™ (Four with ExtraLow® Simmer)
- Steam and convection oven
- · Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-21)
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with Four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty® surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, nonstick surface coating, cast-aluminum
- · LP conversion kit ordered separately for

converting burners for LP gas

- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified
- CSA certified

Oven features:

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose® hinges for ultra-smooth closing
- Large oven includes three Full Access[®] telescopic racks with integrated easygrip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer,

temperature probe, convection conversion

and preheat status with audible alert

Steam Oven features:

- 27 Easy Cook® programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed
- Steam Clean function

Warming drawer features:

- Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador® Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

Model

UMRP Number Description MSRP

48" Dual-Fuel with Steam Range

The Ultimate Culinary Center™

• Six Pedestal Star® Burners (Four with ExtraLow®)

• Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low	

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO

18,099 19,949

PRD48WDSGU



DOOD

PRD48WDSGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

The Ultimate Culinary Center™

 Six Pedestal Star® Burners (Four with ExtraLow®))

Liberty® Induction.

LR: BTU CR: BTU RR: BTU 15,000 high*/XLO 15,000 high*/3,000 low 15,000 high*/XLO CF: BTU LF: BTU RF: BTU 22,000 XHI*/XLO 18,000 high*/3,000 low 18,000 high*/XLO

Induction 3,600 W 230 V 3.300 W 208 V

19,149 21,099









48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

60" Dual-Fuel with Steam Range

The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- 24" Dual Zone Griddle LR: BTU

12,500 high**/XLO

LF: BTU

22,000 XHI**/XLO

- 5.7 cu. ft. main oven cavity accommodates commercial size full sheet pan •


24" Electric Griddle

1.630 W (Left & Right)

(3,260 W total)

accessory PA24CVRR for 24" Griddle sold separately

• 24" stainless steel cover







PRD606WESG

60" Stainless Steel with Porcelain Surface and

CR: BTU

12,500 high**/3,000 low

CF: BTU

18,000 high**/3,000 low

All Telescopic Oven Racks (main oven)

23.249 25.599



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRDxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

^{12,500} BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

All Pro Grand® Series Dual Fuel Ranges Include the Following Features:

- Commercial-Depth (27")
- Patented Pedestal Star® Burner with QuickClean Base™ (Four with ExtraLow® Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-21.
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- LP kit ordered separately for converting burners for LP gas
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

All Ovens

- SoftClose® hydraulic hinges for ultrasmooth closing
- Three Full Access® telescopic racks with integrated easy-grip handles
- Fast Preheat

Main Oven

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- Hidden bake element

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador® Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

Induction Models

- Thermador 3,600 W Liberty® Induction with two zones
- Features 9 power levels, XHI
 PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff

Griddle:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Fusion non-stick surface

48" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

Model

Number Description **UMRP MSRP**

36" Dual-Fuel Ranges

• Six Pedestal Star® Burners (Four with ExtraLow®)

LR: BTU	CR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/3,000 low	15,000 high*/XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/XLO	18,000 high*/3,000 low	18,000 high*/XLO

PRD366WGU 36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks 11.099 12.249



PRD366WGU



• Four Pedestal Star® Burners (Four with ExtraLow®) and

• Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high*/XLO LF: BTU 22,000 XHI*/XLO

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO

> 11,899 13,099 PRD364WDGU





PRD364WDGU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

• Four Pedestal Star® Burners (Four with ExtraLow®) with

Liberty® Induction

LR: BTU RR: BTU 15,000 high*/XLO 15,000 high*/XLO LF: BTU RF: BTU 22,000 XHI*/XLO 18,000 high*/XLO

Induction 3 600 W 230 V 3,300 W 208 V

12,499 13,749









PRD364WIGU 36" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model

Number Description **UMRP MSRP**

48" Dual-Fuel Ranges

• Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Electric Griddle

• Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/XLO	18,000 high*/3,000 low

Electric Griddle 1 630 W (6-pass)

RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO

PRD486WDGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 15,549 17,149

15,999 17,599

PRD486WDGU



 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) with Liberty® Induction

LR: BTU	CR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/3,000 low	15,000 high*/XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/XLO	18,000 high*3,000 low	18,000 high*/XLO

Induction 3,600 W 230 V 3,300 W 208 V

PRD486WIGU



PRD486WIGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

60" Dual-Fuel Ranges

The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®) with 24" Dual Zone Griddle
- Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
12,500 high**/XLO	12,500 high**/3,000 low
LF: BTU	CF: BTU
22,000 XHI**/XLO	18,000 high**/3,000 low

24" Flectric Griddle 1,630 W (Left & Right) (3,260 W total)

RR: BTU 15,000 high**/XLO RF: BTU 18,000 high**/XLO

20,099 22,149





PRD606WEG

60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRDxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model
Number Description UMRP MSRP

All Pro Grand® Series All Gas Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Patented Pedestal Star[®]
 Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-21.
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- Gas ranges are field convertible from natural gas to liquid propane kits sold separately
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Electric Griddle (convertible to grill with grill accessory),

Oven features:

- SoftClose® hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access[®] telescopic racks with integrated easygrip handles

Large oven:

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/LP)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 6 conventional cooking modes

- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume*
- Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/LP)
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador® Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

36" Gas Range

- Four Pedestal Star® Burners (Four with ExtraLow®)
- Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high*/XLO LF: BTU 22,000 XHI*/XLO

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO

PRG364WDG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 9,849 10,849



PRG364WDG



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*}According to AHAM Standards

^{**15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model

Number Description **UMRP MSRP**

36" Gas Range

• Six Pedestal Star® Burners (Four with ExtraLow®)

LR: BTU	CR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low	15,000 high**/XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI**/XLO	18,000 high**/3,000 low	18,000 high**/XLO

PRG366WG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 8,599 9,499

PRG366WG



48" Gas Range

• Six Pedestal Star® Burners (Four with ExtraLow®)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO

> PRG486WDG 12,299 13,549







PRG486WDG 48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number Description UMRP MSRP

Accessories						Dual-Fuel with Steam Dual Fuel								A	s	
					48	3"	60"		36"		48	3"	60"	36	5"	48"
					PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WG	PRG364WDG	PRG486WDG
PA	AGRIDDLE	Griddle sits on top of Grates o two Burners, high-relea coating		219 ace	•	•	•	•	•	•	•	•	•	•	•	•
(FI	ORIES OFFERE	12" Grill Plate Accessory w/ Tray (for Griddle Models) NG) FUSION COATED A D AS AN ALTERNATIVE " ACCESSORIES.				•	•			•		•	•		•	•
No.	on-stick (non-fu	12" Grill Plate Accessory w/ Tray (for Griddle Models) Ision) surface coating ("h to clean and durable ov		359		•	•			•		•	•		•	•
PA	A12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•
PA	A12LCVRW	12" Professional Griddle Cover	209	229		•				•		•			•	•
PA	A24CVRR	24" Cover for Griddle	299	329			•						•			
PV	WOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•
PA	ALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel R	199 anges	219	•	•	•	•	•	•	•	•	•			

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model Number Description UMRP MSRP

Accessorie	Accessories								A	s					
				48	3"	60"		36"		48	8"	60"	36	5"	48"
				PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WG	PRG364WDG	PRG486WDG
30/	PALPKITGGW	LP Conversion Kit 199 Pro Grand Gas Ranges	219										•	•	•
1 =	PAALTKITGW	High Altitude Kit, 89 NG Pro Grand Ranges, 5.4K ft. to 10.2K ft.	99	•	•	•	•	•	•	•	•	•	•	•	•
	PARKB36IGY	Blue Knob Kit 249 36" Grill/Ind Grand	279				•								
	PARKB36GY	Blue Knob Kit 249 36" Gas Grand	279										•		
	PARKB36CGY	Blue Knob Kit 279 36" Combi Grand	309					•	•					•	
	PARKB48CGY	Blue Knob Kit 384 48" Combi Grand	429	•						•	•				
	PARKB48SGY	Blue Knob Kit 379 48" Combi Steam Grand	419		•										•
	PARKB60CGY	Blue Knob Kit 349 60" Combi Grand	389									•			
	PARKB60SGY	Blue Knob Kit 349 60" Combi Steam Grand	389			•									
	PA36WTKG	Toe Kick 109 for 36" Pro Grand® Range	119				•	•	•				•	•	
	PA48WTKG	Toe Kick 109 for 48" Pro Grand® Range	119	•	•					•	•				•
	PA60WTKG	Toe Kick 139 for 60" Pro Grand® Range	159			•						•			

Model Number Description UMRP MSRP

Accessories		ual-Fu h Ste	-	Dual Fuel 36" 48" 60"							All Gas		
	PRD48WISGU	PRD48WDSGU	PRD606WESG 8	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG 8	PRG366WG	PRG364WDG	PRG486WDG &	
PA36WLBG 7" Low Backguard 479 529 for 36" Gas/Dual-Fuel Pro Grand® Ranges				•	•	•				•	•		
PA48WLBG 7" Low Back, 509 599 for 48" Pro Grand® Gas Ranges	•	•					•	•				•	
PA60WLBG 7" Low Backguard 559 649 for 60" for Pro Grand® Range			•						•				

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRixxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

VENTILATION

MASTERPIECE® & PROFESSIONAL COLLECTIONS

		30"	36"	42"	48"	54"/60"
	Low-Profile					
		HMWB30WS	HMWB36WS HMWB361WS		HMWB481WS	
	Masterpiece [®]					
TT		HMDW30WS	HMDW36WS			
WALL	Pro Grand [®]		минитин	минити	минити	
			PH36GWS	PH42GWS	PH48GWS	PH54GWS PH60GWS
	Pro Harmony [®]					
		PH30HWS	PH36HWS		PH48HWS	
	Masterpiece [®]	1110011110	1119611115			
LL						
WA	Masterpiece [®]	HMCB30WS	HMCB36WS			
Ξ	Masterpiece					
Z		HDDB30WS	HDDB36WS			
CHIMNEY WALL	Professional					
\Box			HPCN36WS		HPCN48WS	
	Masterpiece [®]		TH CIVSOVS	100	TH CIV+OVVS	
Ω						
AN			HMIB36WS	HMIB42WS		
ISLAND	Pro Grand [®]					
				LIDIALADAIC		LIDINE ANG
	Masterpiece [®]	_ 		HPIN42WS		HPIN54WS
₹.						
CUSTOM INSERT		VCI3B30ZS VCI6B30ZS	VCI3B36ZS VCI6B36ZS			
US. NSJ	Professional		minimi	minimi	minimi	minimi
Γ			VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS
			. 5.114000143	7 311 472 3 7 7 3	7 311 4 7 3 3 4 7 3	VCIN60GWS
FT.	Masterpiece [®]					
DOWN- DRAFT						
ā O		UCVM30XS	UCVM36XS UCVP36XS			
The informati	ion contained in this desurre	nent is BSH Home Appliances	UCVP36XS	confidential information. The	release or discle	

							WALL HOOD
Model		ces listed here	ein do not include applicable state o	r local taxes.		MCDD	
Number	Description				UMRP	MSRP	
All Wall Hoods in		-					
Beautiful illumination with multi-level, LED lights Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels		 Automatic mode detects temperatures to adjust fan speed automatically 10-min. delay shut off whisk away lingering odors 		 Check filter reminder light illuminates after 40 hours of operation Accessory options available Built-in remote control panel, sold separate (see page 6-8) 			
							All Masterpiece®
 Equipped with the Thermador Connected Experience by Home Connect[™] 		 Dishwasher-safe stainless steel covered mesh filters 		Vertical ducting directionIntegral blower included			
 A perfect complement to the sleek Thermador Masterpiece® Series cooktops 			 Noise Control Technology™ Cooktop Hood-Sync Enabled 		• 0	 Convertible to recirculation, accessory sold separate (see page 6-3) 	
 Brushed stainless 	steel		,				
and performance with a slide- out canopy design • When the slide-out canopy is pushed back, it sits flush try, and increase increase • Fan can closed		t surrounding cabined when pulled forward ses capture area in be activated in the lor open position	 600 CFM integral blower included Transition to 6" round and backdraft damper included 		and uded	HMDW36WS	
HMDW30WS			Under Cabinet , 600 CFM		2,149	2,399	
HMDW36WS	36" Maste Drawer W	erpiece [®] , /all Hood	Under Cabinet , 600 CFM		2,249	2,499	_
Low-Profile Wall H	lood						
3				o 10" round and amper included			
 Approved for use Professional Serie and Rangetops 			ory options available, eparate (see page 6-7)				HMWB30WS
HMWB30WS	30" Low-F	30" Low-Profile Wall Hood, 600 Cl			2,049	2,299	
HMWR36WS	36" Low-Profile Wall Hood, 600 CF		all Hood, 600 CEM		2 149	2 399	

THVIVVDSOVVS	30 Low-Frome Wall Flood, 000 CFW	2,047	2,2//
HMWB36WS	36" Low-Profile Wall Hood, 600 CFM	2,149	2,399
HMWB361WS	36" Low-Profile Wall Hood, 1000 CFM	2,249	2,499
HMWB481WS	48" Low-Profile Wall Hood, 1000 CFM	2,349	2,599

Model Number Description UMRP MSRP

Accessorie	s—Masterpiece	[®] Series			Dra	wer	Lo	w F	'rof	ile
					HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
	filtered air back Replace charce depending on	• Installati RECHM and filter every 3-6 months usage replacement accessory • Installati RECHM and add Approve HMWB3	on Note: RECHMWE WB36 are brushed st s 4" height to the ap ed for use with HMW 6WS Low-Profile Ser) CFM blowers only	ainless steel, opliance. 'B30WS and			•			
	RECHMWB30	Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide	699	799						
	RECHMWB36	Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide	749	849				•		
	RECHMDW30	Recirculation Kit for Masterpiece® HM Under Cabinet Drawer Hood, 30" Wic		149	•					
	RECHMDW36	Recirculation Kit for Masterpiece® HM Under Cabinet Drawer Hood, 36" Wic		149		•				
FEEE	CHFHMDW30	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wic	99 le	109	•					
	CHFHMDW36	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wic	99 le	109		•				
	•	1 3	used with Low-Profil Vall Hoods	e HMWBxxWS						
	DCT3016W	16" Tall Duct Cover for Low-Profile Wa 30" Wide	all Hood, 649	749						
	DCT3616W	16" Tall Duct Cover for Low-Profile Wa 36" Wide	all Hood, 659	749				•	•	
	DCT4816W	16" Tall Duct Cover for Low-Profile Wa 48" Wide	all Hood, 679	749						•
	DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	749	849			•			

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model UMRP Description **MSRP** Accessories—Masterpiece® Series Drawer Low Profile HMWB36WS HMWB36WS HMWB361WS HMWB481WS HMDW30WS HMDW36WS 28"×65" Tall Duct Cover for DC36MTW 759 849 Low-Profile Wall Hood, 36" Wide 28"×65" Tall Duct Cover for DC48MTW 779 899 Low-Profile Wall Hood, 48" Wide

This price list supersedes all previ	ous price lists. Prices listed herein do not include applicable state or local taxes.		
Model	Description	LIMPD	MCDD
Number	Description	UMRP	MSRP

All Professional Wall Hoods Include these Additional Features:

- Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Vertical or horizontal ducting discharge possible
- 6" tall and 20"-54" tall telescopic duct cover accessory options available, sold separate (see page 6-7)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6)

Integral: VTN1DZ, VTN2FZ Inline: VTI1FZ¹, VTI2FZ Remote: VTR1FZ, VTR2FZ

- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included

Accessory options available

- Duct cover accessory options (see page 6-7)
- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

Professional Series

AUULUU J

PH36HWS

Pro Harmony® Wall Hood

- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- A perfect companion to Pro Harmony® Professional Ranges
- Pro-style 24" depth, 18" tall
- Commercial-style stainless steel baffle filters

PH30HWS	30" Pro Harmony® Wall Hood, Optional Blower	2,249	2,499
PH36HWS	36" Pro Harmony® Wall Hood, Optional Blower	2,349	2,599
PH48HWS	48" Pro Harmony® Wall Hood, Optional Blower	2,599	2,899

Pro Grand® Wall Hood

- Equipped with the Thermador Connected Experience by Home Connect[™]
- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Crafted to complete the ultimate cooking system with Pro Grand[®] Professional Ranges
- Pro-style 27" depth, 18" tall
- Two infrared,175 W, Keep-Hot lamps (included)



PH36GWS



PH36GWS	36" Pro Grand® Wall Hood, Optional Blower	2,549	2,849
PH42GWS	42" Pro Grand [®] Wall Hood, Optional Blower	2,699	2,999
PH48GWS	48" Pro Grand [®] Wall Hood, Optional Blower	2,999	3,299
PH54GWS	54" Pro Grand [®] Wall Hood, Optional Blower	3,199	3,549
PH60GWS	60" Pro Grand® Wall Hood, Optional Blower ¹	3,999	4,399

¹ The 600 CFM blower options are not available with the 60" hood

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

	Number	Description	UMRP	MSRP						
Blowers					Maste	rpiece	Pr	ofes	ssion	al
					d	Downgran	Wall	Chimney Wall	Island	Custom Insert
					UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	HPINxxWS	VCINxxGWS
	Integral Blowe Integrated in time of insta	nto ventilation hood at the								
	VTN1DZ	400 CFM Integral Blower	709	799			•			
0	VTN2FZ	1,000 CFM Blower	899	999			•	•		•
	Blower can k along the du between the the exterior	• 25 ft. cable (EXTNCB25W) available for inline blower applica-	 For use with There PHxxxWS, HPCNx HPINxxWS, VCINx UCVMxxRS, and UCVP36XS Series 	xWS, xGWS,						
9.	VTI1FZ	600 CFM Inline Blower, 6" duct size	709	799	•	•	•1	•	•	•2
	VTI2FZ	1,000 CFM Inline Blower, 10" duct size	899	999	•	•	•	•	•	•
	Roof mounti (RFPLTxxP) re mount appli	oof or wall mount• 25 ft. cable (EXTNCB25W)	For use with Therma PHxxxWS, HPCNxxV HPINxxWS, VCINxxV UCVMxxRS, and UCVP36XS Series ho	WS, GWS,						
	VTR1FZ	600 CFM Remote Blower, 6" duct six	ze 829	949	•	•	•2	•	•	•2
	VTR2FZ	1,000 CFM Remote Blower, 10" duc	t size 869	999	•	•	•	•	•	•

¹ The 600 CFM blower options are not available with the 60" hood

Model
Number Description UMRP MSRP

Accessorie	s—Professional					Pro rmc			and			
					PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
	-	es Steel Duct Cover and 20"–54" telescoping • Can be used with PHx and Pro Harmony® Ser			•							
	DC306W	6" Tall Duct Cover for Pro Wall Hoods, 30" Wide	469	519								
	DC366W	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	489	539		•		•				
	DC426W	6" Tall Duct Cover for Pro Wall Hoods, 42" Wide	499	549					•			
	DC486W	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499	549			•			•		
	DC3089W	8' - 9' Ceilings Telescoping Duct Cover, 30" wide	499	549	•							
	DC3689W	8' - 9' Ceilings Telescoping Duct Cover, 36" wide	509	599		•		•				
	DC4289W	8' - 9' Ceilings Telescoping Duct Cover, 42" wide	519	599					•			
	DC4889W	8' - 9' Ceilings Telescoping Duct Cover, 48" wide	529	599			•			•		
	DC361012W	10' - 12' Ceilings Telescoping Duct Cover, 36" wide	659	749		•			•			
	DC481012W	10' - 12' Ceilings Telescoping Duct Cover, 48" wide	719	799			•			•		

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP MSRP** Description Accessories—Professional Pro Pro Grand Harmony PH60GWS PH36GWS PH42GWS PH48GWS PH54GWS PH30HWS PH36HWS PH48HWS **Built-In Remote Control** • Ability to vertically install on cabinetry • Compatible with HDDBxxWS, or wall to control hood in a convenient HMCBxxWS, HMDWxxWS, HMIBxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, HPINxxWS, PHxxxWS, and • Built-in sleek, smooth remote touch con-VCINxxGWS Series hoods trol panel • Wired to hood

• Cable length: 30 ft.

319

359

Built-In Remote Control Accessory

Blower and	Blower and Duct Accessories				Pro Harmony		ny	Pro Gra			and	ı
					PH30HWS	PH36HWS	PH48HWS	PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS
	25-ft. extension hood and inlineSupports PHxxx		-				•					
	VCINxxGWS se		440	400			,					
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139								
1)]	EXTNSET4	3-pc extension set for Inline and remote blowers	159	179	•	•	•	•	•	•	•	•
	Roof Plates NOTE: Roof plate	required for roof-mount application of remote blow	ers.									
	RFPLT600P	Roof mounting plate for remote blower VTR1FZ	129	149	•	•	•	•	•	•	•	•
	RFPLT1000P	Roof mounting plate for remote blower VTR2FZ ^w	159	179	•	•	•	•	•	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

REMCPW

CHIMNEY WALL HOODS This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Number Description **MSRP** All Chimney Wall Hoods include the following features: Beautiful illumination with multi-level, • Check filter reminder light illuminates • Automatic mode detects LED lights temperatures to adjust fan after 40 hours of operation speed automatically • Dishwasher-safe filters • Vertical ducting direction • 10-min. delay shut off whisk away · Recessed sleek, smooth touch control • Built-in remote control panel accessory lingering odors panel that provides precise performance available, sold separate (see page 6-8) selection with 4-speed levels All Masterpiece® Chimney Wall Hoods include these Additional features: • 600 CFM integral blower • Equipped with the Thermador Connected • Convertible to recirculation, accessory Experience by Home Connect™ sold separate (see page 6-12 • Adjustable telescopic chimney heights to • A perfect complement to the sleek fit up to 9-ft tall ceilings • Hybrid mesh filters with stainless steel Thermador Masterpiece® Series cooktops frame • Transition to 8" round and backdraft Brushed stainless steel damper included • Vertical ducting direction Serves as the focal point of the room · Duct cover extension kit accessory for and can add a modern feel 9-ft to 12-ft tall ceilings available, sold separate (see page 6-12) • Cooktop Hood-Sync Enabled Masterpiece® Series **Pyramid Chimney Wall Hood** • Streamlined, contemporary, Noise Control Technology™ low-profile design with 5" pyramid canopy height 30" Masterpiece® Pyramid Chimney Wall Hood, HMCB30WS 2,499 2,749 HMCB30WS 600 CFM 36" Masterpiece® Pyramid Chimney Wall Hood, 2.599 2,899 HMCB36WS 600 CFM **Drawer Chimney Wall Hood** A masterful blend of luxury

- and performance with unique slide-out canopy design that can be pushed back for increased head room or pulled forward for increased capture
- Can be activated whether in the open or closed position
- Noise Control Deluxe™



HDDB30WS

3.199

2.899

HDDB30WS* 30" Masterpiece® Drawer Chimney Wall Hood,

600 CFM

HDDB36WS*

36" Masterpiece® Drawer Chimney Wall Hood, 3,099 3.449

^{*} Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Professional Chimney Wall Hoods include these Additional features:

- Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Creates a focal point in the room with a more contemporary-style feel
- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included
- Duct cover accessory options available, sold separate (see page 6-11)
- Pro-style 24" depth, 18" tall

- Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- 6" tall, 18"– 35" tall telescopic, and 42"– 59" tall telescopic duct cover accessory options available, sold separate (see page 6-11)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6)

Integral: VTN2FZ Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

Professional Series

Pro Grand® Chimney Wall Hood

HPCN48WS

HPCN36WS 36" Professional® Chimney Wall Hood, 3,099 3,449

Optional Blower

48" Professional® Chimney Wall Hood,

Optional Blower



HPCN36WS

3,999

3,599

 Model
 Number
 Description
 UMRP
 MSRP

Accessorie	s				N	/laster	piec	е	Pr Gra	
						amid /all	Dra	wer	Wa	all
					HMCB30WS	HMCB36WS	HDDB30WS	HDDB36WS	HPCN36WS	HPCN48WS
	Remote & Inline	Blower Extension Cable								
		cable for use between or remote blower • Cannot join two cable ger length.	es together f	or lon-						
	 Supports PHxxx HPINxxWS, UCV VCINxxGWS ser 	VMxxXS, UCVP36xS and VTR1FZ, VTR2FZ.	VTI1FZ, VTI2	FZ,					•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139						
	EXTNSET4	3-pc extension set for Inline and remote blowers	159	179					•	•
-	Duct Cover									
		all, 18"–35" tall telescopic, telescopic heights • Can be used with HF Professional Series C		Hoods					•	
	CHMHP366W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 36" Wide	499	549						
	CHMHP486W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 48" Wide	509	599						•
	CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	649	749					•	
	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	659	749						•
	CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	719	799					•	
	CHMHP48XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	739	849						•

 Model
 Number
 Description
 UMRP
 MSRP

Accessorie	Accessories		Ma		Masterpiece			ro and	
				Pyra W	amid /all	Drawer		Wa	all
				HMCB30WS	HMCB36WS	HDDB30WS	HDDB36WS	HPCN36WS	HPCN48WS
		ood Extension Kits escopic chimney extension for 9-ft to 12-ft tall ceilings							
	CHXTHDDW	9'–12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece® Chimney Drawer Hood	579 649			•	•		
	СНХТНМСВ	9'–12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece® Pyramid Chimney Hood	579 649	•	•				
	• When ducting is sible, kit brings air back into kit	filtered ter every 3–6 months ment access	er replace- ory available			•	•		
	RECHDDB	Recirculation Kit for Masterpiece® HDDBxxWS Drawer Chimney Wall Hood	159 179						
9-m	RECHMCB	Recirculation Kit for Masterpiece® HMCBxxWS Chimney Wall Hood	159 179	•	•				
	CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109 119	•	•	•	•		
	Roof Plates NOTE: Roof plate	e required for roof-mount application of remote blowers.							
	RFPLT600P	Roof mounting plate for remote blower VTR1FZ	129 149					•	•
	RFPLT1000P	Roof mounting plate for remote blower VTR2FZ	159 179					•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All Island Hoods include the following features:

- Equipped with the Thermador Connected Experience by Home Connect[™]
- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-8)

Masterpiece® Series

Low-Profile Island Hood

- Sleek and slim, these meticulously sculpted, floating stainless steel island hoods catch the eye without obstructing views
- A perfect complement to Thermador Masterpiece[®]
 Series cooktops
- Brushed stainless steel

- Cooktop Hood-Sync Enabled
- Noise Control Deluxe™
- 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings
- Transition to 8" round and backdraft damper included

 Convertible to recirculation, accessory sold separate (see page 6-15)

Accessory options available

 Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings (see page 6-15)



HMIB36WS



HMIB36WS	36" Masterpiece® Box Island Hood,	3,399	3,749
	600 CFM		

HMIB42WS	42" Masterpiece® Box Island Hood,	3,499	3,849
	600 CFM		

Model
Number Description UMRP MSRP

Professional Series

Box Island Hoods

- A stunning, meticulously crafted piece that could be a conversation starter while entertaining in the kitchen
- Designed and engineered to match in design and performance with Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Unique angled box canopy island hood design
- Dishwasher-safe commercialstyle stainless steel baffle filters

HPIN54WS

- Make-up air damper relay switch (120 V max)
- Powerfully Quiet[®] optional blower system accepts inline and remote blowers only
- Transition to 10" round and backdraft damper included
- For ceiling applications of 8' to 9' height
- May require fabrication for custom height

 Blower options sold separate and required to complete install.

Works with the following blowers, sold separately (see page 6-6)

Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

4,399

4,849



HPIN42WS



42" Professional [®] Island Hood, Optional Blower	3,799	4,199
Орнопа: Blower		

54" Professional® Island Hood,

Optional Blower

Accessorie	Accessories					Maste	rpiece	Pr	ro
						Low F	Profile	Во	ox
	Model Number	Description		UMRP	MSRP	HMIB36WS	HMIB42WS	HPIN42WS	HPIN54WS
	25-ft. extension hood and inlineSupports PHxxx	Blower Extension Cable cable for use between or remote blower kWS, HPCNxxWS, VMxxXS, UCVP36xS and ries hoods 25-ft Remote & Inline E Extension Cable	 Cannot join two cables ger length. For use with blowers V VTR1FZ, VTR2FZ. 	-				•	•
() }	EXTNSET4	3-pc extension set for I remote blowers	nline and	159	179			•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Accessorie	Accessories					rpiece	Р	ro
					Low F	Profile	В	эх
	Model Number	Description	UMRP	MSRP	HMIB36WS	HMIB42WS	HPIN42WS	HPIN54WS
	Low-Profile Islan	d Hood Extension Kit						
	Stainless steel t chimney extens 12-ft tall ceiling	ion for 9-ft to Masterpiece® Island Hood			•	•		
	CHXTHMIB	9'–12' Ceilings Chimney Extension Kit for HMIBxxWS Masterpiece® Island Hood	699	799				
		d Hood Recirculation Accessories						
	 When ducting i kit brings filters 							
	kitchen	Charcoal filter replacement						
	• Replace charco 3–6 months de	al filter every accessory available (see						
	usage							
IIII	RECHMIB	Recirculation Kit for Masterpiece® HMIBxxWS Island Hood	159	179	•	•		
	CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109	119	•	•		
	Roof Plates NOTE: Roof plat	e required for roof-mount application of remote blow	ers.					
	RFPLT600P	Roof mounting plate for remote blower VTR1FZ	129	149			·	
	RFPLT1000P	Roof mounting plate for remote blower VTR2FZ ¹	159	179			•	•

¹ Available Late Q3

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Model Number	Description		UMRP MSRP
All Masterpiec	e [®] Custom Inserts includ	le the following features:	
 Equipped wit 	h the Thermador	 Two 6 W LED lights 	• 120 V
Connected Experience by Home		 Vertical ducting 	 Dishwasher-safe aluminum filter
Connect [™]		 Integral blower 	Perimetric filter
Touch control			

Masterpiece® Series

300 CFM Custom Insert

• 300 CFM blower

• Vertical ducting with 6" round duct

 VCI3B30ZS
 30" Custom Insert Hood, 300 CFM
 1,469
 1,649

 VCI3B36ZS
 36" Custom Insert Hood, 300 CFM
 1,569
 1,749

VCI3B30ZS

VCI3B36ZS



600 CFM Custom Insert

• 600 CFM blower
• Vertical ducting with 8" round duct

 VCI6B30ZS
 30" Custom Insert Hood, 600 CFM
 1,569
 1,749

 VCI6B36ZS
 36" Custom Insert Hood, 600 CFM
 1,669
 1,849



VCI6B30ZS



VCI6B36ZS



 Model
 Number
 Description
 UMRP
 MSRP

Custom Insert Hoods

- Equipped with the Thermador Connected Experience by Home Connect[™]
- Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials
- Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops
- Brushed stainless steel
- Dishwasher-safe commercialstyle stainless steel baffle filters
- Beautiful illumination with multi-level, LED lights

- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Make-up air damper relay switch (120 V max)
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Includes custom hood trim to complete custom insert installation

Vertical ducting

 Blower options sold separate and required to complete install.

Works with the following blowers, sold separately (see page 6-6)

Integral: VTN2FZ Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ

- Transition to 10" round and backdraft damper included
- Built-in remote control panel accessory available, sold separate (see page 6-8)

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

Professional Series



VCIN48GWS



VCIN36GWS	36" Professional® Custom Insert, Optional Blower	2,069	2,299
VCIN42GWS	42" Professional® Custom Insert, Optional Blower	2,169	2,399
VCIN48GWS	48" Professional® Custom Insert, Optional Blower	2,269	2,499
VCIN54GWS	54" Professional® Custom Insert, Optional Blower	2,369	2,649
VCIN60GWS	60" Professional® Custom Insert, Optional Blower	2,469	2,749

 Model
 Number
 Description
 UMRP
 MSRP

Accessorie	cessories							ا	Pro	,	
			VCI3B30ZS	VCI3B36ZS	VCI6B30ZS	VCI6B36ZS	VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS
	Built-In Remote C	ontrol									
	Ability to vertical on cabinetry or vector of the control hood in a nient location Built-in sleek, small remote touch control to the control of the	vall to HDDBxxWS, HMCBxxWS, a conve- HMDWxxWS, HMIBxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, HPINxxWS,									
	REMCPW	Built-In Remote Control Accessory 319 359					•	•	•	•	•
	 25-ft. extension of hood and inline of Supports PHxxxV 	//S, HPCNxxWS, • For use with blowers VTI1FZ, VTI2FZ, VTR1FZ, VTR2FZ.									
700	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable 119 139					•	•	•	•	•
	EXTNSET4	3-pc extension set for Inline and 159 179 remote blowers					•	•	•	•	•
	Roof Plates NOTE: Roof plate	required for roof-mount application of remote blowers.							•		
	RFPLT600P	Roof mounting plate for 129 149 remote blower VTR1FZ								•	
	RFPLT1000P	Roof mounting plate for 159 179 remote blower VTR2FZ					•	•	•	•	•
	Charcoal Filters										
-	CHFVCI30ZS	Charcoal Filter Kit for 30" Custom Inserts 109 119 VCI3B30ZS and VCI6B30ZS	•		•						
	CHFVCI36ZS	Charcoal Filter Kit for 36" Custom Inserts 109 119 VCI6B36ZS and VCI6B36ZS		•		•					

All Downdrafts include the following features:

- Designed for installation with all Thermador® cooktops except Professional Series
- All models feature six possible discharge connections including front, side, down, and rear as well as recirculation
- Stainless steel
- Sleek, removable front filter panel design that act as a splatter shield
- Dishwasher safe mesh filters
- Three speeds
- Convenient 10-minute time-delay shutoff feature

- Filter maintenance reminder light
- Automatic mode
- Recirculation possible with electric and induction cooktops, Accessory Sold Separately (UCVRECIRC see page 6-20)

Required To Complete The Installation:

 Blower Options, Sold Separately. Works with the following blowers, sold separately (see page 6-21).

Integral: VTD600P Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ Downdraft transitions may be required to complete the installation depending on exhaust direction & blower chosen: [see page 6-21]

CVTSIDE6 CVTRECT2
CVTSIDE8 CVTFRONT6
CVTSIDE10 CVTFRONT8
CVDUCT2 CVTFRONT10

Accessory options available

MSRP

- Gas cooktop seal kit sold separately, required for installation with gas cooktops (UCV30ST, UCV36ST [see page 6-20)
- 5' electrical panel extension cable (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-23])
- 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-23)

Masterpiece® Series

Downdraft Ventilation System

UCVM30XS 30" Masterpiece® Downdraft

15" Snorkel, Optional Blower

1,869 2,099



UCVM36XS

36" Masterpiece® Downdraft

15" Snorkel, Optional Blower

2,069 2,299



UCVP36XS

36" Masterpiece® Downdraft, Deluxe

18" Snorkel, Optional Blower

LED Task Bar Lights

2,369 2,649



NOTE: Transition required and sold separately for all remote and inline blower installations.

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

 Model
 Number
 Description
 UMRP

Componen	ts	UCVM30XS	UCVM36XS	UCVP36XS
	 For use with 30" UCVM30XS, 36" UCVP36XS downdraft models only Works in wall or island applications When ducting is not sible, kit brings filtered air back into kitchen after passing through a charcoal filter To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Gas Cooktops Module ships with one heavy duty charcoal filter and two metal grill vent plates Mounts to cabinet base, recesses into toe kick/socket heights of 4" or taller Module and grill vent plate can be placed so air does not hit feet Blower and downdraft sold separately Replacement charcoal filters available, sold separately 			
	UCVRECIRC Recirculation kit for downdraft UCVM30XS, UCVM36XS, UCVP36XS downdrafts only. VTD600P Blower required, sold separately. Replace filters every 3-6 months depending on usage with HDDFILTUC	•	•	•
	NEW HDDFILTUC Charcoal filter replacement See Bosch Price List* For use with UCVRECIRC recirculation kit (above)	•	•	•
	Gas Cooktop Seal Kit For use with			
	UCV30ST 30" gas cooktop seal kit 129 149 For UCVM30XS downdraft	•		
	UCV36ST 36" gas cooktop seal kit 129 149 For UCVM36XS and UCVP36XS downdrafts		•	•

^{*} Pricing for the Thermador® accessory listed on this page can be found on the Bosch Price List, listed under the same SKU numbers. The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

 Model
 Number
 Description
 UMRP
 MSRP

Componen	ts	UCVM30XS	UCVM36XS	UCVP36XS
00	Integrated Blower VTD600P 600 CFM, 8" duct size flexible integrated blower 849 949	•	•	•
W.	Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only			
	Inline Blowers • Blower can be mounted along the duct line between the kitchen and the exterior wall • 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-23) • For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods			
0.	VTI1FZ 600 CFM Inline Blower, 709 799 6" duct size	•	•	•
	VTI2FZ 1,000 CFM Inline Blower, 899 999 10" duct size	•	•	•
	Remote Blowers For external roof or wall mount			
	VTR1FZ 600 CFM Remote Blower, 6" duct size 829 949	•	•	•
	VTR2FZ 1,000 CFM Remote Blower, 10" duct size 869 999	•	•	•
	Downdraft Transitions Transition(s) may be required to complete the installation of 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdrafts depending on the discharge connection chosen in combination with the downdraft blower selected (see installation manual) For use with inline and remote blowers			
	CVTSIDE6 6" side/rear transition 199 219 Rectangular 1 1/2 "×19" transition to 6" round for side, down and rear exhaust applications	•	•	•
6	CVTSIDE8 8" side/rear transition 199 219 Rectangular 1 % "×19" transition to 8" round for side, down and rear exhaust applications	•	•	•

 Model
 Number
 Description
 UMRP
 MSRP

Componen	ts		UCVM30XS	UCVM36XS	UCVP36XS
6	CVTSIDE10	10" side/rear transition 199 219 Rectangular 1 % "×19" transition to 10" round for side, down and rear exhaust applications	•	•	•
0	CVTFRONT6	6" round front plate 99 109 Front rough-in plate for front downward exhaust applications	•	•	•
0	CVTFRONT8	8" round front plate 99 109 Front rough-in plate for front downward exhaust applications	•	•	•
0	CVTFRONT10	10" round front plate 99 109 Front rough-in plate for front downward exhaust applications	•	•	•
	CVDUCT2	2' rectangular duct 199 219 Rectangular duct that is 2' long × 1 %" deep × 19" wide (CVDUCT2) required to connect CVTRECT2 to downdraft housing. Ability to use as an extension to exhaust through a cabinet or wall. To modify length, duct may be cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be used to connect CVTRECT2 to round ductwork	•	•	•
	CVTRECT2	Transition for rectangular duct 99 109 Required to attach CVDUCT2 2' rectangular duct to downdraft housing	•	•	•

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

 Model
 Number
 Description
 UMRP
 MSRP

Blower Acc	Blower Accessories					Integrated	Inline		Remote Blowers		Downdraft		
						VTD600P	VTI1FZ	VTI2FZ	VTR1FZ	VTR2FZ	UCVM30XS	UCVM36XS	UCVP36XS
	Remote & Inline Blower Extension Cable 25-ft. extension cable for use between hood and inline or remote blower Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods. EXTNCB25W 25-ft Remote & Inline Blower Extension Cable Cannot join two cables together for longer length. For use with blowers VTI1FZ, VTR2FZ, VTR1FZ, VTR1FZ, VTR2FZ.						•	•	•	•	•	•	•
	EXTNSET4	3-pc extens	ion set for Inline and wers	159	179		•	•	•	•			
	For use with 30" UCVM30XS, 36" UCVP36XS downdraft mode Cable connects remotely located cal panel to the draft during remand inline blower installation applies.	els only a d electri- down- note er motor	le Cable provides ability to connect electrical panel to the downdraft from a remote location with 5-feet during installation applications with downward duct discharge so the electrical panel is out of the way	 Extends electrical parcable an additional second an additional second and secon	5' vo nake con- t								
Son	EXTNCE5	for Downdr	Panel Extension Cable aft. For UCVM30XS, , UCVP36XS downdrafts	199	219						•	•	•
	Roof Plates NOTE: Roof plate RFPLT600P	•	roof-mount application of re ing plate for wer VTR1FZ		149				•				
	RFPLT1000P	Roof mount remote blov	ing plate for wer VTR2FZ	159	179					•	•		

 Model
 Number
 Description
 UMRP
 MSRP

All Dishwashers include the following features:

- Superior washing and drying performance guaranteed
- Concealed controls
- Black-shimmer racks with 3-Step adjustment
- A highly flexible racking system
- 16 place settings
- 18/10 Stainless steel TallTub
- Powerfully Quiet® operation
- Sens-a-Wash®
- Advanced Triple Filtration System
- Hidden Heating Element

Chef's Tool Drawer™

- Leak Sensor and Auto Shut off
- Connected Experience
- OHome Connect
 Wi-Fi enabled/Home Connect[™]
 app compatibility

Wash Cycles:

- Normal
- Auto
- · Pots and Pans
- Quick

Options:

- 24-hour Delay Start
- Remote Start (Connected)
- Sanitize (NSF certified to remove up to 99.9% of bacteria)

Emerald Series

• 48 dBA

(third rack)

DWHD560CFM

DWHD560CFP

DWHD560CPR

• Blue PowerBeam® "on" indicator

blue Fowerbeam on inc

Touch Controls

24" Masterpiece® Stainless Steel Emerald®

24" Professional Stainless Steel Emerald®

24" Custom Panel Emerald®

(Requires Custom Panel)

Additional Options:

• Extra Dry, PowerBoost®

1,399 1,549

1,399

1,399 1,549

1,549



DWHD560CFM



DWHD560CFP



DWHD560CPR



All discontinue July

- 48 dBA
- Chef's Tool Drawer™ (third rack)
- Blue PowerBeam® "on" indicator
- Touch Controls
- ENERGY STAR® certified

Additional App-Only Cycles:

Rinse, Machine Care

Additional Options:

Extra Dry

Additional App-Only Options:

Save Time

1,399 1,549 1,399 1,549

1,399 1,549



DWHD640EFM



DWHD640EFP



DWHD640EPR



NEW DWHD640EFM 24" Masterpiece® Stainless Steel Emerald®

NEW DWHD640EFP 24" Professional Stainless Steel Emerald®

NEW DWHD640EPR 24" Custom Panel Emerald® (Requires Custom Panel)

All available July

Model **UMRP** Number Description **MSRP**

Sapphire® Series

•	44	Ч	R	Δ

- Adjustable Chef's Tool Drawer™ (third rack)
- Flexible folding tines
- **Touch Controls**
- Time remaining PowerBeam® indicator
- Sapphire Glow® Interior Light
- Crystal Protect® water softener system

Additional Wash Cycles:

• 1 hour

Additional Options:

 StarDry[™] – with Zeolite[™], an exclusive Thermador drying solution, PowerBoost®

1.999

1,999

1,999

2.199

2,199

2,199



DWHD760CFM



DWHD760CFP





Home Connect

DWHD760CFM

24" Masterpiece® Stainless Steel Sapphire® 24" Professional Stainless Steel Sapphire®

DWHD760CFP DWHD760CPR

24" Custom Panel Sapphire®

(Requires Custom Panel)

All discontinue July

44 dBA

- Adjustable Chef's Tool Drawer™ (third rack)
- Flexible folding tines
- **NEW Zone Control**
- **Touch Controls**
- Blue PowerBeam® "on"

indicator

- Sapphire Glow® Interior Light
- Premium smooth glide ball bearing wheels on lower, upper and third rack
- ENERGY STAR® certified

Additional App-Only Cycles:

Rinse, Machine Care

Additional Options:

 StarDry[™] – with Zeolite[™], an exclusive Thermador drying solution

Additional App-Only Options:

Save Time, Glass

2,199

1,999 2,199

2,199

1,999

DWHD660EFM



DWHD660EFP



DWHD660EPR



24" Masterpiece® Stainless Steel Sapphire® NEW DWHD660EFM

NEW DWHD660EFP	24" Professiona	I Stainless	Steel Sapphir	e®
----------------	-----------------	-------------	---------------	----

NEW DWHD660EPR 24" Custom Panel Sapphire®

(Requires Custom Panel)

All available July

 Model
 Number
 Description
 UMRP
 MSRP

Star Sapphire® Series

42 dBA

- Premium smooth glide ball bearing wheels on lower, upper and third rack
- Entertainer's Drawer (third rack)
- 18 wine glass capacity
- Flexible folding tines
- Time remaining PowerBeam[®] indicator

- Premium Capacitive Touch Controls
- StarGlow interior light allows you to change the color & intensity to match the ambiance of your kitchen via the Home Connect™ app
- Crystal Protect® water softener system

Additional Wash Cycles:

- Glass
- 1 Hour

Additional Options:

- Save Time
- StarDry[™] with Zeolite[™], an exclusive Thermador drying solution, PowerBoost[®]

2,499

2.499

2,499

2,749

2.749

2,749




DWHD770CFM



DWHD770CFP



DWHD770CPR



DWHD770CFM	
DWHD770CFP	

24" Masterpiece[®] Stainless Steel Star Sapphire[®]
24" Professional Stainless Steel Star Sapphire[®]

DWHD770CPR 24" Custom Panel Star Sapphire®

(Requires Custom Panel)

All discontinue July

- 42 dBA
- Premium smooth glide ball bearing wheels on lower, upper and third rack
- Adjustable Chef's Tool DrawerTM (third rack)
- 18 wine glass capacity
- Flexible folding tines
- NEW Zone Control
- Time remaining PowerBeam[®] indicator

- Premium Capacitive Touch Controls
- StarGlow interior light allows you to change the color & intensity to match the ambiance of your kitchen via the Home Connect™ app
- Crystal Protect® water softener system
- ENERGY STAR® certified

Additional App-Only Cycles:

• Rinse, Machine Care

Additional Options:

 StarDry[™] – with Zeolite[™], an exclusive Thermador drying solution

Additional App-Only Options:

Save Time, Glass



DWHD661EFM



DWHD661EFP



DWHD661EPR

NEW DWHD661EFM	24" Masterpiece® Stainless Steel Star Sapphire®	2,499	2,749
NEW DWHD661EFP	24" Professional Stainless Steel Star Sapphire®	2,499	2,749
NEW DWHD661EPR	24" Custom Panel Star Sapphire® (Requires Custom Panel)	2,499	2,749



All available July

 Model
 Number
 Description
 UMRP
 MSRP

Accessorie	s			Emerald Series	Sapphire® Series	Star Sapphire® Series
	Model Number	Description		Eme Serie	Sapk Serie	Star Sapp Serie
	SGZ1010UC	Dishwasher Drain Hose Extension	See Bosch Price List*	•	•	•
	SMZ3IN1UC	Dishwasher Installation Kit with Junction Box, Supply Hose, Elbow	See Bosch Price List*	•	•	•
	SMZ5000	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small	See Bosch Price List* Item Basket.	•	•	•
	SMZ5002UC	Fine Silverware Carafe with Clip for Emerald® dishwashers (clips onto lower rac	See Bosch Price List* ck)	•		
	SMZ5400	Large 3rd Rack Silverware Insert Accessory DWHD770C* models only	See Bosch Price List*			•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Price List*	•	•	•
0.	SMZSH1ABUC	Dishwasher Water Supply Hose	See Bosch Price List*	•	•	•

^{*} Pricing for the Thermador® dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers. The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

	'	11		
3DHFGALBIN	1-15	DC306W6-7	HMWB30WS6-2	PA12GRILLW5-9, 5-20
3DPRODRAIL	1-15	DC366W6-7	HMWB36WS6-2	PA12LCVRW5-10, 5-20
24HFGALBIN	1-15	DC426W6-7	HMWB361WS6-2	PA24CVRR5-20
24PRODRAIL	1-15	DC486W6-7	HMWB481WS6-2	PA30WLBC5-12
30HFGALBIN	1-15	DC3089W6-7	HPCN36WS6-10	PA30WLBH5-12
30PRODRAIL	1-15	DC3689W6-7	HPCN48WS6-10	PA36WLBC5-12
36HFGALBIN	1-15	DC4289W6-7	HPIN42WS6-14	PA36WLBG5-22
36PRODRAIL	1-15	DC4889W6-7	HPIN54WS6-14	PA36WLBH5-12
		DC361012W6-7		PA36WTKG5-21
С		DC481012W6-7	I	PA48WLBC5-12
CEM305TB	4-6	DCT3016W6-3	ICEBUCKETL1-16	PA48WLBG5-22
CEM366TB	4-7	DCT3616W6-3	_	PA48WLBH5-12
CET305YB	4-6	DCT4816W6-3	L	PA48WTKG5-21
CET366YB	4-6	DWHD560CFM7-1	LPRODBIN101-15	PA60WLBG5-22
CHEFSPAN084-8	3, 5-10	DWHD560CFP7-1	••	PA60WTKG5-21
CHEFSPAN13	4-8	DWHD560CPR7-1	M	PAALTKITGW5-21
CHFHMCD6-12	2, 6-15	DWHD640EFM7-1	MB30WP3-12	PAALTKITH 5-11
CHFHMDW30	6-3	DWHD640EFP7-1	MB30WS3-12	PAGRIDDLE5-9, 5-20
CHFHMDW36	6-3	DWHD640EPR7-1	MBCS3-12	PAKNOBLUWR5-11
CHFVCI30ZS	6-18	DWHD660EFM7-2	MBT30CS3-12	PALPKITDGW5-20
CHFVCI36ZS	6-18	DWHD660EFP7-2	MC30WP3-13	PALPKITGA 5-11
CHMHP36TW	6-11	DWHD660EPR7-2	MC30WS3-13	PALPKITGA6 5-11
CHMHP36XTW	6-11	DWHD661EFM7-3	MD24BS3-13	PALPKITGGW5-21
CHMHP48TW		DWHD661EFP7-3	MD24WS3-12	PALPKITHA55-11
CHMHP48XTW		DWHD661EPR7-3	MD30BS3-13	PALPKITHW5-10
CHMHP366W		DWHD760CFM7-2	MD30WS3-12	PALPKITHW55-10
CHMHP486W		DWHD760CFP7-2	ME301WS3-2	PARKB3XHY5-11
CHXTHDDW		DWHD760CPR7-2	ME301YP3-2	PARKB3XIHB 5-11
CHXTHMCB		DWHD770CFM7-3	ME302WS3-3	PARKB30HY 5-11
CHXTHMIB		DWHD770CFP7-3	ME302YP3-3	PARKB36CGY5-21
CIT30YWBB		DWHD770CPR7-3	MED301LWS3-2	PARKB36DHY5-11
CIT36YWB		DWID/70CFH7-3	MED301RWS3-2	PARKB36GY5-21
CIT36YWBB		E	MED301WS3-2	PARKB36HY 5-11
CIT304YB		EXTNCB25W 6-8, 6-11, 6-14,	MED302LWS3-4	PARKB36IGY5-21
CIT304YM		6-18, 6-23	MED302RWS3-4	PARKB48CGY5-21
CIT365YB		EXTNCE56-23	MED302WS3-4	PARKB48CHY5-11
CIT367YG		EXTNSET46-8, 6-11, 6-14, 6-18,	MEDMC301WS3-5	PARKB48DHY5-12
CIT367YGS		6-23	MEDMCW31WS3-5	
CIT367YM			MEDS301BS3-6	PARKB48SGY5-21
CIT367YMS		F	MEDS301WS3-6	PARKB60CGY5-21
COMBIKIT10		FRAMEKIT101-3, 1-5, 1-7, 1-9,	MEDS302BS3-6	PARKB60SGY5-21
CVDUCT2		1-15	MEDS302WS3-6	PCG305W5-2
CVTFRONT6			MEM301WS3-5	PCG364WD5-3
CVTFRONT8		Н	MS20HNDL20 1-17	PCG366W5-2
CVTFRONT10		HDDB30WS6-9	MS22HNDL25 1-17	PCG486WD5-3
		HDDB36WS6-9	MS30HNDL201-9	PH30HWS6-5
CVTRECT2		HDDFILTUC6-20	MS36HNDL201-9	PH36GWS6-5
CVTSIDE6		HEATRKIT201-3, 1-5, 1-7, 1-9,	MS3600IB101-20	PH36HWS6-5
CVTSIDE8		1-15, 1-20	MS3642IT101-20	PH42GWS6-5
CVTSIDE10	6-22	HMCB30WS6-9	MS4800IT101-20	PH48GWS6-5
D		HMCB36WS6-9	MU30WSU3-13	PH48HWS6-5
DC30MTW	6.3	HMDW30WS6-2	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	PH54GWS6-5
DC36MTW		HMDW36WS6-2	P	PH60GWS6-5
DC36MTW		HMIB36WS6-13	PA12CHPBLK5-10, 5-20	PO301W3-7
DO40IVI I VV	0-4	HMIB42WS6-13	PA12GRILFW5-9, 5-20	PO302W3-8
			,	

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

	'	11				
POD301LW	3-7	REMCPW6-8, 6-18	T24UR925LS	1-14	TFL24IW800	1-8
POD301RW	3-7	REPLFLTR551-16, 1-20	T24UR925RS	1-14	TFL24IW905	1-8
POD301W	3-7	RFPLT600P.6-8, 6-12, 6-15, 6-18,	T24UW905LP	1-14	TFL30IB800	1-7
POD302LW	3-8	6-23	T24UW905RP	1-14	TFL30IB905	1-7
POD302RW	3-8	RFPLT1000P6-8, 6-12, 6-15,	T24UW915LS	1-14	TFL30IR800	1-3, 1-5
POD302W		6-18, 6-23	T24UW915RS	1-14	TFL30IR905	1-3, 1-5
PODMC301W	3-9	0	T24UW925LS	1-14	TFL36IB100	1-21
PODMCW31W	3-10	S	T24UW925RS	1-14	TFL36IB800	1-7
PODS301B	3-11	SD30WC3-14	T24WINERK1	1-17	TFL36IB905	1-7
PODS301W		SDS30WC3-14	T30BB915SS		TFL36IR900	1-3, 1-5
PODS302B		SGRIDDLEW4-8	T30BB925SS		TFL36IR905	
PODS302W		SGS305TS 4-1	T30IB905SP		TFL36IT100	
POM301W		SGS365TS 4-1	T30IF905SP		TFL36IT800	
PR20HNDL20		SGSP305TS4-2	T30IR905SP		TFL36IT905	
PR22HNDL25		SGSP365TS4-2	T36BB110SS		TFL42IT100	
PR30HNDL20		SGSX305TS4-1	T36BB120SS		TFL48IT100	
PR36HNDL20		SGSX365TS4-1	T36BB915SS		TGRILLPANX	
PR3600IB10		SGSXP305TS4-2	T36BB925SS		TROASTERT	*
PR3642IT10		SGSXP365TS4-2	T36BT110NS		TWO30YS	•
PR4800IT10		SGZ1010UC7-4	T36BT120NS		1 *************************************	5-0, 5-14
PRD48WDSGU		SKNOBLUW4-9	T36BT915NS		U	
PRD48WISGU		SLPKITW4-9	T36BT915NS		UCTRFLTR10	1-17
PRD304WHU		SMZ3IN1UC7-4	T36FT810NS		UCV30ST	
PRD304WHU		SMZ50007-4	T36FT820NS		UCV36ST	
		SMZ5002UC7-4	T36IB100SP		UCVM30XS	
PRD364WDGU		SMZ54007-4			UCVM36XS	
PRD364WDHU		SMZPCJB1UC7-4	T36IB905SP		UCVP36XS	
PRD364WIGU		SMZSH1ABUC7-4	T36IF905SP		UCVRECIRC	
PRD366WGU		SNPKITPEDW4-9	T36IR905SP		UCVNECING	6-20
PRD366WHU		SPRODBIN101-16	T36IT100NP		V	
PRD486WDGU		SWOKRINGW4-9	T36IT905NP		VCI3B30ZS	6-16
PRD486WDHU			T42BT110NS		VCI3B36ZS	
PRD486WIGU		Т	T42BT120NS		VCI6B30ZS	
PRD606WEG		T18ID905LP1-4	T42IT100NP		VCI6B36ZS	
PRD606WESG		T18ID905RP1-4	T48BT110NS		VCIN36GWS	
PRG304WH		T18IF905SP1-4	T48BT120NS		VCIN42GWS	
PRG305WH		T18IW905SP1-8	T48IT100NP			
PRG364WDG	5-18	T18WINERK1 1-17	TCM24PS	2-1	VCIN48GWS	
PRG364WDH		T23IR905SP1-2	TCM24TS	2-1	VCIN54GWS	
PRG366WG	5-19	T24ID905LP1-4	TCMTK30RS	2-1	VCIN60GWS	
PRG366WH	5-8	T24ID905RP1-4	TCOOKSENSW	4-9	VTD600P	
PRG486WDG	5-19	T24IF905SP1-4	TEPPAN10134	-8, 5-9	VTI1FZ	
PRG486WDH	5-8	T24IR905SP1-2	TEPPAN1321	4-8	VTI2FZ	
PRI30LBHU	5-4	T24IW905SP1-8	TFL18ID800	1-5	VTN1DZ	
PRI36LBHU	5-4	T24UC905DP1-14	TFL18ID905	1-5	VTN2FZ	
PWOKRINGHC5-1	0, 5-20	T24UC915DS1-14	TFL18IR800	1-5	VTR1FZ	*
		T24UC925DS1-14	TFL18IR905	1-5	VTR2FZ	6-6, 6-21
R		T24UR905DP1-14	TFL18IW800	1-8	147	
RECHDDB	6-12	T24UR905LP1-14	TFL18IW905		W	_
RECHMCB	6-12		TFL23IR900		WD30W	
RECHMDW30	6-3	T24UR905RP1-14	TFL23IR905		WD30WC	
RECHMDW36	6-3	T24UR915DS1-14	TFL24ID800		WKNOBKT3W	3-14
RECHMIB		T24UR915LS1-14	TFL24ID905			
RECHMWB30		T24UR915RS1-14	TFL24IR8001			
RECHMWB36		T24UR925DS1-14	TFL24IR9051			
-			11 ZZ-11 10001	5, 15		



BSH Home Appliances Corporation

1901 Main Street, Suite 600, Irvine, CA 92614

Phone: (949) 440-7100

(800) 735-4328 Sales and Service

Thermador.com