T24UW915RS UNDER-COUNTER WINE RESERVE WITH GLASS DOOR



MASTERPIECE® COLLECTION HANDLE – RIGHT HINGED





Also Available:

T24UW915LS – Left Hinged with Masterpiece® Collection Handle T24UW925LS – Left Hinged with Professional Collection Handle T24UW925RS - Right Hinged with Professional Collection Handle T24UW905LP - Left Hinged Custom Panel-Ready T24UW905RP - Right Hinged Custom Panel-Ready

FEATURES & BENEFITS

- Dual zone wine storage with adjustable temperature zones
- Full-extension wine racks
- UV resistant tempered glass door
- Soft Close door hinges for ultra-smooth closing of the door
- LED theater lighting
- Touch electronic controls for precise temperature management

GENERAL PROPERTIES	
UV Resistant Glass Door	Yes
Reversible Door Swing	Left and Right Available
Soft Close Door Hinges	Yes
Lighting	Adjustable LED Lighting
Bottle Shelves	6
Shelf Material	Wenge Triangular Hardwood dowels w/ Aluminum Front Caps
Full Extension Wine Racks	Yes
Dual Zone Wine Storage	Yes
Door Open Alarm	Yes
Touch Electronic Controls	Yes
STAR-K Certified Sabbath Mode	Yes
CAPACITY	
Number of Bottles	41
TEMPERATURE RANGES	
Upper Zone	40°F (3°C) to 54°F (12°C)
Lower Zone	40°F (4.5°C) to 64°F (18°C)
TECHNICAL DETAILS	
Watts (W)	150 W
Current (A)	15 Amp
Volts (V)	115 V
Frequency (Hz)	60 Hz
Power Cord Length (in.)	60"
Plug Туре	120V 3-Wire
DIMENSIONS & WEIGHT	
Appliance Dimensions (H x W x D) (in.)	34 3/8 "* x 23 7/8 " x 23 5/8 "
Required Cutout Size (H x W x D) (in.)	34 1/2 "–35 1/4 " × 24" × 24"
Net / Gross Weight (lbs.)	140 / 151 lbs.
EFFICIENCY	
Annual Energy Consumption	155 kWh
WARRANTY	

Limited, Entire Appliance, Parts and Labor on any Part of the Refrigerator that Fails Because of a Manufacturing Defect

2 Year

Limited Warranty for Sealed Refrigeration System**; Parts and Labor

3rd to 6th Year

Limited Warranty for Sealed Refrigeration System*; Parts Only


7th to 12th Year

*Height adjustable + 1/2" (13 mm) with legs fully extended


**Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing

Thermador.*


GLASS DOOR WINE RESERVE PRODUCT DIMENSIONS




GLASS DOOR WINE RESERVE CUTOUT DIMENSIONS



GLASS DOOR WINE RESERVE CUTOUT DIMENSIONS & ELECTRICAL LOCATION



Recommended area for installation connection - a $2^{1}/2^{"}$ (63 mm) diameter hole is recommended. Location of power cord at base of the appliance.




(102 mm)**†**

For flush installation, recommend outlet to be placed to the side of the unit and not directly behind.


measurements in inches (mm)



GLASS DOOR WINE RESERVE CUTOUT & DOOR SWING DIMENSIONS



GLASS DOOR WINE RESERVE SIDE-BY-SIDE INSTALLATION



These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of delivery. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2024 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.