Thermador* Q1 2025 PRICE LIST

Consumer UMRP







TABLE of CONTENTS

Consumer UMRP Price List Q1 2025

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

REFRIGERATION		PROFESSIONAL SERIES RANGES AND	
Refrigerator Columns	1-2	RANGETOPS	
Freezer Columns	1-4	Overview	5-
Built-In Bottom Freezer Refrigeration	1-7	Professional Rangetops	5-2
Freestanding Refrigeration	1-10	Pro Harmony® Series	5-4
Suggested Combinations	1-11	Induction Ranges	
Wine Refrigeration	1-12	Dual-Fuel Ranges	5-
Under-Counter	1-14	Gas Ranges	
Glass Door Refrigeration Units	1-14	Accessories	
Drawer Refrigeration/Freezer Units	1-14	Pro Grand [®] Series	5-12
Glass Door Wine Preservation Units	1-14	Dual-Fuel with Steam Ranges	5-12
Accessories	1-15	Dual-Fuel Ranges	
Handles		Gas Ranges	
Refrigerator Columns		Accessories	
Freezer Columns		VENTUL ATLAN	
Bottom Freezer Refrigeration		VENTILATION	
Freestanding Refrigeration	1-20	Overview	
Under-Counter Drawer Accessories	1-21	Wall Hoods	
Wine Refrigeration		Masterpiece® Series	
Column Quick Reference Guide	1-22	Accessories—Masterpiece® Series	
BUILT-IN COFFEE MACHINE		Professional Series	
Built-In Coffee Machine	2-1	Accessories—Professional	
Accessories		Chimney Wall Hoods	
	2 1	Masterpiece® Series	
BUILT-IN OVENS		Professional Series	6-10
Overview		Accessories	
Masterpiece® Series	3-2	Island Hoods	
30" Masterpiece® Ovens	3-2	Masterpiece® Series	
Accessories	3-6	Accessories	6-14
Professional Series	3-7	Custom Inserts	
30" Professional Series Ovens	3-7	Professional Series	6-1
Microwaves	3-12	Masterpiece® Series	
Built-In Microwaves	3-12	Professional Series	6-1
MicroDrawer® Microwaves	3-12	Accessories	6-1
Over-the-Range Microwave	3-13	Downdraft	6-18
Speed Ovens	3-13	Masterpiece® Series	6-18
Warming Drawers	3-14	Components	6-19
Accessories	3-14	Blower Accessories	6-22
COOKTOPS		DISHWASHERS	
Gas Cooktops	4-1	Built-In Dishwashers	
Glass Ceramic Induction Cooktops	4-3	Accessories	7-2
Glass Ceramic Electric Cooktops		INDEX	
Accessories	4-7		•

Conditions of Sale

Returned GoodsNo merchandise may be returned without prior approval. Please contact your sales representative

for return authorization.

F.O.B. Origin All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight

and billing terms, refer to current program in effect.

Freedom[®] Collection REFRIGERATION

Thermador's ingenious Freedom® Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in refrigeration columns, freezer columns, bottom freezers and wine refrigeration are available in multiple widths ranging from 18" to 36".

To order, please follow this 4-step process:

Step 1 Select a Panel-Ready Column

Step 2

Select a Stainless Steel Panel or Use a Custom Panel



Select a Stainless Steel Handle or Use a

Step 3

Custom Handle

Step 4

Select Optional Accessories



HEATRKIT20

Freedom® Heater Kit

For columns that are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. See page 1-16.



FRAMEKIT10

Freedom® Frame Kit

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. See page 1-16.

To enhance the Freedom® Collection, please see our accessories section on page 1-11.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All 23.5"/24"/30"/36" Refrigerator Columns include the following features:

- Fully Flush
- Freedom® hinge
- All-LED sidewall filtered theater lighting
- Cold Air System
- ThermaFresh® system
- Carbon air filter
- SuperCool function

- Stainless steel interior
- Full-extension SoftClose® drawers
- TFT Control
- Full-length cantilever racks
- Door open alarm
- Open door assist
- Sabbath/Economy/Vacation modes

- Star-K certified
- ENERGY STAR® certified
- Extremely quiet
- Reversible door swing
- Home Connect

Step 1: Refrigerator Columns













T24IR905SP	24" Fresh Food Column	7,499	8,249
T30IR905SP	30" Fresh Food Column	7,999	8,799
T36IR905SP	36" Fresh Food Column	8,499	9,349

		IV.	EFRIG	ERATOR COLUM
This price list supersedes al	I previous price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	UMRP	MSRP	
	rigerator Columns are panel ready. Apply custom panels or ch steel panel options:	oose one of the	е	
Flat Stainless Stee	el Door Panels for Flush Installations			
TFL24IR800	24" Stainless Steel Panel	525	599	
TFL30IR800	30" Stainless Steel Panel	580	649	
TFL36IR900	36" Stainless Steel Panel	1,050	1,199	
Flat Stainless Stee	el Door Panels with No Holes			
TFL24IR905	24" Single Door No Hole Flat Panel	525	599	
TFL30IR905	30" Single Door No Hole Flat Panel ¹	580	649	
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199	
Step 3: Handles For stainless steel Step 4: Optional A	handle options, please see page 1-15 Accessories			
FRAMEKIT10	Freedom® Frame Kit	105	119	
	(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note : Included with all pre-assembled bottom freezers)			FRAMEKIT10
HEATRKIT20	Freedom® Heater Kit	599	699	
	(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)			HEATRKIT20

¹ Units compatible with 30" columns, but should be installed to units with SoftClose® Doors.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number **UMRP MSRP** Description

All 18"/24"/30"/36" Freezer Columns Include the Following Features:

- Fully Flush
- Freedom[®] hinge
- All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- SuperFreeze® function
- Height-adjustable glass shelves
- TFT Control
- Stainless steel interior
- Full-length cantilever racks
- Filtered internal diamond ice maker
- Door open alarm
- Open door assist

- Sabbath/Economy/Vacation modes
- Star-K certified
- ENERGY STAR® certified
- Extremely quiet
- Side-by-side kit included
- Home Connect

Step 1: Freezer Columns with Internal Ice Maker

- Ice drawer with ice bin
- Reversible door swing









T18IF905SP

T24IF905SP





T18IF905SP	18" Freezer Column (Internal Ice Maker)

24" Freezer Column (Internal Ice Maker)

T30IF905SP 30" Freezer Column (Internal Ice Maker)

36" Freezer Column (Internal Ice Maker) T36IF905SP

6,999	7,699



7,999 8,799


8,499 9,349

Step 1: Freezer Columns with External Ice and Water Dispenser

- External Filtered Ice and Water Dispenser
- FreeFlow® diamond

T24IF905SP

- Proximity sensor on dispenser
- Capacitive touch control dispenser
- Available in right-hand or left-hand door swing (not reversible)
- Stainless steel interior







T18ID905LP

T24ID905LP

T24ID905RP

24" Freezer Column (External Ice and Water Dispenser, Left Hinge)

24" Freezer Column

(External Ice and Water Dispenser, Right Hinge)

9,349 8,499

8,499 9,349





This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Number Description **MSRP** Step 2: Panels All Thermador Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options: Flat Stainless Steel Door Panels for Flush Installations 18" Stainless Steel Panel 475 529 TFL18IR800 475 TFL18ID800 18" Stainless Steel Panel for External Dispenser 529 TFL24IR800 24" Stainless Steel Panel 525 599 TFL24ID800 24" Stainless Steel Panel for External Dispenser 525 599 TFL30IR800 30" Stainless Steel Panel 580 649 TFL36IR900 36" Stainless Steel Panel 1,050 1,199 Flat Stainless Steel Door Panels with No Holes TFL18IR905 18" Single Door No Hole Flat Panel¹ 475 529 18" External Water Dispenser No Hole Flat Panel 475 529 TFL18ID905 TFL24IR905 24" Single Door No Hole Flat Panel 525 599 TFL24ID905 24" External Water Dispenser No Hole Flat Panel 525 599 30" Single Door No Hole Flat Panel 580 649 TFL30IR905 TFL36IR905 36" Single Door No Hole Flat Panel 1,050 1,199 Step 3: Handles For stainless steel handle options, please see page 1-15. Step 4: Optional Accessories Freedom® Frame Kit FRAMEKIT10 105 119 (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior FRAMEKIT10 cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers) HEATRKIT20 Freedom® Heater Kit 599 699 (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is HEATRKIT20 also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)

¹ Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All 30" Bottom Freezers Include the Following Features:

- Fully Flush—installs framed or fully flush
- Touchscreen control panel
- Vivid LED sidewall and theater style lighting
- Full-Extension SoftClose® drawers
- SoftClose[®] doors
- Temperature and humidity controlled drawers
- Full-width deli drawer
- Internal ice maker with filtered diamond ice and ice scoop
- SuperCool/SuperFreezer[®]
- Adjustable shelves and door bins
- Gallon size door bins
- Two evaporators
- Two compressors

- Carbon air filter
- Door open alarm
- Sabbath/Economy/Vacation modes
- Star-K certified
- ENERGY STAR® certified
- Extremely quiet
- Refrigerator door swing reversible
- Home Connect

30" Bottom Freezers

Step 1: Bottom Freezers with Stainless Steel Interior

- Open Door Assist
- ThermaFresh® System

T30IB905SP 30" Bottom Freezer, Panel ready

9,499 10,449









Discontinues April

Step 2: Panels

All Thermador Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL30IB800 30" Stainless Steel Panel Set 580 649

(Bottom Freezer)

Flat Stainless Steel Door Panels with No Holes

TFL30IB905 30" Stainless Steel Panel Set 580 649

(Bottom Freezer)

Step 3: Handles

For stainless steel handle options, please see page 1-15.

Step 4: Optional Accessories

FRAMEKIT10 Freedom® Frame Kit 105 119

(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. **Note**: Included

with all pre-assembled bottom freezers)

HEATRKIT20 Freedom® Heater Kit 599 699

(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity

(>65%), or located next to an outside wall.)



HEATRKIT20

FRAMEKIT10

Model Number

Description

UMRP

MSRP

Units available pre-assembled with stainless steel panels and Professional or Masterpiece handles OR custom panel ready. 1

30" Bottom Freezers

- Open Door Assist
- ThermaFresh® System

T30BB915SS 30" Bottom Freezer, two-door,

Masterpiece® Handles

T30BB925SS

Professional Handles

30" Bottom Freezer, two-door,

10,999 12,099

12,099

10,999



T30BB925SS





- Both SKUs discontinue April
- ThermaFresh® Pro crisper drawer automatically selects the optimal temperature and humidity to keep food fresh longer
- Internal water dispenser with UltraClarityPro® water filter
- Full color touchscreen control panel
- Three cameras in fridge for inventory management
- Stainless steel interior

30" Bottom Freezer, Two-Door,

Custom-Panel Ready

- Three-tier freezer drawer
- Non-slip mats in door bins and drawers prevent items from shifting
- Door Open Alarm
- Star-K certified
- · Trim kit included

10,799



T30IB100SP Image not final; May not



Available May

NEW T30IB100SP

¹ Custom panel option not available for 30" bottom freezers T30BB9_5SS.

Model **UMRP** Number Description **MSRP**

Units available pre-assembled with stainless steel panels and Professional or Masterpiece® handles OR custom panel ready.

All 36" Bottom Freezers and French Door Bottom Freezers Include the Following Features:

- Installs framed or fully flush
- All new touchscreen display control panel
- Vivid LED sidewall and theater style lighting
- Cameras in fridge for inventory management
- ThermaFresh® Pro temperature and humidity control preserves freshness
- ThermaFlex Drawer temperature adjusts from fridge to freezer for maximum versatility
- Full-Extension SoftClose® drawers

- SoftClose® doors
- Deli drawer for convenient access to small items
- Non-slip mats in door bins and drawers prevent items from shifting
- Internal water dispenser with UltraClarityPro® water filter
- Elevated internal ice maker with diamond ice and ice scoop
- SuperCool and SuperFreeze® functions
- · Adjustable split level shelving
- Gallon size door bins

- Two compressors
- Two evaporators
- · Stainless steel interior
- Door Open Alarm
- Sabbath/Vacation/Economy modes
- Star-K certified
- ENERGY STAR® certified
- Home Connect
- · Trim kit included
- Refrigerator door swing reversible (T36BB110SS, T36BB120SS, T36IB100SP)

Bottom Freezers

T36BB110SS T36BB120SS	36" Bottom Freezer, Reversible Door, Stainless Steel, Masterpiece® Handles 36" Bottom Freezer, Reversible Door, Stainless Steel, Professional Handles	11,799 12,999 11,799 12,999	
T36IB100SP	36" Bottom Freezer, Reversible Door, Custom-Panel Ready	10,299 11,349	





French Door Bottom Freezers

French Door Bottom F	reezers		
T36BT110NS	36" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	12,299	13,549
T36BT120NS	36" French Door Bottom Freezer, Stainless Steel, Professional Handles	12,299	13,549
T36IT100NP	36" French Door Bottom Freezer, Custom-Panel Ready	10,799	11,899







Model
Number Description UMRP MSRP

Units available pre-assembled with stainless steel panels and Professional or Masterpiece® handles OR custom panel ready.

All 42" and 48" French Door Bottom Freezers Include the Following Features:

- Installs framed or fully flush
- All new touchscreen display control
- Vivid LED sidewall and theater style lighting
- Cameras inside refrigerator compartment for inventory management
- ThermaFresh® Pro temperature and humidity control preserves freshness
- ThermaFlex Drawer temperature adjusts from fridge to freezer for maximum versatility
- Full-Extension SoftClose® drawers

- SoftClose[®] Doors
- Deli drawer for convenient access to small items
- Non-slip mats in door bins and drawers prevent items from shifting
- Internal water dispenser with UltraClarityPro® water filter
- Elevated dual ice maker with diamond ice, entertaining ice and ice scoop
- SuperCool and SuperFreeze® functions
- Adjustable split level shelving
- Gallon size door bins

- Two compressors
- Two evaporators
- Stainless steel interior
- Door Open Alarm
- Sabbath/Vacation/Economy modes
- · Star-K certified
- ENERGY STAR® certified
- Home Connect
- · Trim kit included

French Door Bottom Freezers

T42BT110NS	42" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	13,999	15,399
T42BT120NS	42" French Door Bottom Freezer, Stainless Steel, Professional Handles	13,999	15,399
T42IT100NP	42" French Door Bottom Freezer, Custom-Panel Ready	12,499	13,749
T48BT110NS	48" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	15,999	17,599
T48BT120NS	48" French Door Bottom Freezer, Stainless Steel, Professional Handles	15,999	17,599
T48IT100NP	48" French Door Bottom Freezer, Custom-Panel Ready	14,499	15,949



T42BT120NS



T48BT120NS



Model Number

Description

For faster installation, all units have been preassembled with stainless steel doors and Professional or Masterpiece® Handles.

All Freestanding 36" French Door Refrigerators Include the Following Features:

- Counter-depth 72" Tall Appliance
- Built-in Look Exterior Design
- Illuminated Back Wall
- ThermaFresh® System for Temperature and Humidity Control
- Stainless Steel ThermaFresh® Mats
- Internal Water Dispenser

- Diamond Ice Maker
- Filtered ice and water
- SuperCool function
- SuperFreeze® function
- Gallon door bins
- Dual Evaporator
- Dual Compressor

Carbon air filter

MSRP

UMRP

- Door open alarm
- Sabbath/Economy/Vacation modes
- ENERGY STAR® certified
- Home Connect

Bottom Freezers with Stainless Steel Interior

Star-K certified

T36FT810NS 36" 3-Door Freestanding French Door

Refrigerator with Masterpiece® Handles

T36FT820NS 36" 3-Door Freestanding French Door

Refrigerator with Professional Handles





4.999



5,499

5,499



Bottom Freezers with Stainless Steel Interior

• Offers flexible and versatile storage options with a convenient multi-door format.

36" 4-Door Freestanding French Door NEW T36FL810NS

Refrigerator with Masterpiece® Handles

36" 4-Door Freestanding French Door NEW T36FL821NS

Refrigerator with Professional Handles

4.999 5.499

5.499







T36FL810NS

Both available January

Suggested Combinations

These suggestions are just an example of the extensive range of combinations possible with the Freedom® Collection.



4" 60"

30" 30" 30" 30" Column Column

IWD*

Fresh Food

T24ID905LP/T30IR905SP

T30IB905SP/T24IW905SF

24" Wine

Preservation

Column

30"

Bottom

Freezer





T30IB905SP/T30IB905SP

Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

A HEATRKIT20 is recommended for use with any installation in areas that are subject to extreme humidity.



^{*}IWD = Ice and Water Dispenser

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All 18"/24" Wine Refrigeration Include the Following Features:

- Fully Flush
- Portable aluminum and wenge wood wine presenter
- Full-extension completely enclosed exotic wood shelves
- Fully adjustable temperature zones: 18" column–two; 24" column–three
- Independent humidity control
- TFT control
- Freedom® hinge
- Adjustable LED lighting
- Diamond shaped dowels for vibration control
- Glass door with UV protection

- Door open alarm
- Open door assist
- Sabbath/Economy/Vacation modes
- Star-K certified
- Bottle capacity: 18" column-52 bottles;
 24" column-92 bottles (750 ml)

Step 1: Wine Refrigeration





T18IW905SP

T24IW905SP





T18IW905SP	18" Wine Preservation Column 2 - Zone Temperature Control	6,499	7,149

T24IW905SP 24" Wine Preservation Column 3 - Zone Temperature Control

Wine Preservation Column 6,999 7,699

¹ Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

			W IIN.	E REFRIGERATIO
This price list supersedes all	previous price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	UMRP	MSRP	
Step 2: Panels All Thermador Win stainless steel pane	e Refrigeration are panel ready. Apply custom panels or choos el options:	e one of the fo	ollowing	
Flat Stainless Stee	l Door Panels for Flush Installations			
TFL18IW800	18" Stainless Steel Panel	475	529	
TFL24IW800	24" Stainless Steel Panel	525	599	
Flat Stainless Stee	l Door Panels with No Holes			
TFL18IW905	18" Wine No Hole Flat Panel	475	529	
TFL24IW905	24" Wine No Hole Flat Panel ¹	525	599	
Step 3: Handles For stainless steel Step 4: Optional A	handle options, please see page 1-15. Accessories			
FRAMEKIT10	Freedom® Frame Kit	105	119	
	(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)			FRAMEKIT10
HEATRKIT20	Freedom® Heater Kit	599	699	
	(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)			HEATRKIT20

All Under-Counter Units Include the Following Features:

- Built-in flush design
- LED lighting

• 4.4 cu. ft.

T24UC925DS

T24UW925RS

- Electronic touch controls for precise temperature management
- Venting grille for full integration
- Fully flush at 24" depth
- Professional Handle, Masterpiece[®] Handle or custom panel options

Quick Chill

4,199

3,799

4,199

4,649

Star-K certified

MSRP

• ENERGY STAR® certified

Glass Door Refrigeration Units

• 5 cu. ft.	Customizable shelving	 Customizable cool Fridge, Pantry and 	3
T24UR905LP	24" Refrigerator, Custom Panel, Left Swing	2,79	9 3,099
T24UR905RP	24" Refrigerator, Custom Panel, Right Swing	2,79	9 3,099
T24UR915LS	24" Refrigerator, Masterpiece® Handle, Left S	Swing 2,999	9 3,299
T24UR915RS	24" Refrigerator, Masterpiece® Handle, Right	Swing 2,999	9 3,299
T24UR925LS	24" Refrigerator, Professional Handle, Left Sv	ving 2,99 ^o	9 3,299
T24UR925RS	24" Refrigerator, Professional Handle, Right S	Swing 2,99 th	9 3,299



T24UR915LS



Drawer Refrigeration/Freezer Units

· Customizable shelving and drawer dividers SoftClose[®] drawers • Removable drawer mat for • Customizable cooling modes: easy cleaning Drawer open alarm Fridge, Pantry and Bar 24" Refrigerator, Custom Panel T24UR905DP 3,999 4,399 T24UR915DS 24" Refrigerator, Masterpiece® Handle 3.899 4.299 T24UR925DS 24" Refrigerator, Professional Handle 3,899 4,299 T24UC905DP 24" Refrigerator/Freezer, Custom Panel, ice maker 3,999 4,399 T24UC915DS 24" Refrigerator/Freezer, Masterpiece® Handle, ice maker 4,199 4,649

24" Refrigerator/Freezer, Professional Handle, ice maker



T24UR915DS



T24UC915DS



Glass Door Wine Preservation Units

Under-Counter Wine Preservation Units

• Tinted UV-resistant tempered • 41-bottle capacity • Independent temperature glass door control of temperature zones. • Full-extension wenge wood diamond wine racks T24UW905LP 3,999 24" Wine Pres., Custom Panel, Left Swing 3,599 24" Wine Pres., Custom Panel, Right Swing 3,999 T24UW905RP 3,599 T24UW915LS 24" Wine Pres., Masterpiece® Handle, Left Swing 3,799 4,199 24" Wine Pres., Masterpiece® Handle, Right Swing T24UW915RS 3,799 4,199 T24UW925LS 24" Wine Pres., Professional Handle, Left Swing 3,799 4,199



T24UW915LS



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

24" Wine Pres., Professional Handle, Right Swing



Model Number Description UMRP MSRP

Handles

Step 3: Stainless Steel Handles When selecting Thermador stainless steel handles for the Freedom® Collection, please order the following: • One 36" handle for each column • One 30" handle and one 36" handle for 30" Bottom Freezers To ensure consistency, always select the same style.				Refrigerator Columns	Freezer Columns	Freezer Columns with IWD ¹	Bottom Freezer T30IB905SP ²	Wine Refrigeration	
	MS30HNDL20	30" Masterpiece® Handle	160	179				1	
2	MS36HNDL20	36" Masterpiece® Handle	160	179	1	1	1	1	1
	PR30HNDL20	30" Professional Handle	160	179				1	
	PR36HNDL20	36" Professional Handle	160	179	1	1	1	1	1



¹ IWD = Ice and Water Dispenser 2 Masterpiece[®]: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20

Description

UMRP

MSRP

Refrigerat	or Columns				T24IR905SP	T30IR905SP	T36IR905SP
	Installation Acce	essories					
	FRAMEKIT10	Freedom® Frame Kit (For use with any custom column lation in 24-inch (610 mm) deep With two metal side trims whose between the interior cutout wall appliance helps overcome the clunfinished cabinet returns. Note with all pre-assembled bottom for the clunder of the clunder o	cutouts. e placement and the hallenge of : Included	119	•	•	•
"	HEATRKIT20	Freedom® Heater Kit (For use when columns are less tapart but not side by side, or fortional side-by-side combinations freezer column. This kit is also remended to be ordered for use vinstallation in areas that are subjudied wall.)	r nontradi- , without ecom- vith any ect to high	699	•	•	•
	Interior Accesson 24HFGALBIN	ries for Refrigerators 24" Half-Gallon Bin	170	189	•		
7	30HFGALBIN	30" Half-Gallon Bin	180	199		•	
	36HFGALBIN	36" Half-Gallon Bin	190	209			•
P	24PRODRAIL	2 4" Produce Railing	105	119	•		
	30PRODRAIL	30" Produce Railing	115	129		•	
	36PRODRAIL	36" Produce Railing	135	149			•
	LPRODBIN10	Large Produce Bin	295	329	•	•	•
	SPRODBIN10	Small Produce Bin	265	299	•	•	•

Model Number Description UMRP MSRP

Freezer Co	lumns				T18IF905SP	T24IF905SP	T30IF905SP	T36IF905SP	T18ID905LP/RP	T24ID905LP/RP
					T18	T24	T30	T36	T18	T24
	Installation Acces	sories								
	FRAMEKIT10	Freedom® Frame Kit	105	119						
		(For use with any custom column for 24-inch (610 mm) deep cutouts. Wit trims whose placement between the wall and the appliance helps overco of unfinished cabinet returns. Note : pre-assembled bottom freezers)	h two metal si e interior cutou me the challer	de ut nge	•	•	•	•	•	•
	HEATRKIT20	Freedom® Heater Kit	599	699						
11		(For use when columns are less than side by side, or for nontraditional side binations, without freezer column. Tommended to be ordered for use wition in areas that are subject to high or located next to an outside wall.)	de-by-side cor his kit is also r ith any installa	n- 'ec- a-	•	•	•	•	•	•
1	Interior Accessor	ies for Freezers								
	ICEBUCKETL	Ice Bucket	85	99	•	•	•	•	•	•
3	Filter Accessories			_						
•	REPLFLTR55	Freedom® Replacement Water Filter	46	59	•	•	•	•	•	•

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model Number Description UMRP MSRP

Bottom Fre	eezer Refrigera	tion			T30BB9_5SS	T30IB905SP	T30IB100SP	T36BB110SS	136BB120SS T34IB100CP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	148B1110NS	T48IT100NP
///	Installation Acces	sories															
	COMBIKIT10	Connection Kit	100	109			•					•		•			
		(For use with bottom freezers. Use bottom freezer refrigerators side-by		two													
	FRAMEKIT10	Freedom® Frame Kit	105	119													
		(For use with any custom column for 24-inch (610 mm) deep cutouts. Wi trims whose placement between the wall and the appliance helps overcord unfinished cabinet returns. Note pre-assembled bottom freezers)	ith two metal si le interior cutou ome the challer	de ut nge		•											
	FRAMEKIT30	Frame Kit (For use with any custom panel bot erators installed in a 24-inch (610 m With two metal side trims whose pl the interior cutout wall and the approach the challenge of unfinished c Note: Included with all pre-assemble	nm) deep cutou lacement betwe pliance helps ov abinet returns.	ıt. een /er-			•		•			•			•		•
	HEATRKIT20	Freedom® Heater Kit	599	699													
1		(For use when columns are less that side by side, or for nontraditional solutions, without freezer column. The mended to be ordered for use with in areas that are subject to high hur located next to an outside wall.)	ide-by-side con his kit is also rec n any installation	nbi- com- n		•											
	Interior Accessor	ies for Refrigerators															
	30HFGALBIN	30" Half-Gallon Bin	180	199	•	•											
	30PRODRAIL	30" Produce Railing	115	129	•	•											
	LPRODBIN10	Large Produce Bin	295	329	•	•											
	SPRODBIN10	Small Produce Bin	265	299	•	•											
	Interior Accessor	ies for Freezers Ice Bucket	85	99	•	•											

Model Number Description UMRP MSRP

	Number	Description	UMRP	MSRP														_
Bottom Fr	eezer Refrigerat	ion			T30BB9_5SS	T30IB905SP	T30IB100SP	T36BB110SS	136BB12055	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
	Filter Accessories REPLFLTR55	UltraClarity Pro® Water Filter	46	59	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1]	NEW MS3000IB10	30" Masterpiece® Handle Kit (Bottom Freezer)	500	549			•											
	NEW PR3000IB10	30" Professional Handle Kit (Bottom Freezer)	500	549			•											
	MS3600IB10	36" Masterpiece® Handle Kit (Bottom Freezer)	549	649						•								
	PR3600IB10	36" Professional Handle Kit (Bottom Freezer)	549	649						•								
	MS3642IT10	36"/42" Masterpiece® Handle Kit (French Door Bottom Freezer)	599	699								•			•			
	PR3642IT10	36"/42" Professional Handle Kit (French Door Bottom Freezer)	599	699								•			•			
	MS4800IT10	48" Masterpiece® Handle Kit (French Door Bottom Freezer)	649	749														•
	PR4800IT10	48" Professional Handle Kit (French Door Bottom Freezer)	649	749														•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP MSRP** Description T36BB110SS T36BB120SS T36IB100SP T36B1110NS T36BT120NS T36IT100NP T42BT110NS T42BT120NS **Bottom Freezer Refrigeration** T48IT100NP T301B905SP T301B100SP 36" Stainless Steel Panel Set TFL36IB100 1,099 1,249 (Bottom Freezer) TFL36IT100 36" Stainless Steel Panel Set 1,299 1,149 (French Door Bottom Freezer) TFL42IT100 42" Stainless Steel Panel Set 1,199 1,349 (French Door Bottom • Freezer) 48" Stainless Steel Panel Set TFL48IT100 1,249 1,399 (French Door Bottom Freezer) Freestanding Refrigeration T36FT810NS T36FT820NS **Filter Accessories** REPLFLTR55 Freedom® Replacement 59 46 Water Filter

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

Under-Cou	nter Drawer A	ccessories			T24UR905LP	T24UR905RP	T24UR905DP	T24UC925DS	T24UC915DS	T24UC905DP	T24UW905LP	T24UW905RP
	MS20HNDL20	20" Under-Counter Masterpiece® Handle Kit (Set of 2)	300	329			•			•		
	MS22HNDL25	25" Under-Counter Masterpiece® Handle	165	189	•	•					•	•
	PR20HNDL20	20" Under-Counter Professional Handle Kit (Set of 2)	300	329			•			•		
	PR22HNDL25	25" Under-Counter Professional Handle	165	189	•	•					•	•
The second secon	UCTRFLTR10	Under-Counter Filter	75	89				•	•	•		

Wine Refri	geration				T18IW905SP	T24IW905SP
	Installation Acce	ssories				
	FRAMEKIT10	Freedom [®] Frame Kit	105	119		
		(For use with any custom column fo 24-inch (610 mm) deep cutouts. Wit trims whose placement between the wall and the appliance helps overco of unfinished cabinet returns. Note : pre-assembled bottom freezers)	th two metal e interior cut ome the chall	side out enge		•
	HEATRKIT20	Freedom [®] Heater Kit	599	699		
11		(For use when columns are less than not side by side, or for nontradition combinations, without freezer colun recommended to be ordered for us tion in areas that are subject to high or located next to an outside wall.)	al side-by-sionn. This kit is e with any in	de also stalla-	•	•
	Interior Accesso	ries for Wine Columns				
I I III	T18WINERK1	18" Wine Shelf providing a 62 bottle capacity. Cannot be used with Presenter Shelf	229	259	•	
	T24WINERK1	24" Wine Shelf providing a 99 bottle capacity. Cannot be used with Presenter Shelf	299	329		•



Step 1: Colum	nns and E	Bottom Freezers	Step 2: Panels			Step 3: Handles			
Freedom [®] Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece [®]	Professional		
REFRIGERATOR	COLUM	NS							
T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle	Order one 36" handle		
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	per column Masterpiece ®	per column Professional		
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905	MS36HNDL20	PR36HNDL20		
FREEZER COLU	MNS					·			
T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905				
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column	Order one 36" handle per column		
T30IF905SP	30"	Reversible	Panel Ready			Masterpiece® MS36HNDL20	Professional PR36HNDL20		
T36IF905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905				
FREEZER COLU	MNS WIT	H IWD ¹				'			
T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905				
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column		
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece® MS36HNDL20	Professional PR36HNDL20		
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905		. 11001 11 12 22 0		
BOTTOM FREE	ZERS/FRE	NCH DOOR BOTTON	1 FREEZERS						
T30IB905SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	Order one 30" handle and one 36" handle per column ²	Order one 30" handle and one 36" handle per column ²		
WINE REFRIGE	RATION		•	_					
T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle per column	Order one 36" handle per column		
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	Masterpiece® MS36HNDL20	Professional PR36HNDL20		

NOTE: Handleless panels should not be installed on units without the SoftClose® capability. If you are uncertain if you have a refrigeration unit with SoftClose® capability, please contact our customer team by calling 1-800-735-4328.

¹ IWD = Ice and Water Dispenser

² Masterpiece : (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20
3 Masterpiece : (2) MS36HNDL20. Professional: (2) PR36HNDL20

⁴ Masterpiece®: (3) MS36HNDL20. Professional: (3) PR36HNDL20

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Built-In Coffee Machines Include the Following Features:

- Equipped with the Thermador
 Connected Experience by Home
 Connect[™] that enables ease of usage,
 accessibility to wider variety of beverages
 with the Coffee World and much more
- Perfect for frequent selections, coffee customization settings store up to 8 personalized beverages with names so family members and house guests can program their favorite drinks from single shot espresso, to tea, to extra-large cappuccinos
- Easy to read color TFT display illustrates beverage selection, including size and temperature control
- 1 lb. Bean container
- Height-adjustable dispenser with dual spouts for brewing 2 cups at a time
- Beverages can be adjusted in small increments
- One Touch Function for coffee and milk/froth
- Fully automatic rinse program
- 2-disk grinding units made of high performance ceramic disks

- Adjustable grinding settings for very fine to coarse
- Separate drawer for ground coffee, capacity to hold up to two level scoops
- Built-In water filter
- Sensor alerts when coffee beans and water level is low
- 81 oz. water container
- Includes Insulated 17 oz. removable stainless steel milk container, measuring spoon, water hardness test.
- 120 Volts. (V)

Built-In Coffee Machine

TCM24TS Thermador Built-In Coffee Machine

4,049 4,499



TCM24TS



 Includes direct plumb for water and drain connection with AquaStop® Plus protection

TCM24PS

Thermador Built-In Coffee Machine Plumbed

4,429 4,899



TCM24PS



Accessories				TCM24TS	TCM24PS
TCMTK30RS	30" Stainless Steel Trim Kit	429	479	•	•

For coffee accessories, please see the Cleaners & Accessories Price List.

Built-in OVENS

MASTERPIECE* & PROFESSIONAL COLLECTIONS

SINGLE 30" **DOUBLE 30" COMBO 30"** TRIPLE 30" **DELUXE Professional: Professional:** With Steam and POD301W POD302W Convection Oven: Rotisserie POD301LW* POD302LW* **Professional:** Max Broil POD301RW* POD302RW* PODS302B* 3 Telescopic Masterpiece®: Racks MEDS302BS (Single Ovens) 4 Telescopic Racks Masterpiece®: Masterpiece®: With (Double MED301WS MED302WS With Speed Oven:: Ovens) Speed Oven: MED301LWS* MED302LWS* **Professional:** 6 Telescopic MED301RWS* MED302RWS* Professional: Racks PODMC301W* (Combo PODMCW31W* Masterpiece®: Steam Ovens) Masterpiece®: MEDMC301WS MEDMCW31WS Professional: Professional: **SELECT** With Microwave: **SPECIALTY** PO301W PO302W Professional: 3 Telescopic 1 Telescopic POM301W Rack Racks (Single Ovens) (Steam Ovens) 2 Telescopic Masterpiece®: Racks ME301WS (Double Ovens) Masterpiece®: Masterpiece®: ME302WS MEM301WS Steam and Convection Oven: **Professional:** PODS301B Masterpiece[®]: Masterpiece[®]: **STANDARD** ME301YP ME302YP Masterpiece®: MEDS301BS 1 Telescopic Rack (Single Ovens) 1 Telescopic Rack (Double Ovens) Speed Oven:: Professional: MC30WP

* Not pictured.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Masterpiece®:

MC30WS

Model **UMRP** Number Description **MSRP**

All Masterpiece® Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- SoftClose® doors

Cooking Modes

- True Convection, Bake, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Air Fry capable when connected to Wi-Fi (except ME301YP & ME302YP models)
- Two-hour self clean
- Sabbath Mode
- Two halogen lights
- · Star-K certified
- 208-240 V

Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- · Sensor cooking
- Sensor reheat

30" Masterpiece® Ovens

30" Masterpiece® Single Oven with Professional Handle

- One Full Access® telescopic rack and two standard racks
- Silver glass
- 4.6 cu. ft. overall oven capacity

ME301YP1 30" Single Oven, 1 Telescopic Rack • Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast **Preheat**

> 2,899 3,199



4,699



5,199

5,899

6,249

6,249



ME301YP

30" Masterpiece® Single Oven—Select

- One Full Access® telescopic rack and two standard racks
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast
- Fast preheat
- Meat probe

• Fast preheat



ME301WS

ME301WS 30" Single Oven, 1 Telescopic Rack

30" Masterpiece® Single Oven—Deluxe

- Three Full Access® telescopic
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Commercial-style rotisserie with 12-pound capacity
 - Multi-point meat probe



MED301WS

MED301LWS

MED301WS 30" Single Oven, 3 Telescopic Racks

MED301LWS 30" Single Oven, 3 Telescopic Racks,

Left Side Opening Door

30" Single Oven, 3 Telescopic Racks, MED301RWS

Right Side Opening Door





5,319

5,649

5,649

1 Is not Air Fry capable.

 Model
 Number
 Description
 UMRP
 MSRP

30" Masterpiece® Ovens

30" Masterpiece® Double Oven with Professional Handle

- One Full Access® telescopic rack (U)
- Silver glass

ME302YP1

- 4.6 cu. ft. overall oven capacity (U/L)
- Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat (U)
- 30" Double Oven, 1 Telescopic Rack (U)
- Six Cooking modes in Lower Oven: Bake, Variable Broil Hi, Variable Broil Low, Roast, Warm, Sabbath, Fast Preheat (L)

4,599 5,099








30" Masterpiece® Double Oven—Select

- Two Full Access® telescopic racks (U/L)
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (U/L)

ME302WS 30" Double Oven, 2 Telescopic Racks, Meat probe (U/L)

- Fast preheat (U/L)
- Meat probe (U/L)









¹ Is not Air Fry capable.

Model
Number Description UMRP MSRP

30" Masterpiece® Ovens

30" Masterpiece® Double Oven—Deluxe

- Three Full Access® telescopic racks (U); One Full Access® telescopic rack and two standard racks (L)
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Nine Additional Cooking modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate, Rotisserie (U)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (L)

MED302WS 30" Double Oven, 4 Telescopic Racks

MED302LWS 30" Double Oven, 4 Telescopic Racks,

Left Side Opening Door

MED302RWS 30" Double Oven, 4 Telescopic Racks,

Right Side Opening Door

- Fast preheat
- Commercial-style rotisserie with 12-pound capacity (U)
- Multi-point meat probe (U);
 Meat probe (L)

7,999

8,699

8,699

8,79

9,59

9,599

	J.			
	THE			
	_			
16				Т
	_	_		_
16	=	-	=	=
	-			3333
	_	_	_	_

MED302WS



MED302LWS

 Model
 Number
 Description
 UMRP
 MSRP

30" Masterpiece® Ovens

30" Masterpiece® Combination Oven with Microwave

- One Full Access® telescopic rack and two standard racks (L)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast

MEM301WS

- Fast preheat
- Meat probe (L)

30" Combination Oven with Microwave, 1 Telescopic Rack

Microwave features:

- Touch control display
- 1.6 cu. ft. overall capacity
- 13" turntable
- 950 W microwave power

6,299 6,949





MEM301WS

30" Masterpiece® Combination Oven with Speed Oven

- Three Full Access® telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1000 W microwave power



7,699 8,499





MEDMC301WS

MEDMC301WS

30" Combination Oven with Speed Oven, 3 Telescopic Racks

30" Masterpiece® Triple Combination Oven with Speed Oven and Warming Drawer

• 12 ½" turntable

Speed Oven features:

36 Cook Smart[™] Programs

• 1000 W microwave power

- Three Full Access® telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat for seven different cooking modes
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

MEDMCW31WS

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

Warming Drawer features:

- 2.5 cu. ft. overall capacity
- Touch control
- SoftClose[®] drawer
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer



7,899 10,899



MEDMCW31WS

Model
Number Description UMRP MSRP

All Masterpiece® Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose® doors
- 41 EasyCook® programs
- Features 17 cooking modes: True
 Convection, Convection Bake, Bake,
 Convection Roast, Roast, Convection
 Broil, Broil, Pizza, Speed Convection,
 Slow Roast, Dehydrate, Proof, Warm,
 Steam, Steam Convection, Reheat,
 Defrost, Air Fry capable when connected
 to Wi-Fi
- Easy Clean program

- Fast preheat for five different cooking modes
- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- · Star-K certified
- 208-240 volts

Masterpiece® Steam and Convection Ovens

30" Masterpiece® Steam and Convection Oven

MEDS301BS 30" Steam and Convection Oven with 3 Telescopic Racks

5,649 6,249









MEDS301BS

30" Masterpiece® Steam and Convection Oven—Deluxe

- Lower oven: Thermador Connected Experience with Home Connect[™]
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast,

MEDS302BS

t, cooking modes
30" Deluxe, Steam and Convection

Double Oven with 6 Telescopic Racks

- Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow
- Two-hour self clean
- Fast preheat for seven different cooking modes
- Three Full Access[®] telescopic racks
- Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- Star-K certified
- 208-240 V

9,249 10,199



MEDS302BS







Accessorie	Accessories							
					30" Single Ovens	30" Double Ovens	30" Series Built-in Steam and Convection	
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•			

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Number Description **MSRP**

All Professional Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- Restaurant-style stainless steel knobs
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose® doors
- 4.5 cu. ft. overall oven capacity
- 13 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast, Air Fry capable when connected to Wi-Fi
- Two-hour self clean
- Fast preheat for seven different cooking modes
- Two halogen lights

- Sabbath Mode
- · Star-K certified
- 208-240 V

Microwave/Speed Ovens

- 1.6 cu. ft. overall capacity
- 10 power levels
- · Sensor cooking
- Sensor reheat

30" Professional Series Ovens

30" Professional Single Oven—Select

- One Full Access® telescopic rack and two standard racks
 - Meat probe

PO301W 30" Single Oven, 1 Telescopic Rack 5,199 5,749



PO301W







30" Professional Single Oven-Deluxe

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Commercial-style rotisserie with 12-pound capacity
- Three Full Access® telescopic

racks

POD301W	30" Single Oven, 3 Telescopic Racks	5,799	6,399
POD301LW	30" Single Oven, Left Side Opening Door, 3 Telescopic Racks	6,149	6,799
POD301RW	30" Single Oven, Right Side Opening Door,	6,149	6,799

3 Telescopic Racks

• Multi-point meat probe



POD301W









POD301LW







Model Number **UMRP MSRP** Description

30" Professional Series Ovens

30" Professional Double Oven-Select

• One Full Access® telescopic • Meat probe rack and two standard racks (U/L)

PO302W 30" Double Oven, 1 Telescopic Rack (U/L)



PO302W







30" Professional Double Oven—Deluxe

- Three Full Access® telescopic racks (U)
- One Full Access® telescopic rack and two standard racks (L)

POD302W

POD302LW

POD302RW

- Additional Cooking modes: Rotisserie, Max Broil, Max
- Convection Broil (U)

30" Double Oven, 4 Telescopic Racks

30" Double Oven, 4 Telescopic Racks,

30" Double Oven, 4 Telescopic Racks,

Left Side Opening Door

Right Side Opening Door

• Multi-point meat probe(U)

7,999

• Meat probe (L)

8,749 9,649

9,399

9,399 10,349

10,349



POD302W



POD302LW



Model

UMRP MSRP Number Description

30" Professional Series Ovens

30" Professional Combination Oven with Microwave

- One Full Access® telescopic
- Microwave features:
- rack and two standard racks (L) • Touch control display
- Meat probe (L)
- 13" turntable

POM301W 30" Combination Oven with Microwave, 1 Telescopic Rack

• 950 W microwave power

6,999

7,699

POM301W







30" Professional Combination Oven with Speed Oven

• Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil

PODMC301W

- Three Full Access® telescopic racks
- Multi-point meat probe

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1,000 W microwave power

30" Combination Oven with Speed Oven, 3 Telescopic Racks

8,449 9,299



PODMC301W







Model Number

Description

UMRP

MSRP

30" Professional Series Ovens

30" Professional Triple Combination Oven with Speed Oven and Warming Drawer

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access® telescopic racks
- Multi-point meat probe

PODMCW31W

- Speed Oven features:
- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1,000 W microwave power

Warming Drawer features:

- SoftClose[®] drawer
- Touch control
- 2.5 cu. ft. overall capacity
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

10,599 11,699



PODMCW31W







 Model
 Number
 Description
 UMRP
 MSRP

All Professional Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect[™]
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Restaurant-style stainless steel knobs
- Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Steam Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 gt. water tank
- LED lights
- Sabbath Mode
- · Star-K certified
- 208-240 V

30" Professional Series Built-In Steam and Convection Oven

Professional Series Steam and Convection Oven

PODS301B 30" Steam and Convection Oven with

3 Telescopic Racks

6,049 6,699



PODS301B







Professional Combination Oven with Steam and Convection Oven—Deluxe

- Lower oven: Thermador Connected Experience with Home Connect™
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast,

PODS302B

- Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean
- Fast preheat for seven different cooking modes

30" Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks

- Three Full Access® telescopic racks
- Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- Star-K certified
- 208-240 V

9,799 10,799



PODS302B







¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

Model
Number Description UMRP MSRP

All Masterpiece® Series Microwaves Include the Following Features:

• Silver glass on stainless steel

Sensor reheat

• 10 power levels

Built-In Microwaves

Built-In Microwaves

• Touch Control Display

• 14 1/4" ceramic turntable

• 1.6 cu. ft. overall capacity

• 950 W Microwave power

MB30WS

30" Masterpiece® Microwave,

Stainless Steel, 120 V

MB30WP

30" Professional Microwave, Stainless Steel, 120 V Plugs into 120 V, 60 Hz/, AC 3-prong grounded outlet

2,349 2,599

2,549 2,849

899

349

2,199

389

2,449





MB30WF

MB30WS



24" Built-in Microwave with side swing door and trim kit accessory in 30"

 Glass touch controls with white display

• 2.1 cu. Ft. overall capacity

• 16 ½" Glass Turntable

• Microwave Power 1,200 W

• Sensor Cooking

MBCS 24" Masterpiece® Microwave, Side Swing Door

Stainless Steel

MBT30CS 30" Thermador Trim Kit,

Standard Microwave, Stainless Steel



MBCS w/ MBT30CS

Built-In MicroDrawer® Microwaves

- New hidden control panel; opens for enhanced visibility
- Home Connect® allows for remote monitoring and control the drawer microwave with Wi-Fi Connectivity

MD24BS

- 1.2 cu. Ft. overall capacity
- Microwave Power 950 W
- Sensor Cooking Door

24" MicroDrawer Microwave

 Opens and Closes through Touch Control • Can Be Installed Flush



MicroDrawer® Microwaves

MD24BS

MD30BS

MD30BS 30" MicroDrawer Microwave 2,249 2,499

¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Model Number

Description

UMRP

MSRP

Over-the-Range Microwave

Over-the Range Microwave

- Design match for use in combination with 30" Pro Harmony® 5-burner gas range
- Exclusive stainless steel handle
- LCD display

- 2.1 cu. ft. cavity
- 14 ¾16" glass turntable
- 1,100 W microwave power
- Triple microwave distribution system
- 10 cooking modes
- Sensor cooking
- Plugs into standard 120 V, 3-prong outlet
- Four-speed vent with up to 385 CFM





MU30WSU

MU30WSU

Over-the-Range Microwave,

Stainless Steel

Speed Ovens

Built-In Speed Ovens

- Silver glass on stainless steel
- Full color TFT display
- 1.6 cu. ft. overall capacity
- 12¾" ceramic turntable
- 36 Cook Smart™ Programs
- 1,000 W Microwave power
- Sensor cooking

• 10 power levels

- Sensor reheat
- Convection Bake
- Broil
- 208 or 240 V, 4 wire fixed connection

2,999 3,299

3,249 3,599



MC30WS



MC30WP



30" Masterpiece® Speed Oven, MC30WS Stainless Steel, 208-240 V

MC30WP 30" Professional Speed Oven, Stainless Steel, 208-240 V

Number Description UMRP MSRP

Warming Drawers

Standard Warming Drawers

- Our warming drawer is the perfect combination of uncompromising performance, unique convenience features and elegant design
- SoftClose® door (WD30W only)
- 2.2 cu. ft. overall capacity
- Touch Control Display

30" Warming Drawer, Custom Panel Ready

• Four heating modes: Low,

Medium, High, Proof

- 450 W heating element
- Timer

 Plugs into a standard 120 volt, 3-prong outlet

2,199 2,449

WD30WC 30" Warming Drawer, Push to Open 1,999 2,199



WD30WC

Storage Drawers

SDS30WC

WD30W

 Our storage drawers are the perfect combination of uncompromising performance, unique convenience features and elegant design 2.4 or 0.8 cu. ft. overall capacity

SD30WC

SDS30WC

SD30WC 30" Storage Drawer (2.4 cu. ft.) 1,099 1,249

30" Storage Drawer, Short Height (0.8 cu. ft.)

(Install Under Steam Oven)

1,049 1,199

Accessories			Professional Series														
	Number	Description	UMRP	MSRP	PO301W	POD301W	POD301LW	POD301RW	PO302W	POD302W	POD302LW	POD302RW	POM301W	PODMC301W	PODMCW31W	PODS301B	PODS302B
	WKNOBKT3W	Blue Metal Knob Kit for Professional Oven (2 pc.)	49	59	•	•	•	•	•	•	•	•	•			•	•
The second secon	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•	•	•	•								•	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Number Description **MSRP**

All Masterpiece® Series Star® Burner Gas Cooktops Include the Following Features:

- Patented Star® Burner provides superior flame coverage for faster and more even pan heating
- 16K BTU max
- Blue indicator burner ON light
- Chiseled stainless steel design
- Stainless steel control panel offers a sleek, modern design
- High-quality, robust, metal knobs
- LP gas conversion kit not included; order
- Sabbath compliant
- Two-year warranty

Masterpiece® Series

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/1,750 low

C: BTU 16,000 high/1,900 low

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low

SGS305TS

30" Star® Burner, Stainless Steel, Five Burners

1,899

1.699

SGS305TS

 ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 10,000 high/1,750 low LF: BTU 8,000 high/204 XLO

C: BTU 16,000 high/583 XLO

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSX305TS

SGSX305TS

30" Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select

2,199

2,449

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/1,750 low

C: BTU 16,000 high/1,900 low

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGS365TS

36" Star® Burner, Stainless Steel, Five Burners

1,999 2,199

SGS365TS

SGSX365TS

 ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 12,000 high/1,750 low LF: BTU 9,100 high/204 XLO

C: BTU 16,000 high/583 XLO

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSX365TS

36" Star® Burner, Stainless Steel, Five Burners,

2,399 2,649

ExtraLow® Select

Model Number **UMRP** Description **MSRP**

All Masterpiece® Series Pedestal Star® Burner Gas Cooktops Include the Following Features:

- Raised Pedestal Star® Burner provides superior flame coverage and allows for easier cleanup under each burner
- 18K BTU max
- QuickClean Base® contains liquid spills
- Sleek glass control panel
- High-quality, robust, metal knobs
- LP conversion kit not included; order separately
- Sabbath compliant
- Two-year warranty

Masterpiece® Series

• Blue indicator light for each burner

LR: BTU 10,000 high/1,750 low	
LF: BTU 8.000 high/1.750 low	

C: BTU 18,000 high/1,900 low

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low




SGSP305TS

30" Pedestal Star® Burner, Stainless Steel, Five Burners

2,199

2,449

- Progressive Illuminated light ring around each knob
- ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO

RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



GSXP305TS

SGSXP305TS

30" Pedestal Star® Burner, Stainless Steel,

2,599 2,899

Five Burners, ExtraLow® Select

• Blue indicator light for each burner

LR: BTU 12,000 high/1,750 low	
LF: BTU 9,100 high/1,750 low	

C: BTU 18,000 high/1,900 low

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low




SGSP365TS

36" Pedestal Star® Burner, Stainless Steel, Five Burners

2,399 2,649

- Progressive Illuminated light ring around each knob
- ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSXP365TS

SGSXP365TS

36" Pedestal Star® Burner, Stainless Steel,

2,999 3,299

Five Burners, ExtraLow® Select

 Model
 Number
 Description
 UMRP
 MSRP

All Masterpiece® Series Freedom® and Liberty® Induction Cooktops Include the Following Features:

PowerBoost[®]

Home Connect[™]


• 17 power levels

Masterpiece® Series

Freedom® Induction - 13"×21" Cooking Position with 5,500 W

- Entire surface of the cooktop can be used as one large cooking area
- Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone® mode allows changing a preset power level simply by moving a pot or pan on the cooktop
- Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow® LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only)
- TeppanyakiPro® mode divides a teppanyaki griddle into one heated and one non-heated area
- PowerBoost[®]
- 17 power levels
- Residual heat indicators
- Panel Lock
- Cooking Timer, Kitchen Timer and Stopwatch Timer
- Power/Amps: 208/240 V, 60 Hz, 30 A

Minimum cookware size: 3" × 3" Maximum cookware size: 13" × 21" Performance: 3,500 W/5,500 W (PowerBoost®)



CIT30YWBB	30" Dark Gray Glass, Frameless Design	5,399	5,949
CIT36YWB	36" Dark Gray Glass, Stainless Steel Frame	6,199	6,849
CIT36YWBB	36" Dark Gray Glass, Frameless Design	6,199	6,849

Model Number Description **UMRP MSRP**

Masterpiece® Series

30" Liberty® Induction

- Two large flexible cooking surfaces allow for tailored cooking zones
- Cooktop-Hood Sync
- Automatic pan recognition
- HeatShift® has three preset heat zones
- MoveMode® allows easy transfer settings
- Illuminated touch controls
- Control panel lock
- · Automatic switch off
- Maximum wattage: 7,200 W
- Power/Amps: 208-240 V, 60 Hz//50 A



CIT30FBG



	Left Full Zone
	15"×8½" @
3	3,300 W/3,600 W
	(PowerBoost®)

LR: 7½"×8½" @ 2,200 W/3,600 W (PowerBoost®)	RR: 7½"×8½" @ 2,200 W/3,600 W (PowerBoost [®])
LF: 7½"×8½" @ 2,200 W/3,600 W (PowerBoost [®])	RF: 7½"×8½" @ 2,200 W/3,600 W (PowerBoost®)
Left FlexPlus Zone 3 %6" x 11 1/4"	Right FlexPlus Zon 3 %6" x 11 ¼"

Right Full Zone 15"×8½" @ 3,300 W/3,600 W (PowerBoost®)

NEW CIT30FBG

30" Titanium Gray Glass, Frameless

3,999 4,399

Available April

36" Liberty® Induction

- Three extra-large Liberty[®] cooking surfaces allow for tailored cooking zones
- Number of cooking zones: Five
- Cooktop-Hood Sync
- Automatic pan recognition
- HeatShift® has three preset heat zones
- MoveMode® allows easy transfer settings
- Illuminated touch controls
- Control panel lock
- · Automatic switch off

- Timer for all zones
- Maximum wattage: 10,800 W
- Power/Amps: 208–240 V, 60 Hz//50 A



CIT367YG



Left Full Zone 15"×9" @	LR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost®)
3,300 W/3,700 W (PowerBoost®)	LF: 7½"×9" @ 2,200 W/3,600 W

Center Full Zone st®) 11¼"×9½" @ 3,300 W/3,600 W (PowerBoost®)

RR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost®) RF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost®)

Right Full Zone 15"×9" @ 3,300 W/3,700 W (PowerBoost®)



CIT367YGS

@ n w

36" Titanium Gray Glass,

Frameless

36" Titanium Gray Glass, Stainless Steel Frame

5,049 4,549

5,049



Discontinues March

CIT367YG

CIT367YGS

CIT367YMS

36" Silver Mirrored Glass, CIT367YM

36" Silver Mirrored Glass,

5,099 5,649

4,549

5,599 5,049

Frameless

Stainless Steel Frame

Both discontinue March





CIT367YMS

All Masterpiece® Heritage Series Glass Ceramic Induction Cooktops Include the Following Features:

• Pan Recognition

Number

- Touch control panel with blue light illumination offers 17 power settings
- Speed Heating—induction cooktops heat 50% faster than traditional gas cooktops
- PowerBoost[®]
- Anti-Overflow System

- Two-Level Heat Indicator
- Kitchen timer

MSRP

UMRP

· Child safety lock

3,649

4,099

3,599

4,199

3,299

3,699

3,249

3,799

Masterpiece® Series

Heritage 11" Element with 3,700 W

- Large and powerful 11" element with 3,700 W
- Power/Amps: 240 V, 60 Hz/30 A

LR: 9" @	RR: 11" @
2,200 W/3,700 W (PowerBoost [®])	2,600 W/3,700 W (PowerBoost [®])
LF: 6" @	RF: 6" @
1,400 W/2,200 W (PowerBoost [®])	1,400 W/2,200 W (PowerBoost [®])

Description

CIT304YB 30" Frameless Design

CIT304YM 30" Silver Mirrored Finish

Both Discontinue March



CIT304YB



CIT304YM

- Large and powerful 11" element with 3,600 W
- Touch control panel with white light illumination offers 17 power settings
- CookSmart
- Power/Amps: 240 V, 60 Hz/30 A
- Home Connect[™]



CIT304BB



NEW CIT304BB

30" Black Glass, Frameless Design

Available April

Heritage 13" Element with 5,500 W

- Large 13" round heating element
- Triple zone—accommodates multiple-size pans with three diameter sizes
- Power/Amps: 240 V, 60 Hz//50 A



CIT365YB

- LR: 7" @ 1,800 W/3,100 W (PowerBoost[®])
 - LF: 7" @ 1,800 W/3,100 W (PowerBoost[®])
- C: 9"/11"/13" @ 2,200 W/3,700 W (PowerBoost[®]) 2,600 W/4,400 W (PowerBoost[®]) 3,300 W/5,500 W (PowerBoost[®])
- RR: 6" @ 1,400 W/2,200 W (PowerBoost[®])

RF: 9" @ 2,200 W/3,700 W (PowerBoost $^{\circ}$)

CIT365YB 36" Frameless Design

Discontinues March

GLASS CERAMIC INDUCTION COOKTOPS/GLASS CERAMIC ELECTRIC COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description **UMRP MSRP**

- Large 13" round heating element
- Triple zone—accommodates multiple-size pans with three diameter sizes
- Touch control panel with white light illumination offers 17 power settings
- CookSmart
- Power/Amps: 240 V, 60 Hz//50 A
- Home Connect[™]



CIT365BB



LR: 7" @ 1,800 W/3,100 W (PowerBoost®)

LF: 7" @ 1,800 W/3,100 W (PowerBoost®)

C: 9"/11"/13" @ 2,200 W/3,600 W (PowerBoost®) 2,600 W/3,600 W (PowerBoost®) 3,300 W/3,600 W (PowerBoost®)

1,400 W/2,200 W (PowerBoost®) RF: 9" @ 2,200 W/3,600 W (PowerBoost®)

RR: 6" @

36" Black Glass, Frameless Design NEW CIT365BB

3,749 4.149

Available April

All Masterpiece® Series Glass Ceramic Electric Cooktops Include the Following Features:

• Triple element

• Maximum wattage: 4,000 W

Masterpiece® Series

Touch Control

- With the help of CookSmart[®] the temperature is reached and maintained automatically without boilover
- Touch controls with blue illumination are easy to use and offer a sleek, modern design
- Keep Warm
- Child Lock
- Shut-Off Timer for every element (current models only)
- · Kitchen timer
- Number of cooking zones:
- Power/Amps: 208–240 V, 60 Hz/40/30 A



CET305YB

IR: 5"/7" @ RR: 6"/8"/11" @ 700 W (1,700 W) 1,050 W/2,200 W/3,080 W LF: 6" @ RF: 6" @ 1,700 W (4,000 W Bridge) 1,200 W

CET305YB

30" Frameless Design

2.049 2,299

Touch Control/Bridge

- With the help of CookSmart[®] the temperature is reached and maintained automatically without boilover
- Bridge element with dual element
- Touch controls with blue illumination are easy to use and offer a sleek, modern design
- PowerBoost[®]
- Child Lock

· Kitchen timer

RR: 6" @

- Number of cooking zones: 10
- Power/Amps: 208-240 V, 60 Hz//40/50 A



CET366YB

LR: 5"/7" @ 700 W/1,700 W	
LF: 7" @ 1.700 W (4.000 W Bridge)	

C: 6"/8"/11" @ 1,050 W/2,200 W/3,080 W

1,200 W RF: 6"/8" @ 1,200 W/2,100 W

CET366YB

36" Stainless Steel Frame

2,399

2,649

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP MSRP** Description **Cooktop Accessories** Freedom" Inductior Heritage Induction Gas Cooktops Star Burner® Cooktops Pedestal Star TEPPAN1321 13" × 21" Recommended accessory for 499 549 Freedom® Induction Cooktop Cast Aluminum Griddle Plate • Fits 30" and 36" 5-burner • Cast aluminum design • Non-stick coating for easy Star® and Pedestal Star® allows for even heat districleanup and cooking Burner Series models bution and fast preheating • Locks into the center grate **SGRIDDLEW** Griddle 209 229 Wireless Cooking Temperature Sensor Allows you to select the best way to prepare every food as you wish. The cooking sensor measures the temperature of the pot continuously. This allows the power to be maintained with greater precision to provide exceptional cooking results. The sensor is required to use the Freedom® induction Cooking Sensor mode **TCOOKSENSW** Wireless Cooking Sensor 219 199 Blue Knob Kit, Pedestal Star® **SKNOBLUW** 109 119 **Burner Cooktops** Fits 30" and 36" Pedestal Star® Burners Series models • Set of five knobs • Blue metallic finish • Easy to install **SLPKITW** LP Gas Conversion Kit for 99 109 Star® Burner Series Cooktops **SNPKITPEDW** LP Gas Conversion Kit for 99 109 Pedestal Star® Burner Series Cooktops **SWOKRINGW** Wok Ring 99 109 Optimized for operation on Star® Burner and Pedestal Star® Burner Series cook with up to a 16" wok • Cast iron construction is durable and dishwasher safe

¹ Fits 30" and 36" 5-burner Star® and Pedestal Star® Burner Series models

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

RANGES

PROFESSIONAL COLLECTION

		30"	36"	48"	60"
DUAL-FUEL WITH STEAM RANGES	Pro Grand®			PRD48WISGU Induction PRD48WDSGU Griddle	PRD606WESG Griddle
INDUCTION RANGES	Pro Harmony®	PRI30LBHU Induction	n PRI36LBHU Induction		
RANGES	Pro Harmony®	PRD305WHU 5-burne PRD304WHU 4-burne		PRD486WDHU Griddle	
DUAL-FUEL RANGES	Pro Grand®		PRD366WGU PRD364WIGU PRD364WDGU 6-burner Induction Griddle	PRD486WIGU Induction PRD486WDGU Griddle	PRD606WEG Griddle
ANGES	Pro Harmony®	PRG305WH 5-burne PRG304WH 4-burne		PRG486WDH Griddle	
GAS RA	Pro Grand®		PRG366WG 6-burner	PRG486WDG Griddle	
RANGE- TOPS	Professional	PCG305W 5-burne	r PCG366W 6-burner PCG364WD Griddle	PCG486WD Griddle	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All Professional Series Rangetops Include the Following Features:

- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Each burner has electronic ignition/ re-ignition;
- Metal knobs (also available in Metallic Blue, PAKNOBLUWR, sold separately. See page 5-10)
- LED downlighting illuminates the control panel.
- Precision simmering capabilities with two ExtraLow® simmer burners
- Two-year warranty
- Star-K certified
- 15 Amps

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- Liquid Propane conversion: Natural to LP Gas Field Conversion Kit must be ordered separately (PALPKITHW for all four- and six-burner units; PALPKITHW5 for five Pedestal Star® Burner units).
 PAALTKITH High Altitude conversion kit is available for all rangetops.

30" Professional Gas Rangetop

- Five Pedestal Star® Burners (Two with ExtraLow®). overall output of 59,000 BTU.
- Suitable for use with Thermador OTR (see page 3-13)
- 15 Amps

919 6 6 6

LR: BTU 8,000 high*/XLO LF: BTU 18,000 high*/XLO

Center: BTU 10,000 high* RR: BTU 8,000 high* RF: BTU 15,000 high*



PCG305W

30" Stainless Steel with Porcelain Surface

3,899 4,299

36" Professional Gas Rangetop

 Six Pedestal Star® Burners (Two • 15 Amps with ExtraLow®).

LR: BTU	CR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/3,000 low	15,000 high*/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high*/XLO	18,000 high*/3,000 low	18,000 high*/3,000 low



PCG366V



PCG366W 36" Stainless Steel with Porcelain Surface

4,549 5,049

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 8,000} BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number

Description UMRP

36" Professional Gas Rangetop

 Four Pedestal Star® Burners (Two with ExtraLow®)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps



LR: BTU 15,000 high*/XLO LF: BTU 18,000 high*/XLO

Electric Griddle 1,630 W RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low × ®

PCG364WD

36" Stainless Steel with Porcelain Surface and Griddle

4,599 5,099

MSRP

48" Professional Gas Rangetop

 Six Pedestal Star® Burners (Two with ExtraLow®) Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. • 20 Amps



LR: BTU CR: BTU
15,000 high*/XLO 15,000 high*/3,000 low

LF: BTU CF: BTU
18,000 high*/XLO 18,000 high*/3,000 low

Electric Griddle 1,630 W RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG486WD

48" Stainless Steel with Porcelain Surface and Griddle

5,549 6,149

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 8,000} BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number Description **UMRP MSRP**

All Pro Harmony® Series Induction Ranges include the Following Features:

- Frameless black glass cooktop covers the surface from edge-to-edge seamlessly fitting into any kitchen
- Provides true design flexibility—it can be installed flush against combustible wall with zero rear clearance* and designed to fit perfectly flush alongside standard 24" depth cabinets
- True Convection oven with a third element adds greater efficiency to cook up to five levels of sheet pans evenly
- Super fast 2-hour self-clean mode is the fastest in the industry
- Connect to your range for remote preheating and monitoring via the Home Connect® app, smartwatch and other smart home devices and services

Main oven features:

- Full Access telescopic racks with integrated easy-grip handle (1 in 30" Oven; 3 in 36" Oven)
- Hidden Thermal Bake (2,000 W), Broil (4,000 W),
- Third element rear 2,750 W convection

30" Induction Range

• The Liberty® cooktop comes with two large flexible cooking zones and FlexPlus™** heating elements that provide

the ultimate in cooking performance and flexibility with HeatShift®, MoveMode®, and PowerBoost[®]

Right Full Zone

15"×8½" @

3,300 W/3,600 W

(PowerBoost®)

Main oven features: • 4.4 cu. ft. overall volume*



PRI30LBHU





3,300 W/3,600 W (PowerBoost®)

PRI30LBHU

Left Full Zone

15"×8½" @

2,200 W/3,600 W 2,200 W/3,600 W (PowerBoost®) (PowerBoost®) LF: 71/2" × 81/2" @ RF: 71/2" × 81/2" @ 2,200 W/3,600 W 2,200 W/3,600 W (PowerBoost®) (PowerBoost®) Left FlexPlus Zone Right FlexPlus Zone 3 ½" x 11 ¼" 3 ½" x 11 ¼"

LR: 7½"×8½" @

30" Liberty Induction Cooktop Pro Harmony Range

RR: 71/2" × 81/2" @

8,399 9,249

36" Induction Range

• The Liberty® cooktop comes with three large flexible cooking zones that provide the ultimate in cooking per-

LR: 71/2" × 81/2" @ 2,200 W/3,600 W Left Full Zone (PowerBoost®) 15"×81/2" @ 3,300 W/3,600 W LF: 71/2" × 81/2" @ (PowerBoost®) 2,200 W/3,600 W (PowerBoost®)

formance and flexibility with HeatShift®, MoveMode®, and PowerBoost®

Center Full Zone

11"×9½" @

3,300 W/3,600 W

(PowerBoost®)

RR: 71/2" × 81/2" @ 2,200 W/3,600 W

(PowerBoost®) RF: 71/2" × 81/2" @ 2,200 W/3,600 W (PowerBoost®)

Right Full Zone 15"×8½" @ 3,300 W/3,600 W (PowerBoost®)

Main oven features:

• 4.9 cu. ft. overall volume*



PRI36LBHU





PRI36LBHU

36" Liberty Induction Cooktop Pro Harmony Range

12,799 11.599

*According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible sufface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

 Model
 Number
 Description
 UMRP
 MSRP

All Pro Harmony® Series Dual Fuel Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner range: each front burner has output of 18,000 BTU (NG)
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-10
- All burners with electronic ignition/ re-ignition
- Precision simmering capabilities with two ExtraLow® simmer burners
- For LP: Natural to LP Gas Field Conversion Kit must be ordered sepa-

rately.

- PAALTKITH High Altitude conversion kit is available for all Pro Harmony Ranges.
- Island trim included
- Two-year warranty
- Star-K certified

Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

Main oven features:

- Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- Hidden Thermal Bake (2,000 W), Broil (4,000 W),

- Third element rear 2.750 W convection
- Convection Broil and two rapid, selfclean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1½ hr light-soil clean

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

Note

 Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador Professional hoods)

30" Dual-Fuel Range

- Four Pedestal Star® Burners (Two with ExtraLow®)
- 30" range features 4.4 cu. ft. overall volume*

LR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low
LF: BTU	RF: BTU
18,000 high**/XLO	18,000 high**/3,000 low

PRD304WHU

30" Stainless Steel with Porcelain Surface and One Telescopic Oven Rack

6,799 7,499



PRD304WHU



 Five Pedestal Star® Burners (Two with ExtraLow®); overall output of 59,000 BTU and

> LR: BTU 8,000 high**/XLO

> > LE: BTU

18,000 high**/XLO

suitable for use with the Thermador OTR (see page 3-13) 30" range features 4.4 cu. ft. overall volume*

RR: BTU

8,000 high**

RF: BTU

15,000 high**





PRD305WHU

30" Stainless Steel with Porcelain Surface and One Telescopic Oven Rack

Center: BTU 10.000 high*

7,799 8,599

PRD305WHU



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*}According to AHAM Standards

^{** 8,000} BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number

Description **UMRP MSRP**

36" Dual-Fuel Range

• Six Pedestal Star® Burners (Two with ExtraLow®)

• Oven features 4.9 cu. ft. overall volume*

• Thermador Connected Experience with Home Connect[™]

LR: BTU	CR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/XLO	18,000 high**/3,000 low	18,000 high**/3,000 low

36" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks

PRD366WHU 9.999 10,999

 Four Pedestal Star® Burners (Two with ExtraLow®)

• Oven features 4.9 cu. ft. overall volume*

LR: BTU 15,000 high**/XLO	
LF: BTU 18,000 high**/XLO	

 Thermador Connected Experience with Home Connect[®]

> Electric Griddle 1,630 W (6-pass)

• Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low



PRD364WDHU

PRD366WHU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

10.499 11,549



18,000 high**/3,000 low

48" Dual-Fuel Range

- Six Pedestal Star® Burners (Two with ExtraLow®)
- Main oven features 4.4 cu. ft. overall volume*

LR: BTU

15,000 high**/XLO

LF: BTU

18,000 high**/XLO

• Thermador Connected Experience with Home Connect[™]

CR: BTU 15,000 high**/3,000 low	Electric Griddle
CF: BTU	1,630 W (6-pass)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high**/3,000 low
RF: BTU 18,000 high**/3,000 low



PRD486WDHU

PRD486WDHU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

14,699 16,199



* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible sufface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number Description **UMRP MSRP**

All Pro Harmony® Series All Gas Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner ; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page
- Precision simmering capabilities with two ExtraLow® simmer burners
- Griddle is interchangeable with grill accessory for convenient indoor grilling

- Gas ranges are field convertible from natural gas to liquid propane-Conversion Kit must be ordered separately
- Island trim included
- Two-year warranty
- Star-K certified

Griddle model:

• 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

Ovens feature:

- 17,500 BTU high-intensity infrared
- Full Access[®] telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)

- · Gas convection oven
- 20,500 BTU bake burner
- Convection Bake, Thermal Bake (20,500 BTU)

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*

• Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador Professional hoods)

30" Gas Range

• Four Pedestal Star® Burners (Two with ExtraLow®) each

PRG304WH

PRG305WH

LR: BTU RR: BTU 15,000 high**/XLO 15,000 high**/3,000 low LF: BTU RF: BTU

front burner has output of 18,000 BTU (NG)

30" Stainless Steel with Porcelain Surface

18,000 high**/XLO 18,000 high**/3,000 low • 30" range features 4.6 cu. ft. overall volume*



5,299 5,849

• Five Pedestal Star® Burners (Two with ExtraLow®);


overall output of 59,000 BTU

LR: BTU 8,000 high**/XLO LF: BTU 18,000 high**/XLO and suitable for use with the Thermador OTR (see page 3-13.

> Center: BTU 10,000 high**

30" Stainless Steel with Porcelain Surface

• 30" range features 4.6 cu. ft. overall volume*



5,999 6,599



PRG305WH



* According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible sufface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{** 8,000} BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model Number

Description

UMRP

MSRP

36" Gas Range

• Six Pedestal Star® Burners (Two with ExtraLow®)

• 36" range features 5.1 cu. ft. overall volume*

• Thermador Connected Experience with Home Connect[™]

LR: BTU	CR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/XLO	18,000 high**/3,000 low	18,000 high**/3,000 low



PRG366WH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

7.199

7.949 PRG366WH



 Four Pedestal Star® Burners (Two with ExtraLow®) each front burner has output of 18,000 BTU (NG)

• 36" range features 5.1 cu. ft. overall volume*

• Thermador Connected Experience with Home Connect[™]

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



LR: BTU 15,000 high**/XLO LF: BTU 18,000 high**/XLO

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

PRG364WDH

PRG364WDH

36" Stainless Steel with Porcelain Surface and

8,449







PRG486WDH

All Telescopic Oven Racks

48" Gas Range

- Six Pedestal Star® Burners (Two with ExtraLow®) and
- Main oven features 4.6 cu. ft. overall volume*

Thermador Connected
Experience with Home
Connect [™]

LR: BTU CR: BTU 15,000 high**/XLO 15,000 high**/3,000 low LF: BTU CF: BTU 18,000 high**/XLO 18,000 high**/3,000 low

Electric Griddle 1,630 W (6-pass)

• Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

11,799

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low



PRG486WDH

12,999



48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible sufface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Description **UMRP MSRP** Accessories Rangetops Pro Harmony Ranges **Dual Fuel** Gas Induction All Gas 30 36 48 30 36 30 36 48 30 36 48 PRD364WDHU PRD486WDHU PRD304WHU PRD305WHL PCG364WD PCG486WD PRG366WH PRI30LBHU PRI36LBHU PCG305W PCG366W **PAGRIDDLE** Griddle sits on top of 199 219 Grates over two Burners, • high-release surface coating 12" Grill Plate PA12GRILFW 319 359 Accessory w/ Tray (for Griddle Modules) • (Fusion coating) Fusion coated accessories offered as an alternative to the "high-release" accessories. PA12GRILLW 12" Grill Plate 319 359 Accessory w/ Tray (for Griddle Modules) Non-stick (non-fusion) surface coating ("high-release") is easy to clean and durable over time. PA12CHPBLK 12" Maple Chopping 199 219 • • Board PA12LCVRW 12" Professional 209 229 Griddle Cover Grill model s not listed in price book. **PWOKRINGHC** Wok Ring Accessory 199 219 • • **PALPKITHW** LP Conversion Kit 139 159 Pro Harmony Dual Fuel • • • • • Ranges & Rangetops (4 & 6 Burner) PALPKITHW5 LP Conversion Kit 139 159 Pro Harmony Dual Fuel Ranges & Rangetops (5 Burner) **PALPKITGA** LP Conversion Kit 199 219 Pro Harmony Gas Ranges, 30" & 36" (4 & 6 Burner) PALPKITHA5 LP Conversion Kit 139 159 Pro Harmony Gas Ranges

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

(5 Burner)

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Description **MSRP** Rangetops Pro Harmony Ranges Accessories Gas Induction **Dual Fuel** All Gas 30 36 48 30 36 30 36 30 36 48 PRD364WDHU PRD486WDHU PRG486WDH PRD305WHU PRD304WHU PRD366WHU PCG486WD PCG364WD PRG305WH PRG304WH PRI30LBHU PRI36LBHU PCG305W PCG366W PAI PKITGA6 LP Conversion Kit 199 219 Pro Harmony Gas Ranges 48" (4 & 6 Burner) **PAALTKITH** High Altitude Kit 99 Pro Harmony Ranges & • • • • • Rangetops **PAKNOBLUWR** Metallic Blue Knob Kit 239 269 Pro Rangetop PARKB30HY Blue Knob Kit 249 279 30" Dual Fuel Harmony PARKB3XHY Blue Knob Kit 249 279 30"/36" Gas Harmony PARKB3XIHB Blue Knob Kit 149 169 30/"36" Induction Harmony PARKB36DHY Blue Knob Kit 249 279 36" Gas/Dual Fuel Harmony PARKB36HY Blue Knob Kit 249 279 36" Dual Fuel GR Harmony PARKB48CHY Blue Knob Kit 299 329 48" Dual Fuel Harmony PARKB48DHY Blue Knob Kit 299 329 48" Gas Harmony

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description UMRP MSRP

Accessories

Rangetops Pro Harmony Ranges

Gas Industrion Dual Fuel All Gas

Accessorie	s				Ra	nge	etops		Р	ro l	Har	mc	ony	Ra	ang	es			
						Ga	as	Indu	ction		Dua	al F	uel			All	Ga	ıs	
			30	3	48	30	36	3	0	3	6	48	30	0	36	4	8		
					PCG305W	PCG364WD	PCG366W PCG486WD	PR130LBHU	PRI36LBHU	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG486WDH
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmony Range	419	469						•	•				•	•			
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmony Range	479	529								•	•				•	•	
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harmony Range	509	599										•					•
	PA30WLBC	10" Low Backguard for 30"Rangetop	209	229	•														
	PA36WLBC	10" Low Backguard for 36" Rangetop	269	299		•	•												
	PA48WLBC	10" Low Backguard for 48" Rangetop	319	359			•												

Model
Number Description UMRP MSRF

All Pro Grand® Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star[®] Burners with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Steam and convection oven
- · Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19)
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with Four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty® surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, nonstick surface coating, cast-aluminum
- LP conversion kit ordered separately for

converting burners for LP gas

- Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified
- CSA certified

Oven features:

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- SoftClose® hinges for ultra-smooth closing
- Large oven includes three Full Access[®] telescopic racks with integrated easygrip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume*
- Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer,

temperature probe, convection conversion

and preheat status with audible alert

Steam Oven features:

- 27 Easy Cook® programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed
- Steam Clean function

Warming drawer features:

- Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

Model

Number Description **UMRP MSRP**

48" Dual-Fuel with Steam Range

The Ultimate Culinary Center™

• Six Pedestal Star® Burners (Four with ExtraLow®)

• Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO

PRD48WDSGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

18,299 20,149

PRD48WDSGU



The Ultimate Culinary Center™

• Six Pedestal Star® Burners (Four with ExtraLow®))

Liberty[®] Induction.

CR: BTU RR: BTU 15,000 high*/XLO 15,000 high*/3,000 low 15,000 high*/XLO LF: BTU CF: BTU RF: BTU 22,000 XHI*/XLO 18,000 high*/3,000 low 18,000 high*/XLO

Induction 3,600 W 230 V 3.300 W 208 V

Onnon

PRD48WISGU

48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

19,149 21,099

PRD48WISGU







60" Dual-Fuel with Steam Range

The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- 24" Dual Zone Griddle LR: BTU


12,500 high**/XLO

LF: BTU

22,000 XHI**/XLO

PRD606WESG

- 5.7 cu. ft. main oven cavity accommodates commercial size full sheet pan •
- 24" stainless steel cover accessory PA24CVRR for 24" Griddle sold separately





CR: BTU

12,500 high**/3,000 low

CF: BTU

18,000 high**/3,000 low

60" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

23,249 25,599





24" Flectric Griddle

1.630 W (Left & Right)

(3,260 W total)

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRDxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible sufface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

^{12,500} BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model
Number Description UMRP MSRF

All Pro Grand® Series Dual Fuel Ranges Include the Following Features:

- Commercial-Depth (27")
- Patented Pedestal Star® Burner with QuickClean Base™ (Four with ExtraLow® Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- LP kit ordered separately for converting burners for LP gas
- Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

All Ovens

- SoftClose® hydraulic hinges for ultrasmooth closing
- Three Full Access® telescopic racks with integrated easy-grip handles
- Fast Preheat

Main Oven

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- Hidden bake element

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

Induction Models

- Thermador 3,600 W Liberty® Induction with two zones
- Features 9 power levels, XHI
 PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff

Griddle:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Fusion non-stick surface

48" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

Model Number

Description **UMRP MSRP**

36" Dual-Fuel Ranges

• Six Pedestal Star® Burners (Four with ExtraLow®)

LR: BTU	CR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/3,000 low	15,000 high*/XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/XLO	18,000 high*/3,000 low	18,000 high*/XLO

PRD366WGU 36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks 11,199 12,349

PRD366WGU



• Four Pedestal Star® Burners (Four with ExtraLow®) and

• Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high*/XLO LF: BTU 22,000 XHI*/XLO

Electric Griddle 1,630 W (6-pass)

RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO

> 11,999 13,199



PRD364WDGU



PRD364WDGU

PRD364WIGU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

• Four Pedestal Star® Burners (Four with ExtraLow®) with Liberty® Induction

LR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/XLO
LF: BTU	RF: BTU
22,000 XHI*/XLO	18,000 high*/XLO

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

Induction 3 600 W 230 V 3,300 W 208 V

> 12,599 13,899









NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Model

Number Description **UMRP MSRP**

48" Dual-Fuel Ranges

• Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Electric Griddle

• Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/XLO	18,000 high*/3,000 low

Electric Griddle 1 630 W (6-pass)

RR: BTU 15,000 high*/XLO RF: BTU 18,000 high*/XLO

> 15,649 17,249

PRD486WDGU



PRD486WDGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) with Liberty® Induction

LR: BTU	CR: BTU	RR: BTU
15,000 high*/XLO	15,000 high*/3,000 low	15,000 high*/XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/XLO	18,000 high*3,000 low	18,000 high*/XLO

Induction 3,600 W 230 V 3.300 W 208 V

15,999 17,599

PRD486WIGU



PRD486WIGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

60" Dual-Fuel Ranges

The Ultimate Entertainer's Center™

• Six Pedestal Star® Burners (Four with ExtraLow®) with 24" Dual Zone Griddle

• Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
12,500 high**/XLO	12,500 high**/3,000 low
LF: BTU	CF: BTU
22,000 XHI**/XLO	18,000 high**/3,000 low

24" Flectric Griddle 1,630 W (Left & Right) (3,260 W total)

RR: BTU 15,000 high**/XLO RF: BTU 18,000 high**/XLO

> 20,199 22,249







PRD606WEG

60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRDxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible su'face, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model
Number Description UMRP MSRP

All Pro Grand® Series All Gas Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Patented Pedestal Star[®]
 Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow® Simmer burners (two farleft pair and two far-right pair)
- Gas ranges are field convertible from natural gas to liquid propane kits sold separately
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Electric Griddle (convertible to grill with grill accessory),

Oven features:

- SoftClose® hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access[®] telescopic racks with integrated easygrip handles

Large oven:

- Thermador Connected Experience with Home Connect[™] enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/LP)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 6 conventional cooking modes

- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume*
- Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/LP)
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

36" Gas Range

 Six Pedestal Star[®] Burners (Four with ExtraLow[®])

LR: BTU	CR: BTU	RR: BTU
15,000 high**/XLO	15,000 high**/3,000 low	15,000 high**/XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI**/XLO	18,000 high**/3,000 low	18,000 high**/XLO

PRG366WG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

8,699 9,599



PRG366WG







NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*}According to AHAM Standards

^{**15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

PRO GRAND[®] SERIES GAS RANGES/PRO GRAND[®] SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number Description UMRP MSRP

48" Gas Range

 Six Pedestal Star® Burners (Four with ExtraLow®) Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass) RR: BTU
15,000 high*/XLO

RF: BTU
18,000 high*/XLO



PRG486WDG

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 12,399 13,649

PRG486WDG



Accessorie	Accessories				wit	ual-Fu th Stea	am			Dual	Fuel			All	
					48	3"	60"		36"		48	3"	60"	36"	48"
					PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WG	PRG486WDG
	PAGRIDDLE	Griddle sits on top of Grates of two Burners, high-relead coating		219 ace	•	•	•	•	•	•	•	•	•	•	•
		12" Grill Plate Accessory w/ Tray (for Griddle Models) Fusion coated accessor				•	•			•		•	•		•
	as an alternative to the "high-release" accessories. PA12GRILLW 12" Grill Plate 319 359 Accessory w/ Tray (for Griddle Models) Non-stick (non-fusion) surface coating ("high-release") is easy to clean and durable over time.					•	•			•		•	•		•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model Number Description UMRP MSRP

Accessorie	Accessories					Dual-Fuel with Steam		Dual Fuel						All	Gas
					48	3"	60"		36"		48	3"	60"	36"	48"
					PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WG	PRG486WDG
TT/	PA12LCVRW	12" Professional Griddle Cover	209	229		•				•		•			•
10 11	PA24CVRR	24" Cover for Griddle	299	329			•						•		
	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•
*/	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel Ra	199 anges	219	•	•	•	•	•	•	•	•	•		
/	PALPKITGGW	LP Conversion Kit Pro Grand Gas Ranges	199	219										•	•
1 =	PAALTKITGW	High Altitude Kit, NG Pro Grand Ranges, 5.4K ft. to 10.2K ft.	89	99	•	•	•	•	•	•	•	•	•	•	•
	PARKB36IGY	Blue Knob Kit 36" Grill/Ind Grand	249	279				•							
	PARKB36GY	Blue Knob Kit 36" Gas Grand	249	279										•	
	PARKB36CGY	Blue Knob Kit 36" Combi Grand	279	309					•	•					

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number Description

Accessories	Accessories				Dual-Fuel with Steam				Dual Fuel					Gas
				48	3"	60"		36"		48	3"	60"	36"	48"
				PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WG	PRG486WDG
F F	PARKB48CGY	Blue Knob Kit 38- 48" Combi Grand	4 429	•						•	•			
F	PARKB48SGY	Blue Knob Kit 37' 48" Combi Steam Grand	9 419		•									•
F	PARKB60CGY	Blue Knob Kit 34' 60" Combi Grand	9 389									•		
F	PARKB60SGY	Blue Knob Kit 34' 60" Combi Steam Grand	9 389			•								
	PA36WTKG	Toe Kick 10' for 36" Pro Grand® Range	9 119				•	•	•				•	
	PA48WTKG	Toe Kick 10° for 48" Pro Grand® Range	9 119	•	•					•	•			•
	PA60WTKG	Toe Kick 13' for 60" Pro Grand® Range	9 159			•						•		
	PA36WLBG	7" Low Backguard 47' for 36" Gas/Dual-Fuel Pro Ranges					•	•	•				•	
	PA48WLBG	7" Low Backguard 50° for 48" Pro Grand® Gas Ra		•	•					•	•			•
	PA60WLBG	7" Low Backguard 55' for 60" for Pro Grand® Ran				•						•		

UMRP MSRP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRD304xx, PRX488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

VENTILATION

MASTERPIECE® & PROFESSIONAL COLLECTIONS

		30"	36"	42"	48"	54"/60"
	Low-Profile					
		HMWB30WS	HMWB36WS HMWB361WS		HMWB481WS	
	Masterpiece [®]					
TT		HMDW30WS	HMDW36WS			
WALL	Pro Grand®		PH36GWS		PH48GWS	PH60GWS
	Pro Harmony®		PH36HWS		PH48HWS	
ALL	Masterpiece [®]	HMCB30WS	HMCB36WS			
CHIMNEY WALL	Masterpiece [®]					
		HDDB30WS	HDDB36WS			
CHII	Professional		HPCN36WS		HPCN48WS	
ISLAND	Masterpiece [®]		HMIB36WS	HMIB42WS		
USTOM NSERT	Masterpiece [®]	VCI3B30ZS VCI6B30ZS	VCI3B36ZS VCI6B36ZS			
CUST	Professional		VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS VCIN60GWS
DOWNDRAFT	Masterpiece [®]	UCVM30XS	UCVM36XS UCVP36XS			

						WALL HOODS		
This price list supersedes all pre	vious price lists. Prices listed here	ein do not include applicable state	or local taxes.					
Number	Description			UMRP	MSRP			
All Wall Hoods inclu	de the following fea	tures:						
 Beautiful illuminatio LED lights 	n with multi-level,	 Automatic mode det to adjust fan speed a 				r reminder light illuminates urs of operation		
 Recessed sleek, smo panel that provides selection with 4-spe 	precise performance	• 10-min. delay shut o lingering odors	ff whisk away	• Bu	ilt-in rem	otions available note control panel, sold ee page 6-7)		
All Masterpiece® W	all Hoods include the	se Additional features	s:					
• Equipped with the 1 Experience by Hom		 Dishwasher-safe stai mesh filters 	nless steel covered			cting direction ower included		
•	iece® Series cooktops	Noise Control TechnCooktop Hood-Synd		• C	onvertible	ole to recirculation, accessory rate (see page 6-3)		
Brushed stainless st	eel							
and performance with a slide- out canopy design try, and increases. • When the slide-out canopy is pushed back, it sits flush try, and increases.		st surrounding cabine- nd when pulled forward asses capture area an be activated in the d or open position • 600 CFM integration included • Transition to 6 backdraft dam			and	HMDW36WS		
HMDW30WS	30" Masterpiece [®] , Drawer Wall Hood	, 600 CFM	•	2,149	2,399			
HMDW36WS	36" Masterpiece [®] , Drawer Wall Hood		:	2,249	2,499			
Low-Profile Wall Hoo	od							
 Chiseled design that is 24" depth, 11" tall Approved for use with 16" tall telescont access 				n to 10" round and t damper included		HMWB30WS		
HMWB30WS	30" Low-Profile Wa	all Hood, 600 CFM	:	2,049	2,299			
HMWB36WS	36" Low-Profile Wa	all Hood, 600 CFM	:	2,149	2,399			

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

36" Low-Profile Wall Hood, 1000 CFM

48" Low-Profile Wall Hood, 1000 CFM

HMWB361WS

HMWB481WS

2,249

2,349

2,499

2,599

Model Number Description UMRP MSRP

Accessorie	s—Masterpiec	e [®] Series			Dra	wer	Lo	w F	rof	file
					HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
	filtered air bac Replace charce depending on	• Installation Note: RECHMWB30 and RECHMWB36 are brushed stainless steel, and adds 4" height to the appliance. Approved for use with HMWB30WS and HMWB36WS Low-Profile Series Wall Hoods with 600 CFM blowers only.					•			
	RECHMWB30	Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide	699	799						
	RECHMWB36	Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide	749	849				•		
	RECHMDW30	Recirculation Kit for Masterpiece® Under Cabinet Drawer Hood, 30"		149	•					
	RECHMDW36	Recirculation Kit for Masterpiece® Under Cabinet Drawer Hood, 36"		149		•				
FEEE	CHFHMDW30	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30"	99 Wide	109	•					
FEER	CHFHMDW36	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36"	99 Wide	109		•				
_	·		n be used with Low-Profies Wall Hoods	ile HMWBxxWS			•			
	DCT3016W	16" Tall Duct Cover for Low-Profile 30" Wide	e Wall Hood, 649	749						
	DCT3616W	16" Tall Duct Cover for Low-Profile 36" Wide	Wall Hood, 659	749				•	•	
4	DCT4816W	16" Tall Duct Cover for Low-Profile 48" Wide	Wall Hood, 679	749						•
	DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	749	849			•			

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model UMRP Description **MSRP** Accessories—Masterpiece® Series Drawer Low Profile HMWB36WS HMWB36WS HMWB361WS HMWB481WS HMDW30WS HMDW36WS 28"×65" Tall Duct Cover for DC36MTW 759 849 Low-Profile Wall Hood, 36" Wide 28"×65" Tall Duct Cover for DC48MTW 779 899 Low-Profile Wall Hood, 48" Wide

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All Professional Wall Hoods Include these Additional Features:

- Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Vertical or horizontal ducting discharge possible
- 6" tall and 20"-54" tall telescopic duct cover accessory options available, sold separate (see page 6-7)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6)

Integral: VTN1DZ, VTN2FZ Inline: VTI1FZ¹, VTI2FZ Remote: VTR1FZ, VTR2FZ

- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included

Accessory options available

- Duct cover accessory options (see page 6-7)
- Remote blower roof plates (see page 6-8)
- 25-ft. remote & inline blower extension cable (see page 6-8)

Professional Series

Pro Harmony® Wall Hood

- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- A perfect companion to Pro Harmony® Professional Ranges
- Pro-style 24" depth, 18" tall
- Commercial-style stainless steel baffle filters



PH36HWS

PH36HWS	36" Pro Harmony [®] Wall Hood, Optional Blower	2,349	2,599
PH48HWS	48" Pro Harmony® Wall Hood, Optional Blower	2,599	2,899

Pro Grand® Wall Hood

- Equipped with the Thermador Connected Experience by Home Connect[™]
- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Crafted to complete the ultimate cooking system with Pro Grand[®] Professional Ranges
- Pro-style 27" depth, 18" tall
- Two infrared,175 W, Keep-Hot lamps (included)



PH36GWS



PH36GWS	36" Pro Grand [®] Wall Hood, Optional Blower	2,549	2,849
PH48GWS	48" Pro Grand® Wall Hood, Optional Blower	2,999	3,299
PH60GWS	60" Pro Grand® Wall Hood, Optional Blower	3,999	4,399

¹ The 600 CFM blower options are not available with the 60" hood

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

·	- Trainisei	Description								
Blowers						Master	piece®	Prof	fessio	onal
						4	Downalait	Wall	Chimney Wall	Custom Insert
						UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	VCINxxGWS
	Integral Blowers Integrated into time of installation	ion								
	VTN1DZ	400 CFM Ir	ntegral Blower	709	799			•		
0	VTN2FZ	1,000 CFM	Blower	899	999			•	•	•
a	Inline Blowers Blower can be n along the duct l between the kit the exterior wal	ine chen and	• 25 ft. cable (EXTNCB25W) available for inline blower applica- tions—sold separately (see page 6-8)	 For use with Ther PHxxxWS, HPCNx VCINxxGWS, UCVMxxRS, and UCVP36XS Series 	xXWS,					
	VTI1FZ	600 CFM Ir 6" duct size	nline Blower, e	709	799	•	•	•1	•	•2
	VTI2FZ	1,000 CFM 10" duct si	Inline Blower, ze	899	999	•	•	•	•	•
	 Remote Blowers For external roof of the Roof mounting (RFPLTxxP) required mount applications apparately (see 	plate ired for roof ons—sold	25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-8)	 For use with Therma PHxxxWS, HPCNxx\ VCINxxGWS, UCVW and UCVP36XS Series he 	NS, IxxRS,					
	VTR1FZ	600 CFM R	lemote Blower, e	829	949	•	•	•2	•	•2
	VTR2FZ	1,000 CFM 10" duct si	Remote Blower, ze	869	999	•	•	•	•	•

¹ The 600 CFM blower options are not available with the 60" hood

Model Number Description UMRP MSRP

Accessorie	Accessories—Professional						Pr	Pro Grand	
					PH36HWS	PH48HWS	PH36GWS	PH48GWS	PH60GWS
4	Optional Stainless Steel Duct Cover • Available in 6" and 20"–54" telescoping heights DC366W 6" Tall Duct Cover for Pro Wall Hoods, 36" Wide						•		
4	DC486W	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499	549		•		•	
	DC3689W	8' - 9' Ceilings Telescoping Duct Cover, 36" wide	509	599	•		•		
	DC4889W	8' - 9' Ceilings Telescoping Duct Cover, 48" wide	529	599		•		•	
	DC361012W	10' - 12' Ceilings Telescoping Duct Cover, 36" wide	659	749	•				
	DC481012W	10' - 12' Ceilings Telescoping Duct Cover, 48" wide	719	799		•		•	
(c)	Built-In Remote Control Ability to vertically install on cabinetry or wall to control hood in a convenient location Built-in sleek, smooth remote touch control panel Compatible with HDDBxxWS, HMCBxxWS, HMCBxxWS, HMCBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HMCBxxWS, PHxxxWS, PHxxxWS, and VCINxxGWS Series hoods Wired to hood Cable length: 30 ft.				•	•	•	•	•
	REMCPW	Built-In Remote Control Accessory	319	359					

Model
Number Description UMRP MSRP

Blower and	d Duct Accesso	ries			Pro Harmony		Pro Gran		nd
					PH36HWS	PH48HWS	PH36GWS	PH48GWS	PH60GWS
Remote & Inline Blower Extension Cable • 25-ft. extension cable for use between hood and inline or remote blower • Supports PHxxxWS, HPCNxxWS, • For use with blowers VTI1FZ, VTI2FZ,									
70	UCVMxxXS, UCVP36xS and VTR1FZ, VTR2FZ. VCINxxGWS series hoods.				•	•	•	•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139					
	EXTNSET4	3-pc extension set for Inline and remote blowers	159	179	•	•	•	•	•
	Roof Plates NOTE: Roof plate	e required for roof-mount application of remote k	olowers.						
	RFPLT600P	Roof mounting plate for remote blower VTR1FZ	129	149	•	•	•	•	•
	RFPLT1000P	Roof mounting plate for remote blower VTR2FZ	159	179	•	•	•	•	•

CHIMNEY WALL HOODS This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Number Description **MSRP** All Chimney Wall Hoods include the following features: • Check filter reminder light illuminates Beautiful illumination with multi-level, • Automatic mode detects LED lights temperatures to adjust fan after 40 hours of operation speed automatically • Dishwasher-safe filters • Vertical ducting direction • 10-min. delay shut off whisk away · Recessed sleek, smooth touch control • Built-in remote control panel accessory lingering odors panel that provides precise performance available, sold separate (see page 6-7) selection with 4-speed levels All Masterpiece® Chimney Wall Hoods include these Additional features: • 600 CFM integral blower • Equipped with the Thermador Connected • Convertible to recirculation, accessory Experience by Home Connect[™] sold separate (see page 6-12 • Adjustable telescopic chimney heights to • A perfect complement to the sleek fit up to 9-ft. tall ceilings • Hybrid mesh filters with stainless steel Thermador Masterpiece® Series cooktops frame • Transition to 8" round and backdraft Brushed stainless steel damper included • Vertical ducting direction Serves as the focal point of the room • Duct cover extension kit accessory for and can add a modern feel 9-ft. to 12-ft. tall ceilings available, sold separate (see page 6-12) • Cooktop Hood-Sync Enabled Masterpiece® Series **Pyramid Chimney Wall Hood** • Streamlined, contemporary, Noise Control Technology™ low-profile design with 5" pyramid canopy height 2,749 HMCB30WS 30" Masterpiece® Pyramid Chimney Wall Hood, 2,499 HMCB30WS 600 CFM 36" Masterpiece® Pyramid Chimney Wall Hood, 2,599 HMCB36WS 600 CFM **Drawer Chimney Wall Hood** A masterful blend of luxury and performance with unique • Can be activated whether in

- slide-out canopy design that can be pushed back for increased head room or pulled forward for increased capture
- the open or closed position
- Noise Control Deluxe™



HDDB30WS

HDDB30WS*	30" Masterpiece® Drawer Chimney Wall Hood, 600 CFM	2,899	3,199

HDDB36WS* 36" Masterpiece® Drawer Chimney Wall Hood, 3,099 3,449

600 CFM

^{*} Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Professional Chimney Wall Hoods include these Additional features:

- Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Creates a focal point in the room with a more contemporary-style feel
- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included
- Duct cover accessory options available, sold separate (see page 6-11)
- Pro-style 24" depth, 18" tall

- Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- 6" tall, 18"– 35" tall telescopic, and 42"– 59" tall telescopic duct cover accessory options available, sold separate (see page 6-11)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6)

Integral: VTN2FZ, Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ

Accessory options available

- Remote blower roof plates (see page 6-12)
- 25-ft. remote & inline blower extension cable (see page 6-11)

Professional Series

Pro Grand[®] Chimney Wall Hood

HPCN36WS 36" Professional® Chimney Wall Hood, 3,099 3,449

Optional Blower

HPCN48WS 48" Professional® Chimney Wall Hood, 3,599 3,999 HPCN36WS
Optional Blower

 Model
 Number
 Description
 UMRP
 MSRP

Accessories					Masterpiece [®]		ece® (o ind	
						amid /all	Dra	wer	W	all
						HMCB36WS	HDDB30WS	HDDB36WS	HPCN36WS	HPCN48WS
Remote & Inline Blower Extension Cable										
		cable for use between or remote blower • Cannot join two cable ger length.	les together fo	or Ion-						
	Supports PHxxx UCVMxxXS, UCV series hoods.	WS, HPCNxxWS, VP36xS and VCINxxGWS • For use with blowers VTR1FZ, VTR2FZ.	s VTI1FZ, VTI2	FZ,					•	•
	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139						
	EXTNSET4	3-pc extension set for Inline and remote blowers	159	179					•	•
	Duct Cover									
		all, 18"–35" tall telescopic, I telescopic heights • Can be used with HI Professional Series C		Hoods					•	
	CHMHP366W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 36" Wide	499	549						
	CHMHP486W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 48" Wide	509	599						•
	CHMHP36TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	649	749					•	
V	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	659	749						•
V	CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	719	799					•	
V	CHMHP48XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	739	849						•

 Model
 Number
 Description
 UMRP
 MSRP

Accessorie	M	laster	piece®		Pr Gra		
			amid /all	Dra	wer	Wa	all
	HMCB30WS	HMCB36WS	HDDB30WS	HDDB36WS	HPCN36WS	HPCN48WS	
	Chimney Wall Hood Extension Kits Stainless steel telescopic chimney extension for 9-ft. to 12-ft. tall ceilings						
	CHXTHDDW 9'-12' Ceilings Chimney Extension Kit for 579 649 HDDBxxWS Masterpiece® Chimney Drawer Hood			•	•		
	CHXTHMCB 9'-12' Ceilings Chimney Extension Kit for 579 649 HMCBxxWS Masterpiece® Pyramid Chimney Hood	•	•				
Chimney Wall Hood Recirculation Accessories • When ducting is not feasible, kit brings filtered air back into kitchen • Replace charcoal filter replacement accessory available depending on usage • Charcoal filter replacement accessory available (see below)				•	•		
	RECHDDB Recirculation Kit for Masterpiece® 159 179 HDDBxxWS Drawer Chimney Wall Hood						
	RECHMCB Recirculation Kit for Masterpiece® 159 179 HMCBxxWS Chimney Wall Hood	•	•				
	CHFHMCD Replacement Charcoal Filters 109 119 For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	•	•	•	•		
1 1	Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers.						
	RFPLT600P Roof mounting plate for 129 149 remote blower VTR1FZ					•	
	RFPLT1000P Roof mounting plate for 159 179 remote blower VTR2FZ					•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model **UMRP** Number Description **MSRP**

All Island Hoods include the following features:

- Equipped with the Thermador Connected Experience by Home Connect[™]
- · Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-7)

Masterpiece® Series

Low-Profile Island Hood

- Sleek and slim, these meticulously sculpted, floating stainless steel island hoods catch the eye without obstructing views
- A perfect complement to Thermador Masterpiece® Series cooktops
- Brushed stainless steel

- Cooktop Hood-Sync Enabled
- Noise Control Deluxe™
- 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft. tall ceilings
- Transition to 8" round and backdraft damper included

• Convertible to recirculation, accessory sold separate (see page 6-14)

Accessory options available

Duct cover extension kit accessory for 9-ft. to 12-ft. tall ceilings (see page 6-14)



HMIB36WS



HMIB36WS	36" Masterpiece® Box Island Hood,	3,399	3,749
	600 CFM		

HMIB42WS 42" Masterpiece® Box Island Hood,

600 CFM

3,499 3,849

Model Number

Description UMRP MSRP

Accessorie	s					Master	piece®
						Low F	Profile
	Model Number	Description		UMRP	MSRP	HMIB36WS	HMIB42WS
	Low-Profile Island Hood Extension Kit						
	Stainless steel chimney extens 12-ft tall ceiling	sion for 9-ft to	 Compatible with HMIBxxWS Masterpiece[®] Island Hood 			•	•
	СНХТНМІВ		s Chimney Extension Kit for asterpiece® Island Hood	699	799		
	Low-Profile Island Hood Recirculation Accessories						
	When ducting kit brings filters kitchen		 Compatible with HMIBxxWS Masterpiece® Island Hood Charcoal filter replacement 				
Replace charcoal 3–6 months depe		•	accessory available (see below)				
-III	RECHMIB		Recirculation Kit for Masterpiece® HMIBxxWS Island Hood		179	•	•
	CHFHMCD		Charcoal Filters ece® HMCB, HDDB, lation Kit	109	119	•	•

This price list supersedes all previ	ious price lists. Prices liste	d herein do not include applicable state or local taxes.	
Model Number	Description		UMRP MSRP
All Masterpiece® Cust	tom Inserts inclu	de the following features:	
• Equipped with the TI		 Two 6 W LED lights 	• 120 V
Connected Experience	ce by Home	 Vertical ducting 	 Dishwasher-safe aluminum filter
Connect [™] • Touch control	 Integral blower 	Perimetric filter	
	• 15 Amps	 Plug type: hardwire 	
			Masterpiece® Serie
300 CFM Custom Inse	ert		T
• 300 CFM blower		ertical ducting with round duct	
VCI3B30ZS	30" Custom In	sert Hood, 300 CFM	1,469 1,649 VCI3B30ZS

VCI3B36ZS

Q

1,569

1,749

600 CFM Custom Insert

VCI3B36ZS

• 600 CFM blower
• Vertical ducting with 8" round duct

 VCI6B30ZS
 30" Custom Insert Hood, 600 CFM
 1,569
 1,749

 VCI6B36ZS
 36" Custom Insert Hood, 600 CFM
 1,669
 1,849

36" Custom Insert Hood, 300 CFM

VCI6B30ZS



VCI6B36ZS



Model
Number Description UMRP MSRP

Custom Insert Hoods

- Equipped with the Thermador Connected Experience by Home Connect[™]
- Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials
- Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops
- Brushed stainless steel
- Dishwasher-safe commercialstyle stainless steel baffle filters
- Beautiful illumination with multi-level, LED lights

VCIN36GWS

VCIN42GWS

VCIN48GWS

VCIN54GWS

VCIN60GWS

- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Make-up air damper relay switch (120 V max)
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Includes custom hood trim to complete custom insert installation

36" Professional® Custom Insert,

42" Professional® Custom Insert,

48" Professional® Custom Insert,

54" Professional® Custom Insert,

60" Professional® Custom Insert,

Optional Blower

Optional Blower

Optional Blower

Optional Blower

Optional Blower

Vertical ducting

 Blower options sold separate and required to complete install.

Works with the following blowers, sold separately (see page 6-6)

Integral: VTN2FZ Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ

- Transition to 10" round and backdraft damper included
- Built-in remote control panel accessory available, sold separate (see page 6-7)

Accessory options available

- Remote blower roof plates (see page 6-8)
- 25-ft remote & inline blower extension cable (see page 6-8)

2,069	2,299	
2,169	2,399	
2,269	2,499	
2,369	2,649	
2,469	2,749	

Professional Series



VCIN48GWS



Model Number

ber Description UMRP MSRP

Accessorie	Accessories				pie	ce®	L	_	ro	_	
			VCI3B30ZS	VCI3B36ZS	VCI6B30ZS	VCI6B36ZS	VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS
	Ability to vertice on cabinetry or control hood in nient location Built-in sleek, sm remote touch control touch control touch control to the second	ally install wall to wall to HDDBxxWS, HMCBxxWS, HMBxxWS, HMBxxWS, HMWBxxWS, HMWBxxWS, HMWBxxWS, HPCNxxWS, HPINxxWS, PHxxxWS, and VCINxxGWS Series hoods • Wired to hood • Cable length: 30 ft.									
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	REMCPW	Built-In Remote Control Accessory 319 359					•	•	•	•	•
	25-ft. extension hood and inlineSupports PHxxx	/MxxXS, UCVP36xS and VTR1FZ, VTR2FZ.									
	EXTNCB25W	25-ft Remote & Inline Blower 119 139 Extension Cable					•	•	•	•	•
	EXTNSET4	3-pc extension set for Inline and 159 179 remote blowers					•	•	•	•	•
1 1	Roof Plates	required for roof-mount application of remote blowers.								7	
	RFPLT600P	Roof mounting plate for 129 149 remote blower VTR1FZ					•	•	•	•	•
	RFPLT1000P	Roof mounting plate for 159 179 remote blower VTR2FZ					•	•	•	•	•
	Charcoal Filters										
	CHFVCI30ZS	Charcoal Filter Kit for 30" Custom Inserts 109 119 VCI3B30ZS and VCI6B30ZS	•		•						
	CHFVCI36ZS	Charcoal Filter Kit for 36" Custom Inserts 109 119 VCI6B36ZS and VCI6B36ZS		•		•					

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description
UMRP
MSRP

All Downdrafts include the following features:

- Designed for installation with all Thermador cooktops except Professional Series
- All models feature six possible discharge connections including front, side, down, and rear as well as recirculation
- Stainless steel
- Sleek, removable front filter panel design that act as a splatter shield
- Dishwasher safe mesh filters
- Three speeds
- Convenient 10-minute time-delay shutoff feature

- Filter maintenance reminder light
- Automatic mode
- Recirculation possible with electric and induction cooktops, Accessory Sold Separately (UCVRECIRC see page 6-19)

Required To Complete The Installation:

 Blower Options, Sold Separately. Works with the following blowers, sold separately (see page 6-20).

Integral: VTD600P Inline: VTI1FZ, VTI2FZ Remote: VTR1FZ, VTR2FZ Downdraft transitions may be required to complete the installation depending on exhaust direction & blower chosen: [see page 6-20]

CVTSIDE6 CVTRECT2
CVTSIDE8 CVTFRONT6
CVTSIDE10 CVTFRONT8
CVDUCT2 CVTFRONT10

Accessory options available

- Gas cooktop seal kit sold separately, required for installation with gas cooktops (UCV30ST, UCV36ST [see page 6-19)
- 5' electrical panel extension cable (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-22])
- 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-22)

Masterpiece® Series

Downdraft Ventilation System

UCVM30XS 30" Masterpiece® Downdraft 15" Snorkel, Optional Blower

1,869 2,099



UCVM36XS

36" Masterpiece® Downdraft 15" Snorkel, Optional Blower 2,069 2,299



UCVP36XS

36" Masterpiece® Downdraft, Deluxe

18" Snorkel, Optional Blower

LED Task Bar Lights

2,369 2,649



NOTE: Transition required and sold separately for all remote and inline blower installations.

Model Number

Number Description UMRP MSRP

Componen	ts	UCVM30XS	UCVM36XS	UCVP36XS
	 For use with 30" UCVM30XS, 36" UCVM36XS, and 36" UCVP36XS downdraft models only Works in wall or island applications When ducting is not feasible, kit brings filtered air back into kitchen after passing through a charcoal filter Mounts to cabinet base, recesses into toe kick/socket To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Gas Cooktops Module ships with one heavy duty charcoal filter and two metal grill vent plates Mounts to cabinet base, recesses into toe kick/socket heights of 4" or taller Module and grill vent plate can be placed so air does not hit feet Blower and downdraft sold separately Replacement charcoal filters available, sold separately 			
	UCVRECIRC Recirculation kit for downdraft 599 699 UCVM30XS, UCVM36XS, UCVP36XS downdrafts only. VTD600P Blower required, sold separately. Replace filters every 3-6 months depending on usage with HDDFILTUC	•	•	•
	HDDFILTUC Charcoal filter replacement See Bosch Price List* For use with UCVRECIRC recirculation kit (above)	•	•	•
	Gas Cooktop Seal Kit • For use with	•		
	UCV36ST 36" gas cooktop seal kit 129 149		•	•

^{*} Pricing for the Thermador accessory listed on this page can be found on the Bosch Price List, listed under the same SKU numbers. The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

 Model
 Number
 Description
 UMRP
 MSRP

Componer	ts	UCVM30XS	UCVM36XS	UCVP36XS
00	Integrated Blower VTD600P 600 CFM, 8" duct size flexible 849 949 integrated blower Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only	•	•	•
	Inline Blowers • Blower can be mounted along the duct line between the kitchen and the exterior wall • 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-22) • For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods			
	VTI1FZ 600 CFM Inline Blower, 709 799 6" duct size	•	•	•
	VTI2FZ 1,000 CFM Inline Blower, 899 999 10" duct size	•	•	•
	Remote Blowers For external roof or wall mount Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-22) Remote Blowers 25 ft. cable (EXTNCB25W) o For use with Thermador PHxxxWS, HPCNxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods variable (extractions—sold separately (see page 6-22)			
	VTR1FZ 600 CFM Remote Blower, 6" duct size 829 949	•	•	•
	VTR2FZ 1,000 CFM Remote Blower, 10" duct size 869 999	•	•	•
	Downdraft Transitions Transition(s) may be required to complete the installation of 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdrafts depending on the discharge connection chosen in combination with the downdraft blower selected (see installation manual) For use with inline and remote blowers CVTSIDE6 6" side/rear transition 199 219 Rectangular 1 1/6" × 19" transition to 6" round for	•	•	•
4	side, down and rear exhaust applications CVTSIDE8 8" side/rear transition 199 219 Rectangular 1 % "×19" transition to 8" round for side, down and rear exhaust applications	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Componen	ts			UCVM30XS	UCVM36XS	UCVP36XS
6	CVTSIDE10 10" side/rear transition Rectangular 1 % "×19" transition to 10" round for side, down and rear exhaust applications	199	219	•	•	•
0	CVTFRONT6 6" round front plate Front rough-in plate for front downward exhaust applications	99	109	•	•	•
0	CVTFRONT8 8" round front plate Front rough-in plate for front downward exhaust applications	99	109	•	•	•
0	CVTFRONT10 10" round front plate Front rough-in plate for front downward exhaust applications	99	109	•	•	•
	CVDUCT2 2' rectangular duct Rectangular duct that is 2' long × 1 % " deep × 19" wide (CVDUCT2) required to connect CVI draft housing. Ability to use as an extension to exhaust through a camodify length, duct may be cut. CVTSIDE6, CVTSIDE8, or CVTSIDE6 to connect CVTRECT2 to round ductwork	abinet or	wall. To	•	•	•
	CVTRECT2 Transition for rectangular duct Required to attach CVDUCT2 2' rectangular duct to downdraft housing	99	109	•	•	•

 Model
 Number
 Description
 UMRP
 MSRP

Blower Acc	cessories	Integrated	(!: !	eullue	Remote	Blowers		Downdraft	
		VTD600P	VTI1FZ	VTI2FZ	VTR1FZ	VTR2FZ	UCVM30XS	UCVM36XS	UCVP36XS
	 Remote & Inline Blower Extension Cable 25-ft. extension cable for use between hood and inline or remote blower Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods. EXTNCB25W 25-ft Remote & Inline Blower Cannot join two cables together for longer length. For use with blowers VTI1FZ, VTI2FZ, VTR1FZ, VTR2FZ. TR1FZ, VTR2FZ. TR19 TR39 		•	•	•	•	•	•	•
	EXTNSET4 3-pc extension set for Inline and 159 179 remote blowers		•	•	•	•			
	 For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only Cable connects a remotely located electrical panel to the downdraft during remote and inline blower motor installation applications Cable consects a remotely located electrical panel is out of the way Cable connects a remotely located electrical panel is out of the way Extends electrical panel cable an additional 5' Ability to connect two cables together to make a 10' cable Not to be used to connect the downdraft with inline and remote blowers 								
Smy	EXTNCE5 5' Electrical Panel Extension Cable 199 219 for Downdraft. For UCVM30XS, UCVM36XS, UCVP36XS downdrafts						•	•	•
	Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers. RFPLT600P Roof mounting plate for 129 149 remote blower VTR1FZ				•				
	RFPLT1000P Roof mounting plate for remote blower VTR2FZ 159 179					•	•		

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

Model
Number Description UMRP MSRP

All Dishwashers include the following features:

- Superior washing and drying performance guaranteed
- Concealed controls
- Touch Controls
- Black-shimmer racks with 3-Step adjustment
- A highly flexible racking system
- 16 place settings
- 18/10 Stainless steel TallTub
- Powerfully Quiet® operation

- Sens-a-Wash®
- Advanced Triple Filtration System
- Leak Sensor and Auto Shut off
- O Home Connect
 Wi-Fi enabled/Home Connect[™]
 app compatibility

Wash Cycles:

- Normal
- Auto
- · Pots and Pans
- Quick

Options:

- 24-hour Delay Start
- Remote Start (Connected)
- Sanitize (NSF certified to remove up to 99.9% of bacteria)

Emerald Series

• 48 dBA

 Chef's Tool Drawer™ (third rack)

DWHD640EFM

DWHD640EFP

DWHD640EPR

Blue PowerBeam® "on" indicator

• ENERGY STAR® certified

24" Masterpiece® Stainless Steel Emerald®

24" Professional Stainless Steel Emerald®

24" Custom Panel Emerald®

(Requires Custom Panel)

Additional App-Only Cycles:

Rinse, Machine Care Additional Options:

• Extra Dry

Additional App-Only Options:

• Save Time

1,399 1,549

1,399 1,549

1,399



DWHD640EFM



DWHD640EFP



DWHD640EPR



Sapphire® Series

- 44 dBA
- Adjustable Chef's Tool Drawer™ (third rack)
- Flexible folding tines
- NEW ZoneControl[™] Spray Arm
- Blue PowerBeam[®] "on" indicator
- Sapphire Glow® Interior Light
- Premium smooth glide ball bearing wheels on lower, upper and third rack
- ENERGY STAR® certified
- Additional App-Only Cycles:
- Rinse, Machine Care, Glass

Additional Options:

 StarDry[™] – with Zeolite[™], an exclusive Thermador drying solution

Additional App-Only Options:

1,999

1,999

1,999

2,199

2.199

2.199

Save Time



D WII D C C C L I WI



DWHD660EFP



DWHD660EPR



DWHD660EFM 24" Masterpiece® Stainless Steel Sapphire®

24" Professional Stainless Steel Sapphire®

24" Custom Panel Sapphire® with Push To Open feature (Requires Custom Panel

Model
Number Description UMRP MSRP

Star Sapphire® Series

- 42 dBA
- Premium smooth glide ball bearing wheels on lower, upper and third rack
- Adjustable Chef's Tool Drawer™ (third rack)
- 18 wine glass capacity
- Flexible folding tines

DWHD661EPR

- NEW ZoneControl[™] Spray Arm
- Time remaining PowerBeam® indicator
- StarGlow interior light allows you to change the color & intensity to match the ambiance of your kitchen via the Home Connect™ app
- Crystal Protect[®] water softener system
- ENERGY STAR® certified

Additional App-Only Cycles:

• Rinse, Machine Care, Glass

Additional Options:

 StarDry[™] – with Zeolite[™], an exclusive Thermador drying solution

Additional App-Only Options:

2,499

2,749

Save Time



DWHD661EFM



DWHD661EFP



DWHD661EPR

DWHD661EFM 24" Masterpiece® Stainless Steel Star Sapphire® 2,499 2,749

DWHD661EFP 24" Professional Stainless Steel Star Sapphire® 2,499 2,749

24" Custom Panel Star Sapphire® with Push To Open feature (Requires Custom Panel)



	Model Number	Description	Accessories	Emerald Series	Sapphire® Series	Star Sapphire® Series
	SGZ1010UC	Dishwasher Drain Hose Extension	See Bosch Price List*	•	•	•
	SMZ3IN1UC	Dishwasher Installation Kit with Junction Box, Supply Hose, Elbow	See Bosch Price List*	•	•	•
O PP	SMZ5000 Holder, Three Pla	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle astic Item Clips and Small Item Basket.	See Bosch Price List*	•	•	•
	SMZ5002UC	Fine Silverware Carafe with Clip for Emerald® dishwashers (clips onto lower rack)	See Bosch Price List*	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Price List*	•	•	•
0.	SMZSH1ABUC	Dishwasher Water Supply Hose	See Bosch Price List*	•	•	•

^{**} Pricing for the Thermador dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers. The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

			11,10,101
his price list supersedes all previous price list	s. Prices listed herein do not include applicable stat	e or local taxes.	
24HFGALBIN1-16	DC4889W6-7	MBCS3-12	PALPKITGA5-9
24PRODRAIL1-16	DC361012W6-7	MBT30CS3-12	PALPKITGA65-10
30HFGALBIN1-16, 1-18	DC481012W6-7	MC30WP3-13	PALPKITGGW5-19
30PRODRAIL1-16, 1-18	DCT3016W6-3	MC30WS3-13	PALPKITHA55-9
36HFGALBIN1-16	DCT3616W6-3	MD24BS3-12	PALPKITHW5-9
36PRODRAIL1-16	DCT4816W6-3	MD30BS3-12	PALPKITHW55-9
	DWHD640EFM7-1	ME301WS3-2	PARKB3XHY5-10
C	DWHD640EFP7-1	ME301YP3-2	PARKB3XIHB5-10
CET305YB4-6	DWHD640EPR7-1	ME302WS3-3	PARKB30HY5-10
CET366YB4-6	DWHD660EFM7-1	ME302YP3-3	PARKB36CGY5-19
CHFHMCD6-12, 6-14	DWHD660EFP7-1	MED301LWS3-2	PARKB36DHY5-10
CHFHMDW306-3	DWHD660EPR7-1	MED301RWS3-2	PARKB36GY5-19
CHFHMDW366-3	DWHD661EFM7-2	MED301WS3-2	PARKB36HY5-10
CHFVCI30ZS6-17	DWHD661EFP7-2	MED302LWS3-4	PARKB36IGY5-19
CHFVCl36ZS6-17	DWHD661EPR7-2	MED302RWS3-4	PARKB48CGY5-20
CHMHP36TW 6-11		MED302WS3-4	PARKB48CHY5-10
CHMHP36XTW 6-11	E	MEDMC301WS3-5	PARKB48DHY5-10
CHMHP48TW 6-11	EXTNCB25W 6-8, 6-11, 6-17,	MEDMCW31WS3-5	PARKB48SGY5-20
CHMHP48XTW 6-11	6-22	MEDS301BS3-6	PARKB60CGY5-20
CHMHP366W 6-11	EXTNCE56-22	MEDS302BS3-6	PARKB60SGY5-20
CHMHP486W 6-11	EXTNSET4 6-8, 6-11, 6-17, 6-22	MEM301WS3-5	PCG305W5-2
CHXTHDDW6-12	_	MS20HNDL20 1-21	PCG364WD5-3
CHXTHMCB6-12	F	MS22HNDL251-21	PCG366W5-2
CHXTHMIB6-14	FRAMEKIT101-3, 1-5, 1-6, 1-13,	MS30HNDL201-15	PCG486WD5-3
CIT30FBG4-4	1-16, 1-17, 1-18, 1-21	MS36HNDL201-15	PH36GWS6-5
CIT30YWBB4-3	FRAMEKIT301-18	MS3000IB101-19	PH36HWS6-5
CIT36YWB4-3	Н	MS3600IB101-19	PH48GWS6-5
CIT36YWBB4-3	HDDB30WS6-9	MS3642IT101-19	PH48HWS6-5
CIT304BB4-5	HDDB36WS6-9	MS4800IT101-19	PH60GWS6-5
CIT304YB4-5	HDDFILTUC6-19	MU30WSU3-13	PO301W3-7
CIT304YM4-5	HEATRKIT201-3, 1-5, 1-6, 1-13,		PO302W3-8
CIT365BB4-6	1-16, 1-17, 1-18, 1-21	P	POD301LW3-7
CIT365YB4-5	HMCB30WS6-9	PA12CHPBLK5-9, 5-18	POD301RW3-7
CIT367YG4-4	HMCB36WS6-9	PA12GRILFW5-9, 5-18	POD301W3-7
CIT367YGS4-4	HMDW30WS6-2	PA12GRILLW5-9, 5-18	POD302LW3-8
CIT367YM4-4	HMDW36WS6-2	PA12LCVRW5-9, 5-19	POD302RW3-8
CIT367YMS4-4	HMIB36WS6-13	PA24CVRR5-19	POD302W3-8
COMBIKIT101-18	HMIB42WS6-13	PA30WLBC 5-11	PODMC301W3-9
CVDUCT2 6-21	HMWB30WS6-2	PA30WLBH 5-11	PODMCW31W3-10
CVTFRONT66-21	HMWB36WS6-2	PA36WLBC 5-11	PODS301B3-11
CVTFRONT86-21	HMWB361WS6-2	PA36WLBG5-20	PODS302B
CVTFRONT106-21	HMWB481WS6-2	PA36WLBH 5-11	POM301W3-9
CVTRECT2 6-21	HPCN36WS6-10	PA36WTKG5-20	PR20HNDL201-21
CVTSIDE66-20	HPCN48WS6-10	PA48WLBC 5-11	PR22HNDL251-21
CVTSIDE86-20		PA48WLBG5-20	PR30HNDL201-15
CVTSIDE106-21	I	PA48WLBH 5-11	PR36HNDL201-15
	ICEBUCKETL1-17, 1-18	PA48WTKG5-20	PR3000IB101-19
D		PA60WLBG5-20	PR3600IB101-19
DC30MTW6-3	L	PA60WTKG5-20	PR3642IT101-19
DC36MTW6-4	LPRODBIN101-16, 1-18	PAALTKITGW5-19	PR4800IT101-19
DC48MTW6-4		PAALTKITH5-10	PRD48WDSGU5-13
DC366W6-7	М	PAGRIDDLE5-9, 5-18	PRD48WISGU5-13
DC486W6-7	MB30WP3-12	PAKNOBLUWR5-10	PRD304WHU5-5
DC3689W6-7	MB30WS3-12		

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$

PRD364WDGU5-15	SMZSH1ABUC7-2	T42BT120NS1-9
PRD364WDHU5-6	SNPKITPEDW4-7	T42IT100NP1-9
PRD364WIGU5-15	SPRODBIN101-16, 1-18	T48BT110NS1-9
PRD366WGU5-15	SWOKRINGW4-7	T48BT120NS1-9
PRD366WHU5-6	_	T48IT100NP1-9
PRD486WDGU5-16	Т	TCM24PS2-1
PRD486WDHU5-6	T18ID905LP1-4	TCM24TS2-1
PRD486WIGU5-16	T18ID905RP1-4	TCMTK30RS2-1
PRD606WEG5-16	T18IF905SP1-4	TCOOKSENSW4-7
PRD606WESG5-13	T18IW905SP1-12	TEPPAN13214-7
PRG304WH5-7	T18WINERK1 1-21	TFL18ID8001-5
PRG305WH5-7	T24ID905LP1-4	TFL18ID9051-5
PRG364WDH5-8	T24ID905RP1-4	TFL18IR8001-5
PRG366WG5-17	T24IF905SP1-4	TFL18IR9051-5
PRG366WH5-8	T24IR905SP1-2	TFL18IW8001-13
PRG486WDG5-18	T24IW905SP1-12	TFL18IW9051-13
PRG486WDH5-8	T24UC905DP1-14	TFL24ID8001-5
PRI30LBHU5-4	T24UC915DS1-14	TFL24ID9051-5
PRI36LBHU5-4	T24UC925DS1-14	TFL24IR8001-3, 1-5
PWOKRINGHC5-9, 5-19	T24UR905DP1-14	TFL24IR9051-3, 1-5
	T24UR905LP1-14	TFL24IW8001-13
R	T24UR905RP1-14	TFL24IW9051-13
RECHDDB6-12	T24UR915DS1-14	TFL30IB8001-6
RECHMCB6-12	T24UR915LS1-14	TFL30IB9051-6
RECHMDW306-3	T24UR915RS1-14	TFL30IR8001-3, 1-5
RECHMDW366-3	T24UR925DS1-14	TFL30IR9051-3, 1-5
RECHMIB6-14	T24UR925LS1-14	TFL36IB1001-20
RECHMWB306-3	T24UR925RS1-14	TFL36IR9001-3, 1-5
RECHMWB366-3	T24UW905LP1-14	TFL36IR9051-3, 1-5
REMCPW6-7, 6-17	T24UW905RP1-14	TFL36IT1001-20
REPLFLTR55 1-17, 1-19, 1-20	T24UW915LS1-14	TFL42IT1001-20
RFPLT600P.6-8, 6-12, 6-17, 6-22	T24UW915RS1-14	
RFPLT1000P6-8, 6-12, 6-17,	T24UW925LS1-14	TFL48IT1001-20 TWO30YS3-6. 3-14
6-22	T24UW925RS1-14	10030153-6, 3-14
	T24WINERK11-21	U
S	T30BB915SS1-7	UCTRFLTR101-21
SD30WC3-14	T30BB925SS1-7	UCV30ST6-19
SDS30WC3-14	T30IB100SP1-7	UCV36ST6-19
SGRIDDLEW4-7		UCVM30XS6-18
SGS305TS 4-1	T30IB905SP1-6	
SGS365TS 4-1	T30IF905SP1-4	UCVM36XS6-18
SGSP305TS4-2	T30IR905SP1-2	UCVP36XS6-18
SGSP365TS4-2	T36BB110SS1-8	UCVRECIRC6-19
SGSX305TS4-1	T36BB120SS1-8	V
SGSX365TS4-1	T36BT110NS1-8	VCI3B30ZS6-15
SGSXP305TS4-2	T36BT120NS1-8	
SGSXP365TS4-2	T36FL810NS1-10	VCI3B36ZS6-15
SGZ1010UC7-2	T36FL821NS1-10	VCI6B30ZS6-15
SKNOBLUW4-7	T36FT810NS1-10	VCI6B36ZS6-15
SLPKITW4-7	T36FT820NS1-10	VCIN36GWS6-16
	T36IB100SP1-8	VCIN42GWS6-16
SMZ3IN1UC7-2	T36IF905SP1-4	VCIN48GWS6-16
SMZ50007-2	T36IR905SP1-2	VCIN54GWS6-16
SMZ5002UC7-2	T36IT100NP1-8	VCIN60GWS6-16
SMZPCJB1UC7-2	T42BT110NS1-9	VTD600P6-20

VTI1FZ VTI2FZ VTN1DZ	6-6, 6-20
VTN2FZ	
VTR1FZ	6-6, 6-20
VTR2FZ	6-6, 6-20
W	
WD30W	3-14
WD30WC	3-14
WKNOBKT3W	3-14



BSH Home Appliances Corporation

1901 Main Street, Suite 600, Irvine, CA 92614

Phone: (949) 440-7100

(800) 735-4328 Sales and Service

Thermador.com