

Thermador®

Q1 2026

PRICE LIST

Consumer UMRP



TABLE of CONTENTS

Consumer UMRP Price List Q1 2026

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

REFRIGERATION

Refrigerator Columns	1-2
Freezer Columns	1-4
Built-In Bottom Freezer Refrigeration	1-6
Suggested Combinations	1-10
Wine Refrigeration	1-11
Under-Counter	1-13
Glass Door Refrigeration Units	1-13
Drawer Refrigeration/Freezer Units	1-13
Glass Door Wine Preservation Units	1-13
Refrigerator Columns	1-14
Freezer Columns	1-15
Bottom Freezer Refrigeration	1-15
Freestanding Refrigeration	1-17
Under-Counter Drawer Accessories	1-18
Wine Refrigeration	1-18
Column Quick Reference Guide	1-19

BUILT-IN COFFEE MACHINE

Built-In Coffee Machine	2-1
Accessories	2-1

BUILT-IN OVENS

Overview	3-1
Masterpiece® Series	3-2
30" Masterpiece® Ovens	3-2
Accessories	3-6
Professional Series	3-7
30" Professional Series Ovens	3-7
Microwaves	3-12
Built-In Microwaves	3-12
MicroDrawer® Microwaves	3-12
Over-the-Range Microwave	3-13
Speed Ovens	3-13
Warming Drawers	3-14
Accessories	3-14

COOKTOPS

Gas Cooktops	4-1
Glass Ceramic Induction Cooktops	4-3
Accessories	4-6

PROFESSIONAL SERIES RANGES AND RANGETOPS

Overview	5-1
Professional Rangetops	5-2
Pro Harmony® Series	5-4
Induction Ranges	5-4
Dual-Fuel Ranges	5-5
Gas Ranges	5-7
Accessories	5-9
Pro Grand® Series	5-12
Dual-Fuel with Steam Ranges	5-12
Dual-Fuel Ranges	5-14
Gas Ranges	5-17
Accessories	5-18

VENTILATION

Overview	6-1
Wall Hoods	6-2
Masterpiece® Series	6-2
Accessories—Masterpiece® Series	6-3
Professional Series	6-5
Accessories—Professional	6-7
Chimney Wall Hoods	6-9
Masterpiece® Series	6-9
Professional Series	6-10
Accessories	6-11
Island Hoods	6-13
Masterpiece® Series	6-13
Accessories	6-14
Custom Inserts	6-15
Professional Series	6-16
Masterpiece® Series	6-15
Professional Series	6-16
Accessories	6-17
Downdraft	6-18
Masterpiece® Series	6-18
Components	6-19
Blower Accessories	6-22

DISHWASHERS

Built-In Dishwashers	7-1
Accessories	7-2

INDEX

Index	8-1
-------------	-----

Conditions of Sale

Returned Goods	No merchandise may be returned without prior approval. Please contact your sales representative for return authorization.
F.O.B. Origin	All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight and billing terms, refer to current program in effect.

Freedom® Collection

REFRIGERATION

Thermador's ingenious Freedom® Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in refrigeration columns, freezer columns, bottom freezers and wine refrigeration are available in multiple widths ranging from 18" to 48".

To order, please follow this 4-step process:

Step 1

Select a Panel-Ready Column



Step 2

Select a Stainless Steel Panel or Use a Custom Panel



Step 3

Select a Stainless Steel Handle or Use a Custom Handle



Step 4

Select Optional Accessories



HEATRKIT20

Freedom® Heater Kit

For columns that are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. See page 1-14.



FRAMEKIT10

Freedom® Frame Kit

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. See page 1-14.

To enhance the Freedom® Collection, please see our accessories section on page 1-10.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All 23.5"/24"/30"/36" Refrigerator Columns include the following features:			
<ul style="list-style-type: none"> • Fully Flush • Freedom® hinge • All-LED sidewall filtered theater lighting • Cold Air System • ThermaFresh® system • Carbon air filter • SuperCool function 	<ul style="list-style-type: none"> • Stainless steel interior • Full-extension SoftClose® drawers • TFT Control • Full-length cantilever racks • Door open alarm • Open door assist • Sabbath/Economy/Vacation modes 	<ul style="list-style-type: none"> • Star-K certified • ENERGY STAR® certified • Extremely quiet • Reversible door swing •  Home Connect 	

Step 1: Refrigerator Columns



T24IR905SP	24" Fresh Food Column	8,099	8,949
T30IR905SP	30" Fresh Food Column	8,599	9,499
T36IR905SP	36" Fresh Food Column	9,099	10,049



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	
Step 2: Panels				
All Thermador Refrigerator Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:				
Flat Stainless Steel Door Panels for Flush Installations				
TFL24IR800	24" Stainless Steel Panel	525	599	
TFL30IR800	30" Stainless Steel Panel	580	649	
TFL36IR900	36" Stainless Steel Panel	1,050	1,199	
Flat Stainless Steel Door Panels with No Holes				
TFL24IR905	24" Single Door No Hole Flat Panel	525	599	
TFL30IR905	30" Single Door No Hole Flat Panel ¹	580	649	
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199	
Step 3: Stainless Steel Handles				
When selecting Thermador stainless steel handles for the Freedom® Collection, please order one 36" handle for each column. To ensure consistency, always select the same style.				
MS36HNDL20	36" Masterpiece® Handle	160	179	 MS36HNDL20
PR36HNDL20	36" Professional Handle	160	179	 PR36HNDL20
Step 4: Optional Accessories				
FRAMEKIT10	Freedom® Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)	105	119	 FRAMEKIT10
HEATRKIT20	Freedom® Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699	 HEATRKIT20

¹ Units compatible with 30" columns, but should be installed to units with SoftClose® Doors.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All 18"/24"/30"/36" Freezer Columns Include the Following Features:			
• Fully Flush	• TFT Control	• Sabbath/Economy/Vacation modes	
• Freedom® hinge	• Stainless steel interior	• Star-K certified	
• All-LED sidewall filtered theater lighting	• Full-length cantilever racks	• ENERGY STAR® certified	
• Full-extension SoftClose® drawers	• Filtered internal diamond ice maker	• Extremely quiet	
• SuperFreeze® function	• Door open alarm	• Side-by-side kit included	
• Height-adjustable glass shelves	• Open door assist	•  Home Connect	

Step 1: Freezer Columns with Internal Ice Maker

- Ice drawer with ice bin
- Reversible door swing



T18IF905SP	18" Freezer Column (Internal Ice Maker)	7,599	8,399	   
T24IF905SP	24" Freezer Column (Internal Ice Maker)	8,099	8,949	
T30IF905SP	30" Freezer Column (Internal Ice Maker)	8,699	9,599	
T36IF905SP	36" Freezer Column (Internal Ice Maker)	9,099	10,049	

Step 1: Freezer Columns with External Ice and Water Dispenser

- External Filtered Ice and Water Dispenser
- FreeFlow® Cold Air System
- Proximity sensor on dispenser
- Capacitive touch control dispenser
- Available in right-hand or left-hand door swing (not reversible)
- Stainless steel interior

T18ID905LP	18" Freezer Column (External Ice and Water Dispenser, Left Hinge)	8,599	9,499		
T18ID905RP	18" Freezer Column (External Ice and Water Dispenser, Right Hinge)	8,599	9,499		
T24ID905LP	24" Freezer Column (External Ice and Water Dispenser, Left Hinge)	9,099	10,049		
T24ID905RP	24" Freezer Column (External Ice and Water Dispenser, Right Hinge)	9,099	10,049		

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
Step 2: Panels			
All Thermador Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:			
Flat Stainless Steel Door Panels for Flush Installations			
TFL18IR800	18" Stainless Steel Panel	475	529
TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529
TFL24IR800	24" Stainless Steel Panel	525	599
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199
Flat Stainless Steel Door Panels with No Holes			
TFL18IR905	18" Single Door No Hole Flat Panel ¹	475	529
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	475	529
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

Step 3: Stainless Steel Handles

When selecting Thermador stainless steel handles for the Freedom® Collection, please order one 36" handle for each column. To ensure consistency, always select the same style.

MS36HNDL20	36" Masterpiece® Handle	160	179	
PR36HNDL20	36" Professional Handle	160	179	

Step 4: Optional Accessories

FRAMEKIT10	Freedom® Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)	105	119	
HEATRKIT20	Freedom® Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699	

¹ Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Bottom Freezers Include the Following Features:			
<ul style="list-style-type: none"> Installs framed or fully flush Full-color touchscreen control panel Vivid LED sidewall and theater style lighting Cameras in fridge for inventory management ThermaFresh® Pro temperature and humidity control preserves freshness Refrigerator door swing reversible (T30IB100SP, T36BB110SS, T36BB120SS, T36IB100SP) Stainless steel interior 	<ul style="list-style-type: none"> Trim kit included  Home Connect Two compressors Two evaporators Internal water dispenser with UltraClarityPro® water filter One Touch BottleFill Sabbath/Economy/Vacation modes SuperCool/SuperFreeze® functions AirFresh® Filter 	<ul style="list-style-type: none"> Full-Extension SoftClose® drawers SoftClose® doors Deli drawer for convenient access to small items Adjustable shelves and door bins Non-slip mats in door bins and drawers prevent items from shifting Quick Ice Door open alarm ENERGY STAR® certified 	

30" Bottom Freezer

- Single ice maker with filtered diamond ice and ice scoop
- Three-tier freezer drawer

T30IB100SP	30" Bottom Freezer, Two-Door, Reversible Door, Custom-Panel Ready	10,199	11,249
------------	---	--------	--------



T30IB100SP



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

Units available pre-assembled with stainless steel panels and Professional or Masterpiece® handles OR custom panel ready.

36" Bottom Freezers

• ThermaFlex™ Drawer temperature adjusts from fridge to freezer for maximum versatility	• Elevated single ice maker with diamond ice and ice scoop	• Gallon size door bin	• Star-K certified	
T36BB110SS	36" Bottom Freezer, Reversible Door, Stainless Steel, Masterpiece® Handles	12,699	13,999	
T36BB120SS	36" Bottom Freezer, Reversible Door, Stainless Steel, Professional Handles	12,699	13,999	
T36IB100SP	36" Bottom Freezer, Reversible Door, Custom-Panel Ready	10,999	12,099	T36BB120SS 

36" French Door Bottom Freezers

French Door Bottom Freezers				
• ThermaFlex™ Drawer temperature adjusts from fridge to freezer for maximum versatility	• Elevated single ice maker with diamond ice and ice scoop	• Gallon size door bins	• Star-K certified	
T36BT110NS	36" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	13,199	14,549	
T36BT120NS	36" French Door Bottom Freezer, Stainless Steel, Professional Handles	13,199	14,549	T36BT110NS 

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
Units available pre-assembled with stainless steel panels and Professional or Masterpiece® handles OR custom panel ready.			

42" and 48" French Door Bottom Freezers

• ThermaFlex™ Drawer temperature adjusts from fridge to freezer for maximum versatility	• Elevated dual ice maker with diamond ice, entertaining ice and ice scoop	• Gallon size door bins	• Star-K certified	
T42BT110NS	42" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	14,999	16,499	
T42BT120NS	42" French Door Bottom Freezer, Stainless Steel, Professional Handles	14,999	16,499	
T42IT100NP	42" French Door Bottom Freezer, Custom-Panel Ready	13,499	14,849	T42BT120NS
T48BT110NS	48" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	16,799	18,499	
T48BT120NS	48" French Door Bottom Freezer, Stainless Steel, Professional Handles	16,799	18,499	
T48IT100NP	48" French Door Bottom Freezer, Custom-Panel Ready	15,299	16,849	



T48BT120NS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

For faster installation, all units have been pre-assembled with stainless steel doors and Professional or Masterpiece® Handles.

All Freestanding 36" French Door Refrigerators Include the Following Features:

- Counter-depth 72" tall appliance
- Built-in look exterior design
- Illuminated back wall
- ThermaFresh® system for temperature and humidity control
- Internal water dispenser
-  Home Connect
- Dual evaporator
- Dual compressor
- Sabbath/Economy/Vacation modes
- SuperCool function
- SuperFreeze® function
- Filtered ice and water
- Carbon air filter
- Gallon door bins
- Diamond ice maker
- Door open alarm
- Star-K certified
- ENERGY STAR® certified

Bottom Freezers with Stainless Steel Interior

- Stainless Steel ThermaFresh® Mats

T36FT810NS	36" 3-Door Freestanding French Door Refrigerator with Masterpiece® Handles	5,299	5,849
------------	--	-------	-------

T36FT820NS	36" 3-Door Freestanding French Door Refrigerator with Professional Handles	5,299	5,849
------------	--	-------	-------



T36FT810NS

Bottom Freezers with Stainless Steel Interior

- Offers flexible and versatile storage options with a convenient multi-door format.

T36FL810NS	36" 4-Door Freestanding French Door Refrigerator with Masterpiece® Handles	5,299	5,849
------------	--	-------	-------

T36FL821NS	36" 4-Door Freestanding French Door Refrigerator with Professional Handles	5,299	5,849
------------	--	-------	-------




T36FL810NS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Suggested Combinations

These suggestions are just an example of the extensive range of combinations possible with the Freedom® Collection.



Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

A HEATRKIT20 is recommended for use with any installation in areas that are subject to extreme humidity.

* IWD = Ice and Water Dispenser

** A bottom freezer refrigerator and a column refrigeration appliance (e.g., a wine preservation column) cannot be directly connected side by side using a connection kit. They can only be installed together if there is a partition of at least 5/8" between them. If the partition is less than 6", a heater kit is required.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All 18"/24" Wine Refrigeration Include the Following Features:			
<ul style="list-style-type: none"> • Fully Flush • Portable aluminum and wenge wood wine presenter • Full-extension completely enclosed exotic wood shelves • Fully adjustable temperature zones: 18" column–two; 24" column–three 	<ul style="list-style-type: none"> • Independent humidity control • TFT control • Freedom® hinge • Adjustable LED lighting • Diamond shaped dowels for vibration control • Glass door with UV protection 	<ul style="list-style-type: none"> • Door open alarm • Open door assist • Sabbath/Economy/Vacation modes • Star-K certified • Bottle capacity: 18" column–58 bottles; 24" column–92 bottles (750 ml) •  Home Connect 	

Step 1: Wine Refrigeration



T18IW905SP

T24IW905SP

T18IW905SP	18" Wine Preservation Column 2 - Zone Temperature Control	7,099	7,849	
T24IW905SP	24" Wine Preservation Column 3 - Zone Temperature Control	7,599	8,399	

¹ Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
Step 2: Panels			
All Thermador Wine Refrigeration are panel ready. Apply custom panels or choose one of the following stainless steel panel options:			
Flat Stainless Steel Door Panels for Flush Installations			
TFL18IW800	18" Stainless Steel Panel	475	529
TFL24IW800	24" Stainless Steel Panel	525	599
Flat Stainless Steel Door Panels with No Holes			
TFL18IW905	18" Wine No Hole Flat Panel	475	529
TFL24IW905	24" Wine No Hole Flat Panel ¹	525	599

Step 3: Stainless Steel Handles

When selecting Thermador stainless steel handles for the Freedom® Collection, please order one 36" handle for each column. To ensure consistency, always select the same style.

MS36HNDL20	36" Masterpiece® Handle	160	179	
PR36HNDL20	36" Professional Handle	160	179	

Step 4: Optional Accessories

FRAMEKIT10	Freedom® Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)	105	119	
HEATRKIT20	Freedom® Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Under-Counter Units Include the Following Features:			
• Built-in flush design	• Venting grille for full integration	• Star-K certified	
• LED lighting	• Fully flush at 24" depth		
• Electronic touch controls for precise temperature management	• Professional Handle, Masterpiece® Handle or custom panel options		

Glass Door Refrigeration Units

• 5 cu. ft.	• Customizable cooling modes: Fridge, Pantry and Bar	• ENERGY STAR® certified	
• Customizable shelving			
T24UR905LP	24" Refrigerator, Custom Panel, Left Swing	3,149	3,499
T24UR905RP	24" Refrigerator, Custom Panel, Right Swing	3,149	3,499
T24UR915LS	24" Refrigerator, Masterpiece® Handle, Left Swing	3,349	3,699
T24UR915RS	24" Refrigerator, Masterpiece® Handle, Right Swing	3,349	3,699
T24UR925LS	24" Refrigerator, Professional Handle, Left Swing	3,349	3,699
T24UR925RS	24" Refrigerator, Professional Handle, Right Swing	3,349	3,699

Drawer Refrigeration/Freezer Units

• 4.4 cu. ft.	• Customizable shelving and drawer dividers	• Quick Chill	
• SoftClose® drawers	• Customizable cooling modes: Fridge, Pantry and Bar	• Removable drawer mat for easy cleaning	
• Drawer open alarm		• ENERGY STAR® certified	
T24UR905DP	24" Refrigerator, Custom Panel	4,349	4,799
T24UR915DS	24" Refrigerator, Masterpiece® Handle	4,249	4,699
T24UR925DS	24" Refrigerator, Professional Handle	4,249	4,699
T24UC905DP	24" Refrigerator/Freezer, Custom Panel, ice maker	4,349	4,799
T24UC915DS	24" Refrigerator/Freezer, Masterpiece® Handle, ice maker	4,549	5,049
T24UC925DS	24" Refrigerator/Freezer, Professional Handle, ice maker	4,549	5,049

Glass Door Wine Preservation Units

Under-Counter Wine Preservation Units

• 41-bottle capacity	• Tinted UV-resistant tempered glass door	• Independent temperature control of temperature zones.	
• Full-extension wenge wood diamond wine racks			
T24UW905LP	24" Wine Pres., Custom Panel, Left Swing	3,949	4,349
T24UW905RP	24" Wine Pres., Custom Panel, Right Swing	3,949	4,349
T24UW915LS	24" Wine Pres., Masterpiece® Handle, Left Swing	4,149	4,599
T24UW915RS	24" Wine Pres., Masterpiece® Handle, Right Swing	4,149	4,599
T24UW925LS	24" Wine Pres., Professional Handle, Left Swing	4,149	4,599
T24UW925RS	24" Wine Pres., Professional Handle, Right Swing	4,149	4,599

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	T24IR905SP	T30IR905SP	T36IR905SP	
Refrigerator Columns							
	Installation Accessories						
	FRAMEKIT10	Freedom® Frame Kit	105	119	•	•	•
<p>(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)</p>							
	HEATRKIT20	Freedom® Heater Kit	599	699	•	•	•
<p>(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)</p>							
Interior Accessories for Refrigerators							
	24HFGALBIN	24" Half-Gallon Bin	170	189	•		
	30HFGALBIN	30" Half-Gallon Bin	180	199		•	
	36HFGALBIN	36" Half-Gallon Bin	190	209			•
	24PRODRAIL	24" Produce Railing	105	119	•		
	30PRODRAIL	30" Produce Railing	115	129		•	
	36PRODRAIL	36" Produce Railing	135	149			•
	LPRODBIN10	Large Produce Bin	295	329	•	•	•
	SPRODBIN10	Small Produce Bin	265	299	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	T18IF905SP	T24IF905SP	T30IF905SP	T36IF905SP	T18ID905LP/RP	T24ID905LP/RP
Freezer Columns									
	Installation Accessories FRAMEKIT10 Freedom® Frame Kit	105	119	•	•	•	•	•	•
	(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)								
	HEATRKIT20 Freedom® Heater Kit	599	699	•	•	•	•	•	•
	(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)								
	Interior Accessories for Freezers ICEBUCKETL Ice Bucket	85	99	•	•	•	•	•	•
	Filter Accessories REPLFLTR55 Freedom® Replacement Water Filter	46	59	•	•	•	•	•	•
Bottom Freezer Refrigeration									
	Installation Accessories COMBIKIT10 Connection Kit	100	109	•	•	•	•	•	•
	(For use with bottom freezers. Use when installing two bottom freezer refrigerators side-by-side.)								
	FRAMEKIT30 Frame Kit	225	249	•	•	•	•	•	•
	(For use with any custom panel bottom freezer refrigerators installed in a 24-inch (610 mm) deep cutout. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)								
	Filter Accessories REPLFLTR55 UltraClarity Pro® Water Filter	46	59	•	•	•	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	T30IB100SP	T36BB110SS	T36BB120SS	T36IB100SP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
Bottom Freezer Refrigeration																
	MS3000IB10 30" Masterpiece® Handle Kit (Bottom Freezer)	500	549	•												
	PR3000IB10 30" Professional Handle Kit (Bottom Freezer)	500	549	•												
	MS3600IB10 36" Masterpiece® Handle Kit (Bottom Freezer)	549	649				•									
	PR3600IB10 36" Professional Handle Kit (Bottom Freezer)	549	649				•									
	MS3642IT10 36"/42" Masterpiece® Handle Kit (French Door Bottom Freezer)	599	699							•		•				
	PR3642IT10 36"/42" Professional Handle Kit (French Door Bottom Freezer)	599	699							•		•				
	MS4800IT10 48" Masterpiece® Handle Kit (French Door Bottom Freezer)	649	749													•
	PR4800IT10 48" Professional Handle Kit (French Door Bottom Freezer)	649	749													•
	TFL30IB100 30" Stainless Steel Panel Set (Bottom Freezer)	1,249	1,399	•												

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	T30IB100SP	T36BB110SS	T36BB120SS	T36IB100SP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
Bottom Freezer Refrigeration																
	TFL36IB100 36" Stainless Steel Panel Set (Bottom Freezer)	1,309	1,449				•									
	TFL36IT100 36" Stainless Steel Panel Set (French Door Bottom Freezer)	1,369	1,549							•						
	TFL42IT100 42" Stainless Steel Panel Set (French Door Bottom Freezer)	1,429	1,599									•				
	TFL48IT100 48" Stainless Steel Panel Set (French Door Bottom Freezer)	1,489	1,649											•		

Freestanding Refrigeration

	Filter Accessories			T36FT8_0NS	T36FL8_0NS
	REPLFLTR55 Freedom® Replacement Water Filter	46	59	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	T24UR905LP	T24UR905RP	T24UR905DP	T24UC925DS	T24UC915DS	T24UC905DP	T24UW905LP	T24UW905RP
Under-Counter Drawer Accessories											
	MS20HNDL20	20" Under-Counter Masterpiece® Handle Kit (Set of 2)	300	329			•		•		
	MS22HNDL25	25" Under-Counter Masterpiece® Handle	165	189	•	•			•	•	•
	PR20HNDL20	20" Under-Counter Professional Handle Kit (Set of 2)	300	329			•		•		
	PR22HNDL25	25" Under-Counter Professional Handle	165	189	•	•			•	•	•

Wine Refrigeration

	Installation Accessories		T18IW905SP	T24IW905SP
	FRAMEKIT10	Freedom® Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)	105	119 • •
	HEATRKIT20	Freedom® Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699 • •

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

COLUMN QUICK REFERENCE GUIDE

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Quick Reference Guide



Step 1: Columns

Step 2: Panels

Step 3: Handles

Freedom® Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece®	Professional
----------------------	-------	-----------------	--------------	----------------------------	----------------------------------	--------------	--------------

REFRIGERATOR COLUMNS

T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column Masterpiece® MS36HNDL20	Order one 36" handle per column Professional PR36HNDL20
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905		
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		

FREEZER COLUMNS

T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905	Order one 36" handle per column Masterpiece® MS36HNDL20	Order one 36" handle per column Professional PR36HNDL20
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905		
T30IF905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905		
T36IF905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		

FREEZER COLUMNS WITH IWD¹

T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column Masterpiece® MS36HNDL20	Order one 36" handle per column Professional PR36HNDL20
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905		
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905		
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24ID905		

WINE REFRIGERATION

T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle per column Masterpiece® MS36HNDL20	Order one 36" handle per column Professional PR36HNDL20
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905		

NOTE: Handleless panels should not be installed on units without the SoftClose® capability. If you are uncertain if you have a refrigeration unit with SoftClose® capability, please contact our customer team by calling 1-800-735-4328.

¹ IWD = Ice and Water Dispenser

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Built-In Coffee Machines Include the Following Features:			
<ul style="list-style-type: none"> • Perfect for frequent selections, coffee customization settings store up to 8 personalized beverages with names so family members and house guests can program their favorite drinks—from single shot espresso, to tea, to extra-large cappuccinos • Easy to read color TFT display illustrates beverage selection, including size and temperature control • 1 lb. Bean container 	<ul style="list-style-type: none"> • Height-adjustable dispenser with dual spouts for brewing 2 cups at a time • Beverages can be adjusted in small increments • One Touch Function for coffee and milk/froth • Fully automatic rinse program • 2-disk grinding units made of high performance ceramic disks • Adjustable grinding settings for very fine to coarse 		<ul style="list-style-type: none"> • Separate drawer for ground coffee, capacity to hold up to two level scoops • Built-In water filter • Sensor alerts when coffee beans and water level is low • 81 oz. water container • Includes Insulated 17 oz. removable stainless steel milk container, measuring spoon, water hardness test. • 120 Volts. (V)

Built-In Coffee Machine

TCM24TS	Thermador Built-In Coffee Machine	4,349	4,799	
<ul style="list-style-type: none"> • Includes direct plumb for water and drain connection with AquaStop® Plus protection 				
TCM24PS	Thermador Built-In Coffee Machine Plumbed	4,729	5,249	

Accessories


			TCM24TS	TCM24PS
	TCMTK30RS	30" Stainless Steel Trim Kit	429	479

For coffee accessories, please see the Cleaners & Accessories Price List.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

Built-in OVENS

MASTERPIECE® & PROFESSIONAL COLLECTIONS

	SINGLE 30"	DOUBLE 30"	COMBO 30"	TRIPLE 30"
DELUXE	<p>SINGLE 30"</p>  <p>Professional: POD301W POD301LW* POD301RW*</p> <p>Masterpiece®: MED301WS MED301LWS* MED301RWS*</p>	<p>DOUBLE 30"</p>  <p>Professional: POD302W POD302LW* POD302RW*</p> <p>Masterpiece®: MED302WS MED302LWS* MED302RWS*</p>	<p>COMBO 30"</p>  <p><i>With Steam and Convection Oven:</i></p> <p>Professional: PODS302B*</p> <p>Masterpiece®: MEDS302BS</p> <p><i>With Speed Oven:</i></p> <p>Professional: PODMC301W*</p> <p>Masterpiece®: MEDMC301WS</p>	<p>TRIPLE 30"</p>  <p><i>With Speed Oven:</i></p> <p>Professional: PODMCW31W*</p> <p>Masterpiece®: MEDMCW31WS</p>
SELECT	<p>SINGLE 30"</p>  <p>Professional: PO301W</p>  <p>Masterpiece®: ME301WS</p>	<p>DOUBLE 30"</p>  <p>Professional: PO302W</p>  <p>Masterpiece®: ME302WS</p>	<p><i>With Microwave:</i></p> <p>Professional: POM301W</p>  <p>Masterpiece®: MEM301WS</p>	<p>SPECIALTY</p> <p><i>3 Telescopic Racks (Steam Ovens)</i></p>    <p><i>Steam and Convection Oven:</i></p> <p>Professional: PODS301B</p> <p>Masterpiece®: MEDS301BS</p>  <p><i>Speed Oven:</i></p> <p>Professional: MC30WP</p> <p>Masterpiece®: MC30WS</p>
STANDARD	<p>SINGLE 30"</p>  <p>Masterpiece®: ME301YP</p>	<p>DOUBLE 30"</p>  <p>Masterpiece®: ME302YP</p>		

* Not pictured.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Masterpiece® Series Built-In Ovens Include the Following Features:			
• Thermador Connected Experience with Home Connect™	• Two-hour self clean	Microwave/Speed Ovens	
• SoftClose® doors	• Sabbath Mode	• 1.6 cu. ft. overall capacity	
Cooking Modes	• Two halogen lights	• 10 power levels	
• True Convection, Bake, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Air Fry & Air Sous Vide capable when connected to Wi-Fi (except ME301YP and ME302YP models)	• Star-K certified	• Sensor cooking	
	• 208-240 V	• Sensor reheat	

30" Masterpiece® Ovens

30" Masterpiece® Single Oven with Professional Handle

- One Full Access® telescopic rack and two standard racks
- Silver glass
- 4.6 cu. ft. overall oven capacity

ME301YP¹

30" Single Oven, 1 Telescopic Rack

3,099 3,449



ME301YP

30" Masterpiece® Single Oven—Select

- One Full Access® telescopic rack and two standard racks
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast

- Fast preheat
- Meat probe

ME301WS

30" Single Oven, 1 Telescopic Rack

5,099 5,649



ME301WS

30" Masterpiece® Single Oven—Deluxe

- Three Full Access® telescopic racks
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast

- Fast preheat
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe

MED301WS

30" Single Oven, 3 Telescopic Racks

5,699 6,299



MED301WS

MED301LWS

30" Single Oven, 3 Telescopic Racks, Left Side Opening Door

6,049 6,699



MED301LWS

MED301RWS

30" Single Oven, 3 Telescopic Racks, Right Side Opening Door

6,049 6,699



¹ Is not Air Fry capable.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
30" Masterpiece® Ovens			
30" Masterpiece® Double Oven with Professional Handle			
ME302YP ¹	30" Double Oven, 1 Telescopic Rack (U)	4,899	5,399
<ul style="list-style-type: none"> • One Full Access® telescopic rack (U) • Silver glass • 4.6 cu. ft. overall oven capacity (U/L) • Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat (U) • Six Cooking modes in Lower Oven: Bake, Variable Broil Hi, Variable Broil Low, Roast, Warm, Sabbath, Fast Preheat (L) 			
			
  			
ME302YP			

30" Masterpiece® Double Oven—Select

• Two Full Access® telescopic racks (U/L)	• 4.5 cu. ft. overall oven capacity (U/L)	• Fast preheat (U/L)
• TFT Touch control display	• Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (U/L)	• Meat probe (U/L)
• Silver glass on stainless steel		

ME302WS	30" Double Oven, 2 Telescopic Racks, Meat probe (U/L)	7,899	8,699
---------	---	-------	-------



ME302WS

¹ Is not Air Fry capable.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
30" Masterpiece® Ovens			
30" Masterpiece® Double Oven—Deluxe			
	<ul style="list-style-type: none"> • Three Full Access® telescopic racks (U); One Full Access® telescopic rack and two standard racks (L) • TFT Touch control display • Silver glass on stainless steel • 4.5 cu. ft. overall oven capacity (U/L) 		
	<ul style="list-style-type: none"> • Nine Additional Cooking modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate, Rotisserie (U) • Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (L) 		
	<ul style="list-style-type: none"> • Fast preheat • Commercial-style rotisserie with 12-pound capacity (U) • Multi-point meat probe (U); Meat probe (L) 		
MED302WS	30" Double Oven, 4 Telescopic Racks	8,549	9,449
MED302LWS	30" Double Oven, 4 Telescopic Racks, Left Side Opening Door	9,299	10,249
MED302RWS	30" Double Oven, 4 Telescopic Racks, Right Side Opening Door	9,299	10,249



MED302WS



MED302LWS



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
30" Masterpiece® Ovens			
30" Masterpiece® Combination Oven with Microwave			
MEM301WS	30" Combination Oven with Microwave, 1 Telescopic Rack	6,749	7,449
<p>Microwave features:</p> <ul style="list-style-type: none"> • One Full Access® telescopic rack and two standard racks (L) • Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast • Fast preheat • Meat probe (L) • Touch control display • 1.6 cu. ft. overall capacity • 13" turntable • 950 W microwave power 			
			
  			
30" Masterpiece® Combination Oven with Speed Oven			
MEDMC301WS	30" Combination Oven with Speed Oven, 3 Telescopic Racks	8,299	9,149
<p>Speed Oven features:</p> <ul style="list-style-type: none"> • Three Full Access® telescopic racks (L) • Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast • Fast preheat • Commercial-style rotisserie with 12-pound capacity • Multi-point meat probe (L) • 36 Cook Smart™ Programs • 12 1/2" turntable • 1000 W microwave power 			
			
  			
30" Masterpiece® Triple Combination Oven with Speed Oven and Warming Drawer			
MEDMCW31WS	30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks	10,599	11,699
<p>Speed Oven features:</p> <ul style="list-style-type: none"> • Three Full Access® telescopic racks (L) • Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast • Fast preheat for seven different cooking modes • Commercial-style rotisserie with 12-pound capacity • Multi-point meat probe (L) • 36 Cook Smart™ Programs • 12 1/2" turntable • 1000 W microwave power <p>Warming Drawer features:</p> <ul style="list-style-type: none"> • 2.5 cu. ft. overall capacity • Touch control • SoftClose® drawer • 450 W heater • Four heating modes: Low, Medium, High, Proof • Timer 			
			
  			

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Masterpiece® Series Built-in Steam and Convection Ovens Include the Following Features:			
<ul style="list-style-type: none"> Thermador Connected Experience with Home Connect™ Large steam cavity 2.8 cu. ft. TFT Touch control display Silver glass on stainless steel SoftClose® doors 41 EasyCook® programs 	<ul style="list-style-type: none"> Features 19 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost, Air Fry and Air Sous Vide capable when connected to Wi-Fi Easy Clean program 	<ul style="list-style-type: none"> Fast preheat for five different cooking modes Three Full Access® telescopic rails Multi-point meat probe 1.4 qt. water tank LED lights Sabbath Mode Star-K certified 208-240 volts 	

Masterpiece® Steam and Convection Ovens

30" Masterpiece® Steam and Convection Oven

MEDS301BS	30" Steam and Convection Oven with 3 Telescopic Racks	6,149	6,799			
						MEDS301BS

30" Masterpiece® Steam and Convection Oven—Deluxe

<ul style="list-style-type: none"> Lower oven: Thermador Connected Experience with Home Connect™ 4.5 cu. ft. overall oven capacity 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, 	<ul style="list-style-type: none"> Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast Two-hour self clean Fast preheat for seven different cooking modes 	<ul style="list-style-type: none"> Three Full Access® telescopic racks Multi-point meat probe Three halogen lights Sabbath Mode Star-K certified 208-240 V 					
MEDS302BS	30" Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks	9,999	10,999				MEDS302BS

Accessories

			Masterpiece®		
			30" Single Ovens	30" Double Ovens	30" Series Built-in Steam and Convection
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Professional Series Built-In Ovens Include the Following Features:			
• Thermador Connected Experience with Home Connect™	• 15 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast, Air Fry and Air Sous Vide capable when connected to Wi-Fi	• Two halogen lights	
• Restaurant-style stainless steel knobs	• Two-hour self clean	• Sabbath Mode	
• TFT Touch control display	• Fast preheat for seven different cooking modes	• Star-K certified	
• Silver glass on stainless steel		• 208-240 V	
• SoftClose® doors		Microwave/Speed Ovens	
• 4.5 cu. ft. overall oven capacity		• 1.6 cu. ft. overall capacity	

30" Professional Series Ovens

30" Professional Single Oven—Select

- One Full Access® telescopic rack and two standard racks
- Meat probe

PO301W 30" Single Oven, 1 Telescopic Rack

5,599 6,199



PO301W



30" Professional Single Oven—Deluxe

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Commercial-style rotisserie with 12-pound capacity
- Three Full Access® telescopic racks
- Multi-point meat probe

POD301W 30" Single Oven, 3 Telescopic Racks

6,199 6,849



POD301W



POD301LW 30" Single Oven, Left Side Opening Door, 3 Telescopic Racks

6,599 7,299

POD301RW 30" Single Oven, Right Side Opening Door, 3 Telescopic Racks

6,599 7,299



POD301RW



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
30" Professional Series Ovens			

30" Professional Double Oven—Select

- One Full Access® telescopic rack and two standard racks (U/L)
- Meat probe

PO302W 30" Double Oven, 1 Telescopic Rack (U/L)

8,799 9,699



PO302W



30" Professional Double Oven—Deluxe

- Three Full Access® telescopic racks (U)
- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil (U)
- Multi-point meat probe(U)
- One Full Access® telescopic rack and two standard racks (L)
- Meat probe (L)

POD302W 30" Double Oven, 4 Telescopic Racks

9,299 10,249

POD302LW 30" Double Oven, 4 Telescopic Racks, Left Side Opening Door

10,149 11,199

POD302RW 30" Double Oven, 4 Telescopic Racks, Right Side Opening Door

10,149 11,199



POD302W



POD302LW



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
30" Professional Series Ovens			

30" Professional Combination Oven with Microwave

- One Full Access® telescopic rack and two standard racks (L)
- Meat probe (L)

POM301W 30" Combination Oven with Microwave,
1 Telescopic Rack

Microwave features:

- Touch control display
- 13" turntable

- 950 W microwave power

7,649 8,449



POM301W



30" Professional Combination Oven with Speed Oven

- Additional Cooking modes:
Rotisserie, Max Broil, Max Convection Broil

PODMC301W

30" Combination Oven with Speed Oven,
3 Telescopic Racks

- Three Full Access® telescopic racks
- Multi-point meat probe

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1,000 W microwave power

8,999 9,899



PODMC301W



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
30" Professional Series Ovens			
30" Professional Triple Combination Oven with Speed Oven and Warming Drawer			
PODMCW31W	30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks	11,299	12,449
<p>Speed Oven features:</p> <ul style="list-style-type: none"> • Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil • Three Full Access® telescopic racks • Multi-point meat probe <p>Warming Drawer features:</p> <ul style="list-style-type: none"> • SoftClose® drawer • Touch control • 2.5 cu. ft. overall capacity • 450 W heater • Four heating modes: Low, Medium, High, Proof • Timer 			
			
PODMCW31W			
  			

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Professional Series Built-in Steam and Convection Ovens Include the Following Features:			
<ul style="list-style-type: none"> Thermador Connected Experience with Home Connect™ Large steam cavity 2.8 cu. ft. TFT Touch control display Restaurant-style stainless steel knobs Silver glass on stainless steel SoftClose® doors 41 EasyCook® programs 	<ul style="list-style-type: none"> Features 19 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost, Air Fry and Air Sous Vide capable when connected to Wi-Fi Steam Clean program Fast preheat for five different cooking modes 	<ul style="list-style-type: none"> Three Full Access® telescopic rails Multi-point meat probe 1.4 qt. water tank LED lights Sabbath Mode Star-K certified 208-240 V 	

30" Professional Series Built-In Steam and Convection Oven

Professional Series Steam and Convection Oven

PODS301B	30" Steam and Convection Oven with 3 Telescopic Racks	6,499	7,149	
----------	---	-------	-------	---

PODS301B



Professional Combination Oven with Steam and Convection Oven—Deluxe

<ul style="list-style-type: none"> Lower oven: Thermador Connected Experience with Home Connect™ 4.5 cu. ft. overall oven capacity 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, 	<ul style="list-style-type: none"> Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast Two-hour self clean Fast preheat for seven different cooking modes 	<ul style="list-style-type: none"> Three Full Access® telescopic racks Multi-point meat probe Three halogen lights Sabbath Mode Star-K certified 208-240 V 	
PODS302B	30" Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks	10,699	11,799

PODS302B



¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation. The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Masterpiece® Series Microwaves Include the Following Features:			
• Silver glass on stainless steel	• Sensor reheat		
• 10 power levels			

Built-In Microwaves

Built-In Microwaves

• Touch Control Display	• 14 1/8" ceramic turntable	• Plugs into 120 V, 60 Hz, AC 3-prong grounded outlet	
• 1.6 cu. ft. overall capacity	• 950 W Microwave power		
MB30WS	30" Masterpiece® Microwave, Stainless Steel, 120 V	2,499	2,749
MB30WP	30" Professional Microwave, Stainless Steel, 120 V	2,799	3,099
			
			MB30WP
			

24" Built-in Microwave with side swing door and trim kit accessory in 30"

• Glass touch controls with white display	• 16 1/2" Glass Turntable		
• 2.1 cu. Ft. overall capacity	• Microwave Power 1,200 W		
	• Sensor Cooking		
MBCS	24" Masterpiece® Microwave, Side Swing Door Stainless Steel	999	1,099
MBT30CS	30" Thermador Trim Kit, Standard Microwave, Stainless Steel	349	389

MicroDrawer® Microwaves

Built-In MicroDrawer® Microwaves

• New hidden control panel; opens for enhanced visibility	• 1.2 cu. Ft. overall capacity		
• Home Connect® allows for remote monitoring and control the drawer microwave with Wi-Fi Connectivity	• Microwave Power 950 W		
	• Opens and Closes through Touch Control		
	• Can Be Installed Flush		
MD24BS	24" MicroDrawer Microwave	2,399	2,649
MD30BS	30" MicroDrawer Microwave	2,399	2,649
			
			MD30BS

¹ To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

MICROWAVES/SPEED OVENS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
Over-the-Range Microwave			
Over-the Range Microwave <ul style="list-style-type: none"> • Design match for use in combination with 30" Pro Harmony® 5-burner gas range • Exclusive stainless steel handle • LCD display • 2.1 cu. ft. cavity • 14 3/16" glass turntable • 1,100 W microwave power • Triple microwave distribution system • 10 cooking modes • Sensor cooking • Plugs into standard 120 V, 3-prong outlet • Four-speed vent with up to 385 CFM 			
MU30WSU	Over-the-Range Microwave, Stainless Steel	1,299	1,449



MU30WSU

Built-In Speed Ovens

MC30WS	30" Masterpiece® Speed Oven, Stainless Steel, 208-240 V	3,199	3,549	
MC30WP	30" Professional Speed Oven, Stainless Steel, 208-240 V	3,499	3,849	

MC30WS

MC30WP



¹

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

WARMING DRAWERS/ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
Warming Drawers			
Standard Warming Drawers			
WD30W	30" Warming Drawer, Custom Panel Ready	2,399	2,649
WD30WC	30" Warming Drawer, Push to Open	2,199	2,449



WD30WC

Accessories

Number	Description	UMRP	MSRP	Professional Series											
				PO301W	POD301W	POD301LW	POD301RW	PO302W	POD302W	POD302LW	POD302RW	PO301W	PODMC301W	PODMCW31W	PODS301B
 WKNOBKT3W	Blue Metal Knob Kit for Professional Oven (2 pc.)	49	59	•	•	•	•	•	•	•	•	•		•	•
 TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•	•	•	•							•	


The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP								
All Masterpiece® Series Star® Burner Gas Cooktops Include the Following Features:											
<ul style="list-style-type: none"> Patented Star® Burner provides superior flame coverage for faster and more even pan heating 16K BTU max Blue indicator burner ON light 	<ul style="list-style-type: none"> Chiseled stainless steel design Stainless steel control panel offers a sleek, modern design High-quality, robust, metal knobs 	<ul style="list-style-type: none"> LP gas conversion kit not included; order separately Sabbath compliant Two-year warranty 									
Masterpiece® Series											
SGS305TS	30" Star® Burner, Stainless Steel, Five Burners	1,849	2,049								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33.33%;">LR: BTU 10,000 high/1,750 low</td><td style="width: 33.33%;">C: BTU 16,000 high/1,900 low</td><td style="width: 33.33%;">RR: BTU 8,000 high/1,750 low</td><td style="width: 33.33%;">RF: BTU 10,000 high/1,750 low</td></tr> <tr> <td>LF: BTU 8,000 high/1,750 low</td><td></td><td></td><td></td></tr> </table>				LR: BTU 10,000 high/1,750 low	C: BTU 16,000 high/1,900 low	RR: BTU 8,000 high/1,750 low	RF: BTU 10,000 high/1,750 low	LF: BTU 8,000 high/1,750 low			
LR: BTU 10,000 high/1,750 low	C: BTU 16,000 high/1,900 low	RR: BTU 8,000 high/1,750 low	RF: BTU 10,000 high/1,750 low								
LF: BTU 8,000 high/1,750 low											
 SGS305TS											
<ul style="list-style-type: none"> ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33.33%;">LR: BTU 10,000 high/1,750 low</td><td style="width: 33.33%;">C: BTU 16,000 high/583 XLO</td><td style="width: 33.33%;">RR: BTU 8,000 high/1,750 low</td><td style="width: 33.33%;">RF: BTU 10,000 high/1,750 low</td></tr> <tr> <td>LF: BTU 8,000 high/204 XLO</td><td></td><td></td><td></td></tr> </table>				LR: BTU 10,000 high/1,750 low	C: BTU 16,000 high/583 XLO	RR: BTU 8,000 high/1,750 low	RF: BTU 10,000 high/1,750 low	LF: BTU 8,000 high/204 XLO			
LR: BTU 10,000 high/1,750 low	C: BTU 16,000 high/583 XLO	RR: BTU 8,000 high/1,750 low	RF: BTU 10,000 high/1,750 low								
LF: BTU 8,000 high/204 XLO											
 SGSX305TS											
SGSX305TS	30" Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select	2,399	2,649								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33.33%;">LR: BTU 12,000 high/1,750 low</td><td style="width: 33.33%;">C: BTU 16,000 high/1,900 low</td><td style="width: 33.33%;">RR: BTU 9,100 high/1,750 low</td><td style="width: 33.33%;">RF: BTU 12,000 high/1,750 low</td></tr> <tr> <td>LF: BTU 9,100 high/1,750 low</td><td></td><td></td><td></td></tr> </table>				LR: BTU 12,000 high/1,750 low	C: BTU 16,000 high/1,900 low	RR: BTU 9,100 high/1,750 low	RF: BTU 12,000 high/1,750 low	LF: BTU 9,100 high/1,750 low			
LR: BTU 12,000 high/1,750 low	C: BTU 16,000 high/1,900 low	RR: BTU 9,100 high/1,750 low	RF: BTU 12,000 high/1,750 low								
LF: BTU 9,100 high/1,750 low											
 SGS365TS											
<ul style="list-style-type: none"> ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33.33%;">LR: BTU 12,000 high/1,750 low</td><td style="width: 33.33%;">C: BTU 16,000 high/583 XLO</td><td style="width: 33.33%;">RR: BTU 9,100 high/1,750 low</td><td style="width: 33.33%;">RF: BTU 12,000 high/1,750 low</td></tr> <tr> <td>LF: BTU 9,100 high/204 XLO</td><td></td><td></td><td></td></tr> </table>				LR: BTU 12,000 high/1,750 low	C: BTU 16,000 high/583 XLO	RR: BTU 9,100 high/1,750 low	RF: BTU 12,000 high/1,750 low	LF: BTU 9,100 high/204 XLO			
LR: BTU 12,000 high/1,750 low	C: BTU 16,000 high/583 XLO	RR: BTU 9,100 high/1,750 low	RF: BTU 12,000 high/1,750 low								
LF: BTU 9,100 high/204 XLO											
 SGSX365TS											
SGSX365TS	36" Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select	2,599	2,899								

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP							
All Masterpiece® Series Pedestal Star® Burner Gas Cooktops Include the Following Features:										
<ul style="list-style-type: none"> Raised Pedestal Star® Burner provides superior flame coverage and allows for easier cleanup under each burner 18K BTU max 	<ul style="list-style-type: none"> QuickClean Base® contains liquid spills Sleek glass control panel High-quality, robust, metal knobs 	<ul style="list-style-type: none"> LP conversion kit not included; order separately Sabbath compliant Two-year warranty 								
Masterpiece® Series										
<ul style="list-style-type: none"> Blue indicator light for each burner 	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">LR: BTU 10,000 high/1,750 low</td> <td style="width: 33%;">C: BTU 18,000 high/1,900 low</td> <td style="width: 33%;">RR: BTU 8,000 high/1,750 low</td> </tr> <tr> <td>LF: BTU 8,000 high/1,750 low</td> <td></td> <td>RF: BTU 10,000 high/1,750 low</td> </tr> </table>	LR: BTU 10,000 high/1,750 low	C: BTU 18,000 high/1,900 low	RR: BTU 8,000 high/1,750 low	LF: BTU 8,000 high/1,750 low		RF: BTU 10,000 high/1,750 low		SGSP305TS	
LR: BTU 10,000 high/1,750 low	C: BTU 18,000 high/1,900 low	RR: BTU 8,000 high/1,750 low								
LF: BTU 8,000 high/1,750 low		RF: BTU 10,000 high/1,750 low								
SGSP305TS	30" Pedestal Star® Burner, Stainless Steel, Five Burners	2,399	2,649							
<ul style="list-style-type: none"> Progressive Illuminated light ring around each knob 	<ul style="list-style-type: none"> ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles 	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">LR: BTU 10,000 high/1,750 low</td> <td style="width: 33%;">C: BTU 18,000 high/583 XLO</td> <td style="width: 33%;">RR: BTU 8,000 high/1,750 low</td> </tr> <tr> <td>LF: BTU 8,000 high/204 XLO</td> <td></td> <td>RF: BTU 10,000 high/1,750 low</td> </tr> </table>	LR: BTU 10,000 high/1,750 low	C: BTU 18,000 high/583 XLO	RR: BTU 8,000 high/1,750 low	LF: BTU 8,000 high/204 XLO		RF: BTU 10,000 high/1,750 low		SGSXP305TS
LR: BTU 10,000 high/1,750 low	C: BTU 18,000 high/583 XLO	RR: BTU 8,000 high/1,750 low								
LF: BTU 8,000 high/204 XLO		RF: BTU 10,000 high/1,750 low								
SGSXP305TS	30" Pedestal Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select	2,799	3,099							
<ul style="list-style-type: none"> Blue indicator light for each burner 	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">LR: BTU 12,000 high/1,750 low</td> <td style="width: 33%;">C: BTU 18,000 high/1,900 low</td> <td style="width: 33%;">RR: BTU 9,100 high/1,750 low</td> </tr> <tr> <td>LF: BTU 9,100 high/1,750 low</td> <td></td> <td>RF: BTU 12,000 high/1,750 low</td> </tr> </table>	LR: BTU 12,000 high/1,750 low	C: BTU 18,000 high/1,900 low	RR: BTU 9,100 high/1,750 low	LF: BTU 9,100 high/1,750 low		RF: BTU 12,000 high/1,750 low		SGSP365TS	
LR: BTU 12,000 high/1,750 low	C: BTU 18,000 high/1,900 low	RR: BTU 9,100 high/1,750 low								
LF: BTU 9,100 high/1,750 low		RF: BTU 12,000 high/1,750 low								
SGSP365TS	36" Pedestal Star® Burner, Stainless Steel, Five Burners	2,599	2,899							
<ul style="list-style-type: none"> Progressive Illuminated light ring around each knob 	<ul style="list-style-type: none"> ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles 	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">LR: BTU 12,000 high/1,750 low</td> <td style="width: 33%;">C: BTU 18,000 high/583 XLO</td> <td style="width: 33%;">RR: BTU 9,100 high/1,750 low</td> </tr> <tr> <td>LF: BTU 9,100 high/204 XLO</td> <td></td> <td>RF: BTU 12,000 high/1,750 low</td> </tr> </table>	LR: BTU 12,000 high/1,750 low	C: BTU 18,000 high/583 XLO	RR: BTU 9,100 high/1,750 low	LF: BTU 9,100 high/204 XLO		RF: BTU 12,000 high/1,750 low		SGSXP365TS
LR: BTU 12,000 high/1,750 low	C: BTU 18,000 high/583 XLO	RR: BTU 9,100 high/1,750 low								
LF: BTU 9,100 high/204 XLO		RF: BTU 12,000 high/1,750 low								
SGSXP365TS	36" Pedestal Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select	3,199	3,549							

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

All Masterpiece® Series Freedom® and Liberty® Induction Cooktops Include the Following Features:

- PowerBoost®
- 17 power levels
- Home Connect™

Masterpiece® Series

Freedom® Induction – 13" x 21" Cooking Position with 5,500 W

- Entire surface of the cooktop can be used as one large cooking area
- Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone® mode allows changing a preset power level simply by moving a pot or pan on the cooktop
- Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow® LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only)
- TeppanyakiPro® mode divides a teppanyaki griddle into one heated and one non-heated area
- PowerBoost®
- 17 power levels
- Residual heat indicators
- Panel Lock
- Cooking Timer, Kitchen Timer and Stopwatch Timer
- Power/Amps: 208/240 V, 60 Hz, 30 A

Minimum cookware size: 3" x 3"
 Maximum cookware size: 13" x 21"
 Performance:
 3,500 W/5,500 W (PowerBoost®)



CIT30YWBB



CIT36YWB



CIT36YWBB



CIT30YWBB	30" Dark Gray Glass, Frameless Design	5,799	6,399
-----------	---------------------------------------	-------	-------

CIT36YWB	36" Dark Gray Glass, Stainless Steel Frame	6,599	7,299
----------	--	-------	-------

CIT36YWBB	36" Dark Gray Glass, Frameless Design	6,599	7,299
-----------	---------------------------------------	-------	-------

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP												
Masterpiece® Series															
30" Liberty® Induction															
<ul style="list-style-type: none"> Two large flexible cooking surfaces allow for tailored cooking zones Cooktop-Hood Sync Automatic pan recognition 	<ul style="list-style-type: none"> HeatShift® has three preset heat zones MoveMode® allows easy transfer settings Illuminated touch controls 	<ul style="list-style-type: none"> Control panel lock Automatic switch off Maximum wattage: 7,200 W Power/Amps: 208–240 V, 60 Hz//50 A 	 CIT30FBG												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Left Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)</td> <td style="width: 25%;">LR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)</td> <td style="width: 25%;">RR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)</td> <td style="width: 25%;">Right Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)</td> </tr> <tr> <td>LF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)</td> <td>RF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)</td> <td></td> <td></td> </tr> <tr> <td>Left FlexPlus Zone 3 5/8" x 11 1/4"</td> <td>Right FlexPlus Zone 3 5/8" x 11 1/4"</td> <td></td> <td></td> </tr> </table>	Left Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)	LR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	RR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	Right Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)	LF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	RF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)			Left FlexPlus Zone 3 5/8" x 11 1/4"	Right FlexPlus Zone 3 5/8" x 11 1/4"					
Left Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)	LR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	RR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	Right Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)												
LF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	RF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)														
Left FlexPlus Zone 3 5/8" x 11 1/4"	Right FlexPlus Zone 3 5/8" x 11 1/4"														
CIT30FBG	30" Titanium Gray Glass, Frameless	3,999	4,399												
36" Liberty® Induction															
<ul style="list-style-type: none"> Three extra-large Liberty® cooking surfaces allow for tailored cooking zones Number of cooking zones: Five Cooktop-Hood Sync Automatic pan recognition 	<ul style="list-style-type: none"> HeatShift® has three preset heat zones MoveMode® allows easy transfer settings Illuminated touch controls Control panel lock Automatic switch off 	<ul style="list-style-type: none"> Timer for all zones Maximum wattage: 10,800 W Power/Amps: 208–240 V, 60 Hz//50 A 	 CIT367YG												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Left Full Zone 15" x 9" @ 3,300 W/3,700 W (PowerBoost®)</td> <td style="width: 25%;">LR: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)</td> <td style="width: 25%;">Center Full Zone 11 1/4" x 9 1/2" @ 3,300 W/3,600 W (PowerBoost®)</td> <td style="width: 25%;">RR: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)</td> <td style="width: 25%;">Right Full Zone 15" x 9" @ 3,300 W/3,700 W (PowerBoost®)</td> </tr> <tr> <td>LF: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)</td> <td>RF: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)</td> <td></td> <td></td> <td></td> </tr> </table>	Left Full Zone 15" x 9" @ 3,300 W/3,700 W (PowerBoost®)	LR: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)	Center Full Zone 11 1/4" x 9 1/2" @ 3,300 W/3,600 W (PowerBoost®)	RR: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)	Right Full Zone 15" x 9" @ 3,300 W/3,700 W (PowerBoost®)	LF: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)	RF: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)								
Left Full Zone 15" x 9" @ 3,300 W/3,700 W (PowerBoost®)	LR: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)	Center Full Zone 11 1/4" x 9 1/2" @ 3,300 W/3,600 W (PowerBoost®)	RR: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)	Right Full Zone 15" x 9" @ 3,300 W/3,700 W (PowerBoost®)											
LF: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)	RF: 7 1/2" x 9" @ 2,200 W/3,600 W (PowerBoost®)														
CIT367YG	36" Titanium Gray Glass, Frameless	4,899	5,399												

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Masterpiece® Heritage® Series Glass Ceramic Induction Cooktops Include the Following Features:			
<ul style="list-style-type: none"> • Pan Recognition • Touch control panel with white light illumination offers 17 power settings • CookSmart 	<ul style="list-style-type: none"> • Speed Heating—induction cooktops heat 50% faster than traditional gas cooktops • PowerBoost® • Anti-Overflow System • Two-Level Heat Indicator 	<ul style="list-style-type: none"> • Kitchen timer • Child safety lock • Power/Amps: 240 V, 60 Hz/30 A • Home Connect™ 	

Masterpiece® Series

30" Heritage® Induction

- Large and powerful 11" element with 3,600 W

LR: 9" @ 2,200 W/3,600 W (PowerBoost®)	RR: 11" @ 2,600 W/3,600 W (PowerBoost®)
LF: 6" @ 1,400 W/2,200 W (PowerBoost®)	RF: 6" @ 1,400 W/2,200 W (PowerBoost®)

CIT304BB 30" Black Glass, Frameless Design

3,499 3,849



CIT304BB



36" Heritage® Induction

- Large 13" round heating element

LR: 7" @ 1,800 W/3,100 W (PowerBoost®)	C: 9"/11"/13" @ 2,200 W/3,600 W (PowerBoost®) 2,600 W/3,600 W (PowerBoost®) 3,300 W/3,600 W (PowerBoost®)	RR: 6" @ 1,400 W/2,200 W (PowerBoost®)
LF: 7" @ 1,800 W/3,100 W (PowerBoost®)		RF: 9" @ 2,200 W/3,600 W (PowerBoost®)

CIT365BB 36" Black Glass, Frameless Design

4,099 4,549



CIT365BB



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Gas Cooktops Star Burner®	Gas Cooktops Pedestal Star®	Freedom® Induction	Liberty® Induction	Heritage® Induction
Cooktop Accessories								
	TEPPAN1321 13" x 21" Recommended accessory for Freedom® Induction Cooktop	499	549			•		
	Wireless Cooking Temperature Sensor Allows you to select the best way to prepare every food as you wish. The cooking sensor measures the temperature of the pot continuously. This allows the power to be maintained with greater precision to provide exceptional cooking results. The sensor is required to use the Freedom® induction Cooking Sensor mode					•		
	TCOOKSENSW Wireless Cooking Sensor	199	219					
	SKNOBLUW Blue Knob Kit, Pedestal Star® Burner Cooktops Fits 30" and 36" Pedestal Star® Burners Series models • Set of five knobs • Blue metallic finish • Easy to install	109	119		•			
	SLPKITW LP Gas Conversion Kit for Star® Burner Series Cooktops	99	109	•				
	SNPKITPEDW LP Gas Conversion Kit for Pedestal Star® Burner Series Cooktops	99	109		•			
	SWOKRINGW Wok Ring Optimized for operation on Star® Burner and Pedestal Star® Burner Series cooktops with up to a 16" wok • Cast iron construction is durable and dishwasher safe	99	109	•	•			

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

RANGES

PROFESSIONAL COLLECTION

		30"	36"	48"	60"
DUAL-FUEL WITH STEAM RANGES	Pro Grand®			 PRD48WISGU PRD48WDSGU Induction Griddle	 PRD606WESG Griddle
INDUCTION RANGES	Pro Harmony®	 PRI30LBHU Induction	 PRI36LBHU Induction		
DUAL-FUEL RANGES	Pro Harmony®	 PRD305WHU PRD304WHU 5-burner 4-burner	 PRD366WHU PRD364WDHU 6-burner Griddle	 PRD486WDHU Griddle	
DUAL-FUEL RANGES	Pro Grand®		 PRD366WGU PRD364WIGU PRD364WDGU 6-burner Induction Griddle	 PRD486WIGU PRD486WDGU Induction Griddle	 PRD606WEG Griddle
GAS RANGES	Pro Harmony®	 PRG305WH PRG304WH 5-burner 4-burner	 PRG366WH PRG364WDH 6-burner Griddle	 PRG486WDH Griddle	
GAS RANGES	Pro Grand®		 PRG366WG 6-burner	 PRG486WDG Griddle	
RANGE-TOPS	Professional	 PCG305W 5-burner	 PCG366W PCG364WD 6-burner Griddle	 PCG486WD Griddle	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

All Professional Series Rangetops Include the Following Features:

- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Each burner has electronic ignition/re-ignition;
- Metal knobs (also available in Metallic Blue, PAKNOBLUWR, sold separately. See page 5-10)
- LED downlighting illuminates the control panel.
- Precision simmering capabilities with two ExtraLow® simmer burners
- Two-year warranty
- Star-K certified
- 15 Amps

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- Liquid Propane conversion: Natural to LP Gas Field Conversion Kit must be ordered separately (PALPKITHW for all four- and six-burner units; PALPKITHW5 for five Pedestal Star® Burner units). PAALTKITH High Altitude conversion kit is available for all rangetops.

30" Professional Gas Rangetop

• Five Pedestal Star® Burners (Two with ExtraLow®). overall output of 59,000 BTU.	• Suitable for use with Thermador OTR (see page 3-13)	• 15 Amps	
LR: BTU 8,000 high*/XLO	Center: BTU 10,000 high*	RR: BTU 8,000 high*	
LF: BTU 18,000 high*/XLO		RF: BTU 15,000 high*	

PCG305W 30" Stainless Steel with Porcelain Surface **4,199** **4,649**



PCG305W



36" Professional Gas Rangetop

• Six Pedestal Star® Burners (Two with ExtraLow®).	• 15 Amps		
LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/3,000 low	
LF: BTU 18,000 high*/XLO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/3,000 low	

PCG366W 36" Stainless Steel with Porcelain Surface **4,899** **5,399**



PCG366W



* 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PROFESSIONAL RANGETOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
36" Professional Gas Rangetop			
PCG364WD	<ul style="list-style-type: none"> Four Pedestal Star® Burners (Two with ExtraLow®) Non-stick surface Electric Griddle 20 Amps <p>LR: BTU 15,000 high*/XLO</p> <p>LF: BTU 18,000 high*/XLO</p> <p>Electric Griddle 1,630 W</p> <p>RR: BTU 15,000 high*/3,000 low</p> <p>RF: BTU 18,000 high*/3,000 low</p> <p>36" Stainless Steel with Porcelain Surface and Griddle</p>	4,949	5,449



48" Professional Gas Rangetop

PCG486WD	<ul style="list-style-type: none"> Six Pedestal Star® Burners (Two with ExtraLow®) Non-stick surface Electric Griddle 20 Amps <p>LR: BTU 15,000 high*/XLO</p> <p>LF: BTU 18,000 high*/XLO</p> <p>CR: BTU 15,000 high*/3,000 low</p> <p>CF: BTU 18,000 high*/3,000 low</p> <p>Electric Griddle 1,630 W</p> <p>RR: BTU 15,000 high*/3,000 low</p> <p>RF: BTU 18,000 high*/3,000 low</p> <p>48" Stainless Steel with Porcelain Surface and Griddle</p>	5,999	6,599
----------	--	-------	-------



* 8,000 BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO HARMONY® SERIES INDUCTION RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Pro Harmony® Series Induction Ranges include the Following Features:			
<ul style="list-style-type: none"> Frameless black glass cooktop covers the surface from edge-to-edge seamlessly fitting into any kitchen Provides true design flexibility—it can be installed flush against combustible wall with zero rear clearance* and designed to fit perfectly flush alongside standard 24" depth cabinets 	<ul style="list-style-type: none"> True Convection oven with a third element adds greater efficiency to cook up to five levels of sheet pans evenly Super fast 2-hour self-clean mode is the fastest in the industry Connect to your range for remote pre-heating and monitoring via the Home Connect® app, smartwatch and other smart home devices and services 	Main oven features: <ul style="list-style-type: none"> Full Access telescopic racks with integrated easy-grip handle (1 in 30" Oven; 3 in 36" Oven) Hidden Thermal Bake (2,000 W), Broil (4,000 W), Third element rear 2,750 W convection 	

30" Induction Range

<ul style="list-style-type: none"> The Liberty® cooktop comes with two large flexible cooking zones and FlexPlus™** heating elements that provide 	<p>the ultimate in cooking performance and flexibility with HeatShift®, MoveMode®, and PowerBoost®</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33.33%;">Left Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)</td><td style="width: 33.33%;">LR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)</td><td style="width: 33.33%;">RR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)</td></tr> <tr> <td>LF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)</td><td>RF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)</td><td>Right Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)</td></tr> <tr> <td>Left FlexPlus Zone 3 1/2" x 11 1/4"</td><td>Right FlexPlus Zone 3 1/2" x 11 1/4"</td><td></td></tr> </table>	Left Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)	LR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	RR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	LF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	RF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	Right Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)	Left FlexPlus Zone 3 1/2" x 11 1/4"	Right FlexPlus Zone 3 1/2" x 11 1/4"		Main oven features: <ul style="list-style-type: none"> 4.4 cu. ft. overall volume* 	 PRI30LBHU	 
Left Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)	LR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	RR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)											
LF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	RF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	Right Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)											
Left FlexPlus Zone 3 1/2" x 11 1/4"	Right FlexPlus Zone 3 1/2" x 11 1/4"												
PRI30LBHU	30" Liberty Induction Cooktop Pro Harmony Range	8,999	9,899										

36" Induction Range

<ul style="list-style-type: none"> The Liberty® cooktop comes with three large flexible cooking zones that provide the ultimate in cooking per- 	<p>formance and flexibility with HeatShift®, MoveMode®, and PowerBoost®</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33.33%;">Left Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)</td><td style="width: 33.33%;">Center Full Zone 11" x 9 1/2" @ 3,300 W/3,600 W (PowerBoost®)</td><td style="width: 33.33%;">RR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)</td></tr> <tr> <td>LF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)</td><td></td><td>Right Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)</td></tr> <tr> <td></td><td>RF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)</td><td></td></tr> </table>	Left Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)	Center Full Zone 11" x 9 1/2" @ 3,300 W/3,600 W (PowerBoost®)	RR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)	LF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)		Right Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)		RF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)		Main oven features: <ul style="list-style-type: none"> 4.9 cu. ft. overall volume* 	 PRI36LBHU	 
Left Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)	Center Full Zone 11" x 9 1/2" @ 3,300 W/3,600 W (PowerBoost®)	RR: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)											
LF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)		Right Full Zone 15" x 8 1/2" @ 3,300 W/3,600 W (PowerBoost®)											
	RF: 7 1/2" x 8 1/2" @ 2,200 W/3,600 W (PowerBoost®)												
PRI36LBHU	36" Liberty Induction Cooktop Pro Harmony Range	12,499	13,749										

*According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO HARMONY® SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Pro Harmony® Series Dual Fuel Ranges Include the Following Features:			
<ul style="list-style-type: none"> Cabinet-Depth (24") Four pedestal burner range: each front burner has output of 18,000 BTU (NG) Continuous porcelain, easy-to-clean cooking surface Patented Pedestal Star® Burner with QuickClean Base™ Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-10) All burners with electronic ignition/re-ignition Precision simmering capabilities with two ExtraLow® simmer burners For LP: Natural to LP Gas Field Conversion Kit must be ordered sepa- 	<ul style="list-style-type: none"> PAALTKITH High Altitude conversion kit is available for all Pro Harmony Ranges. Island trim included Two-year warranty Star-K certified <p>Griddle model:</p> <ul style="list-style-type: none"> 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum <p>Main oven features:</p> <ul style="list-style-type: none"> Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1) Hidden Thermal Bake (2,000 W), Broil (4,000 W), 	<ul style="list-style-type: none"> Third element rear 2,750 W convection Convection Broil and two rapid, self-clean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1½ hr light-soil clean <p>Secondary oven features:</p> <ul style="list-style-type: none"> 18" auxiliary oven on 48" range only Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean 2,600 W broil and 1,400 W bake elements, 2.4 cu. ft. overall volume* <p>Note</p> <ul style="list-style-type: none"> Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador Professional hoods) 	

30" Dual-Fuel Range

<ul style="list-style-type: none"> Four Pedestal Star® Burners (Two with ExtraLow®) <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;"> LR: BTU 15,000 high**/XLO </td><td style="width: 50%; text-align: center;"> RR: BTU 15,000 high**/3,000 low </td></tr> <tr> <td style="text-align: center;"> LF: BTU 18,000 high**/XLO </td><td style="text-align: center;"> RF: BTU 18,000 high**/3,000 low </td></tr> </table>	LR: BTU 15,000 high**/XLO	RR: BTU 15,000 high**/3,000 low	LF: BTU 18,000 high**/XLO	RF: BTU 18,000 high**/3,000 low	<ul style="list-style-type: none"> 30" range features 4.4 cu. ft. overall volume* 			
LR: BTU 15,000 high**/XLO	RR: BTU 15,000 high**/3,000 low							
LF: BTU 18,000 high**/XLO	RF: BTU 18,000 high**/3,000 low							
PRD304WHU	30" Stainless Steel with Porcelain Surface and One Telescopic Oven Rack	7,399 8,149						
		 PRD304WHU  						
<ul style="list-style-type: none"> Five Pedestal Star® Burners (Two with ExtraLow®); overall output of 59,000 BTU and <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%; text-align: center;"> LR: BTU 8,000 high**/XLO </td> <td style="width: 33%; text-align: center;"> Center: BTU 10,000 high** </td> <td style="width: 33%; text-align: center;"> RR: BTU 8,000 high** </td> </tr> <tr> <td style="text-align: center;"> LF: BTU 18,000 high**/XLO </td><td></td><td style="text-align: center;"> RF: BTU 15,000 high** </td></tr> </table>	LR: BTU 8,000 high**/XLO	Center: BTU 10,000 high**	RR: BTU 8,000 high**	LF: BTU 18,000 high**/XLO		RF: BTU 15,000 high**	<ul style="list-style-type: none"> suitable for use with the Thermador OTR (see page 3-13) 30" range features 4.4 cu. ft. overall volume* 	
LR: BTU 8,000 high**/XLO	Center: BTU 10,000 high**	RR: BTU 8,000 high**						
LF: BTU 18,000 high**/XLO		RF: BTU 15,000 high**						
PRD305WHU	30" Stainless Steel with Porcelain Surface and One Telescopic Oven Rack	8,399 9,249						
		 PRD305WHU  						

*According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO HARMONY[®] SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
36" Dual-Fuel Range			
• Six Pedestal Star [®] Burners (Two with ExtraLow [®])	• Thermador Connected Experience with Home Connect [™]		
• Oven features 4.9 cu. ft. overall volume*			
LR: BTU 15,000 high**/XLO	CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/XLO	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low	
PRD366WHU	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	10,999	12,099
			
PRD366WHU			
			
• Four Pedestal Star [®] Burners (Two with ExtraLow [®])	• Thermador Connected Experience with Home Connect [™]	• Non-stick surface Electric Griddle	
• Oven features 4.9 cu. ft. overall volume*			
LR: BTU 15,000 high**/XLO	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/XLO		RF: BTU 18,000 high**/3,000 low	
PRD364WDHU	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	11,299	12,449
			
PRD364WDHU			
			
48" Dual-Fuel Range			
• Six Pedestal Star [®] Burners (Two with ExtraLow [®])	• Thermador Connected Experience with Home Connect [™]	• Non-stick surface Electric Griddle	
• Main oven features 4.4 cu. ft. overall volume*			
LR: BTU 15,000 high**/XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high**/3,000 low
LF: BTU 18,000 high**/XLO	CF: BTU 18,000 high**/3,000 low		RF: BTU 18,000 high**/3,000 low
PRD486WDHU	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	15,699	17,299
			
PRD486WDHU			
			

* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Pro Harmony® Series All Gas Ranges Include the Following Features:			
<ul style="list-style-type: none"> Cabinet-Depth (24") Four pedestal burner ; range: each front burner has output of 18,000 BTU (NG) All burners with electronic ignition/re-ignition Continuous porcelain, easy-to-clean cooking surface Patented Pedestal Star® Burner with QuickClean Base™ Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-10) Precision simmering capabilities with two ExtraLow® simmer burners 	<ul style="list-style-type: none"> Gas ranges are field convertible from natural gas to liquid propane—Conversion Kit must be ordered separately Island trim included Two-year warranty Star-K certified <p>Griddle model:</p> <ul style="list-style-type: none"> 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum <p>Ovens feature:</p> <ul style="list-style-type: none"> 17,500 BTU high-intensity infrared broiler Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1) 	<ul style="list-style-type: none"> Gas convection oven 20,500 BTU bake burner Convection Bake, Thermal Bake (20,500 BTU) <p>Secondary oven features:</p> <ul style="list-style-type: none"> 18" auxiliary oven on 48" range only Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean 2,600 W broil and 1,400 W bake elements, 2.4 cu. ft. overall volume* <p>Note</p> <ul style="list-style-type: none"> Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador Professional hoods) 	

30" Gas Range

<ul style="list-style-type: none"> Four Pedestal Star® Burners (Two with ExtraLow®) each <table border="1"> <tr> <td>LR: BTU 15,000 high**/XLO</td><td>RR: BTU 15,000 high**/3,000 low</td></tr> <tr> <td>LF: BTU 18,000 high**/XLO</td><td>RF: BTU 18,000 high**/3,000 low</td></tr> </table>	LR: BTU 15,000 high**/XLO	RR: BTU 15,000 high**/3,000 low	LF: BTU 18,000 high**/XLO	RF: BTU 18,000 high**/3,000 low	<p>front burner has output of 18,000 BTU (NG)</p> <p>• 30" range features 4.6 cu. ft. overall volume*</p>			
LR: BTU 15,000 high**/XLO	RR: BTU 15,000 high**/3,000 low							
LF: BTU 18,000 high**/XLO	RF: BTU 18,000 high**/3,000 low							
PRG304WH	30" Stainless Steel with Porcelain Surface	5,699 6,299						
<ul style="list-style-type: none"> Five Pedestal Star® Burners (Two with ExtraLow®); overall output of 59,000 BTU <table border="1"> <tr> <td>LR: BTU 8,000 high**/XLO</td> <td>Center: BTU 10,000 high**</td> <td>RR: BTU 8,000 high**</td> </tr> <tr> <td>LF: BTU 18,000 high**/XLO</td> <td></td> <td>RF: BTU 15,000 high**</td> </tr> </table>	LR: BTU 8,000 high**/XLO	Center: BTU 10,000 high**	RR: BTU 8,000 high**	LF: BTU 18,000 high**/XLO		RF: BTU 15,000 high**	<p>and suitable for use with the Thermador OTR (see page 3-13).</p> <p>• 30" range features 4.6 cu. ft. overall volume*</p>	
LR: BTU 8,000 high**/XLO	Center: BTU 10,000 high**	RR: BTU 8,000 high**						
LF: BTU 18,000 high**/XLO		RF: BTU 15,000 high**						
PRG305WH	30" Stainless Steel with Porcelain Surface	6,599 7,299						



* According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO HARMONY® SERIES GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	
36" Gas Range				
• Six Pedestal Star® Burners (Two with ExtraLow®) • 36" range features 5.1 cu. ft. overall volume*	• Thermador Connected Experience with Home Connect™			
LR: BTU 15,000 high**/XLO	CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low		
LF: BTU 18,000 high**/XLO	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low		
PRG366WH	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	7,749	8,549	PRG366WH
				
• Four Pedestal Star® Burners (Two with ExtraLow®) each front burner has output of 18,000 BTU (NG) • 36" range features 5.1 cu. ft. overall volume*	• Thermador Connected Experience with Home Connect™	• Non-stick surface Electric Griddle		
LR: BTU 15,000 high**/XLO	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high**/3,000 low		
LF: BTU 18,000 high**/XLO		RF: BTU 18,000 high**/3,000 low		
PRG364WDH	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	8,999	9,899	PRG364WDH
				
48" Gas Range				
• Six Pedestal Star® Burners (Two with ExtraLow®) and Main oven features 4.6 cu. ft. overall volume*	• Thermador Connected Experience with Home Connect™	• Non-stick surface Electric Griddle		
LR: BTU 15,000 high**/XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high**/3,000 low	
LF: BTU 18,000 high**/XLO	CF: BTU 18,000 high**/3,000 low		RF: BTU 18,000 high**/3,000 low	
PRG486WDH	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	12,699	13,999	PRG486WDH
				

* According to AHAM Standards


** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Rangetops Pro Harmony Ranges														
Accessories		Gas			Induction			Dual Fuel			All Gas							
		30	36	48	30	36	30	36	48	30	36	48	30	36	48			
		PCG305W	PCG364WD	PCG366W	PCG486WD		PRI30LBHU	PRI36LBHU		PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH
	PAGRIDDLE	Griddle sits on top of Grates over two Burners, high-release surface coating	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•		•	•	•	•	•	•	•	•	•
	PA12LCVRW	12" Professional Griddle Cover Grill model is not listed in price book.	209	229		•		•				•	•				•	•
	PWOKRINGHC	Wok Ring Accessory Call for availability.	199	219	•	•	•	•		•	•	•	•	•	•	•	•	•
	PALPKITHW	LP Conversion Kit Pro Harmony Dual Fuel Ranges & Rangetops (4 & 6 Burner)	139	159		•	•	•		•	•	•	•					
	PALPKITHW5	LP Conversion Kit Pro Harmony Dual Fuel Ranges & Rangetops (5 Burner)	139	159	•					•								
	PALPKITGA	LP Conversion Kit Pro Harmony Gas Ranges, 30" & 36" (4 & 6 Burner)	199	219												•	•	•
	PALPKITHA5	LP Conversion Kit Pro Harmony Gas Ranges (5 Burner)	139	159												•		
	PALPKITGA6	LP Conversion Kit Pro Harmony Gas Ranges 48" (4 & 6 Burner)	199	219														•
	PAALTKITH	High Altitude Kit Pro Harmony Ranges & Rangetops	89	99	•	•	•	•		•	•	•	•	•	•	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Rangetops Pro Harmony Ranges												
Accessories		Gas			Induction			Dual Fuel			All Gas					
		30	36	48	30	36	30	36	48	30	36	48	30	36	48	
		PCG305W	PCG364WD	PCG366W	PCG486WD	PRI30LBHU	PRI36LBHU	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH
	PAKNOBLUWR	Metallic Blue Knob Kit Pro Rangetop	239	269	•	•	•	•	•							
	PARKB30HY	Blue Knob Kit 30" Dual Fuel Harmony	249	279						•	•					
	PARKB3XHY	Blue Knob Kit 30"/36" Gas Harmony	249	279									•	•	•	
	PARKB3XIHB	Blue Knob Kit 30/"36" Induction Harmony	149	169					•	•						
	PARKB36DHY	Blue Knob Kit 36" Gas/Dual Fuel Harmony	249	279								•				•
	PARKB36HY	Blue Knob Kit 36" Dual Fuel GR Harmony	249	279							•					
	PARKB48CHY	Blue Knob Kit 48" Dual Fuel Harmony	299	329									•			
	PARKB48DHY	Blue Knob Kit 48" Gas Harmony	299	329												•

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxXXXXX are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Rangetops Pro Harmony Ranges														
Accessories		Gas			Induction		Dual Fuel			All Gas								
		30	36	48	30	36	30	36	48	30	36	48	30	36	48			
		PCG305W	PCG364WD	PCG366W	PCG486WD		PRI30LBHU	PRI36LBHU		PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH
	PA30WLH	7" Low Back 30" Gas/Dual Fuel Pro Harmony Range	419	469					•	•			•	•				
	PA36WLH	7" Low Back 36" Gas/Dual Fuel Pro Harmony Range	479	529							•	•			•	•		
	PA48WLH	7" Low Back 48" Gas/Dual Fuel Pro Harmony Range	509	599								•					•	
	PA30WLBC	10" Low Backguard for 30" Rangetop	209	229	•													
	PA36WLBC	10" Low Backguard for 36" Rangetop	269	299		•	•											
	PA48WLBC	10" Low Backguard for 48" Rangetop	319	359				•										

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO GRAND® SERIES DUAL-FUEL WITH STEAM RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Pro Grand® Series Dual Fuel Steam Ranges Include the Following Features:			
<ul style="list-style-type: none"> • Commercial-depth (27") • Featuring Pedestal Star® Burners with QuickClean Base™ (Four with ExtraLow® Simmer) • Steam and convection oven • Warming drawer • Continuous porcelain, easy-to-clean cooking surface • Patented Pedestal Star® Burner with QuickClean Base™ • Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19) • Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP) • Precision simmering capabilities with Four ExtraLow® Simmer burners (two far-left pair and two far-right pair) • Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty® surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff • Electric Griddle • 24" Two Zone Electric Griddle (60" models) • Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum • LP conversion kit ordered separately for converting burners for LP gas 	<ul style="list-style-type: none"> • Island trim is included • Panel lighting illuminates knob controls • Two-year warranty • Star-K certified • CSA certified <p>Oven features:</p> <ul style="list-style-type: none"> • Thermador Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa' • SoftClose® hinges for ultra-smooth closing • Large oven includes three Full Access® telescopic racks with integrated easy-grip handles • Largest convection oven features 4.9 cu. ft. (48" models) • 5.7 cu. ft. (60" models) overall volume* • Fast Preheat • 4,000 W 8-pass broil and 2,000 W bake elements • Third Element Convection (2,750 W) for multi-rack cooking • Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results • Two rapid, self-clean cycles: 3 hr heavy-soil clean and 1 ½ hr light-soil clean 	<ul style="list-style-type: none"> • Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion and preheat status with audible alert <p>Steam Oven features:</p> <ul style="list-style-type: none"> • 27 Easy Cook® programs • 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs • 2,750 W convection element • 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey • Non-plumbed • Steam Clean function <p>Warming drawer features:</p> <ul style="list-style-type: none"> • Open sides for convenient accessibility • Holds up to ten 11" dinner plates • Exclusive smooth surface warming drawer • Three heat settings <p>Note</p> <ul style="list-style-type: none"> • It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5) • For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits. 	

* According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO GRAND® SERIES DUAL-FUEL WITH STEAM RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
48" Dual-Fuel with Steam Range			
The Ultimate Culinary Center™			
• Six Pedestal Star® Burners (Four with ExtraLow®)	• Griddle		
LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high*/XLO
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low		RF: BTU 18,000 high*/XLO
PRD48WDSGU	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks (main oven)	19,499	21,449

The Ultimate Culinary Center™			
• Six Pedestal Star® Burners (Four with ExtraLow®)			
• Liberty® Induction.			
LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/XLO	Induction 3,600 W 230 V 3,300 W 208 V
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/XLO	
PRD48WISGU	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks (main oven)	20,499	22,549

The Ultimate Entertainer's Center™			
• Six Pedestal Star® Burners (Four with ExtraLow®)			
• 24" Dual Zone Griddle			
• 5.7 cu. ft. main oven cavity accommodates commercial size full sheet pan •		• 24" stainless steel cover accessory PA24CVRR for 24" Griddle sold separately	
LR: BTU 12,500 high**/XLO	CR: BTU 12,500 high**/3,000 low	24" Electric Griddle 1,630 W (Left & Right) (3,260 W total)	RR: BTU 15,000 high**/XLO
LF: BTU 22,000 XHI**/XLO	CF: BTU 18,000 high**/3,000 low		RF: BTU 18,000 high**/XLO
PRD606WESG	60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks (main oven)	24,699	27,199

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

** 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

All Pro Grand® Series Dual Fuel Ranges Include the Following Features:

- Commercial-Depth (27")
- Patented Pedestal Star® Burner with QuickClean Base™ (Four with ExtraLow® Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- LP kit ordered separately for converting burners for LP gas
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

All Ovens

- SoftClose® hydraulic hinges for ultra-smooth closing
- Three Full Access® telescopic racks with integrated easy-grip handles
- Fast Preheat

Main Oven

- Thermador Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1 ½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- Hidden bake element

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

Induction Models

- Thermador 3,600 W Liberty® Induction with two zones
- Features 9 power levels, XHI PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff

Griddle:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Fusion non-stick surface

48" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

* According to AHAM Standards

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO GRAND® SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
36" Dual-Fuel Ranges			
<ul style="list-style-type: none"> • Six Pedestal Star® Burners (Four with ExtraLow®) 			
LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/XLO	
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/XLO	
PRD366WGU	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	11,999	13,199
 PRD366WGU			
			
<ul style="list-style-type: none"> • Four Pedestal Star® Burners (Four with ExtraLow®) and • Non-stick surface Electric Griddle 			
LR: BTU 15,000 high*/XLO	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high*/XLO	
LF: BTU 22,000 XHI*/XLO		RF: BTU 18,000 high*/XLO	
PRD364WDGU	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	12,899	14,199
 PRD364WDGU			
			
<ul style="list-style-type: none"> • Four Pedestal Star® Burners (Four with ExtraLow®) with Liberty® Induction 			
LR: BTU 15,000 high*/XLO	RR: BTU 15,000 high*/XLO	Induction 3,600 W 230 V 3,300 W 208 V	
LF: BTU 22,000 XHI*/XLO	RF: BTU 18,000 high*/XLO		
PRD364WIGU	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	13,499	14,849
 PRD364WIGU			
			

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO GRAND® SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	
48" Dual-Fuel Ranges				
• Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Electric Griddle	• Non-stick surface Electric Griddle			
LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high*/XLO	
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low		RF: BTU 18,000 high*/XLO	
PRD486WDGU	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	16,649	18,349	PRD486WDGU   
• Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) with Liberty® Induction				
LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/XLO	Induction 3,600 W 230 V 3,300 W 208 V	
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/XLO		
PRD486WIGU	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	16,999	18,699	PRD486WIGU   

60" Dual-Fuel Ranges

The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®) with 24" Dual Zone Griddle
- Non-stick surface Electric Griddle

LR: BTU 12,500 high**/XLO	CR: BTU 12,500 high**/3,000 low	24" Electric Griddle 1,630 W (Left & Right) (3,260 W total)	RR: BTU 15,000 high**/XLO	
LF: BTU 22,000 XHI**/XLO	CF: BTU 18,000 high**/3,000 low		RF: BTU 18,000 high**/XLO	
PRD606WEG	60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	21,499	23,649	PRD606WEG   

* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Pro Grand® Series All Gas Ranges Include the Following Features:			
• Commercial-depth (27")	Griddle model:	• Two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean	
• Featuring Patented Pedestal Star® Burner with QuickClean Base™ (Four with ExtraLow® Simmer),	• 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum	• Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert	
• Continuous porcelain, easy-to-clean cooking surface	• Electric Griddle	Full-featured Secondary Oven features:	
• Patented Pedestal Star® Burner with QuickClean Base™	Oven features:	• 2.5 cu. ft. overall volume*	
• Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.	• SoftClose® hydraulic hinges for ultra-smooth closing	• Six modes including convection, 2-hour self clean, and temperature probe for Roast	
• Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)	• Each oven includes three Full Access® telescopic racks with integrated easy-grip handles	• 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/LP)	
• Precision simmering capabilities with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)	Large oven:	• Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert	
• Gas ranges are field convertible from natural gas to liquid propane—kits sold separately	• Thermador Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'		
• Island trim is included	• 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan	Note	
• Panel lighting illuminates knob controls	• 17,500 BTU high-intensity infrared broil burner (NG/LP)	• It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)	
• Two-year warranty	• Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results	• For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.	
• Star-K certified	• 6 conventional cooking modes		

- Six Pedestal Star® Burners (Four with ExtraLow®)

LR: BTU 15,000 high**/XLO	CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/XLO
LF: BTU 22,000 XHI**/XLO	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/XLO

PRG366WG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

9,299 10,249



PRG366WG



*According to AHAM Standards

**15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO GRAND® SERIES GAS RANGES/PRO GRAND® SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
48" Gas Range			
<ul style="list-style-type: none"> • Six Pedestal Star® Burners (Four with ExtraLow®) 		• Non-stick surface Electric Griddle	
LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high*/XLO
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low		RF: BTU 18,000 high*/XLO
PRG486WDG	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	13,299	14,649
PRG486WDG			
  			

Accessories

	PAGRIDDLE	Griddle	Dual-Fuel with Steam			Dual Fuel				All Gas		
			48"		60"	36"		48"	60"	36"	48"	
			PRD48WISGU	PRD48WDG	PRD60WESG	PRD364WIGU	PRD366WIGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366W/G
	PAGRIDDLE	Griddle	199	219	•	•	•	•	•	•	•	•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•
	PA12LCVRW	12" Professional Griddle Cover	209	229	•			•	•			•
	PA24CVRR	24" Cover for Griddle	299	329			•			•		

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO GRAND® SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP												
Accessories				Dual-Fuel with Steam			Dual Fuel					All Gas			
				48"	60"	36"	48"	60"	36"	48"	36"	36"	48"		
	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•
	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel Ranges	199	219	•	•	•	•	•	•	•	•	•	•	
	PALPKITGGW	LP Conversion Kit Pro Grand Gas Ranges	199	219										•	•
	PAALTKITGW	High Altitude Kit, NG Pro Grand Ranges, 5.4K ft. to 10.2K ft.	89	99	•	•	•	•	•	•	•	•	•	•	•
	PARKB36IGY	Blue Knob Kit 36" Grill/Ind Grand	249	279				•							
	PARKB36GY	Blue Knob Kit 36" Gas Grand	249	279											•
	PARKB36CGY	Blue Knob Kit 36" Combi Grand	279	309					•	•					
	PARKB48CGY	Blue Knob Kit 48" Combi Grand	384	429	•						•	•			
	PARKB48SGY	Blue Knob Kit 48" Combi Steam Grand	379	419		•									•
	PARKB60CGY	Blue Knob Kit 60" Combi Grand	349	389									•		

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO GRAND® SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
-----------------	-------------	------	------

Accessories

			Dual-Fuel with Steam			Dual Fuel				All Gas	
			48"	60"		36"		48"	60"	36"	48"
	PARKB60SGY	Blue Knob Kit 60" Combi Steam Grand			•	PRD364WIGU	PRD366WGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRG366WG
	PA36WTKG	Toe Kick for 36" Pro Grand® Range			•	•	•	•			•
	PA48WTKG	Toe Kick for 48" Pro Grand® Range	•	•					•	•	•
	PA60WTKG	Toe Kick for 60" Pro Grand® Range			•					•	
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fuel Pro Grand® Ranges				•	•	•			•
	PA48WLBG	7" Low Backguard for 48" Pro Grand® Gas Ranges	•	•					•	•	•
	PA60WLBG	7" Low Backguard for 60" for Pro Grand® Range			•					•	

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

VENTILATION

MASTERPIECE® & PROFESSIONAL COLLECTIONS

	30"	36"	42"	48"	54"/60"
WALL	Low-Profile  HMWB30WS	 HMWB36WS HMWB361WS		 HMWB481WS	
	Masterpiece®  HMDW30WS	 HMDW36WS			
	Pro Grand®  PH36GWS			 PH48GWS	 PH60GWS
	Pro Harmony®  PH36HWS			 PH48HWS	
CHIMNEY WALL	Masterpiece®  HMCB30WS	 HMCB36WS			
	Masterpiece®  HDBB30WS	 HDBB36WS			
	Professional  HPCN36WS			 HPCN48WS	
ISLAND	Masterpiece®  HMIB36WS		 HMIB42WS		
CUSTOM INSERT	Masterpiece®  VCI3B30ZS VCI6B30ZS	 VCI3B36ZS VCI6B36ZS			
	Professional  VCIN36GWS	 VCIN42GWS	 VCIN48GWS	 VCIN54GWS VCIN60GWS	
DOWNDRAFT	Masterpiece®  UCVM30XS	 UCVM36XS UCVP36XS			

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Wall Hoods include the following features:			
<ul style="list-style-type: none"> Beautiful illumination with multi-level, LED lights Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels 	<ul style="list-style-type: none"> Automatic mode detects temperatures to adjust fan speed automatically 10-min. delay shut off whisk away lingering odors 	<ul style="list-style-type: none"> Check filter reminder light illuminates after 40 hours of operation 	Accessory options available <ul style="list-style-type: none"> Built-in remote control panel, sold separate (see page 6-7)

All Masterpiece® Wall Hoods include these Additional features:

<ul style="list-style-type: none"> Equipped with the Thermador Connected Experience by Home Connect™ A perfect complement to the sleek Thermador Masterpiece® Series cooktops Brushed stainless steel 	<ul style="list-style-type: none"> Dishwasher-safe stainless steel covered mesh filters Noise Control Technology™ Cooktop Hood-Sync Enabled 	<ul style="list-style-type: none"> Vertical ducting direction Integral blower included Convertible to recirculation, accessory sold separate (see page 6-3)
--	--	--

Masterpiece® Series

Drawer Under Cabinet Wall Hood

HMDW30WS	30" Masterpiece®, Under Cabinet Drawer Wall Hood, 600 CFM	2,299	2,549
HMDW36WS	36" Masterpiece®, Under Cabinet Drawer Wall Hood, 600 CFM	2,399	2,649



HMDW36WS



Low-Profile Wall Hood

HMWB30WS	30" Low-Profile Wall Hood, 600 CFM	2,199	2,449
HMWB36WS	36" Low-Profile Wall Hood, 600 CFM	2,299	2,549
HMWB361WS	36" Low-Profile Wall Hood, 1000 CFM	2,399	2,649
HMWB481WS	48" Low-Profile Wall Hood, 1000 CFM	2,499	2,749



HMWB361WS



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Drawer	Low Profile
		HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS
				HMWB361WS	HMWB481WS
Accessories—Masterpiece® Series					
	Recirculation Accessories				
	<ul style="list-style-type: none"> When ducting is not feasible, kit brings filtered air back into kitchen Replace charcoal filter every 3-6 months depending on usage Charcoal filter replacement accessory available (see below) 				
	RECHMWB30 Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide	699	799	•	
	RECHMWB36 Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide	749	849		•
	RECHMDW30 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	129	149	•	
	RECHMDW36 Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	129	149		•
	CHFHMWD30 Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	99	109	•	
	CHFHMWD36 Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	99	109		•
	Optional Stainless Steel Duct Cover				
	<ul style="list-style-type: none"> Available in 16" and 20"-54" telescoping heights Can be used with Low-Profile HMWBxxWS Series Wall Hoods 				
	DCT3016W 16" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	649	749	•	
	DCT3616W 16" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	659	749		•
	DCT4816W 16" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	679	749		•
	DC30MTW 28" x 65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	749	849	•	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Drawer	Low Profile
				HMDW30WS	HMDW36WS
				HMWB30WS	HMWB36WS
	DC36MTW 28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	759	849		• •
	DC48MTW 28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	779	899		•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Professional Wall Hoods Include these Additional Features:			
<ul style="list-style-type: none"> Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers Vertical or horizontal ducting discharge possible 	<ul style="list-style-type: none"> Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6) Integral: VTN2DA, VTN1DZ, VTN2FZ Inline: VTI1FZ¹, VTI2FZ Remote: VTR2FZ Make-up air damper relay switch (120 V max) 	<ul style="list-style-type: none"> Transition to 10" round and backdraft damper included 	Accessory options available <ul style="list-style-type: none"> Duct cover accessory options (see page 6-7) Remote blower roof plates (see page 6-8) 25-ft. remote & inline blower extension cable (see page 6-8)

Professional Series

Pro Harmony® Wall Hood

- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- A perfect companion to Pro Harmony® Professional Ranges
- Pro-style 24" depth, 18" tall
- Commercial-style stainless steel baffle filters



PH36HWS

PH36HWS 36" Pro Harmony® Wall Hood, Optional Blower 2,599 2,899

PH48HWS 48" Pro Harmony® Wall Hood, Optional Blower 2,899 3,199

Pro Grand® Wall Hood

- Equipped with the Thermador Connected Experience by Home Connect™
- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Crafted to complete the ultimate cooking system with Pro Grand® Professional Ranges
- Pro-style 27" depth, 18" tall
- Two infrared, 175 W, Keep-Hot lamps (included)



PH36GWS

PH36GWS 36" Pro Grand® Wall Hood, Optional Blower 2,799 3,099

PH48GWS 48" Pro Grand® Wall Hood, Optional Blower 3,249 3,599

PH60GWS 60" Pro Grand® Wall Hood, Optional Blower 4,299 4,749

¹ The 600 CFM blower options are not available with the 60" hood

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Masterpiece®		Professional		
Blowers		Downdraft		UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	VCINxxGWS
		Wall	Chimney Wall					
	Integral Blowers							
	• Integrated into ventilation hood at the time of installation							
	VTN1DZ 400 CFM Integral Blower	799	899		•			
	VTN2DA 700 CFM Integral Blower	799	899		•	•	•	
	VTN2FZ 1,000 CFM Blower	999	1,099		•	•	•	
	Inline Blowers							
	• Blower can be mounted along the duct line between the kitchen and the exterior wall	• 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-8)	• For use with Thermador PHxxxWS, HPCNxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods					
	VTI1FZ 600 CFM Inline Blower, 6" duct size	799	899	•	•	• ¹	•	• ²
	VTI2FZ 1,000 CFM Inline Blower, 10" duct size	999	1,099	•	•	•	•	•
	Remote Blower							
	• For external roof or wall mount	• 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-8)	• For use with Thermador PHxxxWS, HPCNxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods					
	VTR2FZ 1,000 CFM Remote Blower, 10" duct size	999	1,099	•	•	•	•	•

¹ For PH30HWS only

² The 600 CFM blower options are not available with the 60" hood

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Pro Harmony	Pro Grand			
				PH36HWS	PH48HWS	PH36GWS	PH48GWS	PH60GWS
Accessories—Professional								
	Optional Stainless Steel Duct Cover <ul style="list-style-type: none">Available in 6" and 20"-54" telescoping heights							
DC366W	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	489	539	•		•		
	DC486W 6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499	549		•		•	
	DC3689W 8' - 9' Ceilings Telescoping Duct Cover, 36" wide	509	599	•		•		
	DC4889W 8' - 9' Ceilings Telescoping Duct Cover, 48" wide	529	599		•		•	
	DC361012W 10' - 12' Ceilings Telescoping Duct Cover, 36" wide	659	749	•		•		
	DC481012W 10' - 12' Ceilings Telescoping Duct Cover, 48" wide	719	799		•		•	
	Built-In Remote Control <ul style="list-style-type: none">Ability to vertically install on cabinetry or wall to control hood in a convenient locationBuilt-in sleek, smooth remote touch control panel			<ul style="list-style-type: none">Compatible with HDBxxWS, HMCBxxWS, HMDWxxWS, HMIBxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, PHxxWS, and VCINxxGWS Series hoodsWired to hoodCable length: 30 ft.				
REMCPW	Built-In Remote Control Accessory	319	359	•	•	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Pro Harmony		Pro Grand		
				PH36HWS	PH48HWS	PH36GWS	PH48GWS	PH60GWS
Blower and Duct Accessories								
	Remote & Inline Blower Extension Cable <ul style="list-style-type: none"> • 25-ft. extension cable for use between hood and inline or remote blower • Supports PHxxxWS, HPCNxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods. 	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139	●	●	●
	EXTNSET4	3-pc extension set for Inline and remote blowers	159	179	●	●	●	●
	Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers.	RFPLT600P	Roof mounting plate for remote blower VTR1FZ	129	149	●	●	●
	RFPLT1000P	Roof mounting plate for remote blower VTR2FZ	159	179	●	●	●	●

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Chimney Wall Hoods include the following features:			
• Beautiful illumination with multi-level, LED lights	• Automatic mode detects temperatures to adjust fan speed automatically	• Check filter reminder light illuminates after 40 hours of operation	
• Dishwasher-safe filters	• 10-min. delay shut off whisk away lingering odors	• Vertical ducting direction	
• Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels		• Built-in remote control panel accessory available, sold separate (see page 6-7)	
All Masterpiece® Chimney Wall Hoods include these Additional features:			
• Equipped with the Thermador Connected™ Experience by Home Connect™	• 600 CFM integral blower	• Convertible to recirculation, accessory sold separate (see page 6-12)	
• A perfect complement to the sleek Thermador Masterpiece® Series cooktops	• Adjustable telescopic chimney heights to fit up to 9-ft. tall ceilings	• Hybrid mesh filters with stainless steel frame	
• Brushed stainless steel	• Transition to 8" round and backdraft damper included	• Vertical ducting direction	
• Serves as the focal point of the room and can add a modern feel	• Duct cover extension kit accessory for 9-ft. to 12-ft. tall ceilings available, sold separate (see page 6-12)		
• Cooktop Hood-Sync Enabled			

Masterpiece® Series

Pyramid Chimney Wall Hood

- Streamlined, contemporary, low-profile design with 5" pyramid canopy height
- Noise Control Technology™

HMCB30WS 30" Masterpiece® Pyramid Chimney Wall Hood, 600 CFM

2,699 2,999



HMCB36WS 36" Masterpiece® Pyramid Chimney Wall Hood, 600 CFM

2,949 3,249

Drawer Chimney Wall Hood

- A masterful blend of luxury and performance with unique slide-out canopy design that can be pushed back for increased head room or pulled forward for increased capture area
- Can be activated whether in the open or closed position
- Noise Control Deluxe™

HDDB30WS* 30" Masterpiece® Drawer Chimney Wall Hood, 600 CFM

3,099 3,449



HDDB36WS* 36" Masterpiece® Drawer Chimney Wall Hood, 600 CFM

3,399 3,749

* Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Professional Chimney Wall Hoods include these Additional features:			
<ul style="list-style-type: none"> Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops Sculpted brushed stainless steel Creates a focal point in the room with a more contemporary-style feel Make-up air damper relay switch (120 V max) Transition to 10" round and backdraft damper included Duct cover accessory options available, sold separate (see page 6-11) Pro-style 24" depth, 18" tall 	<ul style="list-style-type: none"> Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers 6" tall, 18"- 35" tall telescopic, and 42"- 59" tall telescopic duct cover accessory options available, sold separate (see page 6-11) 	<ul style="list-style-type: none"> Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6) Integral: VTN2DA, VTN2FZ, Inline: VTI1FZ, VTI2FZ Remote: VTR2FZ 	Accessory options available <ul style="list-style-type: none"> Remote blower roof plates (see page 6-12) 25-ft. remote & inline blower extension cable (see page 6-11)
Professional Series			

Pro Grand® Chimney Wall Hood

HPCN36WS 36" Professional® Chimney Wall Hood, 3,399 3,749
Optional Blower



HPCN48WS 48" Professional® Chimney Wall Hood, 3,899 4,299
Optional Blower

HPCN36WS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.


This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Masterpiece®		Pro Grand			
				Pyramid Wall	Drawer	Wall			
Accessories				HMCB30WS	HMCB36WS	HDB30WS	HDB36WS	HPCN36WS	HPCN48WS
	Remote & Inline Blower Extension Cable <ul style="list-style-type: none"> 25-ft. extension cable for use between hood and inline or remote blower Supports PHxxWS, HPCNxxWS, UCMxxXS, UCVP36xS and VCINxxGWS series hoods. 	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139			•	•
	EXTNSET4		3-pc extension set for Inline and remote blowers	159	179			•	•
	Duct Cover <ul style="list-style-type: none"> Available in 6" tall, 18"-35" tall telescopic, and 42"-59" tall telescopic heights 	CHMHP366W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 36" Wide	499	549			•	
	CHMHP486W		6" Tall Duct Cover for Professional® Chimney Wall Hood, 48" Wide	509	599				•
	CHMHP36TW		18" x 35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	649	749			•	
	CHMHP48TW		18" x 35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	659	749				•
	CHMHP36XTW		42" x 59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	719	799			•	
	CHMHP48XTW		42" x 59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	739	849				•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

CHIMNEY WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Masterpiece®			Pro Grand
				Pyramid Wall	Drawer	Wall	
	Chimney Wall Hood Extension Kits Stainless steel telescopic chimney extension for 9-ft. to 12-ft. tall ceilings						
	CHXTHDDW 9'-12' Ceilings Chimney Extension Kit for HDBBxxWS Masterpiece® Chimney Drawer Hood	579	649		•	•	
	CHXTHMCB 9'-12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece® Pyramid Chimney Hood	579	649	•	•		
	Chimney Wall Hood Recirculation Accessories • When ducting is not feasible, kit brings filtered air back into kitchen • Replace charcoal filter every 3-6 months depending on usage RECHDDB Recirculation Kit for Masterpiece® HDBBxxWS Drawer Chimney Wall Hood	159	179			•	•
	RECHMCB Recirculation Kit for Masterpiece® HMCBxxWS Chimney Wall Hood	159	179	•	•		
	CHFHMCD Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109	119	•	•	•	•
	Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers. RFPLT600P Roof mounting plate for remote blower VTR1FZ	129	149				•
	RFPLT1000P Roof mounting plate for remote blower VTR2FZ	159	179				•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Island Hoods include the following features:			
• Equipped with the Thermador Connected Experience by Home Connect™	• Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels	• Check filter reminder light illuminates after 40 hours of operation	
• Beautiful illumination with multi-level, LED lights	• Automatic mode detects temperatures to adjust fan speed automatically	• Vertical ducting direction	
	• 10-min. delay shut off whisk away lingering odors	• Built-in remote control panel accessory available, sold separate (see page 6-7)	

Masterpiece® Series

Low-Profile Island Hood

- Sleek and slim, these meticulously sculpted, floating stainless steel island hoods catch the eye without obstructing views
- A perfect complement to Thermador Masterpiece® Series cooktops
- Brushed stainless steel
- Cooktop Hood-Sync Enabled
- Noise Control Deluxe™
- 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft. tall ceilings
- Transition to 8" round and backdraft damper included



Accessory options available

- Duct cover extension kit accessory for 9-ft. to 12-ft. tall ceilings (see page 6-14)




HMIB36WS 36" Masterpiece® Box Island Hood, 600 CFM 3,699 4,099

HMIB42WS 42" Masterpiece® Box Island Hood, 600 CFM 3,799 4,199

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Masterpiece®	Low Profile
Model Number	Description	UMRP	MSRP	HMIB36WS	HMIB42WS
	Low-Profile Island Hood Extension Kit <ul style="list-style-type: none"> Stainless steel telescopic chimney extension for 9-ft to 12-ft tall ceilings Compatible with HMIBxxWS Masterpiece® Island Hood CHXTHMIB 9'-12' Ceilings Chimney Extension Kit for HMIBxxWS Masterpiece® Island Hood	699	799	•	•
	Low-Profile Island Hood Recirculation Accessories <ul style="list-style-type: none"> When ducting is not feasible, kit brings filters air back into kitchen Replace charcoal filter every 3–6 months depending on usage Compatible with HMIBxxWS Masterpiece® Island Hood Charcoal filter replacement accessory available (see below) RECHMIB Recirculation Kit for Masterpiece® HMIBxxWS Island Hood	159	179	•	•
	CHFHMCD Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109	119	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Masterpiece® Custom Inserts include the following features:			
• Equipped with the Thermador Connected Experience by Home Connect™	• Two 6 W LED lights • Vertical ducting • Integral blower • 15 Amps	• 120 V • Dishwasher-safe aluminum filter • Perimetric filter • Plug type: hardwire	

Masterpiece® Series



VCI3B36ZS



300 CFM Custom Insert

• 300 CFM blower	• Vertical ducting with 6" round duct		
VCI3B30ZS	30" Custom Insert Hood, 300 CFM	1,599	1,799
VCI3B36ZS	36" Custom Insert Hood, 300 CFM	1,699	1,899



VCI6B36ZS



600 CFM Custom Insert

• 600 CFM blower	• Vertical ducting with 8" round duct		
VCI6B30ZS	30" Custom Insert Hood, 600 CFM	1,769	1,949
VCI6B36ZS	36" Custom Insert Hood, 600 CFM	1,799	1,999

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
Professional Series			
Custom Insert Hoods			
<ul style="list-style-type: none"> • Equipped with the Thermador Connected Experience by Home Connect™ • Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials • Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops • Brushed stainless steel • Dishwasher-safe commercial-style stainless steel baffle filters • Beautiful illumination with multi-level, LED lights 	<ul style="list-style-type: none"> • Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels • Automatic mode detects temperatures to adjust fan speed automatically • 10-min. delay shut off whisk away lingering odors • Check filter reminder light illuminates after 40 hours of operation • Make-up air damper relay switch (120 V max) • Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers • Includes custom hood trim to complete custom insert installation 	<ul style="list-style-type: none"> • Vertical ducting • Blower options sold separate and required to complete install. <p>Works with the following blowers, sold separately (see page 6-6)</p> <p>Integral: VTN2DA, VTN2FZ Inline: VTI1FZ, VTI2FZ Remote: VTR2FZ</p> <ul style="list-style-type: none"> • Transition to 10" round and backdraft damper included • Built-in remote control panel accessory available, sold separate (see page 6-7) 	
Accessory options available			
<ul style="list-style-type: none"> • Remote blower roof plates (see page 6-8) • 25-ft remote & inline blower extension cable (see page 6-8) 			
VCIN36GWS	36" Professional® Custom Insert, Optional Blower	2,269	2,499
VCIN42GWS	42" Professional® Custom Insert, Optional Blower	2,299	2,549
VCIN48GWS	48" Professional® Custom Insert, Optional Blower	2,499	2,749
VCIN54GWS	54" Professional® Custom Insert, Optional Blower	2,599	2,899
VCIN60GWS	60" Professional® Custom Insert, Optional Blower	2,699	2,999




VCIN48GWS



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Masterpiece®	Pro					
		VCI3B30ZS	VCI3B36ZS	VCI6B30ZS	VCI6B36ZS	VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS
Accessories										
	Built-In Remote Control <ul style="list-style-type: none"> Ability to vertically install on cabinetry or wall to control hood in a convenient location Built-in sleek, smooth remote touch control panel Compatible with HDBxxWS, HMCBxxWS, HMDWxxWS, HMIBxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, PHxxWS, and VCINxxGWS Series hoods Wired to hood Cable length: 30 ft. 									
	REMCPW Built-In Remote Control Accessory	319	359			•	•	•	•	•
	Remote & Inline Blower Extension Cable <ul style="list-style-type: none"> 25-ft. extension cable for use between hood and inline or remote blower Supports PHxxWS, HPCNxxWS, UCMVxxXS, UCVP36xS and VCINxxGWS series hoods. Cannot join two cables together for longer length. For use with blowers VTI1FZ, VTI2FZ, VTR2FZ. 	119	139			•	•	•	•	•
	EXTNSET4 3-pc extension set for Inline and remote blowers	159	179			•	•	•	•	•
	Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers.	129	149			•	•	•	•	•
	RFPLT1000P Roof mounting plate for remote blower VTR2FZ	159	179			•	•	•	•	•
Charcoal Filters										
	CHFVCI30ZS Charcoal Filter Kit for 30" Custom Inserts VCI3B30ZS and VCI6B30ZS	109	119	•	•					
	CHFVCI36ZS Charcoal Filter Kit for 36" Custom Inserts VCI6B36ZS and VCI6B36ZS	109	119	•	•					

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Downdrafts include the following features:			
• Designed for installation with all Thermador cooktops except Professional Series	• Filter maintenance reminder light	• Downdraft transitions may be required to complete the installation depending on exhaust direction & blower chosen: [see page 6-20]	
• All models feature six possible discharge connections including front, side, down, and rear as well as recirculation	• Automatic mode	CVTSIDE6	CVTRECT2
• Stainless steel	• Recirculation possible with electric and induction cooktops, Accessory Sold Separately (UCVRECIRC see page 6-19)	CVTSIDE8	CVTFRONT6
• Sleek, removable front filter panel design that act as a splatter shield	Required To Complete The Installation:	CVTSIDE10	CVTFRONT8
• Dishwasher safe mesh filters	• Blower Options, Sold Separately. Works with the following blowers, sold separately (see page 6-20).	CVDUCT2	CVTFRONT10
• Three speeds	Integral: VTD600P		
• Convenient 10-minute time-delay shut-off feature	Inline: VTI1FZ, VTI2FZ		
	Remote: VTR2FZ		
Accessory options available			
• Gas cooktop seal kit sold separately, required for installation with gas cooktops (UCV30ST, UCV36ST [see page 6-19])			
• 5' electrical panel extension cable (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-22])			
• 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-22)			

Masterpiece® Series

Downdraft Ventilation System

UCVM30XS	30" Masterpiece® Downdraft 15" Snorkel, Optional Blower	1,999	2,199	 UCVM30XS
UCVM36XS	36" Masterpiece® Downdraft 15" Snorkel, Optional Blower	2,199	2,449	 UCVM36XS
UCVP36XS	36" Masterpiece® Downdraft, Deluxe 18" Snorkel, Optional Blower LED Task Bar Lights	2,599	2,899	 UCVP36XS

NOTE: Transition required and sold separately for all remote and inline blower installations.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	UCVM30XS	UCVM36XS	UCVP36XS
Components						
	<p>Downdraft Recirculation Kit</p> <ul style="list-style-type: none"> For use with 30" UCVM30XS, 36" UCVM36XS, and 36" UCVP36XS downdraft models only Works in wall or island applications When ducting is not feasible, kit brings filtered air back into kitchen after passing through a charcoal filter <p>UCVRECIRC Recirculation kit for downdraft UCVM30XS, UCVM36XS, UCVP36XS downdrafts only. VTD600P Blower required, sold separately. Replace filters every 3-6 months depending on usage with HDDFILTUC</p>	599	699	•	•	•
	<p>HDDFILTUC Charcoal filter replacement For use with UCVRECIRC recirculation kit (above)</p>		See Bosch Price List*	•	•	•
	<p>Gas Cooktop Seal Kit</p> <ul style="list-style-type: none"> For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only <p>UCV30ST 30" gas cooktop seal kit For UCVM30XS downdraft</p>	129	149	•		
	<p>UCV36ST 36" gas cooktop seal kit</p>	129	149		•	•

* Pricing for the Thermador accessory listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	UCVM30XS	UCVM36XS	UCVP36XS
Components						
	Integrated Blower VTD600P 600 CFM, 8" duct size flexible integrated blower Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only	899	999	•	•	•
	Inline Blowers <ul style="list-style-type: none">Blower can be mounted along the duct line between the kitchen and the exterior wall25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-22)For use with Thermador PHxxxWS, HPCNxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods	799	899	•	•	•
	VTI1FZ 600 CFM Inline Blower, 6" duct size	999	1,099	•	•	•
	VTI2FZ 1,000 CFM Inline Blower, 10" duct size	999	1,099	•	•	•
	Remote Blower <ul style="list-style-type: none">For external roof or wall mountRoof mounting plate (RFPLTxP) required for roof mount applications—sold separately (see page 6-22)25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-22)For use with Thermador PHxxxWS, HPCNxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods	999	1,099	•	•	•
	VTR2FZ 1,000 CFM Remote Blower, 10" duct size	999	1,099	•	•	•
	Downdraft Transitions Transition(s) may be required to complete the installation of 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdrafts depending on the discharge connection chosen in combination with the downdraft blower selected (see installation manual) For use with inline and remote blowers	199	219	•	•	•
	CVTSIDE6 6" side/rear transition Rectangular 1 1/8" x 19" transition to 6" round for side, down and rear exhaust applications	199	219	•	•	•
	CVTSIDE8 8" side/rear transition Rectangular 1 1/8" x 19" transition to 8" round for side, down and rear exhaust applications	199	219	•	•	•
	CVTSIDE10 10" side/rear transition Rectangular 1 1/8" x 19" transition to 10" round for side, down and rear exhaust applications	199	219	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	UCVM30XS	UCVM36XS	UCVP36XS
Components						
	CVFRONT6 6" round front plate Front rough-in plate for front downward exhaust applications	99	109	•	•	•
	CVFRONT8 8" round front plate Front rough-in plate for front downward exhaust applications	99	109	•	•	•
	CVFRONT10 10" round front plate Front rough-in plate for front downward exhaust applications	99	109	•	•	•
	CVDUCT2 2' rectangular duct Rectangular duct that is 2' long x 1 7/8" deep x 19" wide (CVDUCT2) required to connect CVRECT2 to down-draft housing. Ability to use as an extension to exhaust through a cabinet or wall. To modify length, duct may be cut. CVTRECT6, CVTRECT8, or CVTRECT10 may be used to connect CVRECT2 to round ductwork	199	219	•	•	•
	CVTRECT2 Transition for rectangular duct Required to attach CVDUCT2 2' rectangular duct to downdraft housing	99	109	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Integrated	Inline	Remote Blowers	Downdraft	
		VTD600P	VT11FZ	VT12FZ	VTR2FZ	UCVM30XS	UCVM36XS	UCVP36XS
Blower Accessories								
	Remote & Inline Blower Extension Cable • 25-ft. extension cable for use between hood and inline or remote blower • Supports PHxxWS, HPCNxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods.	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139	•	•	•
	EXTNSET4 3-pc extension set for Inline and remote blowers			159	179	•	•	
	Electrical Panel Extension Cable • For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only • Cable connects a remotely located electrical panel to the downdraft during remote and inline blower motor installation applications	EXTNCE5	5' Electrical Panel Extension Cable for Downdraft. For UCVM30XS, UCVM36XS, UCVP36XS downdrafts	199	219		•	•
	Roof Plates NOTE: Roof plate required for roof-mount application of remote blowers.	RFPLT600P	Roof mounting plate for remote blower VTR1FZ	129	149			
		RFPLT1000P	Roof mounting plate for remote blower VTR2FZ	159	179		•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
All Dishwashers include the following features:			
<ul style="list-style-type: none"> • Superior washing and drying performance guaranteed • Concealed controls • Touch Controls • Black-shimmer racks with 3-Step adjustment • A highly flexible racking system • 16 place settings • 18/10 Stainless steel TallTub • Powerfully Quiet® operation 	<ul style="list-style-type: none"> • Sens-a-Wash® • Advanced Triple Filtration System • Leak Sensor and Auto Shut off •  Home Connect Wi-Fi enabled/Home Connect™ app compatibility 	Wash Cycles: <ul style="list-style-type: none"> • Normal • Auto • Pots and Pans • Quick Options: <ul style="list-style-type: none"> • 24-hour Delay Start • Remote Start (Connected) • Sanitize (NSF certified to remove up to 99.9% of bacteria) 	

Emerald Series

<ul style="list-style-type: none"> • 48 dBA • Chef's Tool Drawer™ (third rack) • Blue PowerBeam® "on" indicator 	<ul style="list-style-type: none"> • ENERGY STAR® certified 	Additional App-Only Cycles: <ul style="list-style-type: none"> • Rinse, Machine Care Additional Options: <ul style="list-style-type: none"> • Extra Dry Additional App-Only Options: <ul style="list-style-type: none"> • Save Time 	 DWHD640EFM
DWHD640EFP	24" Professional Stainless Steel Emerald®	1,399	1,549
DWHD640EPR	24" Custom Panel Emerald® (Requires Custom Panel)	1,399	1,549



Sapphire® Series

<ul style="list-style-type: none"> • 44 dBA • Adjustable Chef's Tool Drawer™ (third rack) • Flexible folding tines • NEW ZoneControl™ Spray Arm • Blue PowerBeam® "on" indicator • Sapphire Glow® Interior Light 	<ul style="list-style-type: none"> • Premium smooth glide ball bearing wheels on lower, upper and third rack • ENERGY STAR® certified 	Additional App-Only Cycles: <ul style="list-style-type: none"> • Rinse, Machine Care, Glass Additional Options: <ul style="list-style-type: none"> • StarDry™ – with Zeolite™, an exclusive Thermador drying solution Additional App-Only Options: <ul style="list-style-type: none"> • Save Time 	 DWHD660EFM
DWHD660EFP	24" Professional Stainless Steel Sapphire®	1,999	2,199
DWHD660EPR	24" Custom Panel Sapphire® with Push To Open feature (Requires Custom Panel)	1,999	2,199




The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

BUILT-IN DISHWASHERS/ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Star Sapphire® Series	
• 42 dBA	• StarGlow interior light allows you to change the color & intensity to match the ambience of your kitchen via the Home Connect™ app	• Additional App-Only Cycles:	• Rinse, Machine Care, Glass		DWHD661EFM
Premium smooth glide ball bearing wheels on lower, upper and third rack	• Crystal Protect® water softener system	• Additional Options:	• StarDry™ – with Zeolite™, an exclusive Thermador drying solution		DWHD661EFP
Adjustable Chef's Tool Drawer™ (third rack)	• ENERGY STAR® certified	• Additional App-Only Options:	• Save Time		DWHD661EPR
18 wine glass capacity					
Flexible folding tines					
NEW ZoneControl™ Spray Arm					
Time remaining PowerBeam® indicator					
DWHD661EFM	24" Masterpiece® Stainless Steel Star Sapphire®	2,499	2,749		
DWHD661EFP	24" Professional Stainless Steel Star Sapphire®	2,499	2,749		
DWHD661EPR	24" Custom Panel Star Sapphire® with Push To Open feature (Requires Custom Panel)	2,499	2,749		

Accessories

Model Number	Description	See Bosch Price List*	Emerald Series	Sapphire Series	Star Sapphire Series
 SGZ1010UC	Dishwasher Drain Hose Extension	See Bosch Price List*	•	•	•
 SMZ3IN1UC	Dishwasher Installation Kit with Junction Box, Supply Hose, Elbow	See Bosch Price List*	•	•	•
 SMZ5000	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small Item Basket.	See Bosch Price List*	•	•	•
 SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Price List*	•	•	•
 SMZSH1ABUC	Dishwasher Water Supply Hose	See Bosch Price List*	•	•	•

* Pricing for the Thermador dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

24HFGALBIN	1-14	DWHD640EPR.....	7-1	ME302WS	3-3	PARKB36GY	5-19
24PRODRAIL.....	1-14	DWHD660EFM	7-1	ME302YP	3-3	PARKB36HY	5-10
30HFGALBIN	1-14	DWHD660EFP	7-1	MED301LWS.....	3-2	PARKB36IGY	5-19
30PRODRAIL.....	1-14	DWHD660EPR	7-1	MED301RWS.....	3-2	PARKB48CGY	5-19
36HFGALBIN	1-14	DWHD661EFM	7-2	MED301WS	3-2	PARKB48CHY	5-10
36PRODRAIL.....	1-14	DWHD661EFP	7-2	MED302LWS.....	3-4	PARKB48DHY	5-10
		DWHD661EPR.....	7-2	MED302RWS.....	3-4	PARKB48SGY	5-19
C				MED302WS	3-4	PARKB60CGY	5-19
CHFHMC.....	6-12, 6-14	E		MEDMC301WS.....	3-5	PARKB60SGY	5-20
CHFHMDW30	6-3	EXTNCB25W	6-8, 6-11, 6-17, 6-22	MEDMCW31WS	3-5	PCG305W	5-2
CHFHMDW36	6-3	EXTNCE5.....	6-22	MEDS301BS	3-6	PCG364WD	5-3
CHFVCI30ZS	6-17	EXTNSET4..	6-8, 6-11, 6-17, 6-22	MEDS302BS	3-6	PCG366W	5-2
CHFVCI36ZS	6-17	F		MEM301WS	3-5	PCG486WD	5-3
CHMHP36TW	6-11	FRAMEKIT10	1-3, 1-5, 1-12, 1-14, 1-15, 1-18	MS20HNDL20	1-18	PH36GWS	6-5
CHMHP36XTW	6-11	FRAMEKIT30	1-15	MS22HNDL25	1-18	PH36HWS	6-5
CHMHP48TW	6-11	H		MS36HNDL20	1-3, 1-5, 1-12	PH48GWS	6-5
CHMHP48XTW	6-11	HEATRKIT20	1-3, 1-5, 1-12, 1-14, 1-15, 1-18	MS3000IB10	1-16	PH48HWS	6-5
CHMHP366W	6-11	HDDFILTUC	6-19	MS3600IB10	1-16	PH60GWS	6-5
CHMHP486W	6-11	P		MS3642IT10	1-16	PO301W	3-7
CHXTHDDW	6-12	HDDB30WS	6-9	MS4800IT10	1-16	PO302W	3-8
CHXTHMCB	6-12	HDDB36WS	6-9	MU30WSU	3-13	POD301LW	3-7
CHXTHMIB	6-14	I		P		POD301RW	3-7
CIT30FBG	4-4	HDDFILTUC	6-19	PA12CHPBLK	5-9, 5-18	POD301W	3-7
CIT30YWBB	4-3	HEATRKIT20	1-3, 1-5, 1-12, 1-14, 1-15, 1-18	PA12LCVRW	5-9, 5-18	POD302LW	3-8
CIT36YW.....	4-3	HMCB30WS	6-9	PA24CVRR	5-18	POD302RW	3-8
CIT36YWBB	4-3	HMCB36WS	6-9	PA30WLBC	5-11	PODMC301W	3-9
CIT304BB	4-5	HMDW30WS	6-2	PA30WLBH	5-11	PODMCW31W	3-10
CIT365BB	4-5	HMDW36WS	6-2	PA36WLBC	5-11	PODS301B	3-11
CIT367YG	4-4	HMIB36WS	6-13	PA36WLBG	5-20	PODS302B	3-11
COMBIKIT10	1-15	HMIB42WS	6-13	PA36WLBH	5-11	POM301W	3-9
CVDUCT2	6-21	HMWB30WS	6-2	PA36WTKG	5-20	PR20HNDL20	1-18
CVTFRONT6	6-21	HMWB36WS	6-2	PA48WLBC	5-11	PR22HNDL25	1-18
CVTFRONT8	6-21	HMWB361WS	6-2	PA48WLBG	5-20	PR36HNDL20	1-3, 1-5, 1-12
CVTFRONT10	6-21	HMWB481WS	6-2	PA48WLH	5-11	PR3000IB10	1-16
CVTRECT2	6-21	HPCN36WS	6-10	PA48WTKG	5-20	PR3600IB10	1-16
CVTSIDE6	6-20	HPCN48WS	6-10	PA60WLBC	5-20	PR3642IT10	1-16
CVTSIDE8	6-20	L		PA60WLBG	5-20	PR4800IT10	1-16
CVTSIDE10	6-20	ICEBUCKETL	1-15	PA60WTKG	5-20	PAALTKITGW	5-19
D		M		PAALTKITH	5-9	PRD48WDSGU	5-13
DC30MTW	6-3	L		PAGRIDDLE	5-9, 5-18	PRD48WISGU	5-13
DC36MTW	6-4	LPRODBIN10	1-14	PAKNOBLUWR	5-10	PRD304WHU	5-5
DC48MTW	6-4	M		PALPKITDGW	5-19	PRD305WHU	5-5
DC366W	6-7	MB30WP	3-12	PALPKITGA	5-9	PRD364WDGU	5-15
DC486W	6-7	MB30WS	3-12	PALPKITGA6	5-9	PRD364WIGU	5-15
DC3689W	6-7	MBCS	3-12	PALPKITGGW	5-19	PRD366WGU	5-15
DC4889W	6-7	MBT30CS	3-12	PALPKITHA5	5-9	PRD366WHU	5-6
DC361012W	6-7	MC30WP	3-13	PALPKITHW	5-9	PRD486WDGU	5-16
DC481012W	6-7	MC30WS	3-13	PALPKITHW5	5-9	PRD486WDHU	5-6
DCT3016W	6-3	MD24BS	3-12	PARKB3XHY	5-10	PRD486WIGU	5-16
DCT3616W	6-3	MD30BS	3-12	PARKB3XIHB	5-10	PRD606WEG	5-16
DCT4816W	6-3	ME301WS	3-2	PARKB30HY	5-10	PRD606WESG	5-13
DWHD640EFM	7-1	ME301YP	3-2	PARKB36CGY	5-19	PRG304WH	5-7
DWHD640EFP	7-1			PARKB36DHY	5-10	PRG305WH	5-7

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRG364WDH	5-8	T24UC915DS	1-13	TFL24IW905	1-12
PRG366WG	5-17	T24UC925DS	1-13	TFL30IB100	1-16
PRG366WH	5-8	T24UR905DP	1-13	TFL30IR800	1-3, 1-5
PRG486WDG	5-18	T24UR905LP	1-13	TFL30IR905	1-3, 1-5
PRG486WDH	5-8	T24UR905RP	1-13	TFL36IB100	1-17
PRI30LBHU	5-4	T24UR915DS	1-13	TFL36IR900	1-3, 1-5
PRI36LBHU	5-4	T24UR915LS	1-13	TFL36IR905	1-3, 1-5
PWOKRINGHC	5-9, 5-19	T24UR915RS	1-13	TFL36IT100	1-17
		T24UR925DS	1-13	TFL42IT100	1-17
R		T24UR925LS	1-13	TFL48IT100	1-17
RECHDDB	6-12	T24UR925RS	1-13	TWO30YS	3-6, 3-14
RECHMCB	6-12	T24UW905LP	1-13		
RECHMDW30	6-3	T24UW905RP	1-13	U	
RECHMDW36	6-3	T24UW915LS	1-13	UCV30ST	6-19
RECHMIB	6-14	T24UW915RS	1-13	UCV36ST	6-19
RECHMWB30	6-3	T24UW925LS	1-13	UCVM30XS	6-18
RECHMWB36	6-3	T24UW925RS	1-13	UCVM36XS	6-18
REMCPW	6-7, 6-17	T30IB100SP	1-6	UCVP36XS	6-18
REPLFLTR55	1-15, 1-17	T30IF905SP	1-4	UCVRECIRC	6-19
RFPLT600P	6-8, 6-12, 6-17, 6-22	T30IR905SP	1-2		
RFPLT1000P	6-8, 6-12, 6-17, 6-22	T36BB110SS	1-7	V	
		T36BB120SS	1-7	VCI3B30ZS	6-15
S		T36BT110NS	1-7	VCI3B36ZS	6-15
SGS305TS	4-1	T36BT120NS	1-7	VCI6B30ZS	6-15
SGS365TS	4-1	T36FL810NS	1-9	VCI6B36ZS	6-15
SGSP305TS	4-2	T36FL821NS	1-9	VCIN36GWS	6-16
SGSP365TS	4-2	T36FT810NS	1-9	VCIN42GWS	6-16
SGSX305TS	4-1	T36FT820NS	1-9	VCIN48GWS	6-16
SGSX365TS	4-1	T36IB100SP	1-7	VCIN54GWS	6-16
SGSXP305TS	4-2	T36IF905SP	1-4	VCIN60GWS	6-16
SGSXP365TS	4-2	T36IR905SP	1-2	VTD600P	6-20
SGZ1010UC	7-2	T36IT100NP	1-7	VTI1FZ	6-6, 6-20
SKNOBLUW	4-6	T42BT110NS	1-8	VTI2FZ	6-6, 6-20
SLPKITW	4-6	T42BT120NS	1-8	VTN1DZ	6-6
SMZ3IN1UC	7-2	T42IT100NP	1-8	VTN2DA	6-6
SMZ5000	7-2	T48BT110NS	1-8	VTN2FZ	6-6
SMZPCJB1UC	7-2	T48BT120NS	1-8	VTR2FZ	6-6, 6-20
SMZSH1ABUC	7-2	T48IT100NP	1-8		
SNPKITPEDW	4-6	TCM24PS	2-1	W	
SPRODBIN10	1-14	TCM24TS	2-1	WD30W	3-14
SWOKRINGW	4-6	TCMTK30RS	2-1	WD30WC	3-14
		TCOOKSENSW	4-6	WKNOBKT3W	3-14
T		TEPPAN1321	4-6		
T18ID905LP	1-4	TFL18ID800	1-5		
T18ID905RP	1-4	TFL18ID905	1-5		
T18IF905SP	1-4	TFL18IR800	1-5		
T18IW905SP	1-11	TFL18IR905	1-5		
T24ID905LP	1-4	TFL18IW800	1-12		
T24ID905RP	1-4	TFL18IW905	1-12		
T24IF905SP	1-4	TFL24ID800	1-5		
T24IR905SP	1-2	TFL24ID905	1-5		
T24IW905SP	1-11	TFL24IR800	1-3, 1-5		
T24UC905DP	1-13	TFL24IR905	1-3, 1-5		
		TFL24IW800	1-12		

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.



BSH Home Appliances Corporation
1901 Main Street, Suite 600, Irvine, CA 92614
Phone: (949) 440-7100
(800) 735-4328 Sales and Service
Thermador.com

©2025 BSH Home Appliances Corporation. All rights reserved.

20-BSH-0914.1 10/30/2025

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.