

**Thermador**★

*Q2 2026*

# PRICE LIST

---

Consumer UMRP



**Cover Photo:** Design Vim, Designer: Katie Hoxsey, Photographer: Nelson Olivio, Nelson O Photography

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# TABLE of CONTENTS

## Consumer UMRP Price List Q2 2026

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

### REFRIGERATION

<b>Refrigerator Columns</b> .....	<b>1-2</b>
<b>Freezer Columns</b> .....	<b>1-4</b>
<b>Built-In Bottom Freezer Refrigeration</b> .....	<b>1-6</b>
<b>Suggested Combinations</b> .....	<b>1-10</b>
<b>Wine Refrigeration</b> .....	<b>1-11</b>
<b>Under-Counter</b> .....	<b>1-13</b>
Glass Door Refrigeration Units.....	1-13
Drawer Refrigeration/Freezer Units.....	1-13
Glass Door Wine Preservation Units.....	1-13
Refrigerator Columns.....	1-14
Freezer Columns.....	1-15
Bottom Freezer Refrigeration.....	1-15
Freestanding Refrigeration.....	1-17
Under-Counter Drawer Accessories.....	1-18
Wine Refrigeration.....	1-18
<b>Column Quick Reference Guide</b> .....	<b>1-19</b>

### BUILT-IN COFFEE MACHINE

Built-In Coffee Machine.....	2-1
Accessories.....	2-1

### BUILT-IN OVENS

Overview.....	3-1
<b>Masterpiece® Series</b> .....	<b>3-2</b>
30" Masterpiece® Ovens.....	3-2
Accessories.....	3-6
<b>Professional Series</b> .....	<b>3-7</b>
30" Professional Series Ovens.....	3-7
<b>Microwaves</b> .....	<b>3-12</b>
Built-In Microwaves.....	3-12
MicroDrawer® Microwaves.....	3-12
Over-the-Range Microwave.....	3-13
<b>Speed Ovens</b> .....	<b>3-13</b>
<b>Warming Drawers</b> .....	<b>3-14</b>
<b>Accessories</b> .....	<b>3-14</b>

### COOKTOPS

<b>Gas Cooktops</b> .....	<b>4-1</b>
<b>Glass Ceramic Induction Cooktops</b> .....	<b>4-3</b>
<b>Accessories</b> .....	<b>4-6</b>

### PROFESSIONAL SERIES RANGES AND RANGETOPS

Overview.....	5-1
<b>Professional Rangetops</b> .....	<b>5-2</b>
<b>Pro Harmony® Series</b> .....	<b>5-4</b>
Induction Ranges.....	5-4
Dual-Fuel Ranges.....	5-5
Gas Ranges.....	5-7
Accessories.....	5-9
<b>Pro Grand® Series</b> .....	<b>5-12</b>
Dual-Fuel with Steam Ranges.....	5-12
Dual-Fuel Ranges.....	5-14
Gas Ranges.....	5-17
Accessories.....	5-18
<b>Masterpiece® Series</b> .....	<b>5-21</b>
Induction Slide-In Ranges.....	5-21

### VENTILATION

Overview.....	6-1
<b>Wall Hoods</b> .....	<b>6-2</b>
Masterpiece® Series.....	6-2
Accessories—Masterpiece® Series.....	6-3
Professional Series.....	6-5
Accessories—Professional.....	6-7
<b>Chimney Wall Hoods</b> .....	<b>6-9</b>
Masterpiece® Series.....	6-9
Professional Series.....	6-10
Accessories.....	6-11
<b>Island Hoods</b> .....	<b>6-13</b>
Masterpiece® Series.....	6-13
Accessories.....	6-14
<b>Custom Inserts</b> .....	<b>6-15</b>
Professional Series.....	6-16
Masterpiece® Series.....	6-15
Professional Series.....	6-16
Accessories.....	6-17
<b>Downdraft</b> .....	<b>6-18</b>
Masterpiece® Series.....	6-18
Components.....	6-19
Blower Accessories.....	6-22

### DISHWASHERS

<b>Built-In Dishwashers</b> .....	<b>7-1</b>
<b>Accessories</b> .....	<b>7-2</b>

### INDEX

<b>Index</b> .....	<b>8-1</b>
--------------------	------------

## Conditions of Sale

**Returned Goods**

No merchandise may be returned without prior approval. Please contact your sales representative for return authorization.

**F.O.B. Origin**

All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight and billing terms, refer to current program in effect.

# *Freedom® Collection* REFRIGERATION

Thermador's ingenious Freedom® Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in refrigeration columns, freezer columns, bottom freezers and wine refrigeration are available in multiple widths ranging from 18" to 48".

*To order, please follow this 4-step process:*

## Step 1

Select a Panel-Ready Column



## Step 2

Select a Stainless Steel Panel or Use a Custom Panel



+

+

## Step 3

Select a Stainless Steel Handle or Use a Custom Handle



+

## Step 4

Select Optional Accessories



HEATRKIT20

### Freedom® Heater Kit

For columns that are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. See page 1-14.



FRAMEKIT10

### Freedom® Frame Kit

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. See page 1-14.

To enhance the Freedom® Collection, please see our accessories section on page 1-10.


The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# REFRIGERATOR COLUMNS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All 23.5"/24"/30"/36" Refrigerator Columns include the following features:**

- Fully Flush
- Freedom® hinge
- All-LED sidewall filtered theater lighting
- Cold Air System
- ThermaFresh® system
- Carbon air filter
- SuperCool function
- Stainless steel interior
- Full-extension SoftClose® drawers
- TFT Control
- Full-length cantilever racks
- Door open alarm
- Open door assist
- Sabbath/Economy/Vacation modes
- Star-K certified
- ENERGY STAR® certified
- Extremely quiet
- Reversible door swing
-  Home Connect

**Step 1: Refrigerator Columns**



T24IR905SP	24" Fresh Food Column	8,099	8,949
T30IR905SP	30" Fresh Food Column	8,599	9,499
T36IR905SP	36" Fresh Food Column	9,099	10,049

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

### Step 2: Panels

All Thermador Refrigerator Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

#### Flat Stainless Steel Door Panels for Flush Installations

TFL24IR800	24" Stainless Steel Panel	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199

#### Flat Stainless Steel Door Panels with No Holes

TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel <sup>1</sup>	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

### Step 3: Stainless Steel Handles

When selecting Thermador stainless steel handles for the Freedom® Collection, please order one 36" handle for each column. To ensure consistency, always select the same style.

MS36HNDL20	36" Masterpiece® Handle	160	179
PR36HNDL20	36" Professional Handle	160	179



MS36HNDL20



PR36HNDL20

### Step 4: Optional Accessories

FRAMEKIT10	Freedom® Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. <b>Note:</b> Included with all pre-assembled bottom freezers)	105	119
HEATRKIT20	Freedom® Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699



FRAMEKIT10



HEATRKIT20

<sup>1</sup> Units compatible with 30" columns, but should be installed to units with SoftClose® Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All 18"/24"/30"/36" Freezer Columns Include the Following Features:**

- Fully Flush
- Freedom® hinge
- All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- SuperFreeze® function
- Height-adjustable glass shelves
- TFT Control
- Stainless steel interior
- Full-length cantilever racks
- Filtered internal diamond ice maker
- Door open alarm
- Open door assist
- Sabbath/Economy/Vacation modes
- Star-K certified
- ENERGY STAR® certified
- Extremely quiet
- Side-by-side kit included
- Home Connect

**Step 1: Freezer Columns with Internal Ice Maker**

- Ice drawer with ice bin
- Reversible door swing



T18IF905SP	18" Freezer Column (Internal Ice Maker)	7,599	8,399
T24IF905SP	24" Freezer Column (Internal Ice Maker)	8,099	8,949
T30IF905SP	30" Freezer Column (Internal Ice Maker)	8,699	9,599
T36IF905SP	36" Freezer Column (Internal Ice Maker)	9,099	10,049



**Step 1: Freezer Columns with External Ice and Water Dispenser**

- External Filtered Ice and Water Dispenser
- FreeFlow® Cold Air System
- Proximity sensor on dispenser
- Capacitive touch control dispenser
- Available in right-hand or left-hand door swing (not reversible)
- Stainless steel interior

T18ID905LP	18" Freezer Column (External Ice and Water Dispenser, Left Hinge)	8,599	9,499
T18ID905RP	18" Freezer Column (External Ice and Water Dispenser, Right Hinge)	8,599	9,499
T24ID905LP	24" Freezer Column (External Ice and Water Dispenser, Left Hinge)	9,099	10,049
T24ID905RP	24" Freezer Column (External Ice and Water Dispenser, Right Hinge)	9,099	10,049



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**Step 2: Panels**

All Thermador Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

**Flat Stainless Steel Door Panels for Flush Installations**

TFL18IR800	18" Stainless Steel Panel	475	529
TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529
TFL24IR800	24" Stainless Steel Panel	525	599
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199

**Flat Stainless Steel Door Panels with No Holes**

TFL18IR905	18" Single Door No Hole Flat Panel <sup>1</sup>	475	529
TFL18ID905	18" External Water Dispenser No Hole Flat Panel	475	529
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

**Step 3: Stainless Steel Handles**

When selecting Thermador stainless steel handles for the Freedom® Collection, please order one 36" handle for each column. To ensure consistency, always select the same style.

MS36HNDL20	36" Masterpiece® Handle	160	179
------------	-------------------------	-----	-----



MS36HNDL20

PR36HNDL20	36" Professional Handle	160	179
------------	-------------------------	-----	-----



PR36HNDL20

**Step 4: Optional Accessories**

FRAMEKIT10	Freedom® Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. <b>Note:</b> Included with all pre-assembled bottom freezers)	105	119
------------	---	-----	-----



FRAMEKIT10

HEATRKIT20	Freedom® Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699
------------	---	-----	-----



HEATRKIT20

<sup>1</sup> Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Bottom Freezers Include the Following Features:**

- Installs framed or fully flush
- Full-color touchscreen control panel
- Vivid LED sidewall and theater style lighting
- Cameras in fridge for inventory management
- ThermaFresh® Pro temperature and humidity control preserves freshness
- Refrigerator door swing reversible (T30IB100SP, T36BB110SS, T36BB120SS, T36IB100SP) Stainless steel interior
- Trim kit included
- HomeConnect
- Two compressors
- Two evaporators
- Internal water dispenser with UltraClarityPro® water filter
- One Touch BottleFill
- Sabbath/Economy/Vacation modes
- SuperCool/SuperFreeze® functions
- AirFresh® Filter
- Full-Extension SoftClose® drawers
- SoftClose® doors
- Deli drawer for convenient access to small items
- Adjustable shelves and door bins
- Non-slip mats in door bins and drawers prevent items from shifting
- Quick Ice
- Door open alarm
- ENERGY STAR® certified

- Single ice maker with filtered diamond ice and ice scoop
- Three-tier freezer drawer

T30IB100SP	30" Bottom Freezer, Two-Door, Reversible Door, Custom-Panel Ready	10,199	11,249
------------	---	--------	--------

## 30" Bottom Freezer



T30IB100SP



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

## BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

Units available pre-assembled with stainless steel panels and Professional or Masterpiece® handles OR custom panel ready.

### 36" Bottom Freezers

- ThermaFlex™ Drawer temperature adjusts from fridge to freezer for maximum versatility
- Elevated single ice maker with diamond ice and ice scoop
- Star-K certified
- Gallon size door bin



T36BB120SS



T36BB110SS	36" Bottom Freezer, Reversible Door, Stainless Steel, Masterpiece® Handles	12,699	13,999
T36BB120SS	36" Bottom Freezer, Reversible Door, Stainless Steel, Professional Handles	12,699	13,999
T36IB100SP	36" Bottom Freezer, Reversible Door, Custom-Panel Ready	10,999	12,099

### 36" French Door Bottom Freezers

- French Door Bottom Freezers**
- ThermaFlex™ Drawer temperature adjusts from fridge to freezer for maximum versatility
  - Elevated single ice maker with diamond ice and ice scoop
  - Star-K certified
  - Gallon size door bins



T36BT110NS



T36BT110NS	36" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	13,199	14,549
T36BT120NS	36" French Door Bottom Freezer, Stainless Steel, Professional Handles	13,199	14,549
T36IT100NP	36" French Door Bottom Freezer, Custom-Panel Ready	11,599	12,799

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

## BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

Units available pre-assembled with stainless steel panels and Professional or Masterpiece® handles OR custom panel ready.

### 42" and 48" French Door Bottom Freezers

- ThermaFlex™ Drawer temperature adjusts from fridge to freezer for maximum versatility
- Elevated dual ice maker with diamond ice, entertaining ice and ice scoop
- Gallon size door bins
- Star-K certified



T42BT120NS



T48BT120NS

T42BT110NS	42" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	14,999	16,499
T42BT120NS	42" French Door Bottom Freezer, Stainless Steel, Professional Handles	14,999	16,499
T42IT100NP	42" French Door Bottom Freezer, Custom-Panel Ready	13,499	14,849
T48BT110NS	48" French Door Bottom Freezer, Stainless Steel, Masterpiece® Handles	16,799	18,499
T48BT120NS	48" French Door Bottom Freezer, Stainless Steel, Professional Handles	16,799	18,499
T48IT100NP	48" French Door Bottom Freezer, Custom-Panel Ready	15,299	16,849



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

## BUILT-IN BOTTOM FREEZER REFRIGERATION

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

For faster installation, all units have been pre-assembled with stainless steel doors and Professional or Masterpiece® Handles.

### All Freestanding 36" French Door Refrigerators Include the Following Features:

- |  |  |  |
|--|--|--|
| <ul style="list-style-type: none"> <li>• Counter-depth 72" tall appliance</li> <li>• Built-in look exterior design</li> <li>• Illuminated back wall</li> <li>• ThermaFresh® system for temperature and humidity control</li> <li>• Internal water dispenser</li> <li>•  HomeConnect</li> </ul> | <ul style="list-style-type: none"> <li>• Dual evaporator</li> <li>• Dual compressor</li> <li>• Sabbath/Economy/Vacation modes</li> <li>• SuperCool function</li> <li>• SuperFreeze® function</li> <li>• Filtered ice and water</li> <li>• Carbon air filter</li> </ul> | <ul style="list-style-type: none"> <li>• Gallon door bins</li> <li>• Diamond ice maker</li> <li>• Door open alarm</li> <li>• Star-K certified</li> <li>• ENERGY STAR® certified</li> </ul> |
|--|--|--|

### Bottom Freezers with Stainless Steel Interior

- Stainless Steel ThermaFresh® Mats

<a href="#">T36FT810NS</a>	36" 3-Door Freestanding French Door Refrigerator with Masterpiece® Handles	5,299	5,849
<a href="#">T36FT820NS</a>	36" 3-Door Freestanding French Door Refrigerator with Professional Handles	5,299	5,849



T36FT810NS

### Bottom Freezers with Stainless Steel Interior

- Offers flexible and versatile storage options with a convenient multi-door format.

<a href="#">T36FL810NS</a>	36" 4-Door Freestanding French Door Refrigerator with Masterpiece® Handles	5,299	5,849
<a href="#">T36FL821NS</a>	36" 4-Door Freestanding French Door Refrigerator with Professional Handles	5,299	5,849




T36FL810NS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

# Suggested Combinations

These suggestions are just an example of the extensive range of combinations possible with the Freedom® Collection.



Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

A HEATRKIT20 is recommended for use with any installation in areas that are subject to extreme humidity.

\* IWD = Ice and Water Dispenser

\*\* A bottom freezer refrigerator and a column refrigeration appliance (e.g., a wine preservation column) cannot be directly connected side by side using a connection kit. They can only be installed together if there is a partition of at least 5/8" between them. If the partition is less than 6", a heater kit is required.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
<b>All 18"/24" Wine Refrigeration Include the Following Features:</b>			
<ul style="list-style-type: none"> <li>Fully Flush</li> <li>Portable aluminum and wenge wood wine presenter</li> <li>Full-extension completely enclosed exotic wood shelves</li> <li>Fully adjustable temperature zones: 18" column—two; 24" column—three</li> </ul>	<ul style="list-style-type: none"> <li>Independent humidity control</li> <li>TFT control</li> <li>Freedom® hinge</li> <li>Adjustable LED lighting</li> <li>Diamond shaped dowels for vibration control</li> <li>Glass door with UV protection</li> </ul>	<ul style="list-style-type: none"> <li>Door open alarm</li> <li>Open door assist</li> <li>Sabbath/Economy/Vacation modes</li> <li>Star-K certified</li> <li>Bottle capacity: 18" column—58 bottles; 24" column—92 bottles (750 ml)</li> <li>HomeConnect</li> </ul>	

**Step 1: Wine Refrigeration**



T18IW905SP	18" Wine Preservation Column 2 - Zone Temperature Control	7,099	7,849
T24IW905SP	24" Wine Preservation Column 3 - Zone Temperature Control	7,599	8,399



1 Units compatible with 18" columns, but should be installed to units with SoftClose® Doors.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**Step 2: Panels**

All Thermador Wine Refrigeration are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

**Flat Stainless Steel Door Panels for Flush Installations**

TFL18IW800	18" Stainless Steel Panel	475	529
TFL24IW800	24" Stainless Steel Panel	525	599

**Flat Stainless Steel Door Panels with No Holes**

TFL18IW905	18" Wine No Hole Flat Panel	475	529
TFL24IW905	24" Wine No Hole Flat Panel <sup>1</sup>	525	599

**Step 3: Stainless Steel Handles**

When selecting Thermador stainless steel handles for the Freedom® Collection, please order one 36" handle for each column. To ensure consistency, always select the same style.

MS36HNDL20	36" Masterpiece® Handle	160	179
------------	-------------------------	-----	-----



MS36HNDL20

PR36HNDL20	36" Professional Handle	160	179
------------	-------------------------	-----	-----



PR36HNDL20

**Step 4: Optional Accessories**

FRAMEKIT10	Freedom® Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. Note: Included with all pre-assembled bottom freezers)	105	119
------------	--	-----	-----



FRAMEKIT10

HEATRKIT20	Freedom® Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699
------------	---	-----	-----



HEATRKIT20

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Under-Counter Units Include the Following Features:**

- Built-in flush design
- LED lighting
- Electronic touch controls for precise temperature management
- Venting grille for full integration
- Fully flush at 24" depth
- Professional Handle, Masterpiece® Handle or custom panel options
- Star-K certified

**Glass Door Refrigeration Units**

- 5 cu. ft.
- Customizable shelving
- Customizable cooling modes: Fridge, Pantry and Bar
- ENERGY STAR® certified

T24UR905LP	24" Refrigerator, Custom Panel, Left Swing	3,149	3,499
T24UR905RP	24" Refrigerator, Custom Panel, Right Swing	3,149	3,499
T24UR915LS	24" Refrigerator, Masterpiece® Handle, Left Swing	3,349	3,699
T24UR915RS	24" Refrigerator, Masterpiece® Handle, Right Swing	3,349	3,699
T24UR925LS	24" Refrigerator, Professional Handle, Left Swing	3,349	3,699
T24UR925RS	24" Refrigerator, Professional Handle, Right Swing	3,349	3,699



T24UR915LS



**Drawer Refrigeration/Freezer Units**

- 4.4 cu. ft.
- SoftClose® drawers
- Drawer open alarm
- Customizable shelving and drawer dividers
- Customizable cooling modes: Fridge, Pantry and Bar
- Quick Chill
- Removable drawer mat for easy cleaning
- ENERGY STAR® certified

T24UR905DP	24" Refrigerator, Custom Panel	4,349	4,799
T24UR915DS	24" Refrigerator, Masterpiece® Handle	4,249	4,699
T24UR925DS	24" Refrigerator, Professional Handle	4,249	4,699
T24UC905DP	24" Refrigerator/Freezer, Custom Panel, ice maker	4,349	4,799
T24UC915DS	24" Refrigerator/Freezer, Masterpiece® Handle, ice maker	4,549	5,049
T24UC925DS	24" Refrigerator/Freezer, Professional Handle, ice maker	4,549	5,049



T24UR915DS



T24UC915DS



**Glass Door Wine Preservation Units**

**Under-Counter Wine Preservation Units**

- 41-bottle capacity
- Full-extension wenge wood diamond wine racks
- Tinted UV-resistant tempered glass door
- Independent temperature control of temperature zones.

T24UW905LP	24" Wine Pres., Custom Panel, Left Swing	3,949	4,349
T24UW905RP	24" Wine Pres., Custom Panel, Right Swing	3,949	4,349
T24UW915LS	24" Wine Pres., Masterpiece® Handle, Left Swing	4,149	4,599
T24UW915RS	24" Wine Pres., Masterpiece® Handle, Right Swing	4,149	4,599
T24UW925LS	24" Wine Pres., Professional Handle, Left Swing	4,149	4,599
T24UW925RS	24" Wine Pres., Professional Handle, Right Swing	4,149	4,599













T24UW915LS







The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.




This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	T24IR905SP	T30IR905SP	T36IR905SP
<b>Refrigerator Columns</b>						
<b>Installation Accessories</b>						
	<b>FRAMEKIT10</b> Freedom® Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. <b>Note:</b> Included with all pre-assembled bottom freezers)	105	119	•	•	•
	<b>HEATRKIT20</b> Freedom® Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699	•	•	•
<b>Interior Accessories for Refrigerators</b>						
	<b>24HFGALBIN</b> 24" Half-Gallon Bin	170	189	•		
	<b>30HFGALBIN</b> 30" Half-Gallon Bin	180	199		•	
	<b>36HFGALBIN</b> 36" Half-Gallon Bin	190	209			•
	<b>24PRODRAIL</b> 24" Produce Railing	105	119	•		
	<b>30PRODRAIL</b> 30" Produce Railing	115	129		•	
	<b>36PRODRAIL</b> 36" Produce Railing	135	149			•
	<b>LPRODBIN10</b> Large Produce Bin	295	329	•	•	•
	<b>SPRODBIN10</b> Small Produce Bin	265	299	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.










This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	T18IF905SP	T24IF905SP	T30IF905SP	T36IF905SP	T18ID905LP/RP	T24ID905LP/RP
<b>Freezer Columns</b>									
<b>Installation Accessories</b>									
	<b>FRAMEKIT10</b> Freedom® Frame Kit	105	119	•	•	•	•	•	•
(For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. <b>Note:</b> Included with all pre-assembled bottom freezers)									
	<b>HEATRKIT20</b> Freedom® Heater Kit	599	699	•	•	•	•	•	•
(For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)									
<b>Interior Accessories for Freezers</b>									
	<b>ICEBUCKETL</b> Ice Bucket	85	99	•	•	•	•	•	•
<b>Filter Accessories</b>									
	<b>REPLFLTR55</b> Freedom® Replacement Water Filter	46	59	•	•	•	•	•	•

<b>Bottom Freezer Refrigeration</b>				T30IB100SP	T36BB110SS	T36BB120SS	T36IB100SP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
<b>Installation Accessories</b>																
	<b>COMBIKIT10</b> Connection Kit	100	109	•	•	•	•	•	•	•	•	•	•	•	•	•
(For use with bottom freezers. Use when installing two bottom freezer refrigerators side-by-side.)																
	<b>FRAMEKIT30</b> Frame Kit	225	249	•			•			•			•			•
(For use with any custom panel bottom freezer refrigerators installed in a 24-inch (610 mm) deep cutout. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. <b>Note:</b> Included with all pre-assembled bottom freezers)																
<b>Filter Accessories</b>																
	<b>REPLFLTR55</b> UltraClarity Pro® Water Filter	46	59	•	•	•	•	•	•	•	•	•	•	•	•	•





The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.


Model Number	Description	UMRP	MSRP	T30IB100SP	T36BB110SS	T36BB120SS	T36IB100SP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
 MS3000IB10	30" Masterpiece® Handle Kit (Bottom Freezer)	500	549	•												
 PR3000IB10	30" Professional Handle Kit (Bottom Freezer)	500	549	•												
 MS3600IB10	36" Masterpiece® Handle Kit (Bottom Freezer)	549	649				•									
 PR3600IB10	36" Professional Handle Kit (Bottom Freezer)	549	649				•									
 MS3642IT10	36"/42" Masterpiece® Handle Kit (French Door Bottom Freezer)	599	699							•			•			
 PR3642IT10	36"/42" Professional Handle Kit (French Door Bottom Freezer)	599	699							•			•			
 MS4800IT10	48" Masterpiece® Handle Kit (French Door Bottom Freezer)	649	749													•
 PR4800IT10	48" Professional Handle Kit (French Door Bottom Freezer)	649	749													•
 TFL30IB100	30" Stainless Steel Panel Set (Bottom Freezer)	1,249	1,399	•												

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.





Model Number	Description	UMRP	MSRP	T30IB100SP	T36BB110SS	T36BB120SS	T36IB100SP	T36BT110NS	T36BT120NS	T36IT100NP	T42BT110NS	T42BT120NS	T42IT100NP	T48BT110NS	T48BT120NS	T48IT100NP
	<b>TFL36IB100</b> 36" Stainless Steel Panel Set (Bottom Freezer)	1,309	1,449				•									
	<b>TFL36IT100</b> 36" Stainless Steel Panel Set (French Door Bottom Freezer)	1,369	1,549							•						
	<b>TFL42IT100</b> 42" Stainless Steel Panel Set (French Door Bottom Freezer)	1,429	1,599										•			
	<b>TFL48IT100</b> 48" Stainless Steel Panel Set (French Door Bottom Freezer)	1,489	1,649													•

**Freestanding Refrigeration**



				T36FT8_ONS	T36FL8_ONS
	<b>Filter Accessories</b> <b>REPLFLTR55</b> Freedom® Replacement Water Filter	46	59	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	T24UR905LP	T24UR905RP	T24UR905DP	T24UC925DS	T24UC915DS	T24UC905DP	T24UW905LP	T24UW905RP
 MS20HNDL20	20" Under-Counter Masterpiece® Handle Kit (Set of 2)	300	329			•			•		
 MS22HNDL25	25" Under-Counter Masterpiece® Handle	165	189	•	•					•	•
 PR20HNDL20	20" Under-Counter Professional Handle Kit (Set of 2)	300	329			•			•		
 PR22HNDL25	25" Under-Counter Professional Handle	165	189	•	•					•	•

**Wine Refrigeration**

				T18IW905SP	T24IW905SP
<b>Installation Accessories</b>					
 FRAMEKIT10	Freedom® Frame Kit (For use with any custom column for installation in 24-inch (610 mm) deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns. <b>Note:</b> Included with all pre-assembled bottom freezers)	105	119	•	•
 HEATRKIT20	Freedom® Heater Kit (For use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column. This kit is also recommended to be ordered for use with any installation in areas that are subject to high humidity (>65%), or located next to an outside wall.)	599	699	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# COLUMN QUICK REFERENCE GUIDE

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

## Quick Reference Guide



Step 1: Columns			Step 2: Panels			Step 3: Handles	
Freedom® Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece®	Professional
<b>REFRIGERATOR COLUMNS</b>							
T24IR905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle per column <b>Masterpiece®</b> MS36HNDL20	Order one 36" handle per column <b>Professional</b> PR36HNDL20
T30IR905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905		
T36IR905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
<b>FREEZER COLUMNS</b>							
T18IF905SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905	Order one 36" handle per column <b>Masterpiece®</b> MS36HNDL20	Order one 36" handle per column <b>Professional</b> PR36HNDL20
T24IF905SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905		
T30IF905SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905		
T36IF905SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
<b>FREEZER COLUMNS WITH IWD<sup>1</sup></b>							
T18ID905LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column <b>Masterpiece®</b> MS36HNDL20	Order one 36" handle per column <b>Professional</b> PR36HNDL20
T18ID905RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905		
T24ID905LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905		
T24ID905RP	24"	Right	Panel Ready	TFL24ID800	TFL24ID905		
<b>WINE REFRIGERATION</b>							
T18IW905SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle per column <b>Masterpiece®</b> MS36HNDL20	Order one 36" handle per column <b>Professional</b> PR36HNDL20
T24IW905SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905		

**NOTE:** Handleless panels should not be installed on units without the SoftClose® capability. If you are uncertain if you have a refrigeration unit with SoftClose® capability, please contact our customer team by calling 1-800-735-4328.

<sup>1</sup> IWD = Ice and Water Dispenser



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# BUILT-IN COFFEE MACHINE


This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
<b>All Built-In Coffee Machines Include the Following Features:</b>			
<ul style="list-style-type: none"> <li>Perfect for frequent selections, coffee customization settings store up to 8 personalized beverages with names so family members and house guests can program their favorite drinks—from single shot espresso, to tea, to extra-large cappuccinos</li> <li>Easy to read color TFT display illustrates beverage selection, including size and temperature control</li> <li>1 lb. Bean container</li> <li>Height-adjustable dispenser with dual spouts for brewing 2 cups at a time</li> <li>Beverages can be adjusted in small increments</li> <li>One Touch Function for coffee and milk/froth</li> <li>Fully automatic rinse program</li> <li>2-disk grinding units made of high performance ceramic disks</li> <li>Adjustable grinding settings for very fine to coarse</li> <li>Separate drawer for ground coffee, capacity to hold up to two level scoops</li> <li>Built-In water filter</li> <li>Sensor alerts when coffee beans and water level is low</li> <li>81 oz. water container</li> <li>Includes Insulated 17 oz. removable stainless steel milk container, measuring spoon, water hardness test.</li> <li>120 Volts. (V)</li> </ul>			

## Built-In Coffee Machine

TCM24TS	Thermador Built-In Coffee Machine	4,349	4,799	
				TCM24TS
				
				TCM24PS

- Includes direct plumb for water and drain connection with AquaStop® Plus protection


















Accessories				TCM24TS	TCM24PS
	TCMTK30RS	30" Stainless Steel Trim Kit	429	479	•

For coffee accessories, please see the Cleaners & Accessories Price List.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# Built-in OVENS

MASTERPIECE® & PROFESSIONAL COLLECTIONS

	SINGLE 30"	DOUBLE 30"	COMBO 30"	TRIPLE 30"
<b>DELUXE</b>  Rotisserie Max Broil 3 Telescopic Racks (Single Ovens) 4 Telescopic Racks (Double Ovens) 6 Telescopic Racks (Combo Steam Ovens)	 <b>Professional:</b> POD301W POD301LW* POD301RW*   <b>Masterpiece®:</b> MED301WS MED301LWS* MED301RWS*	 <b>Professional:</b> POD302W POD302LW* POD302RW*   <b>Masterpiece®:</b> MED302WS MED302LWS* MED302RWS*	 <i>With Steam and Convection Oven:</i> <b>Professional:</b> PODS302B* <b>Masterpiece®:</b> MEDS302BS   <i>With Speed Oven::</i> <b>Professional:</b> PODMC301W* <b>Masterpiece®:</b> MEDMC301WS	  <i>With Speed Oven:</i> <b>Professional:</b> PODMCW31W* <b>Masterpiece®:</b> MEDMCW31WS
<b>SELECT</b>  1 Telescopic Rack (Single Ovens) 2 Telescopic Racks (Double Ovens)	 <b>Professional:</b> PO301W   <b>Masterpiece®:</b> ME301WS	 <b>Professional:</b> PO302W   <b>Masterpiece®:</b> ME302WS	 <i>With Microwave:</i> <b>Professional:</b> POM301W   <b>Masterpiece®:</b> MEM301WS	<b>SPECIALTY</b>  3 Telescopic Racks (Steam Ovens)    <i>Steam and Convection Oven:</i> <b>Professional:</b> PODS301B <b>Masterpiece®:</b> MEDS301BS    <i>Speed Oven::</i> <b>Professional:</b> MC30WP <b>Masterpiece®:</b> MC30WS
<b>STANDARD</b>  1 Telescopic Rack (Single Ovens) 1 Telescopic Rack (Double Ovens)	 <b>Masterpiece®:</b> ME301YP	 <b>Masterpiece®:</b> ME302YP		

\* Not pictured.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Masterpiece® Series Built-In Ovens Include the Following Features:**

- |   |  |  |
|---|--|--|
| <ul style="list-style-type: none"> <li>• Thermador Connected Experience with Home Connect™</li> <li>• SoftClose® doors</li> </ul>   | <ul style="list-style-type: none"> <li>• Two-hour self clean</li> <li>• Sabbath Mode</li> <li>• Two halogen lights</li> <li>• Star-K certified</li> <li>• 208–240 V</li> </ul> | <p><b>Microwave/Speed Ovens</b></p> <ul style="list-style-type: none"> <li>• 1.6 cu. ft. overall capacity</li> <li>• 10 power levels</li> <li>• Sensor cooking</li> <li>• Sensor reheat</li> </ul> |
| <p><b>Cooking Modes</b></p> <ul style="list-style-type: none"> <li>• True Convection, Bake, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Air Fry &amp; Air Sous Vide capable when connected to Wi-Fi (except ME301YP and ME302YP models)</li> </ul> |  |  |

**30" Masterpiece® Ovens**

**30" Masterpiece® Single Oven with Professional Handle**

- One Full Access® telescopic rack and two standard racks
- Silver glass
- 4.6 cu. ft. overall oven capacity

- Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat



ME301YP

ME301YP<sup>1</sup> 30" Single Oven, 1 Telescopic Rack

3,099 3,449



**30" Masterpiece® Single Oven—Select**

- |   |   |  |
|---|---|--|
| <ul style="list-style-type: none"> <li>• One Full Access® telescopic rack and two standard racks</li> <li>• TFT Touch control display</li> <li>• Silver glass on stainless steel</li> </ul> | <ul style="list-style-type: none"> <li>• 4.5 cu. ft. overall oven capacity</li> <li>• Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast</li> </ul> | <ul style="list-style-type: none"> <li>• Fast preheat</li> <li>• Meat probe</li> </ul> |
|---|---|--|



ME301WS

ME301WS 30" Single Oven, 1 Telescopic Rack

5,099 5,649



**30" Masterpiece® Single Oven—Deluxe**

- |   |   |  |
|---|---|--|
| <ul style="list-style-type: none"> <li>• Three Full Access® telescopic racks</li> <li>• TFT Touch control display</li> <li>• Silver glass on stainless steel</li> </ul> | <ul style="list-style-type: none"> <li>• 4.5 cu. ft. overall oven capacity</li> <li>• Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast</li> </ul> | <ul style="list-style-type: none"> <li>• Fast preheat</li> <li>• Commercial-style rotisserie with 12-pound capacity</li> <li>• Multi-point meat probe</li> </ul> |
|---|---|--|



MED301WS

MED301WS 30" Single Oven, 3 Telescopic Racks

5,699 6,299

MED301LWS 30" Single Oven, 3 Telescopic Racks, Left Side Opening Door

6,049 6,699

MED301RWS 30" Single Oven, 3 Telescopic Racks, Right Side Opening Door

6,049 6,699



MED301LWS



<sup>1</sup> Is not Air Fry capable.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**30" Masterpiece® Ovens**

**30" Masterpiece® Double Oven with Professional Handle**

- One Full Access® telescopic rack (U)
- Silver glass
- 4.6 cu. ft. overall oven capacity (U/L)
- Three Additional Cooking modes: Variable Broil Hi, Variable Broil Low, Fast Preheat (U)
- Six Cooking modes in Lower Oven: Bake, Variable Broil Hi, Variable Broil Low, Roast, Warm, Sabbath, Fast Preheat (L)

ME302YP <sup>1</sup>	30" Double Oven, 1 Telescopic Rack (U)	4,899	5,399
----------------------	--	-------	-------



ME302YP



**30" Masterpiece® Double Oven—Select**

- Two Full Access® telescopic racks (U/L)
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (U/L)
- Fast preheat (U/L)
- Meat probe (U/L)

ME302WS	30" Double Oven, 2 Telescopic Racks, Meat probe (U/L)	7,899	8,699
---------	---	-------	-------



ME302WS



<sup>1</sup> Is not Air Fry capable.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**30" Masterpiece® Ovens**

**30" Masterpiece® Double Oven—Deluxe**

- Three Full Access® telescopic racks (U); One Full Access® telescopic rack and two standard racks (L)
- TFT Touch control display
- Silver glass on stainless steel
- 4.5 cu. ft. overall oven capacity (U/L)
- Nine Additional Cooking modes: Speed Convection, Broil, Max Broil, Roast, Max Convection Broil, Dehydrate, Slow Roast, Dehydrate, Rotisserie (U)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast (L)
- Fast preheat
- Commercial-style rotisserie with 12-pound capacity (U)
- Multi-point meat probe (U); Meat probe (L)

MED302WS	30" Double Oven, 4 Telescopic Racks	8,549	9,449
MED302LWS	30" Double Oven, 4 Telescopic Racks, Left Side Opening Door	9,299	10,249
MED302RWS	30" Double Oven, 4 Telescopic Racks, Right Side Opening Door	9,299	10,249



MED302WS



MED302LWS



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**30" Masterpiece® Ovens**

**30" Masterpiece® Combination Oven with Microwave**

- One Full Access® telescopic rack and two standard racks (L)
- Five Additional Cooking modes: Speed Convection, Broil, Roast, Dehydrate, Slow Roast
- Fast preheat
- Meat probe (L)

**Microwave features:**

- Touch control display
- 1.6 cu. ft. overall capacity
- 13" turntable
- 950 W microwave power

**MEM301WS** 30" Combination Oven with Microwave, 1 Telescopic Rack

6,749 7,449



MEM301WS



**30" Masterpiece® Combination Oven with Speed Oven**

- Three Full Access® telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

**Speed Oven features:**

- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1000 W microwave power

**MEDMC301WS** 30" Combination Oven with Speed Oven, 3 Telescopic Racks

8,299 9,149



MEDMC301WS



**30" Masterpiece® Triple Combination Oven with Speed Oven and Warming Drawer**

- Three Full Access® telescopic racks (L)
- Eight Additional Cooking modes: Speed Convection, Rotisserie, Broil, Max Broil, Max Convection Broil, Roast, Dehydrate, Slow Roast
- Fast preheat for seven different cooking modes
- Commercial-style rotisserie with 12-pound capacity
- Multi-point meat probe (L)

**Speed Oven features:**

- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1000 W microwave power

**Warming Drawer features:**

- 2.5 cu. ft. overall capacity
- Touch control
- SoftClose® drawer
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

**MEDMCW31WS** 30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

10,599 11,699



MEDMCW31WS



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Masterpiece® Series Built-in Steam and Convection Ovens Include the Following Features:**

- Thermador Connected Experience with Home Connect™
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose® doors
- 41 EasyCook® programs
- Features 19 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost, Air Fry and Air Sous Vide capable when connected to Wi-Fi
- Easy Clean program
- Fast preheat for five different cooking modes
- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- Star-K certified
- 208-240 volts

**Masterpiece® Steam and Convection Ovens**

**30" Masterpiece® Steam and Convection Oven**

MEDS301BS	30" Steam and Convection Oven with 3 Telescopic Racks	6,149	6,799
-----------	---	-------	-------



MEDS301BS



**30" Masterpiece® Steam and Convection Oven—Deluxe**

- Lower oven: Thermador Connected Experience with Home Connect™
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean
- Fast preheat for seven different cooking modes
- Three Full Access® telescopic racks
- Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- Star-K certified
- 208–240 V




MEDS302BS

MEDS302BS	30" Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks	9,999	10,999
-----------	--	-------	--------



**Accessories**

				Masterpiece®		
				30" Single Ovens	30" Double Ovens	30" Series Built-in Steam and Convection
	TWO30YS	Side-by-Side Installation Kit for Single Ovens	279	309	•	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Professional Series Built-In Ovens Include the Following Features:**

- Thermador Connected Experience with Home Connect™
  - Restaurant-style stainless steel knobs
  - TFT Touch control display
  - Silver glass on stainless steel
  - SoftClose® doors
  - 4.5 cu. ft. overall oven capacity
  - 15 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast, Air Fry and Air Sous Vide capable when connected to Wi-Fi
  - Two-hour self clean
  - Fast preheat for seven different cooking modes
  - Two halogen lights
  - Sabbath Mode
  - Star-K certified
  - 208-240 V
- Microwave/Speed Ovens**
- 1.6 cu. ft. overall capacity
  - 10 power levels
  - Sensor cooking
  - Sensor reheat

**30" Professional Series Ovens**

**30" Professional Single Oven—Select**

- One Full Access® telescopic rack and two standard racks
- Meat probe

PO301W	30" Single Oven, 1 Telescopic Rack	5,599	6,199
--------	------------------------------------	-------	-------



PO301W



**30" Professional Single Oven—Deluxe**

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Commercial-style rotisserie with 12-pound capacity
- Three Full Access® telescopic racks
- Multi-point meat probe

POD301W	30" Single Oven, 3 Telescopic Racks	6,199	6,849
POD301LW	30" Single Oven, Left Side Opening Door, 3 Telescopic Racks	6,599	7,299
POD301RW	30" Single Oven, Right Side Opening Door, 3 Telescopic Racks	6,599	7,299



POD301W



POD301LW



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**30" Professional Series Ovens**

**30" Professional Double Oven—Select**

- One Full Access<sup>®</sup> telescopic rack and two standard racks (U/L)
- Meat probe

PO302W	30" Double Oven, 1 Telescopic Rack (U/L)	8,799	9,699
--------	--	-------	-------



PO302W



**30" Professional Double Oven—Deluxe**

- Three Full Access<sup>®</sup> telescopic racks (U)
- One Full Access<sup>®</sup> telescopic rack and two standard racks (L)
- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil (U)
- Multi-point meat probe(U)
- Meat probe (L)

POD302W	30" Double Oven, 4 Telescopic Racks	9,299	10,249
POD302LW	30" Double Oven, 4 Telescopic Racks, Left Side Opening Door	10,149	11,199
POD302RW	30" Double Oven, 4 Telescopic Racks, Right Side Opening Door	10,149	11,199



POD302W



POD302LW



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**30" Professional Series Ovens**

**30" Professional Combination Oven with Microwave**

- One Full Access<sup>®</sup> telescopic rack and two standard racks (L)
- Meat probe (L)
- Microwave features:**
  - Touch control display
  - 13" turntable
- 950 W microwave power

POM301W	30" Combination Oven with Microwave, 1 Telescopic Rack	7,649	8,449
---------	--	-------	-------



POM301W



**30" Professional Combination Oven with Speed Oven**

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access<sup>®</sup> telescopic racks
- Multi-point meat probe
- Speed Oven features:**
  - 36 Cook Smart™ Programs
  - 12 ½" turntable
  - 1,000 W microwave power

PODMC301W	30" Combination Oven with Speed Oven, 3 Telescopic Racks	8,999	9,899
-----------	--	-------	-------



PODMC301W



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**30" Professional Series Ovens**

**30" Professional Triple Combination Oven with Speed Oven and Warming Drawer**

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access® telescopic racks
- Multi-point meat probe

**Speed Oven features:**

- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1,000 W microwave power

**Warming Drawer features:**

- SoftClose® drawer
- Touch control
- 2.5 cu. ft. overall capacity
- 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

PODMCW31W	30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks	11,299	12,449
-----------	---	--------	--------



PODMCW31W



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Professional Series Built-in Steam and Convection Ovens Include the Following Features:**

- Thermador Connected Experience with Home Connect™
- Large steam cavity 2.8 cu. ft.
- TFT Touch control display
- Restaurant-style stainless steel knobs
- Silver glass on stainless steel
- SoftClose® doors
- 41 EasyCook® programs
- Features 19 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost, Air Fry and Air Sous Vide capable when connected to Wi-Fi
- Steam Clean program
- Fast preheat for five different cooking modes
- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- Sabbath Mode
- Star-K certified
- 208-240 V

**30" Professional Series Built-In Steam and Convection Oven**

**Professional Series Steam and Convection Oven**

PODS301B	30" Steam and Convection Oven with 3 Telescopic Racks	6,499	7,149
----------	---	-------	-------



PODS301B



**Professional Combination Oven with Steam and Convection Oven—Deluxe**

- Lower oven: Thermador Connected Experience with Home Connect™
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast,
- Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean
- Fast preheat for seven different cooking modes
- Three Full Access® telescopic racks
- Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- Star-K certified
- 208–240 V

PODS302B	30" Deluxe, Steam and Convection Double Oven with 6 Telescopic Racks	10,699	11,799
----------	--	--------	--------



PODS302B



<sup>1</sup> To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation. The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Masterpiece® Series Microwaves Include the Following Features:**

- Silver glass on stainless steel
- 10 power levels
- Sensor reheat

**Built-In Microwaves**

**Built-In Microwaves**

- Touch Control Display
- 1.6 cu. ft. overall capacity
- 14 1/8" ceramic turntable
- 950 W Microwave power
- Plugs into 120 V, 60 Hz/, AC 3-prong grounded outlet

MB30WS	30" Masterpiece® Microwave, Stainless Steel, 120 V	2,499	2,749
MB30WP	30" Professional Microwave, Stainless Steel, 120 V	2,799	3,099



MB30WS



MB30WP



**24" Built-in Microwave with side swing door and trim kit accessory in 30"**

- Glass touch controls with white display
- 2.1 cu. Ft. overall capacity
- 16 1/2" Glass Turntable
- Microwave Power 1,200 W
- Sensor Cooking

MBCS	24" Masterpiece® Microwave, Side Swing Door Stainless Steel	999	1,099
MBT30CS	30" Thermador Trim Kit, Standard Microwave, Stainless Steel	349	389



MBCS w/ MBT30CS

**MicroDrawer® Microwaves**

**Built-In MicroDrawer® Microwaves**

- New hidden control panel; opens for enhanced visibility
- Home Connect® allows for remote monitoring and control the drawer microwave with Wi-Fi Connectivity
- 1.2 cu. Ft. overall capacity
- Microwave Power 950 W
- Opens and Closes through Touch Control
- Can Be Installed Flush

MD24BS	24" MicroDrawer Microwave	2,399	2,649
MD30BS	30" MicroDrawer Microwave	2,399	2,649



MD24BS



MD30BS

1 To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**Over-the-Range Microwave**

**Over-the-Range Microwave**

- Design match for use in combination with 30" Pro Harmony® 5-burner gas range
- Exclusive stainless steel handle
- LCD display
- 2.1 cu. ft. cavity
- 14 3/16" glass turntable
- 1,100 W microwave power
- Triple microwave distribution system
- 10 cooking modes
- Sensor cooking
- Plugs into standard 120 V, 3-prong outlet
- Four-speed vent with up to 385 CFM



MU30WSU

MU30WSU	Over-the-Range Microwave, Stainless Steel	1,299	1,449
---------	---	-------	-------

**Speed Ovens**

**Built-In Speed Ovens**

- Silver glass on stainless steel
- Full color TFT display
- 12 3/4" ceramic turntable
- 1.6 cu. ft. overall capacity
- 36 Cook Smart™ Programs
- 10 power levels
- 1,000 W Microwave power
- Sensor cooking
- Sensor reheat
- Convection Bake
- Broil
- 208 or 240 V, 4 wire fixed connection



MC30WS

MC30WS	30" Masterpiece® Speed Oven, Stainless Steel, 208-240 V	3,199	3,549
--------	---	-------	-------

MC30WP	30" Professional Speed Oven, Stainless Steel, 208-240 V	3,499	3,849
--------	---	-------	-------



MC30WP



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

## WARMING DRAWERS/ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

### Warming Drawers

#### Standard Warming Drawers



- Our warming drawer is the perfect combination of uncompromising performance, unique convenience features and elegant design
- SoftClose® door (WD30W only)
  - 2.2 cu. ft. overall capacity
  - Touch Control Display
  - Four heating modes: Low, Medium, High, Proof
- 450 W heating element
  - Timer
  - Plugs into a standard 120 volt, 3-prong outlet



WD30WC

<a href="#">WD30W</a>	30" Warming Drawer, Custom Panel Ready	2,399	2,649
<a href="#">WD30WC</a>	30" Warming Drawer, Push to Open	2,199	2,449

#### Accessories

Image	Number	Description	UMRP	MSRP	Professional Series												
					PO301W	POD301W	POD301LW	POD301RW	PO302W	POD302W	POD302LW	POD302RW	POM301W	PODMC301W	PODMCW31W	PODS301B	PODS302B
	<a href="#">WKNOBKT3W</a>	Blue Metal Knob Kit for Professional Oven (2 pc.)	49	59	•	•	•	•	•	•	•	•	•	•	•	•	•
	<a href="#">TWO30YS</a>	Side-by-Side Installation Kit for Single Ovens	279	309	•	•	•	•								•	

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.


This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------


**All Masterpiece® Series Star® Burner Gas Cooktops Include the Following Features:**


- Patented Star® Burner provides superior flame coverage for faster and more even pan heating
- 16K BTU max
- Blue indicator burner ON light
- Chiseled stainless steel design
- Stainless steel control panel offers a sleek, modern design
- High-quality, robust, metal knobs
- LP gas conversion kit not included; order separately
- Sabbath compliant
- Two-year warranty

**Masterpiece® Series**


LR: BTU 10,000 high/1,750 low	C: BTU 16,000 high/1,900 low	RR: BTU 8,000 high/1,750 low	
LF: BTU 8,000 high/1,750 low		RF: BTU 10,000 high/1,750 low	
<b>SGS305TS</b>	30" Star® Burner, Stainless Steel, Five Burners	1,849	2,049

- ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 10,000 high/1,750 low	C: BTU 16,000 high/583 XLO	RR: BTU 8,000 high/1,750 low	
LF: BTU 8,000 high/204 XLO		RF: BTU 10,000 high/1,750 low	
<b>SGSX305TS</b>	30" Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select	2,399	2,649

LR: BTU 12,000 high/1,750 low	C: BTU 16,000 high/1,900 low	RR: BTU 9,100 high/1,750 low	
LF: BTU 9,100 high/1,750 low		RF: BTU 12,000 high/1,750 low	
<b>SGS365TS</b>	36" Star® Burner, Stainless Steel, Five Burners	2,149	2,399

- ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 12,000 high/1,750 low	C: BTU 16,000 high/583 XLO	RR: BTU 9,100 high/1,750 low	
LF: BTU 9,100 high/204 XLO		RF: BTU 12,000 high/1,750 low	
<b>SGSX365TS</b>	36" Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select	2,599	2,899

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Masterpiece® Series Pedestal Star® Burner Gas Cooktops Include the Following Features:**

- Raised Pedestal Star® Burner provides superior flame coverage and allows for easier cleanup under each burner
- 18K BTU max
- QuickClean Base® contains liquid spills
- Sleek glass control panel
- High-quality, robust, metal knobs
- LP conversion kit not included; order separately
- Sabbath compliant
- Two-year warranty

**Masterpiece® Series**

- Blue indicator light for each burner

LR: BTU 10,000 high/1,750 low	C: BTU 18,000 high/1,900 low	RR: BTU 8,000 high/1,750 low
LF: BTU 8,000 high/1,750 low		RF: BTU 10,000 high/1,750 low



SGSP305TS

<b>SGSP305TS</b>	30" Pedestal Star® Burner, Stainless Steel, Five Burners	2,399	2,649
------------------	--	-------	-------

- Progressive Illuminated light ring around each knob
- ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 10,000 high/1,750 low	C: BTU 18,000 high/583 XLO	RR: BTU 8,000 high/1,750 low
LF: BTU 8,000 high/204 XLO		RF: BTU 10,000 high/1,750 low



SGSXP305TS

<b>SGSXP305TS</b>	30" Pedestal Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select	2,799	3,099
-------------------	--	-------	-------

- Blue indicator light for each burner

LR: BTU 12,000 high/1,750 low	C: BTU 18,000 high/1,900 low	RR: BTU 9,100 high/1,750 low
LF: BTU 9,100 high/1,750 low		RF: BTU 12,000 high/1,750 low



SGSP365TS

<b>SGSP365TS</b>	36" Pedestal Star® Burner, Stainless Steel, Five Burners	2,599	2,899
------------------	--	-------	-------

- Progressive Illuminated light ring around each knob
- ExtraLow® Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 12,000 high/1,750 low	C: BTU 18,000 high/583 XLO	RR: BTU 9,100 high/1,750 low
LF: BTU 9,100 high/204 XLO		RF: BTU 12,000 high/1,750 low



SGSXP365TS

<b>SGSXP365TS</b>	36" Pedestal Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select	3,199	3,549
-------------------	--	-------	-------

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

## All Masterpiece® Series Freedom® and Liberty® Induction Cooktops Include the Following Features:

- PowerBoost®
- 17 power levels
- Home Connect™

## Masterpiece® Series

### Freedom® Induction – 13" x 21" Cooking Position with 5,500 W

- Entire surface of the cooktop can be used as one large cooking area
- Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone® mode allows changing a preset power level simply by moving a pot or pan on the cooktop
- Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow® LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only)
- TeppanyakiPro® mode divides a teppanyaki griddle into one heated and one non-heated area
- PowerBoost®
- 17 power levels
- Residual heat indicators
- Panel Lock
- Cooking Timer, Kitchen Timer and Stopwatch Timer
- Power/Amps: 208/240 V, 60 Hz, 30 A

Minimum cookware size: 3" x 3"  
 Maximum cookware size: 13" x 21"  
 Performance:  
 3,500 W/5,500 W (PowerBoost®)



CIT30YWBB

CIT36YWB

CIT36YWBB



CIT30YWBB	30" Dark Gray Glass, Frameless Design	5,799	6,399
CIT36YWB	36" Dark Gray Glass, Stainless Steel Frame	6,599	7,299
CIT36YWBB	36" Dark Gray Glass, Frameless Design	6,599	7,299

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

## Masterpiece® Series

### 30" Liberty® Induction

- Two large flexible cooking surfaces allow for tailored cooking zones
- Cooktop-Hood Sync
- Automatic pan recognition
- HeatShift® has three preset heat zones
- MoveMode® allows easy transfer settings
- Illuminated touch controls
- Control panel lock
- Automatic switch off
- Maximum wattage: 7,200 W
- Power/Amps: 208–240 V, 60 Hz//30 A



CIT30FBG



Left Full Zone 15" x 8½" @ 3,300 W/3,600 W (PowerBoost®)	LR: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)	RR: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)	Right Full Zone 15" x 8½" @ 3,300 W/3,600 W (PowerBoost®)
	LF: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)	RF: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)	
	Left FlexPlus Zone 3 ⅝" x 11 ¼"	Right FlexPlus Zone 3 ⅝" x 11 ¼"	

CIT30FBG      30" Titanium Gray Glass, Frameless      3,999      4,399

### 36" Liberty® Induction

- Three extra-large Liberty® cooking surfaces allow for tailored cooking zones
- Number of cooking zones: Five
- Cooktop-Hood Sync
- Automatic pan recognition
- HeatShift® has three preset heat zones
- MoveMode® allows easy transfer settings
- Illuminated touch controls
- Control panel lock
- Automatic switch off
- Timer for all zones
- Maximum wattage: 10,800 W
- Power/Amps: 208–240 V, 60 Hz//50 A



CIT367YG



Left Full Zone 15" x 9" @ 3,300 W/3,700 W (PowerBoost®)	LR: 7½" x 9" @ 2,200 W/3,600 W (PowerBoost®)	Center Full Zone 11¼" x 9½" @ 3,300 W/3,600 W (PowerBoost®)	RR: 7½" x 9" @ 2,200 W/3,600 W (PowerBoost®)	Right Full Zone 15" x 9" @ 3,300 W/3,700 W (PowerBoost®)
	LF: 7½" x 9" @ 2,200 W/3,600 W (PowerBoost®)		RF: 7½" x 9" @ 2,200 W/3,600 W (PowerBoost®)	

CIT367YG      36" Titanium Gray Glass, Frameless      4,899      5,399

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# GLASS CERAMIC INDUCTION COOKTOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

## All Masterpiece® Heritage® Series Glass Ceramic Induction Cooktops Include the Following Features:

- Pan Recognition
- Touch control panel with white light illumination offers 17 power settings
- CookSmart
- Speed Heating—induction cooktops heat 50% faster than traditional gas cooktops
- PowerBoost®
- Anti-Overflow System
- Two-Level Heat Indicator
- Kitchen timer
- Child safety lock
- Home Connect™

## Masterpiece® Series

### 30" Heritage® Induction

- Large and powerful 11" element with 3,600 W
- Power/Amps: 240 V, 60 Hz/30 A

LR: 9" @ 2,200 W/3,600 W (PowerBoost®)	RR: 11" @ 2,600 W/3,600 W (PowerBoost®)
LF: 6" @ 1,400 W/2,200 W (PowerBoost®)	RF: 6" @ 1,400 W/2,200 W (PowerBoost®)



CIT304BB

CIT304BB	30" Black Glass, Frameless Design	3,499	3,849	
----------	-----------------------------------	-------	-------	--

### 36" Heritage® Induction

- Large 13" round heating element
- Triple zone—accommodates multiple-size pans with three diameter sizes
- Power/Amps: 240 V, 60 Hz/50 A

LR: 7" @ 1,800 W/3,100 W (PowerBoost®)	C: 9"/11"/13" @ 2,200 W/3,600 W (PowerBoost®) 2,600 W/3,600 W (PowerBoost®) 3,300 W/3,600 W (PowerBoost®)	RR: 6" @ 1,400 W/2,200 W (PowerBoost®)
LF: 7" @ 1,800 W/3,100 W (PowerBoost®)		RF: 9" @ 2,200 W/3,600 W (PowerBoost®)









CIT365BB

CIT365BB	36" Black Glass, Frameless Design	4,099	4,549	
----------	-----------------------------------	-------	-------	--

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.




















This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Gas Cooktops Star Burner®	Gas Cooktops Pedestal Star®	Freedom® Induction	Liberty® Induction	Heritage® Induction
 <b>TEPPAN1321</b>	13" x 21" Recommended accessory for Freedom® Induction Cooktop	499	549			•		
	<b>Wireless Cooking Temperature Sensor</b> Allows you to select the best way to prepare every food as you wish. The cooking sensor measures the temperature of the pot continuously. This allows the power to be maintained with greater precision to provide exceptional cooking results. The sensor is required to use the Freedom® induction Cooking Sensor mode					•		
<b>TCOOKSENSW</b>	Wireless Cooking Sensor	199	219					
	<b>SKNOBLUW</b> Blue Knob Kit, Pedestal Star® Burner Cooktops Fits 30" and 36" Pedestal Star® Burners Series models • Set of five knobs • Blue metallic finish • Easy to install	109	119		•			
	<b>SLPKITW</b> LP Gas Conversion Kit for Star® Burner Series Cooktops	99	109	•				
	<b>SNPKITPEDW</b> LP Gas Conversion Kit for Pedestal Star® Burner Series Cooktops	99	109		•			
	<b>SWOKRINGW</b> Wok Ring Optimized for operation on Star® Burner and Pedestal Star® Burner Series cook with up to a 16" wok • Cast iron construction is durable and dishwasher safe	99	109	•	•			

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# RANGES

## PROFESSIONAL COLLECTION

		30"	36"	48"	60"
DUAL-FUEL WITH STEAM RANGES	Pro Grand®			 PRD48WISGU Induction PRD48WDSGU Griddle	 PRD606WESG Griddle
	Masterpiece® (Not part of the Professional Collection)	 MRI304DL Induction			
INDUCTION RANGES	Pro Harmony®	 PRI30LBHU Induction	 PRI36LBHU Induction		
	Pro Harmony®	 PRD305WHU 5-burner PRD304WHU 4-burner	 PRD366WHU 6-burner PRD364WDHU Griddle	 PRD486WDHU Griddle	
DUAL-FUEL RANGES	Pro Grand®		 PRD366WGU 6-burner PRD364WIGU Induction PRD364WDGU Griddle	 PRD486WIGU Induction PRD486WDGU Griddle	 PRD606WEG Griddle
	Pro Harmony®	 PRG305WH 5-burner PRG304WH 4-burner	 PRG366WH 6-burner PRG364WDH Griddle	 PRG486WDH Griddle	
GAS RANGES	Pro Grand®		 PRG366WG 6-burner	 PRG486WDG Griddle	
	Professional	 PCG305W 5-burner	 PCG366W 6-burner PCG364WD Griddle	 PCG486WD Griddle	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Professional Series Rangetops Include the Following Features:**

- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Each burner has electronic ignition/re-ignition;
- Metal knobs (also available in Metallic Blue, PAKNOBLUWR, sold separately. See page 5-10)
- LED downlighting illuminates the control panel.
- Precision simmering capabilities with two ExtraLow® simmer burners
- Two-year warranty
- Star-K certified
- 15 Amps

**Note**

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- Liquid Propane conversion: Natural to LP Gas Field Conversion Kit must be ordered separately (PALPKITHW for all four- and six-burner units; PALPKITHW5 for five Pedestal Star® Burner units). PAALTKITH High Altitude conversion kit is available for all rangetops.

**30" Professional Gas Rangetop**

- Five Pedestal Star® Burners (Two with ExtraLow®). overall output of 59,000 BTU.
- Suitable for use with Thermador OTR (see page 3-13)
- 15 Amps

LR: BTU 8,000 high*/XLO	Center: BTU 10,000 high*	RR: BTU 8,000 high*
LF: BTU 18,000 high*/XLO		RF: BTU 15,000 high*



PCG305W



PCG305W	30" Stainless Steel with Porcelain Surface	4,199	4,649
---------	--	-------	-------

**36" Professional Gas Rangetop**

- Six Pedestal Star® Burners (Two with ExtraLow®).
- 15 Amps

LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/3,000 low
LF: BTU 18,000 high*/XLO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/3,000 low



PCG366W



PCG366W	36" Stainless Steel with Porcelain Surface	4,899	5,399
---------	--	-------	-------

\* 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

**NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.**

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PROFESSIONAL RANGETOPS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

36" Professional Gas Rangetop

- Four Pedestal Star® Burners (Two with ExtraLow®)
- Non-stick surface Electric Griddle
- 20 Amps



LR: BTU 15,000 high*/XLO	Electric Griddle 1,630 W	RR: BTU 15,000 high*/3,000 low
LF: BTU 18,000 high*/XLO		RF: BTU 18,000 high*/3,000 low



PCG364WD 36" Stainless Steel with Porcelain Surface and Griddle 4,949 5,449

48" Professional Gas Rangetop

- Six Pedestal Star® Burners (Two with ExtraLow®)
- Non-stick surface Electric Griddle
- 20 Amps



LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	Electric Griddle 1,630 W	RR: BTU 15,000 high*/3,000 low
LF: BTU 18,000 high*/XLO	CF: BTU 18,000 high*/3,000 low		RF: BTU 18,000 high*/3,000 low



PCG486WD 48" Stainless Steel with Porcelain Surface and Griddle 5,999 6,599

\* 8,000 BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# PRO HARMONY® SERIES INDUCTION RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

## All Pro Harmony® Series Induction Ranges include the Following Features:

- |   |   |  |
|---|---|--|
| <ul style="list-style-type: none"> <li>• Frameless black glass cooktop covers the surface from edge-to-edge seamlessly fitting into any kitchen</li> <li>• Provides true design flexibility—it can be installed flush against combustible wall with zero rear clearance* and designed to fit perfectly flush alongside standard 24" depth cabinets</li> </ul> | <ul style="list-style-type: none"> <li>• True Convection oven with a third element adds greater efficiency to cook up to five levels of sheet pans evenly</li> <li>• Super fast 2-hour self-clean mode is the fastest in the industry</li> <li>• Connect to your range for remote pre-heating and monitoring via the Home Connect® app, smartwatch and other smart home devices and services</li> </ul> | <p><b>Main oven features:</b></p> <ul style="list-style-type: none"> <li>• Full Access telescopic racks with integrated easy-grip handle (1 in 30" Oven; 3 in 36" Oven)</li> <li>• Hidden Thermal Bake (2,000 W), Broil (4,000 W),</li> <li>• Third element rear 2,750 W convection</li> </ul> |
|---|---|--|

## 30" Induction Range

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• The Liberty® cooktop comes with two large flexible cooking zones and FlexPlus™** heating elements that provide</li> </ul> | <p>the ultimate in cooking performance and flexibility with HeatShift®, MoveMode®, and PowerBoost®</p> |
|--|--|

- Main oven features:**
- 4.4 cu. ft. overall volume\*



PRI30LBHU



Left Full Zone 15" x 8½" @ 3,300 W/3,600 W (PowerBoost®)	LR: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)	RR: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)	Right Full Zone 15" x 8½" @ 3,300 W/3,600 W (PowerBoost®)
	LF: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)	RF: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)	
	Left FlexPlus Zone 3 ½" x 11 ¼"	Right FlexPlus Zone 3 ½" x 11 ¼"	

PRI30LBHU	30" Liberty Induction Cooktop Pro Harmony Range	8,999	9,899
-----------	---	-------	-------

## 36" Induction Range

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>• The Liberty® cooktop comes with three large flexible cooking zones that provide the ultimate in cooking per-</li> </ul> | <p>formance and flexibility with HeatShift®, MoveMode®, and PowerBoost®</p> |
|--|---|

- Main oven features:**
- 4.9 cu. ft. overall volume\*



PRI36LBHU



Left Full Zone 15" x 8½" @ 3,300 W/3,600 W (PowerBoost®)	LR: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)	Center Full Zone 11" x 9½" @ 3,300 W/3,600 W (PowerBoost®)	RR: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)	Right Full Zone 15" x 8½" @ 3,300 W/3,600 W (PowerBoost®)
	LF: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)		RF: 7½" x 8½" @ 2,200 W/3,600 W (PowerBoost®)	

PRI36LBHU	36" Liberty Induction Cooktop Pro Harmony Range	12,499	13,749
-----------	---	--------	--------

\*According to AHAM Standards

**NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.**

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# PRO HARMONY® SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Pro Harmony® Series Dual Fuel Ranges Include the Following Features:**

- Cabinet-Depth (24")
  - Four pedestal burner range: each front burner has output of 18,000 BTU (NG)
  - Continuous porcelain, easy-to-clean cooking surface
  - Patented Pedestal Star® Burner with QuickClean Base™
  - Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-10)
  - All burners with electronic ignition/re-ignition
  - Precision simmering capabilities with two ExtraLow® simmer burners
  - For LP: Natural to LP Gas Field Conversion Kit must be ordered separately.
  - PAALTKITH High Altitude conversion kit is available for all Pro Harmony Ranges.
  - Island trim included
  - Two-year warranty
  - Star-K certified
- Griddle model:**
- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Main oven features:**
- Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
  - Hidden Thermal Bake (2,000 W), Broil (4,000 W)
- Third element rear 2,750 W convection**
- Convection Broil and two rapid, self-clean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 1½ hr light-soil clean
- Secondary oven features:**
- 18" auxiliary oven on 48" range only
  - Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
  - 2,600 W broil and 1,400 W bake elements,
  - 2.4 cu. ft. overall volume\*
- Note**
- Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador Professional hoods)

## 30" Dual-Fuel Range

- Four Pedestal Star® Burners (Two with ExtraLow®)
- 30" range features 4.4 cu. ft. overall volume\*

LR: BTU 15,000 high**/XLO	RR: BTU 15,000 high**/3,000 low
LF: BTU 18,000 high**/XLO	RF: BTU 18,000 high**/3,000 low

<b>PRD304WHU</b>	30" Stainless Steel with Porcelain Surface and One Telescopic Oven Rack	7,399	8,149
------------------	---	-------	-------



PRD304WHU



- Five Pedestal Star® Burners (Two with ExtraLow®); overall output of 59,000 BTU and suitable for use with the Thermador OTR (see page 3-13)
- 30" range features 4.4 cu. ft. overall volume\*

LR: BTU 8,000 high**/XLO	Center: BTU 10,000 high**	RR: BTU 8,000 high**
LF: BTU 18,000 high**/XLO		RF: BTU 15,000 high**

<b>PRD305WHU</b>	30" Stainless Steel with Porcelain Surface and One Telescopic Oven Rack	8,399	9,249
------------------	---	-------	-------



PRD305WHU



\*According to AHAM Standards

\*\* 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

**NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.**

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

## PRO HARMONY® SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

### 36" Dual-Fuel Range

- Six Pedestal Star® Burners (Two with ExtraLow®)
- Oven features 4.9 cu. ft. overall volume\*
- Thermador Connected Experience with Home Connect™



PRD366WHU

LR: BTU 15,000 high**/XLO	CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low
LF: BTU 18,000 high**/XLO	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low

<b>PRD366WHU</b>	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	10,999	12,099
------------------	--	--------	--------



- Four Pedestal Star® Burners (Two with ExtraLow®)
- Oven features 4.9 cu. ft. overall volume\*
- Thermador Connected Experience with Home Connect™
- Non-stick surface Electric Griddle



PRD364WDHU

LR: BTU 15,000 high**/XLO	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high**/3,000 low
LF: BTU 18,000 high**/XLO		RF: BTU 18,000 high**/3,000 low

<b>PRD364WDHU</b>	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	11,299	12,449
-------------------	--	--------	--------



### 48" Dual-Fuel Range

- Six Pedestal Star® Burners (Two with ExtraLow®)
- Main oven features 4.4 cu. ft. overall volume\*
- Thermador Connected Experience with Home Connect™
- Non-stick surface Electric Griddle



PRD486WDHU

LR: BTU 15,000 high**/XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high**/3,000 low
LF: BTU 18,000 high**/XLO	CF: BTU 18,000 high**/3,000 low		RF: BTU 18,000 high**/3,000 low

<b>PRD486WDHU</b>	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	15,699	17,299
-------------------	--	--------	--------



\* According to AHAM Standards

\*\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

**NOTE:** Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# PRO HARMONY® SERIES GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

## All Pro Harmony® Series All Gas Ranges Include the Following Features:

- Cabinet-Depth (24")
- Four pedestal burner ; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-10)
- Precision simmering capabilities with two ExtraLow® simmer burners
- Gas ranges are field convertible from natural gas to liquid propane— Conversion Kit must be ordered separately
- Island trim included
- Two-year warranty
- Star-K certified
- Griddle model:**
  - 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Ovens feature:**
  - 17,500 BTU high-intensity infrared broiler
  - Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- Gas convection oven
- 20,500 BTU bake burner
- Convection Bake, Thermal Bake (20,500 BTU)
- Secondary oven features:**
  - 18" auxiliary oven on 48" range only
  - Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
  - 2,600 W broil and 1,400 W bake elements,
  - 2.4 cu. ft. overall volume\*
- Note**
  - Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador Professional hoods)

## 30" Gas Range

- Four Pedestal Star® Burners (Two with ExtraLow®) each
- front burner has output of 18,000 BTU (NG)
- 30" range features 4.6 cu. ft. overall volume\*

LR: BTU 15,000 high**/XLO	RR: BTU 15,000 high**/3,000 low
LF: BTU 18,000 high**/XLO	RF: BTU 18,000 high**/3,000 low

**PRG304WH** 30" Stainless Steel with Porcelain Surface 5,699 6,299



PRG304WH



- Five Pedestal Star® Burners (Two with ExtraLow®); overall output of 59,000 BTU
- and suitable for use with the Thermador OTR (see page 3-13).
- 30" range features 4.6 cu. ft. overall volume\*

LR: BTU 8,000 high**/XLO	Center: BTU 10,000 high**	RR: BTU 8,000 high**
LF: BTU 18,000 high**/XLO		RF: BTU 15,000 high**

**PRG305WH** 30" Stainless Steel with Porcelain Surface 6,599 7,299



PRG305WH



\* According to AHAM Standards

\*\* 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

**NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.**

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# PRO HARMONY® SERIES GAS RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

## 36" Gas Range

- Six Pedestal Star® Burners (Two with ExtraLow®)
- 36" range features 5.1 cu. ft. overall volume\*
- Thermador Connected Experience with Home Connect™



LR: BTU 15,000 high**/XLO	CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/3,000 low
LF: BTU 18,000 high**/XLO	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/3,000 low

<b>PRG366WH</b>	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	7,749	8,549
-----------------	--	-------	-------

PRG366WH



- Four Pedestal Star® Burners (Two with ExtraLow®) each front burner has output of 18,000 BTU (NG)
- 36" range features 5.1 cu. ft. overall volume\*
- Thermador Connected Experience with Home Connect™
- Non-stick surface Electric Griddle



LR: BTU 15,000 high**/XLO	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high**/3,000 low
LF: BTU 18,000 high**/XLO		RF: BTU 18,000 high**/3,000 low

<b>PRG364WDH</b>	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	8,999	9,899
------------------	--	-------	-------

PRG364WDH



## 48" Gas Range

- Six Pedestal Star® Burners (Two with ExtraLow®) and
- Main oven features 4.6 cu. ft. overall volume\*
- Thermador Connected Experience with Home Connect™
- Non-stick surface Electric Griddle



LR: BTU 15,000 high**/XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high**/3,000 low
LF: BTU 18,000 high**/XLO	CF: BTU 18,000 high**/3,000 low		RF: BTU 18,000 high**/3,000 low

<b>PRG486WDH</b>	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	12,699	13,999
------------------	--	--------	--------

PRG486WDH



\* According to AHAM Standards











\*\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

**NOTE:** Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

## RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES









This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Accessories												
				Rangetops				Pro Harmony Ranges								
				Gas				Induction		Dual Fuel			All Gas			
				30	36	48		30	36	30	36	48	30	36	48	
PCG305W	PCG364WD	PCG366W	PCG486WD	PRI30LBHU	PRI36LBHU	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD486WDHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG486WDH	
	<b>PAGRIDDLE</b> Griddle sits on top of Grates over two Burners, high-release surface coating	199	219													
	<b>PA12CHPBLK</b> 12" Maple Chopping Board	199	219													
	<b>PA12LCVRW</b> 12" Professional Griddle Cover Grill model is not listed in price book.	209	229													
	<b>PWOKRINGHC</b> Wok Ring Accessory <b>Call for availability.</b>	199	219													
	<b>PALPKITHW</b> LP Conversion Kit Pro Harmony Dual Fuel Ranges & Rangetops (4 & 6 Burner)	139	159													
	<b>PALPKITHW5</b> LP Conversion Kit Pro Harmony Dual Fuel Ranges & Rangetops (5 Burner)	139	159													
	<b>PALPKITGA</b> LP Conversion Kit Pro Harmony Gas Ranges, 30" & 36" (4 & 6 Burner)	199	219													
	<b>PALPKITHA5</b> LP Conversion Kit Pro Harmony Gas Ranges (5 Burner)	139	159													
	<b>PALPKITGA6</b> LP Conversion Kit Pro Harmony Gas Ranges 48" (4 & 6 Burner)	199	219													
	<b>PAALTKITH</b> High Altitude Kit Pro Harmony Ranges & Rangetops	89	99													

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

## RANGETOPS & PRO HARMONY SERIES RANGES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

	Model Number	Description	UMRP	MSRP	Accessories															
					Rangetops				Pro Harmony Ranges											
					Gas			Induction		Dual Fuel			All Gas							
					30	36	48	30	36	30	36	48	30	36	48					
	PAKNOBLUWR	Metallic Blue Knob Kit Pro Rangetop	239	269	•	•	•	•												
	PARKB30HY	Blue Knob Kit 30" Dual Fuel Harmony	249	279							•	•								
	PARKB3XHY	Blue Knob Kit 30"/36" Gas Harmony	249	279											•	•	•			
	PARKB3XIHB	Blue Knob Kit 30"/36" Induction Harmony	149	169					•	•										
	PARKB36DHY	Blue Knob Kit 36" Gas/Dual Fuel Harmony	249	279									•						•	
	PARKB36HY	Blue Knob Kit 36" Dual Fuel GR Harmony	249	279										•						
	PARKB48CHY	Blue Knob Kit 48" Dual Fuel Harmony	299	329											•					
	PARKB48DHY	Blue Knob Kit 48" Gas Harmony	299	329																•

**NOTE:** Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.



# PRO GRAND® SERIES DUAL-FUEL WITH STEAM RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

## All Pro Grand® Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
  - Featuring Pedestal Star® Burners with QuickClean Base™ (Four with ExtraLow® Simmer)
  - Steam and convection oven
  - Warming drawer
  - Continuous porcelain, easy-to-clean cooking surface
  - Patented Pedestal Star® Burner with QuickClean Base™
  - Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19)
  - Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
  - Precision simmering capabilities with Four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
  - Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty® surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff
  - Electric Griddle
  - 24" Two Zone Electric Griddle (60" models)
  - Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
  - LP conversion kit ordered separately for converting burners for LP gas
  - Island trim is included
  - Panel lighting illuminates knob controls
  - Two-year warranty
  - Star-K certified
  - CSA certified
- Oven features:**
- Thermador Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
  - SoftClose® hinges for ultra-smooth closing
  - Large oven includes three Full Access® telescopic racks with integrated easy-grip handles
  - Largest convection oven features 4.9 cu. ft. (48" models)
  - 5.7 cu. ft. (60" models) overall volume\*
  - Fast Preheat
  - 4,000 W 8-pass broil and 2,000 W bake elements
  - Third Element Convection (2,750 W) for multi-rack cooking
  - Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
  - Two rapid, self-clean cycles: 3 hr heavy-soil clean and 1 ½ hr light-soil clean
- Electronic oven display interfaces to** Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion and preheat status with audible alert
- Steam Oven features:**
- 27 Easy Cook® programs
  - 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
  - 2,750 W convection element
  - 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
  - Non-plumbed
  - Steam Clean function
- Warming drawer features:**
- Open sides for convenient accessibility
  - Holds up to ten 11" dinner plates
  - Exclusive smooth surface warming drawer
  - Three heat settings
- Note**
- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
  - For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

\* According to AHAM Standards

**NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.**

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# PRO GRAND® SERIES DUAL-FUEL WITH STEAM RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

## 48" Dual-Fuel with Steam Range

### The Ultimate Culinary Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- Griddle

LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high*/XLO
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low		RF: BTU 18,000 high*/XLO

<b>PRD48WDSGU</b>	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks (main oven)	19,499	21,449
-------------------	--	--------	--------



PRD48WDSGU



### The Ultimate Culinary Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- Liberty® Induction.

LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/XLO	Induction 3,600 W 230 V 3,300 W 208 V
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/XLO	

<b>PRD48WISGU</b>	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks (main oven)	20,499	22,549
-------------------	--	--------	--------



PRD48WISGU



## 60" Dual-Fuel with Steam Range

### The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- 24" Dual Zone Griddle
- 5.7 cu. ft. main oven cavity accommodates commercial size full sheet pan •
- 24" stainless steel cover accessory PA24CVRR for 24" Griddle sold separately

LR: BTU 12,500 high**/XLO	CR: BTU 12,500 high**/3,000 low	24" Electric Griddle 1,630 W (Left & Right) (3,260 W total)	RR: BTU 15,000 high**/XLO
LF: BTU 22,000 XHI**/XLO	CF: BTU 18,000 high**/3,000 low		RF: BTU 18,000 high**/XLO

<b>PRD606WESG</b>	60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks (main oven)	24,699	27,199
-------------------	--	--------	--------



PRD606WESG



\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP  
 \*\* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

**NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.**

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Pro Grand® Series Dual Fuel Ranges Include the Following Features:**

- Commercial-Depth (27")
- Patented Pedestal Star® Burner with QuickClean Base™ (Four with ExtraLow® Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.
- Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
- Precision simmering capabilities with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- LP kit ordered separately for converting burners for LP gas
- Island trim is included
- Panel lighting illuminates knob controls
- Two-year warranty
- Star-K certified

**All Ovens**

- SoftClose® hydraulic hinges for ultra-smooth closing
- Three Full Access® telescopic racks with integrated easy-grip handles
- Fast Preheat

**Main Oven**

- Thermador Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
- Largest convection oven features a 5.7 cu. ft. overall volume\* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1 ½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- Hidden bake element

**Note**

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
- For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

**Induction Models**

- Thermador 3,600 W Liberty® Induction with two zones
- Features 9 power levels, XHI PowerBoost, Bridge, HeatShift®, Timer and a safety shutoff

**Griddle:**

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Fusion non-stick surface

**48" Range Full-featured Secondary Oven**

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume\*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

**60" Range Full-featured Secondary Oven**

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume\*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

\* According to AHAM Standards

**NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.**

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

## PRO GRAND® SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

### 36" Dual-Fuel Ranges

- Six Pedestal Star® Burners  
(Four with ExtraLow®)

LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/XLO
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/XLO

<b>PRD366WGU</b>	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	11,999	13,199
------------------	--	--------	--------



PRD366WGU



- Four Pedestal Star® Burners  
(Four with ExtraLow®) and
- Non-stick surface Electric Griddle

LR: BTU 15,000 high*/XLO	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high*/XLO
LF: BTU 22,000 XHI*/XLO		RF: BTU 18,000 high*/XLO

<b>PRD364WDGU</b>	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	12,899	14,199
-------------------	--	--------	--------



PRD364WDGU



- Four Pedestal Star® Burners  
(Four with ExtraLow®) with  
Liberty® Induction

LR: BTU 15,000 high*/XLO	RR: BTU 15,000 high*/XLO	Induction 3,600 W 230 V 3,300 W 208 V
LF: BTU 22,000 XHI*/XLO	RF: BTU 18,000 high*/XLO	

<b>PRD364WIGU</b>	36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	13,499	14,849
-------------------	--	--------	--------



PRD364WIGU



\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

**NOTE:** Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# PRO GRAND® SERIES DUAL-FUEL RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

## 48" Dual-Fuel Ranges

- Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Electric Griddle
- Non-stick surface Electric Griddle

LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high*/XLO
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low		RF: BTU 18,000 high*/XLO

<b>PRD486WDGU</b>	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	16,649	18,349
-------------------	--	--------	--------



PRD486WDGU

- Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) with Liberty® Induction

LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	RR: BTU 15,000 high*/XLO	Induction 3,600 W 230 V 3,300 W 208 V
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low	RF: BTU 18,000 high*/XLO	

<b>PRD486WIGU</b>	48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	16,999	18,699
-------------------	--	--------	--------



PRD486WIGU

## 60" Dual-Fuel Ranges

### The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®) with 24" Dual Zone Griddle
- Non-stick surface Electric Griddle

LR: BTU 12,500 high**/XLO	CR: BTU 12,500 high**/3,000 low	24" Electric Griddle 1,630 W (Left & Right) (3,260 W total)	RR: BTU 15,000 high**/XLO
LF: BTU 22,000 XHI**/XLO	CF: BTU 18,000 high**/3,000 low		RF: BTU 18,000 high**/XLO

<b>PRD606WEG</b>	60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks	21,499	23,649
------------------	--	--------	--------



PRD606WEG

\* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

\*\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

**NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.**

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Pro Grand® Series All Gas Ranges Include the Following Features:**

- Commercial-depth (27")
  - Featuring Patented Pedestal Star® Burner with QuickClean Base™ (Four with ExtraLow® Simmer),
  - Continuous porcelain, easy-to-clean cooking surface
  - Patented Pedestal Star® Burner with QuickClean Base™
  - Metal knobs (also available in Metallic Blue, knob kit sold separately. See page 5-19.
  - Powerful burners with electronic ignition/re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU LP)
  - Precision simmering capabilities with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
  - Gas ranges are field convertible from natural gas to liquid propane—kits sold separately
  - Island trim is included
  - Panel lighting illuminates knob controls
  - Two-year warranty
  - Star-K certified
- Griddle model:**
- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
  - Electric Griddle
- Oven features:**
- SoftClose® hydraulic hinges for ultra-smooth closing
  - Each oven includes three Full Access® telescopic racks with integrated easy-grip handles
- Large oven:**
- Thermador Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'
  - 5.7 cu. ft. overall volume\* accommodates commercial full-size sheet pan
  - 17,500 BTU high-intensity infrared broil burner (NG/LP)
  - Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
  - 6 conventional cooking modes
- Two rapid, self-clean cycles: 3 hr heavy-soil clean and 1 ½ hr light-soil clean
  - Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert
- Full-featured Secondary Oven features:**
- 2.5 cu. ft. overall volume\*
  - Six modes including convection, 2-hour self clean, and temperature probe for Roast
  - 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/LP)
  - Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert
- Note**
- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador Professional Hoods, page 6-5)
  - For Liquid Propane models: Natural to LP Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft., see High Altitude Kits.

**36" Gas Range**

- Six Pedestal Star® Burners (Four with ExtraLow®)

LR: BTU 15,000 high**/XLO	CR: BTU 15,000 high**/3,000 low	RR: BTU 15,000 high**/XLO
LF: BTU 22,000 XHI**/XLO	CF: BTU 18,000 high**/3,000 low	RF: BTU 18,000 high**/XLO

**PRG366WG** 36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 9,299 10,249



PRG366WG



\*According to AHAM Standards

\*\*15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

**NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRIxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.**

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# PRO GRAND® SERIES GAS RANGES/PRO GRAND® SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

## 48" Gas Range

- Six Pedestal Star® Burners (Four with ExtraLow®)
- Non-stick surface Electric Griddle

LR: BTU 15,000 high*/XLO	CR: BTU 15,000 high*/3,000 low	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high*/XLO
LF: BTU 22,000 XHI*/XLO	CF: BTU 18,000 high*/3,000 low		RF: BTU 18,000 high*/XLO



PRG486WDG

**PRG486WDG**      48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks      13,299    14,649



### Accessories

	Model Number	Description	UMRP	MSRP	Dual-Fuel with Steam			Dual Fuel					All Gas		
					48"		60"	36"			48"		60"	36"	48"
					PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WIGU	PRD366WDGU	PRD486WIGU	PRD486WDGU	PRD606WEG	PRG366WIG	PRG486WDG
	<b>PAGRIDDLE</b>	Griddle sits on top of Grates over two Burners, high-release surface coating	199	219	•	•	•	•	•	•	•	•	•	•	
	<b>PA12CHPBLK</b>	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	
	<b>PA12LCVRW</b>	12" Professional Griddle Cover	209	229		•			•					•	
	<b>PA24CVRR</b>	24" Cover for Griddle	299	329			•					•			











\* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

**NOTE:** Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO GRAND® SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.








Model Number	Description	UMRP	MSRP	Dual-Fuel with Steam			Dual Fuel					All Gas		
				48"		60"	36"			48"		60"	36"	48"
				PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WVGU	PRD364WDGDU	PRD486WIGU	PRD486WDGDU	PRD606WEG	PRG366WG	PRG486WDG
 PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•
 PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel Ranges	199	219	•	•	•	•	•	•	•	•	•		
 PALPKITGGW	LP Conversion Kit Pro Grand Gas Ranges	199	219										•	•
 PAALTKITGW	High Altitude Kit, NG Pro Grand Ranges, 5.4K ft. to 10.2K ft.	89	99	•	•	•	•	•	•	•	•	•	•	•
 PARKB36IGY	Blue Knob Kit 36" Grill/Ind Grand	249	279				•							
 PARKB36GY	Blue Knob Kit 36" Gas Grand	249	279										•	
 PARKB36CGY	Blue Knob Kit 36" Combi Grand	279	309					•	•					
 PARKB48CGY	Blue Knob Kit 48" Combi Grand	384	429	•						•	•			
 PARKB48SGY	Blue Knob Kit 48" Combi Steam Grand	379	419		•									•
 PARKB60CGY	Blue Knob Kit 60" Combi Grand	349	389									•		

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

PRO GRAND® SERIES ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number		Description	UMRP	MSRP	Dual-Fuel with Steam			Dual Fuel					All Gas		
Model Number		Description	UMRP	MSRP	48"			36"			48"		60"	36"	48"
Model Number		Description	UMRP	MSRP	PRD48WISGU	PRD48WDSGU	PRD606WESG	PRD364WIGU	PRD366WVGU	PRD364WDGDU	PRD486WIGU	PRD486WDGDU	PRD606WEG	PRG366WVG	PRG486WDG
	PARKB60SGY	Blue Knob Kit 60" Combi Steam Grand	349	389			•								
	PA36WTKG	Toe Kick for 36" Pro Grand® Range	109	119				•	•	•				•	
	PA48WTKG	Toe Kick for 48" Pro Grand® Range	109	119	•	•					•	•			•
	PA60WTKG	Toe Kick for 60" Pro Grand® Range	139	159			•						•		
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fuel Pro Grand® Ranges	479	529				•	•	•				•	
	PA48WLBG	7" Low Backguard for 48" Pro Grand® Gas Ranges	509	599	•	•					•	•			•
	PA60WLBG	7" Low Backguard for 60" for Pro Grand® Range	559	649			•						•		

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx, PRD304xx, PRx488xx, PRlxxxxxx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# MASTERPIECE® SERIES INDUCTION SLIDE-IN RANGES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

## 30" Induction Slide-In Range

- |  |   |  |
|--|---|--|
| <ul style="list-style-type: none"> <li>The Thermador slide-in range fits in any freestanding range cutout</li> <li>Touch control for easier operation of the oven</li> <li>Kitchen timer</li> <li><b>Cooktop features:</b></li> <li>A 11" heating element offers 3,700 W of power</li> <li>Faster than gas or electric</li> <li>Easier to clean and more efficient</li> <li>PowerBoost®</li> <li>ChildLock</li> <li>SafeStart</li> </ul> | <ul style="list-style-type: none"> <li>Liberty® cooktop can combine two cooking zones into one large flexible cooking surface</li> <li>HeatShift®</li> <li>PotSense</li> <li><b>Oven features:</b></li> <li>17 Heat levels</li> <li>Two oven lights</li> <li>400 W warming drawer</li> <li>2,000 W convection ring element</li> <li>2–4 hr time-adjustable self clean</li> <li>Temperature probe</li> <li>SoftClose® door</li> <li>Extra large door window</li> </ul> | <ul style="list-style-type: none"> <li>1 Full Access® telescopic rack</li> <li>2 Standard racks</li> <li>Temperature conversion for convection cooking</li> <li>True Convection</li> <li>Fast Preheat™</li> <li>Large oven capacity at 4.6 cu.ft.</li> <li>Recessed 3,800 W 8-Pass broil element</li> <li>Powerful 2,400 W 4-Pass bake element</li> <li>Star-K certified 100°–450°F</li> <li>Rear vent trim included</li> <li>Electric supply: 40 A or 50 A. Check with local code requirements</li> </ul> |
|--|---|--|



MRI304DL



LR : 8" x 9" @ 2,200 W/3,600 W (PowerBoost®)	RR: 11" @ 2,600 W/3,700 W (PowerBoost®)	Full Zone: 16" x 9" @ 3,300 W/3,600 W (PowerBoost®)
LF: 8" x 9" @ 2,200 W/3,600 W (PowerBoost®)	RF: 6" @ 1,400 W/2,200 W (PowerBoost®)	

**NEW** MRI304DL      30" Induction Slide-In Range      6,199      6,849

Available July 2026



























### Accessories

			Slide-in Range
			Induction
			30"
			MRI304DL
	<b>HEZTR301</b>	Gliding Telescopic Rack	See Bosch Price List* •

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# VENTILATION

MASTERPIECE® & PROFESSIONAL COLLECTIONS

		30"	36"	42"	48"	54"/60"
WALL	Low-Profile	 HMWB30WS	 HMWB36WS HMWB361WS		 HMWB481WS	
	Masterpiece®	 HMDW30WS	 HMDW36WS			
	Pro Grand®		 PH36GWS		 PH48GWS	 PH60GWS
	Pro Harmony®		 PH36HWS		 PH48HWS	
CHIMNEY WALL	Masterpiece®	 HMCB30WS	 HMCB36WS			
	Masterpiece®	 Hddb30WS	 Hddb36WS			
	Professional		 HPCN36WS		 HPCN48WS	
ISLAND	Masterpiece®		 HMIB36WS	 HMIB42WS		
CUSTOM INSERT	Masterpiece®	 VCI3B30ZS VCI6B30ZS	 VCI3B36ZS VCI6B36ZS			
	Professional		 VCIN36GWS	 VCIN42GWS	 VCIN48GWS	 VCIN54GWS VCIN60GWS
DOWNDRAFT	Masterpiece®	 UCVM30XS	 UCVM36XS UCVP36XS			

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Wall Hoods include the following features:**

- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation

**Accessory options available**

- Built-in remote control panel, sold separate (see page 6-7)

**All Masterpiece® Wall Hoods include these Additional features:**

- Equipped with the Thermador Connected Experience by Home Connect™
- A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- Brushed stainless steel
- Dishwasher-safe stainless steel covered mesh filters
- Noise Control Technology™
- Cooktop Hood-Sync Enabled
- Vertical ducting direction
- Integral blower included
- Convertible to recirculation, accessory sold separate (see page 6-3)

**Masterpiece® Series**

**Drawer Under Cabinet Wall Hood**

- A masterful blend of luxury and performance with a slide-out canopy design
- When the slide-out canopy is pushed back, it sits flush against surrounding cabinetry, and when pulled forward increases capture area
- Fan can be activated in the closed or open position
- 600 CFM integral blower included
- Transition to 8" round and backdraft damper included



HMDW36WS



HMDW30WS	30" Masterpiece®, Under Cabinet Drawer Wall Hood, 600 CFM	2,299	2,549
----------	---	-------	-------

HMDW36WS	36" Masterpiece®, Under Cabinet Drawer Wall Hood, 600 CFM	2,399	2,649
----------	---	-------	-------

**Low-Profile Wall Hood**

- Chiseled design that is 24" depth, 11" tall
- Approved for use with Professional Series Ranges and Rangetops
- 16" tall and 28"-65" tall telescopic duct cover accessory options available, sold separate (see page 6-3)
- Transition to 10" round and backdraft damper included



HMWB30WS



HMWB30WS	30" Low-Profile Wall Hood, 600 CFM	2,199	2,449
----------	------------------------------------	-------	-------









HMWB36WS	36" Low-Profile Wall Hood, 600 CFM	2,299	2,549
----------	------------------------------------	-------	-------

HMWB361WS	36" Low-Profile Wall Hood, 1000 CFM	2,399	2,649
-----------	-------------------------------------	-------	-------

HMWB481WS	48" Low-Profile Wall Hood, 1000 CFM	2,499	2,749
-----------	-------------------------------------	-------	-------



The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Drawer		Low Profile			
Accessories—Masterpiece® Series				HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
	<p><b>Recirculation Accessories</b></p> <ul style="list-style-type: none"> <li>When ducting is not feasible, kit brings filtered air back into kitchen</li> <li>Replace charcoal filter every 3-6 months depending on usage</li> <li>Charcoal filter replacement accessory available (see below)</li> </ul>								
	<p><b>Installation Note:</b> RECHMWB30 and RECHMWB36 are brushed stainless steel, and adds 4" height to the appliance. Approved for use with HMWB30WS and HMWB36WS Low-Profile Series Wall Hoods with 600 CFM blowers only</p> <p><b>RECHMWB30</b> Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide</p>	699	799			•			
	<p><b>RECHMWB36</b> Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide</p>	749	849				•		
	<p><b>RECHMDW30</b> Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide</p>	129	149	•					
	<p><b>RECHMDW36</b> Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide</p>	129	149		•				
	<p><b>CHFHMWDW30</b> Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide</p>	99	109	•					
	<p><b>CHFHMWDW36</b> Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide</p>	99	109		•				
	<p><b>Optional Stainless Steel Duct Cover</b></p> <ul style="list-style-type: none"> <li>Available in 16" and 20"-54" telescoping heights</li> <li>Can be used with Low-Profile HMWBxxWS Series Wall Hoods</li> </ul>								
	<p><b>DCT3016W</b> 16" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide</p>	649	749			•			
	<p><b>DCT3616W</b> 16" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide</p>	659	749				•	•	
	<p><b>DCT4816W</b> 16" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide</p>	679	749						•
	<p><b>DC30MTW</b> 28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide</p>	749	849			•			

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Drawer		Low Profile			
<b>Accessories—Masterpiece® Series</b>				HMDW30WS	HMDW36WS	HMWB30WS	HMWB36WS	HMWB361WS	HMWB481WS
	<b>DC36MTW</b> 28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	759	849				•	•	
	<b>DC48MTW</b> 28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	779	899						•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Professional Wall Hoods Include these Additional Features:**

- Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Vertical or horizontal ducting discharge possible
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6)  
**Integral:** VTN2DA, VTN1DZ, VTN2FZ  
**Inline:** VT11FZ<sup>1</sup>, VT12FZ  
**Remote:** VTR2FZ
- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included

**Accessory options available**

- Duct cover accessory options (see page 6-7)
- Remote blower roof plates (see page 6-8)
- 25-ft. remote & inline blower extension cable (see page 6-8)

**Professional Series**

**Pro Harmony® Wall Hood**

- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- A perfect companion to Pro Harmony® Professional Ranges
- Pro-style 24" depth, 18" tall
- Commercial-style stainless steel baffle filters



PH36HWS

PH36HWS	36" Pro Harmony® Wall Hood, Optional Blower	2,599	2,899
PH48HWS	48" Pro Harmony® Wall Hood, Optional Blower	2,899	3,199

**Pro Grand® Wall Hood**

- Equipped with the Thermador Connected Experience by Home Connect™
- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Crafted to complete the ultimate cooking system with Pro Grand® Professional Ranges
- Pro-style 27" depth, 18" tall
- Two infrared, 175 W, Keep-Hot lamps (included)



PH36GWS









PH36GWS	36" Pro Grand® Wall Hood, Optional Blower	2,799	3,099
PH48GWS	48" Pro Grand® Wall Hood, Optional Blower	3,249	3,599
PH60GWS	60" Pro Grand® Wall Hood, Optional Blower	4,299	4,749

<sup>1</sup> The 600 CFM blower options are not available with the 60" hood

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



Model Number	Description	UMRP	MSRP	Masterpiece®		Professional		
				Downdraft		Wall	Chimney Wall	Custom Insert
				UCVMxxRS	UCVP36XS	PHxxxWS	HPCNxxWS	VCINxxGWS
<b>Blowers</b>								
	<b>Integral Blowers</b> • Integrated into ventilation hood at the time of installation							
	<b>VTN1DZ</b> 400 CFM Integral Blower	799	899			•		
	<b>VTN2DA</b> 700 CFM Integral Blower	799	899			•	•	•
	<b>VTN2FZ</b> 1,000 CFM Blower	999	1,099			•	•	•
	<b>Inline Blowers</b> • Blower can be mounted along the duct line between the kitchen and the exterior wall • 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-8) • For use with Thermador PHxxxWS, HPCNxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods							
	<b>VTI1FZ</b> 600 CFM Inline Blower, 6" duct size	799	899	•	•	• <sup>1</sup>	•	• <sup>2</sup>
	<b>VTI2FZ</b> 1,000 CFM Inline Blower, 10" duct size	999	1,099	•	•	•	•	•
	<b>Remote Blower</b> • For external roof or wall mount • Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-8) • 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-8) • For use with Thermador PHxxxWS, HPCNxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods							
	<b>VTR2FZ</b> 1,000 CFM Remote Blower, 10" duct size	999	1,099	•	•	•	•	•

1 For PH30HWS only

2 The 600 CFM blower options are not available with the 60" hood





The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Pro Harmony		Pro Grand		
				PH36HWS	PH48HWS	PH36GWS	PH48GWS	PH60GWS
<b>Accessories—Professional</b>								
	<p><b>Optional Stainless Steel Duct Cover</b></p> <ul style="list-style-type: none"> <li>Available in 6" and 20"-54" telescoping heights</li> </ul>							
DC366W	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	489	539	•		•		
DC486W	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499	549		•		•	
DC3689W	8' - 9' Ceilings Telescoping Duct Cover, 36" wide	509	599	•		•		
DC4889W	8' - 9' Ceilings Telescoping Duct Cover, 48" wide	529	599		•		•	
DC361012W	10' - 12' Ceilings Telescoping Duct Cover, 36" wide	659	749	•		•		
DC481012W	10' - 12' Ceilings Telescoping Duct Cover, 48" wide	719	799		•		•	
	<p><b>Built-In Remote Control</b></p> <ul style="list-style-type: none"> <li>Ability to vertically install on cabinetry or wall to control hood in a convenient location</li> <li>Built-in sleek, smooth remote touch control panel</li> <li>Compatible with HDDBxxWS, HMCBxxWS, HMDWxxWS, HMIBxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, PHxxxWS, and VCINxxGWS Series hoods</li> <li>Wired to hood</li> <li>Cable length: 30 ft.</li> </ul>			•	•	•	•	•
REMCPW	Built-In Remote Control Accessory	319	359					

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Pro Harmony		Pro Grand		
				PH36HWS	PH48HWS	PH36GWS	PH48GWS	PH60GWS
<b>Blower and Duct Accessories</b>								
	<p><b>Remote &amp; Inline Blower Extension Cable</b></p> <ul style="list-style-type: none"> <li>25-ft. extension cable for use between hood and inline or remote blower</li> <li>Supports PHxxxWS, HPCNxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods.</li> </ul> <p>• Cannot join two cables together for longer length.</p> <p>• For use with blowers VTI1FZ, VTI2FZ, VTR2FZ.</p>							
EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139	•	•	•	•	•
	EXTNSET4 3-pc extension set for Inline and remote blowers	159	179	•	•	•	•	•
	<p><b>Roof Plates</b></p> <p>NOTE: Roof plate required for roof-mount application of remote blowers.</p>							
RFPLT600P	Roof mounting plate for remote blower VTR1FZ*	129	149	•	•	•	•	•
	RFPLT1000P Roof mounting plate for remote blower VTR2FZ	159	179	•	•	•	•	•

\* VTR1FZ blower is discontinued.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Chimney Wall Hoods include the following features:**

- Beautiful illumination with multi-level, LED lights
- Dishwasher-safe filters
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-7)

**All Masterpiece® Chimney Wall Hoods include these Additional features:**

- Equipped with the Thermador Connected Experience by Home Connect™
- A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- Brushed stainless steel
- Serves as the focal point of the room and can add a modern feel
- Cooktop Hood-Sync Enabled
- 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft. tall ceilings
- Transition to 8" round and backdraft damper included
- Duct cover extension kit accessory for 9-ft. to 12-ft. tall ceilings available, sold separate (see page 6-12)
- Convertible to recirculation, accessory sold separate (see page 6-12)
- Hybrid mesh filters with stainless steel frame
- Vertical ducting direction

**Masterpiece® Series**

**Pyramid Chimney Wall Hood**

- Streamlined, contemporary, low-profile design with 5" pyramid canopy height
- Noise Control Technology™

HMCB30WS	30" Masterpiece® Pyramid Chimney Wall Hood, 600 CFM	2,699	2,999
HMCB36WS	36" Masterpiece® Pyramid Chimney Wall Hood, 600 CFM	2,949	3,249



HMCB30WS



**Drawer Chimney Wall Hood**

- A masterful blend of luxury and performance with unique slide-out canopy design that can be pushed back for increased head room or pulled forward for increased capture area
- Can be activated whether in the open or closed position
- Noise Control Deluxe™

Hddb30WS*	30" Masterpiece® Drawer Chimney Wall Hood, 600 CFM	3,099	3,449
Hddb36WS*	36" Masterpiece® Drawer Chimney Wall Hood, 600 CFM	3,399	3,749



Hddb30WS



\* Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Professional Chimney Wall Hoods include these Additional features:**

- Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Creates a focal point in the room with a more contemporary-style feel
- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included
- Duct cover accessory options available, sold separate (see page 6-11)
- Pro-style 24" depth, 18" tall
- Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- 6" tall, 18"- 35" tall telescopic, and 42"- 59" tall telescopic duct cover accessory options available, sold separate (see page 6-11)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6)  
**Integral:** VTN2DA, VTN2FZ,  
**Inline:** VT11FZ, VT12FZ  
**Remote:** VTR2FZ

**Accessory options available**

- Remote blower roof plates (see page 6-12)
- 25-ft. remote & inline blower extension cable (see page 6-11)

**Professional Series**

**Pro Grand® Chimney Wall Hood**

HPCN36WS	36" Professional® Chimney Wall Hood, Optional Blower	3,399	3,749
HPCN48WS	48" Professional® Chimney Wall Hood, Optional Blower	3,899	4,299











HPCN36WS

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# CHIMNEY WALL HOODS








This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Masterpiece®				Pro Grand	
				Pyramid Wall		Drawer		Wall	
				HMCB30WS	HMCB36WS	Hddb30WS	Hddb36WS	HPCN36WS	HPCN48WS
<b>Accessories</b>									
	<p><b>Remote &amp; Inline Blower Extension Cable</b></p> <ul style="list-style-type: none"> <li>• 25-ft. extension cable for use between hood and inline or remote blower</li> <li>• Supports PHxxxWS, HPCNxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods.</li> <li>• Cannot join two cables together for longer length.</li> <li>• For use with blowers VT11FZ, VT12FZ, VTR2FZ.</li> </ul>							•	•
EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139						
	EXTNSET4 3-pc extension set for Inline and remote blowers	159	179					•	•
	<p><b>Duct Cover</b></p> <ul style="list-style-type: none"> <li>• Available in 6" tall, 18"-35" tall telescopic, and 42"-59" tall telescopic heights</li> <li>• Can be used with HPCNxxWS Professional Series Chimney Wall Hoods</li> </ul>							•	
CHMHP366W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 36" Wide	499	549						
	CHMHP486W 6" Tall Duct Cover for Professional® Chimney Wall Hood, 48" Wide	509	599						•
	CHMHP36TW 18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	649	749					•	
	CHMHP48TW 18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	659	749						•
	CHMHP36XTW 42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	719	799					•	
	CHMHP48XTW 42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	739	849						•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

# CHIMNEY WALL HOODS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Masterpiece®				Pro Grand	
				Pyramid Wall		Drawer		Wall	
				HMCB30WS	HMCB36WS	HDDB30WS	HDDB36WS	HPCN36WS	HPCN48WS
<b>Accessories</b>									
	<b>Chimney Wall Hood Extension Kits</b> Stainless steel telescopic chimney extension for 9-ft. to 12-ft. tall ceilings  <b>CHXTHDDW</b> 9'-12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece® Chimney Drawer Hood	579	649			•	•		
	<b>CHXTHMCB</b> 9'-12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece® Pyramid Chimney Hood	579	649	•	•				
	<b>Chimney Wall Hood Recirculation Accessories</b> <ul style="list-style-type: none"> <li>When ducting is not feasible, kit brings filtered air back into kitchen</li> <li>Replace charcoal filter every 3-6 months depending on usage</li> <li>Charcoal filter replacement accessory available (see below)</li> </ul>					•	•		
	<b>RECHDDB</b> Recirculation Kit for Masterpiece® HDDBxxWS Drawer Chimney Wall Hood	159	179						
	<b>RECHMCB</b> Recirculation Kit for Masterpiece® HMCBxxWS Chimney Wall Hood	159	179	•	•				
	<b>CHFHMCD</b> Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109	119	•	•	•	•		
	<b>Roof Plates</b> NOTE: Roof plate required for roof-mount application of remote blowers.  <b>RFPLT600P</b> Roof mounting plate for remote blower VTR1FZ*	129	149					•	•
	<b>RFPLT1000P</b> Roof mounting plate for remote blower VTR2FZ	159	179					•	•

\* **VTR1FZ** blower is discontinued.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Island Hoods include the following features:**

- Equipped with the Thermador Connected Experience by Home Connect™
- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min. delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-7)

**Masterpiece® Series**

**Low-Profile Island Hood**

- Sleek and slim, these meticulously sculpted, floating stainless steel island hoods catch the eye without obstructing views
- A perfect complement to Thermador Masterpiece® Series cooktops
- Brushed stainless steel
- Cooktop Hood-Sync Enabled
- Noise Control Deluxe™
- 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft. tall ceilings
- Transition to 8" round and backdraft damper included
- Convertible to recirculation, accessory sold separate (see page 6-14)

**Accessory options available**

- Duct cover extension kit accessory for 9-ft. to 12-ft. tall ceilings (see page 6-14)






HMIB36WS



HMIB36WS	36" Masterpiece® Box Island Hood, 600 CFM	3,699	4,099
HMIB42WS	42" Masterpiece® Box Island Hood, 600 CFM	3,799	4,199

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Masterpiece®	
				Low Profile	
				HMIB36WS	HMIB42WS
Model Number	Description	UMRP	MSRP		
	<b>Low-Profile Island Hood Extension Kit</b> <ul style="list-style-type: none"> <li>Stainless steel telescopic chimney extension for 9-ft to 12-ft tall ceilings</li> <li>Compatible with HMIBxxWS Masterpiece® Island Hood</li> </ul>				
	<b>CHXTHMIB</b> 9'-12' Ceilings Chimney Extension Kit for HMIBxxWS Masterpiece® Island Hood	699	799	•	•
	<b>Low-Profile Island Hood Recirculation Accessories</b> <ul style="list-style-type: none"> <li>When ducting is not feasible, kit brings filters air back into kitchen</li> <li>Replace charcoal filter every 3-6 months depending on usage</li> <li>Compatible with HMIBxxWS Masterpiece® Island Hood</li> <li>Charcoal filter replacement accessory available (see below)</li> </ul>				
	<b>RECHMIB</b> Recirculation Kit for Masterpiece® HMIBxxWS Island Hood	159	179	•	•
	<b>CHFHMCD</b> Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109	119	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Masterpiece® Custom Inserts include the following features:**

- Equipped with the Thermador Connected Experience by Home Connect™
- Two 6 W LED lights
- 120 V
- Touch control
- Vertical ducting
- Dishwasher-safe aluminum filter
- Integral blower
- Perimetric filter
- 15 Amps
- Plug type: hardwire

**Masterpiece® Series**

**300 CFM Custom Insert**

- 300 CFM blower
- Vertical ducting with 6" round duct

VCI3B30ZS	30" Custom Insert Hood, 300 CFM	1,599	1,799
VCI3B36ZS	36" Custom Insert Hood, 300 CFM	1,699	1,899



VCI3B30ZS



VCI3B36ZS



**600 CFM Custom Insert**

- 600 CFM blower
- Vertical ducting with 8" round duct

VCI6B30ZS	30" Custom Insert Hood, 600 CFM	1,769	1,949
VCI6B36ZS	36" Custom Insert Hood, 600 CFM	1,799	1,999



VCI6B30ZS





VCI6B36ZS










The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
<p><b>Custom Insert Hoods</b></p> <ul style="list-style-type: none"> <li>Equipped with the Thermador Connected Experience by Home Connect™</li> <li>Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials</li> <li>Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops</li> <li>Brushed stainless steel</li> <li>Dishwasher-safe commercial-style stainless steel baffle filters</li> <li>Beautiful illumination with multi-level, LED lights</li> <li>Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels</li> <li>Automatic mode detects temperatures to adjust fan speed automatically</li> <li>10-min. delay shut off which away lingering odors</li> <li>Check filter reminder light illuminates after 40 hours of operation</li> <li>Make-up air damper relay switch (120 V max)</li> <li>Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers</li> <li>Includes custom hood trim to complete custom insert installation</li> <li>Vertical ducting</li> <li>Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-6)  <b>Integral:</b> VTN2DA, VTN2FZ  <b>Inline:</b> VT11FZ, VT12FZ  <b>Remote:</b> VTR2FZ</li> <li>Transition to 10" round and backdraft damper included</li> <li>Built-in remote control panel accessory available, sold separate (see page 6-7)</li> </ul> <p><b>Accessory options available</b></p> <ul style="list-style-type: none"> <li>Remote blower roof plates (see page 6-8)</li> <li>25-ft remote &amp; inline blower extension cable (see page 6-8)</li> </ul>			
<p><b>Professional Series</b></p>  <p>VCIN48GWS</p> 			
VCIN36GWS	36" Professional® Custom Insert, Optional Blower	2,269	2,499
VCIN42GWS	42" Professional® Custom Insert, Optional Blower	2,299	2,549
VCIN48GWS	48" Professional® Custom Insert, Optional Blower	2,499	2,749
VCIN54GWS	54" Professional® Custom Insert, Optional Blower	2,599	2,899
VCIN60GWS	60" Professional® Custom Insert, Optional Blower	2,699	2,999

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Masterpiece®				Pro					
				VCI3B30ZS	VCI3B36ZS	VCI6B30ZS	VCI6B36ZS	VCI36GWS	VCI42GWS	VCI48GWS	VCI54GWS	VCI60GWS	
<b>Accessories</b>													
	<p><b>Built-In Remote Control</b></p> <ul style="list-style-type: none"> <li>Ability to vertically install on cabinetry or wall to control hood in a convenient location</li> <li>Built-in sleek, smooth remote touch control panel</li> <li>Compatible with HDDBxxWS, HMCBxxWS, HMDWxxWS, HMIBxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, PHxxWS, and VCINxxGWS Series hoods</li> <li>Wired to hood</li> <li>Cable length: 30 ft.</li> </ul>	319	359					•	•	•	•	•	
	<p><b>Remote &amp; Inline Blower Extension Cable</b></p> <ul style="list-style-type: none"> <li>25-ft. extension cable for use between hood and inline or remote blower</li> <li>Supports PHxxWS, HPCNxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods.</li> <li>Cannot join two cables together for longer length.</li> <li>For use with blowers VTI1FZ, VTI2FZ, VTR2FZ.</li> </ul>	119	139					•	•	•	•	•	
	<p><b>EXTNSET4</b> 3-pc extension set for Inline and remote blowers</p>	159	179					•	•	•	•	•	
	<p><b>Roof Plates</b> NOTE: Roof plate required for roof-mount application of remote blowers.</p> <p><b>RFPLT600P</b> Roof mounting plate for remote blower VTR1FZ*</p>	129	149					•	•	•	•	•	
	<p><b>RFPLT1000P</b> Roof mounting plate for remote blower VTR2FZ</p>	159	179					•	•	•	•	•	
	<p><b>Charcoal Filters</b></p> <p><b>CHFVCI30ZS</b> Charcoal Filter Kit for 30" Custom Inserts VCI3B30ZS and VCI6B30ZS</p>	109	119	•		•							
	<p><b>CHFVCI36ZS</b> Charcoal Filter Kit for 36" Custom Inserts VCI6B36ZS and VCI6B36ZS</p>	109	119		•		•						

\* VTR1FZ blower is discontinued.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Downdrafts include the following features:**

- Designed for installation with all Thermador cooktops except Professional Series
  - All models feature six possible discharge connections including front, side, down, and rear as well as recirculation
  - Stainless steel
  - Sleek, removable front filter panel design that act as a splatter shield
  - Dishwasher safe mesh filters
  - Three speeds
  - Convenient 10-minute time-delay shut-off feature
  - Filter maintenance reminder light
  - Automatic mode
  - Recirculation possible with electric and induction cooktops, Accessory Sold Separately (UCVRECIRC see page 6-19)
- Required To Complete The Installation:**
- Blower Options, Sold Separately. Works with the following blowers, sold separately (see page 6-20).  
**Integral:** VTD600P  
**Inline:** VT11FZ, VT12FZ  
**Remote:** VTR2FZ
- Downdraft transitions may be required to complete the installation depending on exhaust direction & blower chosen: [see page 6-20]  
CVTSIDE6                      CVTRECT2  
CVTSIDE8                      CVTFRONT6  
CVTSIDE10                    CVTFRONT8  
CVDUCT2                      CVTFRONT10
- Accessory options available**
- Gas cooktop seal kit sold separately, required for installation with gas cooktops (UCV30ST, UCV36ST [see page 6-19])
  - 5' electrical panel extension cable (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-22])
  - 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-22)

**Masterpiece® Series**





**Downdraft Ventilation System**

UCVM30XS	30" Masterpiece® Downdraft 15" Snorkel, Optional Blower	1,999	2,199	 UCVM30XS
UCVM36XS	36" Masterpiece® Downdraft 15" Snorkel, Optional Blower	2,199	2,449	 UCVM36XS
UCVP36XS	36" Masterpiece® Downdraft, Deluxe 18" Snorkel, Optional Blower LED Task Bar Lights	2,599	2,899	 UCVP36XS

**NOTE: Transition required and sold separately for all remote and inline blower installations.**

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.











This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	UCVM30XS	UCVM36XS	UCVP36XS
<b>Components</b>						
	<p><b>Downdraft Recirculation Kit</b></p> <ul style="list-style-type: none"> <li>For use with 30" UCVM30XS, 36" UCVM36XS, and 36" UCVP36XS down-draft models only</li> <li>Works in wall or island applications</li> <li>When ducting is not feasible, kit brings filtered air back into kitchen after passing through a charcoal filter</li> <li>To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Gas Cooktops</li> <li>Module ships with one heavy duty charcoal filter and two metal grill vent plates</li> <li>Mounts to cabinet base, recesses into toe kick/ socket area</li> <li>Fits in toe-kick/socket heights of 4" or taller</li> <li>Module and grill vent plate can be placed so air does not hit feet</li> <li>Blower and downdraft sold separately</li> <li>Replacement charcoal filters available, sold separately</li> </ul> <p><b>UCVRECIRC</b> Recirculation kit for downdraft UCVM30XS, UCVM36XS, UCVP36XS downdrafts only. VTD600P Blower required, sold separately. Replace filters every 3-6 months depending on usage with HDDFILTUC</p>	599	699	•	•	•
	<p><b>HDDFILTUC</b> Charcoal filter replacement For use with UCVRECIRC recirculation kit (above)</p>	See Bosch Price List*		•	•	•
	<p><b>Gas Cooktop Seal Kit</b></p> <ul style="list-style-type: none"> <li>For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only</li> <li>Required for installation with gas cooktops</li> <li>Includes trim bracket, seal, and 2 metal grills</li> </ul> <p><b>UCV30ST</b> 30" gas cooktop seal kit For UCVM30XS downdraft</p>	129	149	•		
	<p><b>UCV36ST</b> 36" gas cooktop seal kit</p>	129	149		•	•

\* Pricing for the Thermador accessory listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.






The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	UCVM30XS	UCVM36XS	UCVP36XS
<b>Components</b>						
	<b>Integrated Blower</b> <b>VTD600P</b> 600 CFM, 8" duct size flexible integrated blower Use with UCVM30XS, UCVM36XS, UCVP36XS downdrafts only	899	999	•	•	•
	<b>Inline Blowers</b> <ul style="list-style-type: none"> <li>Blower can be mounted along the duct line between the kitchen and the exterior wall</li> <li>25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-22)</li> <li>For use with Thermador PHxxxWS, HPCNxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods</li> </ul>					
	<b>VTI1FZ</b> 600 CFM Inline Blower, 6" duct size	799	899	•	•	•
	<b>VTI2FZ</b> 1,000 CFM Inline Blower, 10" duct size	999	1,099	•	•	•
	<b>Remote Blower</b> <ul style="list-style-type: none"> <li>For external roof or wall mount</li> <li>Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-22)</li> <li>25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-22)</li> <li>For use with Thermador PHxxxWS, HPCNxxWS, VCINxxGWS, UCVMxxRS, and UCVP36XS Series hoods</li> </ul>					
	<b>VTR2FZ</b> 1,000 CFM Remote Blower, 10" duct size	999	1,099	•	•	•
	<b>Downdraft Transitions</b> Transition(s) may be required to complete the installation of 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdrafts depending on the discharge connection chosen in combination with the downdraft blower selected (see installation manual) For use with inline and remote blowers					
	<b>CVTSIDE6</b> 6" side/rear transition Rectangular 1 7/8" x 19" transition to 6" round for side, down and rear exhaust applications	199	219	•	•	•
	<b>CVTSIDE8</b> 8" side/rear transition Rectangular 1 7/8" x 19" transition to 8" round for side, down and rear exhaust applications	199	219	•	•	•
	<b>CVTSIDE10</b> 10" side/rear transition Rectangular 1 7/8" x 19" transition to 10" round for side, down and rear exhaust applications	199	219	•	•	•






The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	UCVM30XS	UCVM36XS	UCVP36XS
<b>Components</b>						
	<b>CVTFRONT6</b> 6" round front plate Front rough-in plate for front downward exhaust applications	99	109	•	•	•
	<b>CVTFRONT8</b> 8" round front plate Front rough-in plate for front downward exhaust applications	99	109	•	•	•
	<b>CVTFRONT10</b> 10" round front plate Front rough-in plate for front downward exhaust applications	99	109	•	•	•
	<b>CVDUCT2</b> 2' rectangular duct Rectangular duct that is 2' long x 1 7/8" deep x 19" wide (CVDUCT2) required to connect CVTRECT2 to downdraft housing. Ability to use as an extension to exhaust through a cabinet or wall. To modify length, duct may be cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be used to connect CVTRECT2 to round ductwork	199	219	•	•	•
	<b>CVTRECT2</b> Transition for rectangular duct Required to attach CVDUCT2 2' rectangular duct to downdraft housing	99	109	•	•	•

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	Integrated	Inline		Remote Blowers		Downdraft	
				VTD600P	VT11FZ	VT12FZ	VTR2FZ	UCVM30XS	UCVM36XS	UCVP36XS
<b>Blower Accessories</b>										
	<p><b>Remote &amp; Inline Blower Extension Cable</b></p> <ul style="list-style-type: none"> <li>25-ft. extension cable for use between hood and inline or remote blower</li> <li>Supports PHxxxWS, HPCNxxWS, UCVMxxXS, UCVP36xS and VCINxxGWS series hoods.</li> <li>Cannot join two cables together for longer length.</li> <li>For use with blowers VT11FZ, VT12FZ, VTR2FZ.</li> </ul>	119	139		•	•	•	•	•	•
	<p><b>EXTNSET4</b> 3-pc extension set for Inline and remote blowers</p>	159	179		•	•	•			
	<p><b>Electrical Panel Extension Cable</b></p> <ul style="list-style-type: none"> <li>For use with 30" UCVM30XS, 36" UCVM36XS, 36" UCVP36XS downdraft models only</li> <li>Cable connects a remotely located electrical panel to the downdraft during remote and inline blower motor installation applications</li> <li>Cable provides ability to connect electrical panel to the downdraft from a remote location with 5-feet during installation applications with downward duct discharge so the electrical panel is out of the way</li> <li>Extends electrical panel cable an additional 5'</li> <li>Ability to connect two cables together to make a 10' cable</li> <li><b>Not to be used to connect the downdraft with inline and remote blowers</b></li> </ul>	199	219					•	•	•
	<p><b>Roof Plates</b> NOTE: Roof plate required for roof-mount application of remote blowers.</p> <p><b>RFPLT600P</b> Roof mounting plate for remote blower VTR1FZ*</p>	129	149							
	<p><b>RFPLT1000P</b> Roof mounting plate for remote blower VTR2FZ</p>	159	179				•	•		


\* VTR1FZ blower is discontinued.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP
--------------	-------------	------	------

**All Dishwashers include the following features:**

- |   |   |  |
|---|---|--|
| <ul style="list-style-type: none"> <li>• Superior washing and drying performance guaranteed</li> <li>• Concealed controls</li> <li>• Touch Controls</li> <li>• Black-shimmer racks with 3-Step adjustment</li> <li>• A highly flexible racking system</li> <li>• 16 place settings</li> <li>• 18/10 Stainless steel TallTub</li> <li>• Powerfully Quiet® operation</li> </ul> | <ul style="list-style-type: none"> <li>• Sens-a-Wash®</li> <li>• Advanced Triple Filtration System</li> <li>• Leak Sensor and Auto Shut off</li> <li>•  HomeConnect Wi-Fi enabled/Home Connect™ app compatibility</li> </ul> | <p><b>Wash Cycles:</b></p> <ul style="list-style-type: none"> <li>• Normal</li> <li>• Auto</li> <li>• Pots and Pans</li> <li>• Quick</li> </ul> <p><b>Options:</b></p> <ul style="list-style-type: none"> <li>• 24-hour Delay Start</li> <li>• Remote Start (Connected)</li> <li>• Sanitize (NSF certified to remove up to 99.9% of bacteria)</li> </ul> |
|---|---|--|

**Emerald Series**

- 48 dBA
- Chef's Tool Drawer™ (third rack)
- Blue PowerBeam® "on" indicator
- ENERGY STAR® certified

**Additional App-Only Cycles:**

- Rinse, Machine Care

**Additional Options:**

- Extra Dry

**Additional App-Only Options:**

- Save Time



DWHD640EFM



DWHD640EFP



DWHD640EPR

<p>DWHD640EFM</p> <p>DWHD640EFP</p> <p>DWHD640EPR</p>	<p>24" Masterpiece® Stainless Steel Emerald®</p> <p>24" Professional Stainless Steel Emerald®</p> <p>24" Custom Panel Emerald® (Requires Custom Panel)</p>	<p>1,399</p> <p>1,399</p> <p>1,399</p>	<p>1,549</p> <p>1,549</p> <p>1,549</p>
---	--	--	--



**Sapphire® Series**

- 44 dBA
- Adjustable Chef's Tool Drawer™ (third rack)
- Flexible folding tines
- NEW ZoneControl™ Spray Arm
- Blue PowerBeam® "on" indicator
- Sapphire Glow® Interior Light
- Premium smooth glide ball bearing wheels on lower, upper and third rack
- ENERGY STAR® certified

**Additional App-Only Cycles:**

- Rinse, Machine Care, Glass

**Additional Options:**

- StarDry™ – with Zeolite™, an exclusive Thermador drying solution

**Additional App-Only Options:**

- Save Time



DWHD660EFM



DWHD660EFP



DWHD660EPR






<p>DWHD660EFM</p> <p>DWHD660EFP</p> <p>DWHD660EPR</p>	<p>24" Masterpiece® Stainless Steel Sapphire®</p> <p>24" Professional Stainless Steel Sapphire®</p> <p>24" Custom Panel Sapphire® with Push To Open feature (Requires Custom Pan)</p>	<p>1,999</p> <p>1,999</p> <p>1,999</p>	<p>2,199</p> <p>2,199</p> <p>2,199</p>
---	---	--	--





The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

## BUILT-IN DISHWASHERS/ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number	Description	UMRP	MSRP	
				<b>Star Sapphire® Series</b>
	<ul style="list-style-type: none"> <li>• 42 dBA</li> <li>• Premium smooth glide ball bearing wheels on lower, upper and third rack</li> <li>• Adjustable Chef's Tool Drawer™ (third rack)</li> <li>• 18 wine glass capacity</li> <li>• Flexible folding tines</li> <li>• NEW ZoneControl™ Spray Arm</li> <li>• Time remaining PowerBeam® indicator</li> </ul>	<ul style="list-style-type: none"> <li>• StarGlow interior light allows you to change the color &amp; intensity to match the ambience of your kitchen via the Home Connect™ app</li> <li>• Crystal Protect® water softener system</li> <li>• ENERGY STAR® certified</li> </ul>	<p><b>Additional App-Only Cycles:</b></p> <ul style="list-style-type: none"> <li>• Rinse, Machine Care, Glass</li> </ul> <p><b>Additional Options:</b></p> <ul style="list-style-type: none"> <li>• StarDry™ – with Zeolite™, an exclusive Thermador drying solution</li> </ul> <p><b>Additional App-Only Options:</b></p> <ul style="list-style-type: none"> <li>• Save Time</li> </ul>	 DWHD661EFM  DWHD661EFP  DWHD661EPR
DWHD661EFM	24" Masterpiece® Stainless Steel Star Sapphire®	2,499	2,749	
DWHD661EFP	24" Professional Stainless Steel Star Sapphire®	2,499	2,749	
DWHD661EPR	24" Custom Panel Star Sapphire® with Push To Open feature (Requires Custom Panel)	2,499	2,749	 

### Accessories

	Model Number	Description	See Bosch Price List*	Emerald Series	Sapphire® Series	Star Sapphire® Series
	SGZ1010UC	Dishwasher Drain Hose Extension	See Bosch Price List*	•	•	•
	SMZ3IN1UC	Dishwasher Installation Kit with Junction Box, Supply Hose, Elbow	See Bosch Price List*	•	•	•
	SMZ5000	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small Item Basket.	See Bosch Price List*	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Price List*	•	•	•
	SMZSH1ABUC	Dishwasher Water Supply Hose	See Bosch Price List*	•	•	•

\* Pricing for the Thermador dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

24HFGALBIN ..... 1-14	DWHD640EPR..... 7-1	ME301YP ..... 3-2	PARKB36CGY.....5-19
24PRODRAIL..... 1-14	DWHD660EFM ..... 7-1	ME302WS ..... 3-3	PARKB36DHY.....5-10
30HFGALBIN ..... 1-14	DWHD660EFP ..... 7-1	ME302YP ..... 3-3	PARKB36GY ..... 5-19
30PRODRAIL..... 1-14	DWHD660EPR..... 7-1	MED301LWS..... 3-2	PARKB36HY ..... 5-10
36HFGALBIN ..... 1-14	DWHD661EFM ..... 7-2	MED301RWS..... 3-2	PARKB36IGY ..... 5-19
36PRODRAIL..... 1-14	DWHD661EFP ..... 7-2	MED301WS ..... 3-2	PARKB48CGY.....5-19
	DWHD661EPR..... 7-2	MED302LWS..... 3-4	PARKB48CHY.....5-10
		MED302RWS..... 3-4	PARKB48DHY.....5-10
<b>C</b>	<b>E</b>	MED302WS ..... 3-4	PARKB48SGY.....5-19
CHFHMCD .....6-12, 6-14	EXTNCB25W ..... 6-8, 6-11, 6-17,	MEDMC301WS..... 3-5	PARKB60CGY.....5-19
CHFHMCDW30 ..... 6-3	6-22	MEDMCW31WS ..... 3-5	PARKB60SGY.....5-20
CHFHMCDW36 ..... 6-3	EXTNCE5..... 6-22	MEDS301BS ..... 3-6	PCG305W ..... 5-2
CHFVCI30ZS ..... 6-17	EXTNSET4.. 6-8, 6-11, 6-17, 6-22	MEDS302BS ..... 3-6	PCG364WD..... 5-3
CHFVCI36ZS ..... 6-17		MEM301WS ..... 3-5	PCG366W ..... 5-2
CHMHP36TW ..... 6-11	<b>F</b>	MRI304DL ..... 5-21	PCG486WD..... 5-3
CHMHP36XTW ..... 6-11	FRAMEKIT10 1-3, 1-5, 1-12, 1-14,	MS20HNDL20 ..... 1-18	PH36GWS..... 6-5
CHMHP48TW ..... 6-11	1-15, 1-18	MS22HNDL25 ..... 1-18	PH36HWS..... 6-5
CHMHP48XTW ..... 6-11	FRAMEKIT30 ..... 1-15	MS36HNDL20 ..... 1-3, 1-5, 1-12	PH48GWS..... 6-5
CHMHP366W ..... 6-11		MS3000IB10 ..... 1-16	PH48HWS..... 6-5
CHMHP486W ..... 6-11	<b>H</b>	MS3600IB10 ..... 1-16	PH60GWS..... 6-5
CHXTHDDW ..... 6-12	HDDDB30WS ..... 6-9	MS3642IT10..... 1-16	PO301W..... 3-7
CHXTHMCB ..... 6-12	HDDDB36WS ..... 6-9	MS4800IT10..... 1-16	PO302W..... 3-8
CHXTHMIB..... 6-14	HDDFILTUC ..... 6-19	MU30WSU ..... 3-13	POD301LW ..... 3-7
CIT30FBG ..... 4-4	HEATRKIT20. 1-3, 1-5, 1-12, 1-14,		POD301RW..... 3-7
CIT30YWBB ..... 4-3	1-15, 1-18	<b>P</b>	POD301W ..... 3-7
CIT36YWB ..... 4-3	HEZTR301 ..... 5-21	PA12CHPBLK ..... 5-9, 5-18	POD302LW ..... 3-8
CIT36YWBB ..... 4-3	HMCB30WS ..... 6-9	PA12LCVRRW ..... 5-9, 5-18	POD302RW..... 3-8
CIT304BB..... 4-5	HMCB36WS ..... 6-9	PA24CVRR ..... 5-18	POD302W ..... 3-8
CIT365BB..... 4-5	HMDW30WS ..... 6-2	PA30WLBC ..... 5-11	PODMC301W..... 3-9
CIT367YG ..... 4-4	HMDW36WS ..... 6-2	PA30WLBH ..... 5-11	PODMCW31W ..... 3-10
COMBIKIT10 ..... 1-15	HMIB36WS ..... 6-13	PA30WLBG ..... 5-11	PODS301B..... 3-11
CVDUCT2 ..... 6-21	HMIB42WS ..... 6-13	PA36WLBG ..... 5-20	PODS302B..... 3-11
CVTFRONT6..... 6-21	HMWB30WS ..... 6-2	PA36WLBH ..... 5-11	POM301W..... 3-9
CVTFRONT8..... 6-21	HMWB36WS ..... 6-2	PA36WTKG ..... 5-20	PR20HNDL20..... 1-18
CVTFRONT10..... 6-21	HMWB361WS ..... 6-2	PA48WLBC ..... 5-11	PR22HNDL25..... 1-18
CVTRECT2 ..... 6-21	HMWB481WS ..... 6-2	PA48WLBG ..... 5-20	PR36HNDL20..... 1-3, 1-5, 1-12
CVTSIDE6..... 6-20	HPCN36WS ..... 6-10	PA48WLBH ..... 5-11	PR3000IB10 ..... 1-16
CVTSIDE8..... 6-20	HPCN48WS ..... 6-10	PA48WTKG ..... 5-20	PR3600IB10 ..... 1-16
CVTSIDE10..... 6-20		PA60WLBG ..... 5-20	PR3642IT10 ..... 1-16
<b>D</b>	<b>I</b>	PA60WTKG ..... 5-20	PR4800IT10 ..... 1-16
DC30MTW ..... 6-3	ICEBUCKETL..... 1-15	PAALTKITGW..... 5-19	PRD48WDSGU ..... 5-13
DC36MTW ..... 6-4	<b>L</b>	PAALTKITH ..... 5-9	PRD48WISGU ..... 5-13
DC48MTW ..... 6-4	LPRODBIN10..... 1-14	PAGRIDDLE..... 5-9, 5-18	PRD304WHU ..... 5-5
DC366W ..... 6-7		PAKNOBLUWR ..... 5-10	PRD305WHU ..... 5-5
DC486W ..... 6-7	<b>M</b>	PALPKITDGW ..... 5-19	PRD364WDGU ..... 5-15
DC3689W..... 6-7	MB30WP ..... 3-12	PALPKITGA..... 5-9	PRD364WDHU..... 5-6
DC4889W..... 6-7	MB30WS ..... 3-12	PALPKITGA6..... 5-9	PRD364WIGU ..... 5-15
DC361012W..... 6-7	MBCS..... 3-12	PALPKITGGW..... 5-19	PRD366WGU ..... 5-15
DC481012W..... 6-7	MBT30CS..... 3-12	PALPKITHA5..... 5-9	PRD366WHU ..... 5-6
DCT3016W ..... 6-3	MC30WP ..... 3-13	PALPKITHW..... 5-9	PRD486WDGU ..... 5-16
DCT3616W ..... 6-3	MC30WS..... 3-13	PALPKITHW5..... 5-9	PRD486WDHU..... 5-6
DCT4816W ..... 6-3	MD24BS ..... 3-12	PARKB3XHY ..... 5-10	PRD486WIGU ..... 5-16
DWHD640EFM ..... 7-1	MD30BS ..... 3-12	PARKB3XIHB ..... 5-10	PRD606WEG ..... 5-16
DWHD640EFP ..... 7-1	ME301WS ..... 3-2	PARKB30HY ..... 5-10	PRD606WESG ..... 5-13

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

PRG304WH.....	5-7	T24IW905SP .....	1-11	TFL24IR905.....	1-3, 1-5
PRG305WH.....	5-7	T24UC905DP .....	1-13	TFL24IW800.....	1-12
PRG364WDH.....	5-8	T24UC915DS .....	1-13	TFL24IW905.....	1-12
PRG366WG .....	5-17	T24UC925DS .....	1-13	TFL30IB100.....	1-16
PRG366WH.....	5-8	T24UR905DP .....	1-13	TFL30IR800.....	1-3, 1-5
PRG486WDG.....	5-18	T24UR905LP.....	1-13	TFL30IR905.....	1-3, 1-5
PRG486WDH.....	5-8	T24UR905RP .....	1-13	TFL36IB100.....	1-17
PRI30LBHU.....	5-4	T24UR915DS .....	1-13	TFL36IR900.....	1-3, 1-5
PRI36LBHU.....	5-4	T24UR915LS.....	1-13	TFL36IR905.....	1-3, 1-5
PWOKRINGHC.....	5-9, 5-19	T24UR915RS .....	1-13	TFL36IT100.....	1-17
		T24UR925DS .....	1-13	TFL42IT100.....	1-17
		T24UR925LS.....	1-13	TFL48IT100.....	1-17
		T24UR925RS .....	1-13	TWO30YS.....	3-6, 3-14
		T24UW905LP .....	1-13		
		T24UW905RP.....	1-13		
		T24UW915LS .....	1-13		
		T24UW915RS.....	1-13		
		T24UW925LS .....	1-13		
		T24UW925RS.....	1-13		
		T30IB100SP .....	1-6		
		T30IF905SP.....	1-4		
		T30IR905SP .....	1-2		
		T36BB110SS .....	1-7		
		T36BB120SS.....	1-7		
		T36BT110NS .....	1-7		
		T36BT120NS.....	1-7		
		T36FL810NS .....	1-9		
		T36FL821NS .....	1-9		
		T36FT810NS .....	1-9		
		T36FT820NS .....	1-9		
		T36IB100SP .....	1-7		
		T36IF905SP.....	1-4		
		T36IR905SP .....	1-2		
		T36IT100NP .....	1-7		
		T42BT110NS .....	1-8		
		T42BT120NS.....	1-8		
		T42IT100NP .....	1-8		
		T48BT110NS .....	1-8		
		T48BT120NS.....	1-8		
		T48IT100NP .....	1-8		
		TCM24PS .....	2-1		
		TCM24TS .....	2-1		
		TCMTK30RS .....	2-1		
		TCOOKSENSW.....	4-6		
		TEPPAN1321.....	4-6		
		TFL18ID800.....	1-5		
		TFL18ID905.....	1-5		
		TFL18IR800.....	1-5		
		TFL18IR905.....	1-5		
		TFL18IW800.....	1-12		
		TFL18IW905.....	1-12		
		TFL24ID800.....	1-5		
		TFL24ID905.....	1-5		
		TFL24IR800.....	1-3, 1-5		
<b>R</b>				<b>U</b>	
RECHDDB.....	6-12			UCV30ST .....	6-19
RECHMCB .....	6-12			UCV36ST .....	6-19
RECHMDW30 .....	6-3			UCVM30XS.....	6-18
RECHMDW36 .....	6-3			UCVM36XS.....	6-18
RECHMIB.....	6-14			UCVP36XS.....	6-18
RECHMWB30 .....	6-3			UCVRECIRC.....	6-19
RECHMWB36 .....	6-3				
REMCPU.....	6-7, 6-17				
REPLFLTR55 .....	1-15, 1-17				
RFPLT600P. 6-8, 6-12, 6-17, 6-22					
RFPLT1000P..... 6-8, 6-12, 6-17, 6-22					
<b>S</b>				<b>V</b>	
SGS305TS .....	4-1			VC13B30ZS.....	6-15
SGS365TS .....	4-1			VC13B36ZS.....	6-15
SGSP305TS.....	4-2			VC16B30ZS.....	6-15
SGSP365TS.....	4-2			VC16B36ZS.....	6-15
SGSX305TS.....	4-1			VCIN36GWS .....	6-16
SGSX365TS.....	4-1			VCIN42GWS .....	6-16
SGSXP305TS .....	4-2			VCIN48GWS .....	6-16
SGSXP365TS .....	4-2			VCIN54GWS .....	6-16
SGZ1010UC.....	7-2			VCIN60GWS .....	6-16
SKNOBLUW.....	4-6			VTD600P .....	6-20
SLPKITW.....	4-6			VT11FZ.....	6-6, 6-20
SMZ3IN1UC.....	7-2			VT12FZ.....	6-6, 6-20
SMZ5000.....	7-2			VTN1DZ.....	6-6
SMZPCJB1UC .....	7-2			VTN2DA.....	6-6
SMZSH1ABUC.....	7-2			VTN2FZ.....	6-6
SNPKITPEDW.....	4-6			VTR2FZ.....	6-6, 6-20
SPRODBIN10.....	1-14				
SWOKRINGW .....	4-6				
<b>T</b>				<b>W</b>	
T18ID905LP.....	1-4			WD30W .....	3-14
T18ID905RP .....	1-4			WD30WC .....	3-14
T18IF905SP.....	1-4			WKNOBKT3W.....	3-14
T18IW905SP .....	1-11				
T24ID905LP.....	1-4				
T24ID905RP .....	1-4				
T24IF905SP.....	1-4				
T24IR905SP .....	1-2				

The information contained in this document is BSH Home Appliances Corporation proprietary and confidential information. The release or disclosure of this information without the prior written consent of BSH Home Appliances Corporation is strictly forbidden.



**BSH Home Appliances Corporation**

1901 Main Street, Suite 600, Irvine, CA 92614

Phone: (949) 440-7100

(800) 735-4328 Sales and Service

[Thermador.com](http://Thermador.com)